

**P 501/502**  
**(M0BQ/M0D1-EU/AA/KOR)**  
**Parts Catalog**

### Parts change information sample


 **Add**

 **Update**


 **Delete**

| Model                                    | Product Code        | PC Style    |
|------------------------------------------|---------------------|-------------|
| IM 350/350F/430F/430Fb                   | D0AP/D0C4/D0C5/D0C6 | 3D          |
| P 501/502                                | M0BQ/M0D1           | 3D          |
| Paper Feed Unit PB1110                   | D3EQ                | 3D          |
| Paper Feed Unit PB1110TE                 | D3EY                | 3D          |
| Paper Feed Unit PB1110LE                 | D3EY                | 3D          |
| Paper Feed Unit PB1120                   | D3ER                | 3D          |
| Paper Feed Unit PB1120TE                 | D3EY                | 3D          |
| Paper Feed Unit PB1120LE                 | D3EY                | 3D          |
| Offline Stapler Type M34                 | D3EP                | 3D          |
| Caster Table Type M34                    | D3EP                | Traditional |
| IEEE 1284 Interface Board Type M19       | D3C0                | Traditional |
| SD Card for Fonts Type E                 | M500                | Traditional |
| Handset HS1010                           | M444                | Traditional |
| Page Keeper Type M28                     | D3DQ                | Traditional |
| FAX Connection Unit Type M34             | D3EM                | Traditional |
| PostScript3 Unit Type M34                | D3EN                | Traditional |
| Optional Counter Interface Unit Type M12 | B870                | Traditional |
| Extended USB Board Type M19              | D3BS                | Traditional |
| IPDS Unit Type P18                       | M543                | Traditional |
| Hard Disk Drive Option Type P18          | M543                | Traditional |
| Enhanced Security HDD Option Type M10    | D792                | Traditional |
| NFC Card Reader Type M27                 | M502                | Traditional |
| IEEE 802.11 Interface Unit Type M24      | M500                | Traditional |
| USB Device Server Option Type M19A       | D3BC                | Traditional |
| XPS Direct Print Option Type M34         | D3EN                | Traditional |
| IPDS Unit Type M34                       | D3EN                | Traditional |
| File Format Converter Type M19           | D3BR                | Traditional |
| CR Unit Type M13                         | D3AC                | Traditional |
| Data Overwrite Security Unit Type M19    | D3BS                | Traditional |
| XPS Direct Print Option Type P18         | M543                | Traditional |
| PostScript3 Unit Type P18                | M543                | Traditional |
| VM Card Type P18                         | D3EN                | Traditional |


# Unit All




U001  
EXTERIOR




U002  
OPERATION




U003  
LASER UNIT




U004  
PAPER FEED




U005  
PCDU




U006  
TRANSFER/SEPARATION




U007  
FUSING




U008  
PAPER EXIT




U009  
MAIN DRIVE



U010  
ELECTRICAL




U011  
AIR COOLING




U012  
MAIN FRAME

# Unit All




U013  
ACCESSORIES




U014  
DEODORIZE UNIT

# U001 EXTERIOR



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U001 EXTERIOR



## U002 OPERATION

1-04593010N  
BINDING HEAD TA  
PPING SCREW:3X  
10




2-M0BQ1401  
(NA/EU/AA/KOR):O  
PERATION SUB-U  
NIT:ASSY



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|


# U003.LASER UNIT

U003 S001  
D0A41850  
LED:ASS'Y




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U003 LASER UNIT



U003\_S001  
LED:ASS'Y




# U004.PAPER FEED

U004 S002  
D0A42706  
FRAME:MANUAL FEED:ASS'  
Y

U004 S001  
D0A42710  
MANUAL FEED TABLE:ASS'Y


U004 S003  
D0A42512  
PAPER TRAY:500TYPE



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004\_S002.FRAME:MANUAL FEED:ASS'Y

U004 S002 S001  
D0A42713  
BASE:MANUAL FEED:ASS'Y




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004\_S003.PAPER TRAY:500TYPE

U004 S003 S001  
D0A42603  
PAPER TRAY:FRONT:500TY  
PE




U004 S003 S002  
D0A42630  
PAPER TRAY:REAR:500TYP  
E:ASS'Y



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004\_S003\_S001.PAPER TRAY:FRONT:500TYPE


U004 S003 S001 S001  
D0A42625  
GUIDE PLATE:PAPER TRAY:  
MAIN:500TYPE:ASS'Y



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|


# U004\_S003\_S002.PAPER TRAY:REAR:500TYPE:ASS'Y

U004 S003 S002 S001  
D0A42666  
END FENCE:500TYPE:ASS'Y




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004 PAPER FEED



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|


# U004 PAPER FEED



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004 PAPER FEED

147.D0A43831 LEVER:PRESSURE  
:REGISTRATION:RI  
GHT  
136.D0A42844 SPACER:ROLLER:  
CONNECTING:PAP  
ER FEED  
142.D0A43822 COVER:GUIDE:RE  
GISTRATION:UPPE  
R  
141.D0A43815 DECAL:B  
155.GA132000  
(x2)  
SPACER:DIA4.2XDI  
A10X1



138.D0A42848  
COMPRESSION SP  
RING:PRESSURE:  
DRIVE:CONNECTI  
NG

132.D0A42840  
(x2)  
SPACER:PAPER SI  
ZE SENSOR BOAR  
D:OUTER

134.D0A42842  
SENSOR CASE:PA  
PER SIZE SENSOR  
BOARD

133.D0A42841  
SPACER:PAPER SI  
ZE SENSOR BOAR  
D:MIDDLE

135.D0A42843  
GROUND PLATE:P  
APER SIZE SENSO  
R:PAPER FEED:TR  
AY

148.D0A43832  
LEVER:PRESSURE  
:REGISTRATION:L  
EFT

149.D0A43833  
(x2)  
COMPRESSION SP  
RING:LEVER:PRES  
SURE:REGISTRATI  
ON

144.D0A43824  
SHEET:GUIDE:RE  
GISTRATION ROLL  
ER:UPPER LEFT

143.D0A43823  
STOPPER:SENSO  
R:PLATE

146.D0A43826  
GUIDE PLATE:REG  
ISTRATION:UPPER

145.D0A43825  
SHEET:GUIDE:RE  
GISTRATION ROLL  
ER:UPPER RIGHT

137.D0A42847  
FEELER:PAPER E  
ND SENSOR

131.D0A42833  
SHEET:PAPER FE  
ED:ENTRANCE



139.D0A42852  
(x2)  
TENSION SPRING:  
COVER:PREVENTF  
ENCE:PAPER TRA  
Y

140.D0A42853  
COVER:PREVENTF  
ENCE:PAPER TRA

|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U004  
PAPER FEED

158.GW500004 156.GW010007  
PUSH SWITCH:CA PHOTO REFLECTI  
SSETTE:TYCO:(S ON SENSOR:EXIT:(  
W4) S1/S5)




# U004\_S001 MANUAL FEED TABLE:ASS'Y

21.AA143846 TAPPING SCREW:  
M3X6


109.D0A42762 GEAR:SIDE FENCE

106.D0A42759 (x2)  
SPACER:SIDE FENCE:MANUAL FEED



80.D0A42710  
MANUAL FEED TABLE:ASS'Y

108.D0A42761  
SIDE FENCE:MANUAL FEED:RIGHT



107.D0A42760  
SIDE FENCE:MANUAL FEED:LEFT


111.D0A42764  
(x2)  
COMPRESSION SPRING:RACK:MANUAL FEED

110.D0A42763  
(x2)  
RACK:SIDE FENCE

|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004\_S002

## FRAME:MANUAL FEED:ASS'Y




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004\_S002

## FRAME:MANUAL FEED:ASS'Y

- 117.D0A42780 (x2)  
COMPRESSION SPRING:DRIVEN ROLLER:CONNECTING
- 102.D0A42755  
GUIDE PLATE:MANUAL FEED:LOWER
- 118.D0A42781 (x2)  
ROLLER:DRIVEN:CONNECTING




79.D0A42706  
FRAME:MANUAL FEED:ASS'Y

- 157.GW020024 (x2)  
PHOTOINTERRUPTOR:LG2A24BL1:GF:(S2/S3/S4/S6/S7/S8/S10)

- 101.D0A42750  
STAY:ADJUSTMENT:REGISTRATION:PEEN

- 105.D0A42758 (x2)  
COMPRESSION SPRING:HOLDER:DAMPER:DOOR:FRONT



- 151.D0A45644  
BRACKET:MAIN SWITCH:PEEN



- 150.D0A45642  
HOLDER:MAIN SWITCH

- 152.D1775686  
PCB:DCSW:(SW3)

- 119.D0A42782  
SHAFT:CONNECTING:DRIVEN:PAPE R FEED
- 103.D0A42756  
SHEET:CONNECTING:ENTRANCE
- 104.D0A42757 (x2)  
HOLDER:DAMPER:DOOR:FRONT

U004\_S002\_S001  
BASE:MANUAL FEED:ASS'Y


6.04583010N  
(x2)  
HEXAGON HEAD T  
APPING SCREW:3  
X10



81.D0A42713  
BASE:MANUAL FE  
ED:ASS'Y

|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U004\_S003  
PAPER TRAY:500TYPE





30.D0A42512  
PAPER TRAY:500T  
YPE

|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U004\_S003\_S001

## PAPER TRAY:FRONT:500TYPE



31.D0A42603  
PAPER TRAY:FRONT:500TYPE

# U004\_S003\_S001

## PAPER TRAY:FRONT:500TYPE


71.D0A42682  
DECAL:PAPER TRAY:PAPER SET DIRECTION

54.D0A42652  
GUIDE:FRONT:PAPER TRAY:500TYPE

69.D0A42680  
DECAL:SIDE FENCE:UPPER LIMIT

53.D0A42649  
SHAFT:PAPER FEED ROLLER:SHORT:PRESS FIT

55.D0A42654  
COMPRESSION SPRING:PRESSURE:SEPARATE:0.75N



31.D0A42603  
PAPER TRAY:FRONT:500TYPE


68.D0A42679  
DECAL:DIAL:PAPER SIZE SENSOR

72.D0A42683  
LEVER:PAPER SIZE SENSOR BOARD

73.D0A42685  
DIAL:PAPER SIZE SENSOR BOARD

50.D0A42645  
GROUND WIRE:BASE:PAPER TRAY

61.D0A42667  
COVER:LEVER:LOCK:TRAY BOTTOM PLATE:RIGHT



70.D0A42681  
COVER:LEVER:LOCK:TRAY BOTTOM PLATE:LEFT

64.D0A42673  
(x2)  
TENSION SPRING:LOCK:BASE:PAPER TRAY

65.D0A42674  
(x2)  
LEVER:LOCK:TRAY BOTTOM PLATE

62.D0A42668  
COVER:SIDE FENCE:LEFT

67.D0A42677  
PRESSURE PLATE:SIDE FENCE:LEFT

51.D0A42647  
CLICK:SIDE FENCE

52.D0A42648  
COVER:SIDE FENCE:RIGHT


66.D0A42676  
HOLDER:PINION:SCREW

58.D0A42662  
SIDE FENCE:LEFT:500TYPE:PEEN

74.D0A42687  
DECAL:EXTENSION TRAY:RIGHT


U004\_S003\_S001  
PAPER TRAY:FRONT:500TYPE

77.D0A42692  
COVER:PAPER TR  
AY:500TYPE



31.D0A42603  
PAPER TRAY:FRO  
NT:500TYPE

78.D0A42695  
GRIP:PAPER TRAY



153.D3EQ2671  
(x2)  
COMPRESSION SP  
RING:AUXILIARY:S  
IDE FENCE



159.M0752610  
(x2)  
COMPRESSION SP  
RING:LOCK:SIDE F  
ENCE




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U004\_S003\_S001\_S001  
GUIDE PLATE:PAPER TRAY:MAIN:500TYPE:ASS'Y


38.D0A42620

(x2)  
COMPRESSION SP  
RING:SEPARATE:P  
RE:0.3N



63.D0A42669  
SHEET:PAPER TR  
AY:500TYPE


40.D0A42625  
GUIDE PLATE:PAP  
ER TRAY:MAIN:500  
TYPE:ASS'Y



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U004\_S003\_S002  
PAPER TRAY:REAR:500TYPE:ASS'Y


41.D0A42626  
LEVER:EXTENSIO  
N TRAY:PAPER TR  
AY



43.D0A42630  
PAPER TRAY:REA  
R:500TYPE:ASS'Y




75.D0A42688  
DECAL:EXTENSIO  
N TRAY:LEFT



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|



U004\_S003\_S002\_S001  
END FENCE:500TYPE:ASS'Y



# U005 PCDU

1-D0A42021


PCDU:SERVICE:AS  
S'Y



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|


# U006.TRANSFER/SEPARATION

U006 S001  
D0A46202  
TRANSFER ROLLER:ASS'Y




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U006 TRANSFER/SEPARATION




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U006 TRANSFER/SEPARATION




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U006 TRANSFER/SEPARATION




U006\_S001  
TRANSFER ROLLER:ASS'Y

48.D0A46251 47.D0A46250  
ROLLER:POSITION (x2)  
ING:TRANSFER R PLAIN SHAFT BEA  
OLLER:K RING



49.D0A46252  
ROLLER:POSITION  
ING:TRANSFER R  
OLLER:HK




36.D0A46202  
TRANSFER ROLLE  
R:ASS'Y


|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U007.FUSING

U007\_S002  
D0A44244  
THERMOPILE:SUB-ASS'Y:(T  
H2)




U007\_S001  
D0A44028  
(EU/AA/KOR/CHN):FUSING S  
ECTION:ASS'Y



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U007\_S001.(EU/AA/KOR/CHN):FUSING SECTION:ASS'Y



U007 S001 S001  
D0A44216  
GUIDE PLATE:FUSING EXIT:  
LOWER:ASS'Y



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

## U007 FUSING

1-04583010N  
HEXAGON HEAD TAPPING SCREW:3  
X10



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U007\_S001  
(EU/AA/KOR/CHN):FUSING SECTION:ASS'Y


5.09543012N SCREW:POLISHED  
ROUND/SPRING:M  
3X12

2.06320060G (x2)  
PARALLEL PIN:2X6


6.09574008N SCREW:SMALL RO  
UND/SPRING:M4X8

18.D0A44153 (x2)  
COMPRESSION SP  
RING:LEVER:LOCK

16.D0A44151 LEVER:LOCK:LEFT




59.D0A44028  
[A]  
(EU/AA/KOR/CHN):  
FUSING SECTION:  
ASS'Y  
201908-02 X/O



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U007\_S001  
(EU/AA/KOR/CHN):FUSING SECTION:ASS'Y




U007\_S001  
(EU/AA/KOR/CHN):FUSING SECTION:ASS'Y

- 48.D0A44238

DECAL:H-TEMP W  
ARNING:FUSING U  
NIT
- 46.D0A44236

HOLDER:PICKOFF  
PAWL
- 47.D0A44237

STAY:HOLDER:PIC  
KOFF PAWL



59.D0A44028  
[A]  
(EU/AA/KOR/CHN):  
FUSING SECTION:  
ASS'Y  
201908-02 X/O

56.D1494235  
(x11)  
STEPPED SCREW:  
M3

53.D0A44245  
COVER:FUSING:LE  
FT

60.D0A44122  
(EU/AA/KOR/CHN):  
FUSING COVER:U  
PPER



51.D0A44243  
(x4)  
GUIDE:STRIPPER  
PAWLS

54.D0A44248  
(x2)  
CAM:ON-OFF:NT86  
3  
201903-01

57.D2453080  
(x2)  
BUSHING:TRANSP  
ORT SCREW:REA  
R

- 58.AX440337

(EU/AA/KOR/CHN):  
HEATER:237V:700  
W:350W:INFRARE  
D
- 55.D0A44254

STAY:CONNECTIN  
G:THERMOSTAT  
201907-03 X/X
- 45.D0A44235



HOLDER:THERMO  
STAT:B2



D0A44027  
[A]  
(EU/AA/KOR/CHN):  
FUSING SECTION:  
ASS'Y  
201908-02 X/O

U007\_S001\_S001  
GUIDE PLATE:FUSING EXIT:LOWER:ASS'Y

49.D0A44239  
DECAL:MISFEED R  
EMOVAL:FUSING  
UNIT




35.D0A44216  
GUIDE PLATE:FUSI  
NG EXIT:LOWER:A  
SS'Y



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U007\_S002  
THERMOPILE:SUB-ASS'Y:(TH2)

50.D0A44241  
HOLDER:THERMO  
PILE




52.D0A44244  
THERMOPILE:SUB-  
ASS'Y:(TH2)





|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U008 PAPER EXIT




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U008 PAPER EXIT




# U008 PAPER EXIT



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|


# U008 PAPER EXIT



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U009 MAIN DRIVE

2.03603006N (x4) SCREW - M3X6  
 1.03530040N (x15) SCREW - M3X4  
 20.AB010223 GEAR:DRIVE:FUSI NG:NO.1  
 14.AA043717 (x2) SYNCHRONOUS B ELT:50S3M162  
 5.04583010N (x12) HEXAGON HEAD T APPING SCREW:3 X10



6.04583012N (x3) HEXAGON HEAD T APPING SCREW:3 X12

19.AA080396 PLAIN SHAFT BEA RING:4X8X5

18.AA080395 PLAIN SHAFT BEA RING:4X8X2.8

3.04513008N TAPPING SCREW - M3X8

7.08010240 (x2) BINDING HEAD SCREW:M2.6X4

16.AA080213 BUSHING:DIA6

10.11050758 (x3) CLAMP:LWSM-030 6A

17.AA080393 (x2) PLAIN SHAFT BEA RING:DIA6XDIA10X 6

13.AA043716 SYNCHRONOUS B ELT:40S2M124

11.11050759 (x2) CLAMP:LWSM-060 5A

15.AA043718 SYNCHRONOUS B ELT:50S3M312

8.08050097 (x4) RING SEPARATOR


4.04543006Q (x13) TAPPING SCREW - M3X6

9.08050104 RETAINING RINGS -E:SILENCER:DIA4


12.52062686 SNAP RING

|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U009  
MAIN DRIVE




# U009 MAIN DRIVE




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U009 MAIN DRIVE





|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U009  
MAIN DRIVE




# U010 ELECTRICAL



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|


# U010 ELECTRICAL




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U010 ELECTRICAL


46.M0D19590  
TOTAL COUNTER  
SERVICE



47.AZ230326  
(EU/AA/KOR):POW  
ER SUPPLY UNIT



44.M0BQ5889  
GUIDE:HARNESS:  
OPERATION SUB-  
UNIT:LOWER




45.M0BQ5890  
GUIDE:HARNESS:  
OPERATION SUB-  
UNIT:EGB




|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U011 AIR COOLING





|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U012 MAIN FRAME





|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

# U012 MAIN FRAME




# U012 MAIN FRAME



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

U013  
ACCESSORIES



P 501

3.D0A41301  
(x2)  
PLATE:LOGO:RIC

4.M0BQ6851  
(P 501):PLATE:NA  
ME PLATE:P\_501

P 502

5.M0D16851  
(P 502):PLATE:NA  
ME PLATE:P\_502




1.04583010N(x 4)  
HEXAGON HEAD TAPPING SCREW:3X  
10

6.11500482(x 2)  
(EU/AA/KOR):POWER SUPPLY CODE:2  
50V:10A

|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

## U014 DEODORIZE UNIT

1-M2812415  
FILTER:NHC-MKB2  
:198X52.5  
201911-02



|      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| U001 | U002 | U003 | U004 | U005 | U006 | U007 | U008 | U009 | U010 | U011 | U012 | U013 | U014 |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|

## Exclusive Parts

| Number   | Part Name                              | Group          | ID |
|----------|----------------------------------------|----------------|----|
| 52062686 | SNAP RING                              | U009           | 12 |
| 54472681 | SNAP RING                              | U004_S002      | 15 |
| A2672869 | GEAR - 16Z                             | U004_S003_S001 | 16 |
| AA043319 | TIMING BELT - 40S2M156                 | U006           | 5  |
| AA043716 | SYNCHRONOUS BELT:40S2M124              | U009           | 13 |
| AA043717 | SYNCHRONOUS BELT:50S3M162              | U009           | 14 |
| AA043718 | SYNCHRONOUS BELT:50S3M312              | U009           | 15 |
| AA080213 | BUSHING:DIA6                           | U009           | 16 |
| AA080393 | PLAIN SHAFT BEARING:DIA6XDIA10X6       | U009           | 17 |
| AA080395 | PLAIN SHAFT BEARING:4X8X2.8            | U009           | 18 |
| AA080396 | PLAIN SHAFT BEARING:4X8X5              | U009           | 19 |
| AA082173 | PLAIN SHAFT BEARING:6X10X6             | U004           | 17 |
|          |                                        | U004_S002      | 17 |
|          |                                        | U006           | 6  |
|          |                                        | U008           | 8  |
| AA082175 | PLAIN SHAFT BEARING:8X12X7             | U004           | 18 |
| AA082190 | BUSHING:DIA4XDIA7X3                    | U004           | 19 |
| AA132208 | SPACER - M6                            | U004           | 20 |
| AA143592 | SCREW- M4X6                            | U007_S001      | 6  |
| AA143846 | TAPPING SCREW:M3X6                     | U004           | 21 |
|          |                                        | U004_S001      | 21 |
|          |                                        | U004_S003_S001 | 22 |
|          |                                        | U008           | 9  |
| AA143853 | FLAT FILLISTER HEAD TAPPING SCREW:M3X8 | U010           | 13 |
|          |                                        | U009           | 20 |
|          |                                        | U009           | 21 |
| AB010223 | GEAR:DRIVE:FUSING:NO.1                 | U009           | 22 |
| AB010224 | GEAR:DRIVE:TRANSPORT:NO.1              | U009           | 23 |
| AB010225 | GEAR:DRIVE:FUSING:NO.2                 | U009           | 24 |
| AB010226 | GEAR:DRIVE:DRUM                        | U009           | 25 |
| AB010227 | GEAR:DRUM:NO.1                         | U009           | 26 |
| AB011628 | GEAR:DRIVE:TONER SUPPLY:NO.6           | U009           | 27 |
| AB011629 | GEAR:DRIVE:TONER RECYCLING:NO.2        | U009           | 28 |
| AB011630 | GEAR:DRIVE:PAPER FEED:NO.1             | U009           | 29 |
| AB011631 | GEAR:DRIVE:PAPER FEED:NO.3             | U009           |    |
| AB011632 | GEAR:DRIVE:MANUAL FEED:JOINT:NO.1      | U009           |    |

| Number   | Part Name                                                    | Group     | ID |
|----------|--------------------------------------------------------------|-----------|----|
| AB011633 | GEAR:DRIVE:MANUAL FEED:JOINT:NO.2                            | U009      | 30 |
| AB011634 | GEAR:DRIVE:SUPPLY:NO.1                                       | U009      | 31 |
| AB011635 | GEAR:DRIVE:COLLECT:NO.1                                      | U009      | 32 |
| AB011636 | GEAR:DRIVE:TONER SUPPLY:NO.3                                 | U009      | 33 |
| AB011637 | GEAR:DRIVE:CONNECTING:NO.3                                   | U009      | 34 |
| AB011638 | GEAR:DRIVE:PRESSURE RELEASE:SUN                              | U009      | 35 |
| AB011639 | GEAR:DRIVE:PRESSURE RELEASE:TORQUE LIMITER MECHANICAL CLUTCH | U009      | 36 |
| AB011640 | GEAR:DRIVE:PRESSURE RELEASE:PLANETARY                        | U009      | 37 |
| AB014353 | GEAR:DRIVE:PRESSURE RELEASE:NO.1                             | U009      | 38 |
| AB014354 | GEAR:DRIVE:PRESSURE RELEASE:NO.2                             | U009      | 39 |
| AB017963 | GEAR:DRIVE:PAPER FEED:NO.2                                   | U009      | 40 |
| AB017964 | GEAR:DRIVE:FUSING:NO.3                                       | U009      | 41 |
| AB017965 | GEAR:DRIVE:FUSING:NO.4                                       | U009      | 42 |
| AB017966 | GEAR:DRIVE:TRANSPORT:NO.2                                    | U009      | 43 |
| AB019001 | GEAR:DRIVE:FUSING:NO.5                                       | U009      | 44 |
| AB019002 | GEAR:DRIVE:FUSING:NO.6                                       | U009      | 45 |
| AB019009 | WORM WHEEL:DRIVE:PRESSURE RELEASE:Z25                        | U009      | 46 |
| AB030891 | PULLEY:DRIVE:CONNECTING                                      | U009      | 47 |
| AB030892 | PULLEY:DRIVE:TRANSPORT                                       | U009      | 48 |
| AE011135 | HOT ROLLER:DIA30                                             | U007_S001 | 7  |
| AE030101 | RADIAL BALL BEARING:DIA35XDIA47X7                            | U007_S001 | 8  |
| AF020846 | ROLLER:CONNECTING:DRIVE:PAPER FEED                           | U004      | 23 |
| AF020848 | REGISTRATION ROLLER:DRIVE                                    | U004      | 24 |
| AF021421 | REGISTRATION ROLLER:DRIVEN                                   | U004      | 25 |
| AF031100 | PAPER FEED ROLLER:MANUAL FEED:GM30X                          | U004      | 26 |
| AF031103 | PAPER FEED ROLLER                                            | U004      | 27 |

## Exclusive Parts

| Number   | Part Name                                           | Group          | ID |
|----------|-----------------------------------------------------|----------------|----|
| AF032100 | PAPER FEED ROLLER:SEPARATE:MAIN:EA45G               | U004_S003_S001 | 28 |
| AF033012 | FRICTION PAD:MANUAL FEED                            | U004_S002      | 29 |
| AH010011 | RUBBER FOOT:H5                                      | U012           | 18 |
| AW110127 | THERMOSTAT:210 $\beta$ C: (TH3/TH4)                 | U007_S001      | 10 |
| AX050370 | DC STEPPER MOTOR:EXIT:(M1)                          | U008           | 10 |
| AX060506 | DC BRUSHLESS MOTOR:TRANSPORT:FUSING:36W:(M4)        | U009           | 49 |
| AX069095 | DC BRUSHLESS MOTOR:DRUM:26W:(M3)                    | U009           | 50 |
| AX200350 | ELECTROMAGNETIC CLUTCH:0.44NM:MANUAL FEED:(CL2/CL4) | U009           | 51 |
| AX200351 | ELECTROMAGNETIC CLUTCH:0.35NM:BASE:(CL3)            | U009           | 52 |
| AX200352 | ELECTROMAGNETIC CLUTCH:0.45NM:PAPER FEED:(CL6)      | U009           | 53 |
| AX200353 | ELECTROMAGNETIC CLUTCH:0.45NM:REGISTRATION:(CL5)    | U009           | 54 |
| AX201013 | ELECTROMAGNETIC CLUTCH:0.35N/M:REVERSE:(CL7)        | U009           | 55 |
| AX202354 | ELECTROMAGNETIC CLUTCH:0.35NM:DUPLEX:(CL1)          | U009           | 56 |
| AX440337 | (EU/AA/KOR/CHN):HEATER:237V:700W:350W:INFRARED      | U007_S001      | 58 |
| AX640219 | DC FAN MOTOR:DC24V:MM60:25MM:(FAN2)                 | U011           | 6  |
| AX640235 | DC FAN MOTOR:MM60:25MM:PWM:4.2W:(FAN1)              | U011           | 7  |
| AZ230326 | (EU/AA/KOR):POWER SUPPLY UNIT                       | U010           | 47 |
| AZ320224 | POWER PACK:CDVT                                     | U010           | 15 |
| C2183051 | PHILIPS SCREW - M3                                  | U010           | 16 |
| D0A41055 | FRAME:REAR                                          | U012           | 19 |
| D0A41062 | GUIDE:PCDU:RIGHT LOWER                              | U012           | 20 |
| D0A41063 | GUIDE:PCDU:RIGHT UPPER                              | U012           | 21 |
| D0A41064 | TIGHTENER:PCDU:RIGHT                                | U012           | 22 |
| D0A41065 | COIL SPRING:TIGHTENER:PCDU                          | U012           | 23 |
| D0A41074 | GUIDE:PCDU:LEFT LOWER                               | U012           | 24 |

| Number   | Part Name                                   | Group | ID |
|----------|---------------------------------------------|-------|----|
| D0A41075 | GUIDE:PCDU:LEFT UPPER                       | U012  | 25 |
| D0A41076 | TIGHTENER:PCDU:LEFT                         | U012  | 26 |
| D0A41085 | GROUND WIRE:SHIELD PLATE:MOTOR              | U012  | 27 |
| D0A41088 | SHIELD PLATE:MOTOR                          | U012  | 28 |
| D0A41089 | COVER:LOWER:RIGHT FRONT                     | U012  | 29 |
| D0A41090 | COVER:LOWER:RIGHT REAR                      | U012  | 30 |
| D0A41094 | GUIDE:HARNESS:NFC                           | U010  | 17 |
| D0A41097 | BRACKET:LOWER MIDDLE                        | U012  | 31 |
| D0A41102 | GROUND PLATE:SENSOR:FUSING:PRESSURE RELEASE | U012  | 32 |
| D0A41124 | DUCT:EXIT                                   | U011  | 8  |
| D0A41126 | COVER:FAN:LEFT                              | U011  | 9  |
| D0A41127 | SEAL:COVER:FAN:LEFT                         | U011  | 10 |
| D0A41138 | COVER:TEMPERATURE & HUMIDITY SENSOR         | U010  | 18 |
| D0A41151 | HOUSING:DRIVE:PAPER FEED:ASSY               | U009  | 57 |
| D0A41156 | HOLDER:DRIVE:TONER SUPPLY                   | U009  | 58 |
| D0A41157 | LINK:DRIVE:TONER SUPPLY                     | U009  | 59 |
| D0A41158 | JOINT:DRIVE:TONER SUPPLY                    | U009  | 60 |
| D0A41159 | COMPRESSION SPRING:DRIVE:TONER SUPPLY       | U009  | 61 |
| D0A41163 | SHAFT:DRIVE:MANUAL FEED:ASSY                | U009  | 62 |
| D0A41166 | COVER:DRIVE:SUPPLY:CLUTCH                   | U009  | 63 |
| D0A41169 | COVER:DRIVE:SUPPLY:GEAR                     | U009  | 64 |
| D0A41182 | BRACKET:DRIVE:FUSING:MOTOR:PEEN             | U009  | 65 |
| D0A41187 | BRACKET:DRIVE:FUSING:NO.1:PEEN              | U009  | 66 |
| D0A41191 | COMPRESSION SPRING:DRIVE:FUSING             | U009  | 67 |
| D0A41195 | BRACKET:DRIVE:MOTOR:PEEN                    | U009  | 68 |
| D0A41206 | BRACKET:DRIVE:DRUM:PEEN                     | U009  | 69 |
| D0A41209 | LINK:DRIVE:DRUM                             | U009  | 70 |
| D0A41210 | COMPRESSION SPRING:DRIVE:DRUM               | U009  | 71 |

## Exclusive Parts

| Number   | Part Name                                      | Group | ID |
|----------|------------------------------------------------|-------|----|
| D0A41211 | JOINT:DRIVE:DRUM                               | U009  | 72 |
| D0A41212 | CAM:DRIVE:DRUM                                 | U009  | 73 |
| D0A41215 | COVER:DC MOTOR                                 | U009  | 74 |
| D0A41216 | DC MOTOR:DRIVE:PRESSURE RELEASE:ASS'Y:(M2)     | U009  | 75 |
| D0A41221 | ARM:JOINT:DRUM                                 | U009  | 76 |
| D0A41222 | COMPRESSION SPRING:ARM                         | U009  | 77 |
| D0A41223 | ARM:JOINT:TRANSPORT                            | U009  | 78 |
| D0A41225 | COVER:MOTOR:DRUM                               | U012  | 33 |
| D0A41226 | HOUSING:DRIVE:PRESSURE RELEASE:NO.1:INTERNAL   | U009  | 79 |
| D0A41227 | BRACKET:DRIVE:PRESSURE RELEASE:NO.2            | U009  | 80 |
| D0A41234 | SHAFT:DRIVE:PRESSURE RELEASE:PRESS FIT         | U009  | 81 |
| D0A41236 | TORQUE LIMITER MECHANICAL CLUTCH:9.8MN¥M:DIA14 | U009  | 82 |
| D0A41240 | BRACKET:DRIVE:DRUM:CAM                         | U009  | 83 |
| D0A41244 | SUPPORT SHAFT:DRIVE:PRESSURE RELEASE:PLANETARY | U009  | 84 |
| D0A41245 | CAP:DRIVE:PRESSURE RELEASE:PLANETARY           | U009  | 85 |
| D0A41246 | BRACKET:DRIVE:PRESSURE RELEASE:PEEN            | U009  | 86 |
| D0A41301 | PLATE:LOGO:RIC                                 | U013  | 3  |
| D0A41328 | DOOR:FRONT                                     | U001  | 4  |
| D0A41330 | COVER:NFC:1                                    | U001  | 5  |
| D0A41331 | COVER:NFC:2                                    | U001  | 6  |
| D0A41332 | COVER:NFC:3                                    | U001  | 7  |
| D0A41333 | FILTER:LOUVER                                  | U001  | 8  |
| D0A41334 | LEVER:DOOR:FRONT                               | U001  | 9  |
| D0A41337 | LEVER:SHUTTER:DOOR:FRONT                       | U001  | 10 |
| D0A41338 | BAND:DOOR:FRONT                                | U001  | 11 |
| D0A41344 | LINK:LATCH:COVER:FRONT                         | U001  | 12 |
| D0A41345 | COIL SPRING:LATCH:DOOR:FRONT                   | U001  | 13 |
| D0A41346 | COVER:BUTTON:DOOR:FRONT                        | U001  | 14 |
| D0A41347 | COMPRESSION SPRING:DOOR:FRONT                  | U001  | 15 |

| Number   | Part Name                          | Group          | ID |
|----------|------------------------------------|----------------|----|
|          | ONT:BUTTON                         |                |    |
| D0A41850 | LED:ASS'Y                          | U003_S001      | 5  |
| D0A41901 | HOLDER:LED:RIGHT                   | U003_S001      | 6  |
| D0A41902 | HOLDER:LED:LEFT                    | U003_S001      | 7  |
| D0A41905 | FRAME:HOLDER:LED:PEEN              | U003_S001      | 8  |
| D0A41907 | SPRING PLATE:LED                   | U003_S001      | 9  |
| D0A41908 | COIL SPRING:HOLDER:LED             | U003_S001      | 10 |
| D0A41909 | SPACER:HOLDER:LED:K                | U003_S001      | 11 |
| D0A41921 | GUIDE:LINK:LED:RIGHT               | U003           | 12 |
| D0A41922 | LINK:LED:RIGHT:A                   | U003           | 13 |
| D0A41923 | LINK:LED:RIGHT:B                   | U003           | 14 |
| D0A41924 | LINK:LED:RIGHT:C                   | U003           | 15 |
| D0A41925 | LEVER:LINK:LED:RIGHT:B             | U003           | 16 |
| D0A41926 | GROUND PLATE:HINGE:LED:RIGHT       | U003           | 17 |
| D0A41927 | COIL SPRING:LINK:LED:RIGHT         | U003           | 18 |
| D0A41931 | GUIDE:LINK:LED:LEFT                | U003           | 19 |
| D0A41932 | LINK:LED:LEFT:A                    | U003           | 20 |
| D0A41933 | LINK:LED:LEFT:B                    | U003           | 21 |
| D0A41934 | LINK:LED:LEFT:C                    | U003           | 22 |
| D0A41935 | GROUND PLATE:HINGE:LED:LEFT        | U003           | 23 |
| D0A41936 | COIL SPRING:LINK:LED:LEFT          | U003           | 24 |
| D0A41942 | HINGE:LED:PEEN                     | U003           | 25 |
| D0A41945 | PIN:HINGE                          | U003           | 26 |
| D0A41950 | CLEANER:LED:ASS'Y                  | U003           | 27 |
| D0A42021 | PCDU:SERVICE:ASS'Y                 | U005           | 1  |
| D0A42192 | CASE:DISCHARGE LAMP:CHARGE         | U012           | 34 |
| D0A42194 | GUIDE:SHUTTER:PHOTOCONDUCTOR:RIGHT | U012           | 35 |
| D0A42196 | DISCHARGE LAMP:CHARGE:MULTI        | U012           | 36 |
| D0A42246 | GUIDE:STOPPER:PCU:LEFT             | U012           | 37 |
| D0A42247 | GUIDE:STOPPER:PCU:RIGHT            | U012           | 38 |
| D0A42499 | CONNECTOR:ID_CHIP                  | U012           | 39 |
| D0A42512 | PAPER TRAY:500TYPE                 | U004_S003      | 30 |
| D0A42603 | PAPER TRAY:FRONT:500TYPE           | U004_S003_S001 | 31 |
| D0A42606 | TRAY BOTTOM PLATE:500TYPE:PEEN     | U004_S003_S001 | 32 |

## Exclusive Parts

| Number   | Part Name                                 | Group                                    | ID               |
|----------|-------------------------------------------|------------------------------------------|------------------|
| D0A42611 | BASE:PAPER FEED ROLLER:SEPARATE           | U004_S003_S001                           | 33               |
| D0A42612 | SHEET:SPACER:RAIL:PAPER TRAY              | U004_S003_S001                           | 34               |
| D0A42616 | COVER:TRAY BOTTOM PLATE:RIGHT             | U004_S003_S001                           | 35               |
| D0A42617 | COVER:TRAY BOTTOM PLATE:LEFT              | U004_S003_S001                           | 36               |
| D0A42618 | LEVER:PAPER VOLUME SENSOR:500TYPE         | U004_S003_S001                           | 37               |
| D0A42620 | COMPRESSION SPRING:SEPARATE:PRE:0.3N      | U004_S003_S001                           | 38               |
| D0A42622 | BRACKET:PAPER FEED ROLLER:SEPARATE        | U004_S003_S001                           | 39               |
| D0A42625 | GUIDE PLATE:PAPER TRAY:MAIN:500TYPE:ASS'Y | U004_S003_S001                           | 40               |
| D0A42626 | LEVER:EXTENSION TRAY:PAPER TRAY           | U004_S003_S002                           | 41               |
| D0A42629 | PAD:BASE:URETHANE:WHITE                   | U004_S003_S001                           | 42               |
| D0A42630 | PAPER TRAY:REAR:500TYPE:ASS'Y             | U004_S003_S002                           | 43               |
| D0A42636 | COMPRESSION SPRING:PAPER TRAY             | U004_S003_S001                           | 44               |
| D0A42637 | PRESSURE PLATE:SIDE FENCE:LEFT            | U004_S003_S001                           | 45               |
| D0A42638 | PAWL:LOCK:SIDE FENCE                      | U004_S003_S001                           | 46               |
| D0A42639 | LEVER:LOCK:SIDE FENCE                     | U004_S003_S001                           | 47               |
| D0A42642 | SIDE FENCE:RIGHT:500TYPE:PEEN             | U004_S003_S001                           | 48               |
| D0A42643 | SHEET:SPONGE:PAPER TRAY:FRONT             | U004_S003_S001                           | 49               |
| D0A42645 | GROUND WIRE:BASE:PAPER TRAY               | U004_S003_S001                           | 50               |
| D0A42647 | CLICK:SIDE FENCE                          | U004_S003_S001<br>U004_S003_S002<br>S001 | 51<br>51<br>S001 |
| D0A42648 | COVER:SIDE FENCE:RIGHT                    | U004_S003_S001                           | 52               |
| D0A42649 | SHAFT:PAPER FEED ROLLER:SH                | U004_S003_S001                           | 53               |

| Number   | Part Name                                  | Group                  | ID |
|----------|--------------------------------------------|------------------------|----|
|          | ORT:PRESS FIT                              |                        |    |
| D0A42652 | GUIDE:FRONT:PAPER TRAY:500TYPE             | U004_S003_S001         | 54 |
| D0A42654 | COMPRESSION SPRING:PRESSURE:SEPARATE:0.75N | U004_S003_S001         | 55 |
| D0A42655 | LEVER:LOCK:END FENCE                       | U004_S003_S002<br>S001 | 56 |
| D0A42657 | PAWL:LOCK:END FENCE                        | U004_S003_S002<br>S001 | 57 |
| D0A42662 | SIDE FENCE:LEFT:500TYPE:PEEN               | U004_S003_S001         | 58 |
| D0A42663 | STOPPER:END FENCE                          | U004_S003_S002<br>S001 | 59 |
| D0A42666 | END FENCE:500TYPE:ASS'Y                    | U004_S003_S002<br>S001 | 60 |
| D0A42667 | COVER:LEVER:LOCK:TRAY BOTTOM PLATE:RIGHT   | U004_S003_S001         | 61 |
| D0A42668 | COVER:SIDE FENCE:LEFT                      | U004_S003_S001         | 62 |
| D0A42669 | SHEET:PAPER TRAY:500TYPE                   | U004_S003_S001<br>S001 | 63 |
| D0A42673 | TENSION SPRING:LOCK:BASE:PAPER TRAY        | U004_S003_S001         | 64 |
| D0A42674 | LEVER:LOCK:TRAY BOTTOM PLATE               | U004_S003_S001         | 65 |
| D0A42676 | HOLDER:PINION:SCREW                        | U004_S003_S001         | 66 |
| D0A42677 | PRESSURE PLATE:SIDE FENCE:LEFT             | U004_S003_S001         | 67 |
| D0A42679 | DECAL:DIAL:PAPER SIZE SENSOR               | U004_S003_S001         | 68 |
| D0A42680 | DECAL:SIDE FENCE:UPPER LIMIT               | U004_S003_S001         | 69 |
| D0A42681 | COVER:LEVER:LOCK:TRAY BOTTOM PLATE:LEFT    | U004_S003_S001         | 70 |
| D0A42682 | DECAL:PAPER TRAY:PAPER SET DIRECTION       | U004_S003_S001         | 71 |
| D0A42683 | LEVER:PAPER SIZE SENSOR BOARD              | U004_S003_S001         | 72 |
| D0A42685 | DIAL:PAPER SIZE SENSOR BOARD               | U004_S003_S001         | 73 |
| D0A42687 | DECAL:EXTENSION TRAY:RIGHT                 | U004_S003_S001         | 74 |
| D0A42688 | DECAL:EXTENSION TRAY:LEFT                  | U004_S003_S002         | 75 |

## Exclusive Parts

| Number   | Part Name                                              | Group               | ID |
|----------|--------------------------------------------------------|---------------------|----|
| D0A42691 | DECAL:UN LOCK:END FENCE                                | U004_S003_S002_S001 | 76 |
| D0A42692 | COVER:PAPER TRAY:500TYPE                               | U004_S003_S001      | 77 |
| D0A42695 | GRIP:PAPER TRAY                                        | U004_S003_S001      | 78 |
| D0A42706 | FRAME:MANUAL FEED:ASS'Y                                | U004_S002           | 79 |
| D0A42710 | MANUAL FEED TABLE:ASS'Y                                | U004_S001           | 80 |
| D0A42713 | BASE:MANUAL FEED:ASS'Y                                 | U004_S002_S001      | 81 |
| D0A42721 | SHAFT:PAPER FEED ROLLER:MANUAL FEED:PRESS FIT          | U004                | 82 |
| D0A42723 | COMPRESSION SPRING:SHAFT:PAPER FEED ROLLER:MANUAL FEED | U004                | 83 |
| D0A42724 | SHAFT:CAM:MANUAL FEED:PRESS FIT                        | U004_S002           | 84 |
| D0A42726 | CAM:MANUAL FEED:LEFT                                   | U004_S002           | 85 |
| D0A42727 | CAM:MANUAL FEED:RIGHT                                  | U004_S002           | 86 |
| D0A42728 | SPRING PLATE:HOME POSITION SENSOR:MANUAL FEED          | U004_S002           | 87 |
| D0A42729 | GUIDE:FEED INLET:MANUAL FEED                           | U004                | 88 |
| D0A42730 | FEELER:PAPER END SENSOR:MANUAL FEED                    | U004                | 89 |
| D0A42733 | SHEET:BASE:MANUAL FEED                                 | U004                | 90 |
| D0A42737 | HOLDER:FRICTION PAD:MANUAL FEED                        | U004_S002           | 91 |
| D0A42738 | BRACKET:FRICTION PAD:MANUAL FEED                       | U004_S002           | 92 |
| D0A42740 | FEELER:CAM:MANUAL FEED                                 | U004_S002           | 93 |
| D0A42741 | COIL SPRING:FEELER:CAM:MANUAL FEED                     | U004_S002           | 94 |
| D0A42742 | GROUND PLATE:SHAFT:CAM:MANUAL FEED                     | U004_S002           | 95 |
| D0A42743 | SHEET:PAPER FEED ROLLER:EXTENSION:MANUAL FEED          | U004                | 96 |
| D0A42744 | SHEET:SENSOR COVER                                     | U004_S002           | 97 |
| D0A42746 | BRACKET:ADJUSTMENT:REGISTRATION                        | U004_S002           | 98 |
| D0A42747 | COMPRESSION SPRING:FRICTION                            | U004_S002           | 99 |

| Number   | Part Name                                   | Group     | ID  |
|----------|---------------------------------------------|-----------|-----|
|          | N PAD:MANUAL FEED                           |           |     |
| D0A42748 | DAMPING INSULATION:MANUAL FEED              | U004_S002 | 100 |
| D0A42750 | STAY:ADJUSTMENT:REGISTRATION:PEEN           | U004_S002 | 101 |
| D0A42755 | GUIDE PLATE:MANUAL FEED:LOWER               | U004_S002 | 102 |
| D0A42756 | SHEET:CONNECTING:ENTRANCE                   | U004_S002 | 103 |
| D0A42757 | HOLDER:DAMPER:DOOR:FRONT                    | U004_S002 | 104 |
| D0A42758 | COMPRESSION SPRING:HOLDER:DAMPER:DOOR:FRONT | U004_S002 | 105 |
| D0A42759 | SPACER:SIDE FENCE:MANUAL FEED               | U004_S001 | 106 |
| D0A42760 | SIDE FENCE:MANUAL FEED:LEFT                 | U004_S001 | 107 |
| D0A42761 | SIDE FENCE:MANUAL FEED:RIGHT                | U004_S001 | 108 |
| D0A42762 | GEAR:SIDE FENCE                             | U004_S001 | 109 |
| D0A42763 | RACK:SIDE FENCE                             | U004_S001 | 110 |
| D0A42764 | COMPRESSION SPRING:RACK:MANUAL FEED         | U004_S001 | 111 |
| D0A42766 | COVER:EXTENSION TRAY                        | U004      | 112 |
| D0A42767 | EXTENSION TRAY:MANUAL FEED                  | U004      | 113 |
| D0A42768 | COVER:MANUAL FEED TABLE                     | U004      | 114 |
| D0A42769 | HOLDER:COMPRESSION SPRING:EXTENSION TRAY    | U004      | 115 |
| D0A42770 | COMPRESSION SPRING:EXTENSION TRAY           | U004      | 116 |
| D0A42780 | COMPRESSION SPRING:DRIVEN ROLLER:CONNECTING | U004_S002 | 117 |
| D0A42781 | ROLLER:DRIVEN:CONNECTING                    | U004_S002 | 118 |
| D0A42782 | SHAFT:CONNECTING:DRIVEN:PAPER FEED          | U004_S002 | 119 |
| D0A42801 | STAY:PAPER FEED                             | U004      | 120 |
| D0A42804 | SHAFT:PAPER FEED:PRESS FIT                  | U004      | 121 |
| D0A42806 | SHAFT:PLAIN SHAFT BEARING:PAPER FEED ROLLER | U004      | 122 |
| D0A42808 | COMPRESSION SPRING:LEVER:PAPER FEED ROLLER  | U004      | 123 |

## Exclusive Parts

| Number   | Part Name                                      | Group | ID  |
|----------|------------------------------------------------|-------|-----|
| D0A42809 | LEVER:PAPER FEED ROLLER                        | U004  | 124 |
| D0A42813 | GUIDE PLATE:PAPER FEED:UPPER                   | U004  | 125 |
| D0A42816 | SHEET:STAY:PAPER FEED:UPPER                    | U004  | 126 |
| D0A42820 | GUIDE PLATE:PAPER FEED:ENTRANCE                | U004  | 127 |
| D0A42821 | GROUND PLATE:STAY:PAPER FEED:RIGHT             | U004  | 128 |
| D0A42822 | GROUND PLATE:SHAFT:PAPER FEED                  | U004  | 129 |
| D0A42826 | FEELER:PAPER VOLUME SENSOR                     | U004  | 130 |
| D0A42833 | SHEET:PAPER FEED:ENTRANCE                      | U004  | 131 |
| D0A42840 | SPACER:PAPER SIZE SENSOR BOARD:OUTER           | U004  | 132 |
| D0A42841 | SPACER:PAPER SIZE SENSOR BOARD:MIDDLE          | U004  | 133 |
| D0A42842 | SENSOR CASE:PAPER SIZE SENSOR BOARD            | U004  | 134 |
| D0A42843 | GROUND PLATE:PAPER SIZE SENSOR:PAPER FEED:TRAY | U004  | 135 |
| D0A42844 | SPACER:ROLLER:CONNECTING:PAPER FEED            | U004  | 136 |
| D0A42847 | FEELER:PAPER END SENSOR                        | U004  | 137 |
| D0A42848 | COMPRESSION SPRING:PRESSURE:DRIVE:CONNECTING   | U004  | 138 |
| D0A42852 | TENSION SPRING:COVER:PREVENTFENCE:PAPER TRAY   | U004  | 139 |
| D0A42853 | COVER:PREVENTFENCE:PAPER TRAY                  | U004  | 140 |
| D0A42872 | COMPRESSION SPRING:DETENT:PAPER TRAY           | U012  | 40  |
| D0A42873 | GUIDE:PAPER TRAY:LEFT                          | U012  | 41  |
| D0A42874 | GUIDE:PAPER TRAY:RIGHT                         | U012  | 42  |
| D0A43288 | SEAL:TONER END SENSOR                          | U010  | 19  |
| D0A43289 | SEAL:TONER END SENSOR:INNER FRAM               | U010  | 20  |
| D0A43461 | HOLDER:TERMINAL:ID_CHIP:MAIN                   | U012  | 43  |
| D0A43462 | COVER:TERMINAL:ID_CHIP:MAIN                    | U012  | 44  |

| Number   | Part Name                                      | Group        | ID       |
|----------|------------------------------------------------|--------------|----------|
| D0A43463 | TORSION SPRING:COVER:TERMINAL:ID_CHIP          | U012         | 45       |
| D0A43815 | DECAL:B                                        | U004         | 141      |
| D0A43822 | COVER:GUIDE:REGISTRATION:UPPER                 | U004         | 142      |
| D0A43823 | STOPPER:SENSOR:PLATE                           | U004<br>U006 | 143<br>7 |
| D0A43824 | SHEET:GUIDE:REGISTRATION ROLLER:UPPER LEFT     | U004         | 144      |
| D0A43825 | SHEET:GUIDE:REGISTRATION ROLLER:UPPER RIGHT    | U004         | 145      |
| D0A43826 | GUIDE PLATE:REGISTRATION:UPPER                 | U004         | 146      |
| D0A43831 | LEVER:PRESSURE:REGISTRATION:RIGHT              | U004         | 147      |
| D0A43832 | LEVER:PRESSURE:REGISTRATION:LEFT               | U004         | 148      |
| D0A43833 | COMPRESSION SPRING:LEVER:PRESSURE:REGISTRATION | U004         | 149      |
| D0A44028 | (EU/AA/KOR/CHN):FUSING SECTION:ASS'Y           | U007_S001    | 59       |
| D0A44101 | DRAWER:FUSING UNIT                             | U007_S001    | 13       |
| D0A44105 | THERMISTOR:FUSING:(TH1)                        | U007_S001    | 14       |
| D0A44122 | (EU/AA/KOR/CHN):FUSING COVER:UPPER             | U007_S001    | 60       |
| D0A44151 | LEVER:LOCK:LEFT                                | U007_S001    | 16       |
| D0A44152 | LEVER:LOCK:RIGHT                               | U007_S001    | 17       |
| D0A44153 | COMPRESSION SPRING:LEVER:LOCK                  | U007_S001    | 18       |
| D0A44155 | DISCHARGE BRUSH:PRESSURE ROLLER                | U007_S001    | 19       |
| D0A44164 | PRESSURE ROLLER:ASS'Y                          | U007_S001    | 20       |
| D0A44165 | GEAR:HOT ROLLER                                | U007_S001    | 21       |
| D0A44166 | THERMAL INSULATING BUSHING:HOT ROLLER          | U007_S001    | 22       |
| D0A44167 | RETAINING RINGS-C:HOT ROLLER                   | U007_S001    | 23       |
| D0A44173 | COVER:LEVER:PRESSURE                           | U007_S001    | 24       |

## Exclusive Parts

| Number   | Part Name                                          | Group          | ID |
|----------|----------------------------------------------------|----------------|----|
| D0A44174 | TENSION SPRING:PRESSURE                            | U007_S001      | 25 |
| D0A44181 | GUIDE:BEARING                                      | U007_S001      | 26 |
| D0A44182 | GUIDE:HARNESS                                      | U007_S001      | 27 |
| D0A44183 | THERMAL INSULATING BUSHING: POSITIONING PIN:FUSING | U007_S001      | 28 |
| D0A44202 | GEAR:PRESSURE                                      | U007_S001      | 29 |
| D0A44204 | SHAFT:PRESSURE:PRESS FIT                           | U007_S001      | 30 |
| D0A44206 | CAM:ON-OFF:PRESSURE RELEASE                        | U007_S001      | 31 |
| D0A44211 | GEAR:FUSING UNIT:NO.1                              | U007_S001      | 32 |
| D0A44212 | GEAR:FUSING UNIT:NO.2                              | U007_S001      | 33 |
| D0A44214 | TENSION SPRING:GUIDE PLATE:FUSING EXIT             | U007_S001      | 34 |
| D0A44216 | GUIDE PLATE:FUSING EXIT:LOWER:ASS'Y                | U007_S001_S001 | 35 |
| D0A44218 | DISCHARGE BRUSH:HOT ROLLER                         | U007_S001      | 36 |
| D0A44221 | TENSION SPRING:PICKOFF PAWL                        | U007_S001      | 37 |
| D0A44222 | STRIPPER PAWLS                                     | U007_S001      | 38 |
| D0A44226 | STAY:THERMOSTAT                                    | U007_S001      | 39 |
| D0A44227 | STAY:HEATER:M3                                     | U007_S001      | 40 |
| D0A44228 | STAY:HEATER:M4                                     | U007_S001      | 41 |
| D0A44230 | FUSING ENTRANCE GUIDE PLATE:UPPER                  | U007_S001      | 42 |
| D0A44233 | ROLLER:FUSING EXIT:MIDDLE                          | U007_S001      | 43 |
| D0A44234 | ROLLER:FUSING EXIT                                 | U007_S001      | 44 |
| D0A44235 | HOLDER:THERMOSTAT:B2                               | U007_S001      | 45 |
| D0A44236 | HOLDER:PICKOFF PAWL                                | U007_S001      | 46 |
| D0A44237 | STAY:HOLDER:PICKOFF PAWL                           | U007_S001      | 47 |
| D0A44238 | DECAL:H-TEMP WARNING:FUSING UNIT                   | U007_S001      | 48 |
| D0A44239 | DECAL:MISFEED REMOVAL:FUSING UNIT                  | U007_S001_S001 | 49 |
| D0A44241 | HOLDER:THERMOPILE                                  | U007_S002      | 50 |
| D0A44243 | GUIDE:STRIPPER PAWLS                               | U007_S001      | 51 |
| D0A44244 | THERMOPILE:SUB-ASS'Y:(TH2)                         | U007_S002      | 52 |
| D0A44245 | COVER:FUSING:LEFT                                  | U007_S001      | 53 |
| D0A44254 | STAY:CONNECTING:THERMOSTAT                         | U007_S001      | 55 |

| Number   | Part Name                            | Group | ID |
|----------|--------------------------------------|-------|----|
| D0A44521 | GUIDE PLATE:EXIT:UPPER               | U008  | 11 |
| D0A44522 | ROLLER:DRIVEN:REVERSE                | U008  | 12 |
| D0A44523 | SPRING PLATE:ROLLER:REVERSE          | U008  | 13 |
| D0A44524 | SUPPORTING PLATE:GUIDE:EXIT:UPPER    | U008  | 14 |
| D0A44525 | GROUND PLATE:PROTECT:EXIT ROLLER     | U008  | 15 |
| D0A44531 | GUIDE PLATE:EXIT:MIDDLE              | U008  | 16 |
| D0A44532 | FEELER:SENSOR:OVERFLOW               | U008  | 17 |
| D0A44533 | DISCHARGE BRUSH:EXIT                 | U008  | 18 |
| D0A44541 | GUIDE PLATE:EXIT:LOWER               | U008  | 19 |
| D0A44543 | EXIT ROLLER:DRIVEN                   | U008  | 20 |
| D0A44544 | SPRING PLATE:EXIT ROLLER:OUTER       | U008  | 21 |
| D0A44545 | SPRING PLATE:EXIT ROLLER:INNER:RIGHT | U008  | 22 |
| D0A44546 | SPRING PLATE:EXIT ROLLER:INNER:LEFT  | U008  | 23 |
| D0A44547 | GROUND PLATE:EXIT:500                | U008  | 24 |
| D0A44548 | TORSION SPRING:GATE PAWL:EXIT:0.5N   | U008  | 25 |
| D0A44551 | EXIT ROLLER                          | U008  | 26 |
| D0A44552 | TRANSPORT ROLLER:FUSING EXIT         | U008  | 27 |
| D0A44553 | TIMING PULLEY:EXIT ROLLER:34T        | U008  | 28 |
| D0A44554 | GEAR:FUSING EXIT:Z19                 | U008  | 29 |
| D0A44556 | EXIT ROLLER:IDLER                    | U008  | 30 |
| D0A44557 | SYNCHRONOUS BELT:B40S2M106:500       | U008  | 31 |
| D0A44561 | GATE PAWL:REVERSE EXIT               | U008  | 32 |
| D0A44563 | GROUND PLATE:EXIT:GATE PAWL          | U008  | 33 |
| D0A44571 | DC SOLENOID:EXIT:SUB-ASS'Y:(SOL1)    | U008  | 34 |
| D0A44573 | TENSION SPRING:DC SOLENOID:EXIT:1.5N | U008  | 35 |
| D0A44581 | GUIDE:REVERSE:DUPLEX                 | U008  | 36 |
| D0A44582 | ROLLER:DRIVEN:DUPLEX:ENTRANCE        | U008  | 37 |

## Exclusive Parts

| Number   | Part Name                                     | Group | ID |
|----------|-----------------------------------------------|-------|----|
|          | NCE                                           |       |    |
| D0A44584 | TENSION SPRING:DUPLEX:ENTRANCE:5N             | U008  | 38 |
| D0A44585 | PLAIN SHAFT BEARING:DRIVEN:DUPLEX:ENTRANCE    | U008  | 39 |
| D0A44586 | SHEET:GUIDE:REVERSE:DUPLEX                    | U008  | 40 |
| D0A44593 | LEVER:DOOR:EXIT                               | U008  | 41 |
| D0A44594 | COMPRESSION SPRING:LEVER:DOOR:REAR            | U008  | 42 |
| D0A44595 | GROUND PLATE:EXIT:COVER:REAR                  | U008  | 43 |
| D0A44621 | GUIDE PLATE:EXIT:FUSING EXIT:UPPER            | U008  | 44 |
| D0A44622 | PAD:SENSOR:REVERSE                            | U008  | 45 |
| D0A44626 | HOLDER:ROLLER:FUSING EXIT                     | U008  | 46 |
| D0A44627 | SHAFT:DRIVEN:FUSING EXIT                      | U008  | 47 |
| D0A44628 | ROLLER:DRIVEN:FUSING EXIT                     | U008  | 48 |
| D0A44629 | COMPRESSION SPRING:DRIVEN:FUSING EXIT         | U008  | 49 |
| D0A44631 | GUIDE PLATE:EXIT:FUSING EXIT:LOWER            | U008  | 50 |
| D0A44632 | GROUND PLATE:SENSOR:REVERSE EXIT              | U008  | 51 |
| D0A44633 | TENSION SPRING:GROUND WIRE:PAPER FEED SENSOR  | U008  | 52 |
| D0A44641 | COVER:EXIT:FUSING EXIT                        | U008  | 53 |
| D0A44642 | GATE PAWL:FUSING EXIT                         | U008  | 54 |
| D0A44643 | GROUND PLATE:EXIT:FUSING EXIT                 | U008  | 55 |
| D0A44644 | GUIDE PIN:FUSING EXIT                         | U008  | 56 |
| D0A44645 | GUIDE:REVERSE EXIT                            | U008  | 57 |
| D0A44647 | COMPRESSION SPRING:GUIDE PLATE:FUSING EXIT:6N | U008  | 58 |
| D0A44648 | GROUND PLATE:GUIDE:REVERSE EXIT               | U008  | 59 |
| D0A44649 | SHEET:GATE PAWL:FUSING EXIT                   | U008  | 60 |
| D0A44651 | COVER:HARNESS:REAR:DOOR                       | U008  | 61 |
| D0A44652 | PLATE:BAND:STOPPER                            | U008  | 62 |

| Number   | Part Name                                   | Group | ID |
|----------|---------------------------------------------|-------|----|
| D0A44653 | BAND:STOPPER:COVER:REAR                     | U008  | 63 |
| D0A44654 | HOLDER:STOPPER:BAND                         | U008  | 64 |
| D0A44664 | PULLEY:DRIVE:DUPLEX UNIT                    | U006  | 8  |
| D0A44851 | GUIDE:UPPER:DUPLEX                          | U006  | 9  |
| D0A44854 | FEELER:UPPER:DUPLEX                         | U006  | 10 |
| D0A44861 | DRIVEN ROLLER:EXIT:DUPLEX:ASSY              | U006  | 11 |
| D0A44862 | COMPRESSION SPRING:EXIT:DUPLEX              | U006  | 12 |
| D0A44863 | PLAIN SHAFT BEARING:DRIVEN:DUPLEX:EXIT      | U006  | 13 |
| D0A44866 | ROLLER:DRIVEN:DUPLEX:CONNECTING             | U006  | 14 |
| D0A44867 | TORSION SPRING:PRESSURE:DUPLEX:CONNECTING   | U006  | 15 |
| D0A44869 | SHAFT:ROLLER:DRIVEN:DUPLEX:CONNECTING       | U006  | 16 |
| D0A44871 | GUIDE:FRONT:DUPLEX                          | U006  | 17 |
| D0A44872 | PUSH SWITCH:PICK-UP PAPER JAM:DUPLEX        | U006  | 18 |
| D0A44873 | HOLDER:PUSH SWITCH:PICK-UP PAPER JAM:DUPLEX | U006  | 19 |
| D0A44874 | GROUND PLATE:FRONT:DUPLEX                   | U006  | 20 |
| D0A44881 | ROLLER:EXIT:DRIVE:DUPLEX                    | U006  | 21 |
| D0A44886 | COMPRESSION SPRING:HOOK:DUPLEX              | U006  | 22 |
| D0A44887 | LINK:PICK-UP PAPER JAM:FRAME:DUPLEX         | U006  | 23 |
| D0A44888 | LINK:PICK-UP PAPER JAM:FRONT:DUPLEX         | U006  | 24 |
| D0A44891 | HOOK:PICK-UP PAPER JAM:FRONT:DUPLEX         | U006  | 25 |
| D0A44892 | HOLDER:HOOK:PICK-UP PAPER JAM:DUPLEX        | U006  | 26 |
| D0A44897 | DAMPER:FRONT:DUPLEX UNIT                    | U006  | 27 |
| D0A44911 | GUIDE:CONNECTING:DUPLEX                     | U006  | 28 |
| D0A44913 | GROUND PLATE:CONNECTING:DUPLEX              | U006  | 29 |

## Exclusive Parts

| Number   | Part Name                                  | Group     | ID  |
|----------|--------------------------------------------|-----------|-----|
| D0A44914 | GROUND PLATE:CONNECTING:DU<br>PLEX:SMALL   | U006      | 30  |
| D0A44917 | PULLEY:GEAR:DUPLEX:Z26T18                  | U006      | 31  |
| D0A44921 | ROLLER:CONNECTING:DRIVE:DU<br>PLEX         | U006      | 32  |
| D0A44922 | GEAR:DRIVE:DUPLEX:Z26                      | U006      | 33  |
| D0A44924 | GEAR:IDLER:DUPLEX:Z19:FLANG<br>E TYPE      | U006      | 34  |
| D0A44931 | GEAR:IDLER:DUPLEX:Z19                      | U006      | 35  |
| D0A45180 | PCB:TONEREND:(S9)                          | U010      | 21  |
| D0A45204 | GASKET:65TSV4-3D(ZD)HL10                   | U009      | 87  |
| D0A45601 | BRACKET:POWER PACK                         | U010      | 22  |
| D0A45602 | TERMINAL:POWER PACK                        | U010      | 23  |
| D0A45603 | COMPRESSION SPRING:POWER<br>PACK:PCDU      | U010      | 24  |
| D0A45605 | GROUND PLATE:POWER PACK:BA<br>SE           | U010      | 25  |
| D0A45606 | COMPRESSION SPRING:POWER<br>PACK:TRANSFER  | U010      | 26  |
| D0A45608 | GROUND PLATE:POWER PACK:P<br>HOTOCONDUCTOR | U010      | 27  |
| D0A45625 | BRACKET:SAFETY SWITCH:REAR                 | U010      | 28  |
| D0A45631 | SAFETY SWITCH:FRONT:PEEN                   | U010      | 29  |
| D0A45634 | TENSION SPRING:SAFETY SWITC<br>H           | U010      | 30  |
| D0A45641 | BUTTON:MAIN SWITCH                         | U001      | 16  |
| D0A45642 | HOLDER:MAIN SWITCH                         | U004_S002 | 150 |
| D0A45643 | COIL SPRING:MAIN SWITCH                    | U001      | 17  |
| D0A45644 | BRACKET:MAIN SWITCH:PEEN                   | U004_S002 | 151 |
| D0A45647 | FEELER:MAIN SWITCH                         | U001      | 18  |
| D0A45648 | COVER:MAIN SWITCH:FRONT                    | U001      | 19  |
| D0A45650 | SPACER:MAIN SWITCH                         | U001      | 20  |
| D0A45750 | PCB:NFC:ASS'Y                              | U001      | 21  |
| D0A45805 | COVER:POWER SUPPLY UNIT:FR<br>ONT          | U010      | 31  |
| D0A45813 | HOLDER:POWER SUPPLY UNIT                   | U010      | 32  |
| D0A45853 | COVER:CARD:GW                              | U010      | 33  |
| D0A46202 | TRANSFER ROLLER:ASS'Y                      | U006_S001 | 36  |

| Number   | Part Name                                       | Group     | ID  |
|----------|-------------------------------------------------|-----------|-----|
| D0A46223 | COMPRESSION SPRING:PRESSU<br>RE:TRANSFER ROLLER | U006      | 37  |
| D0A46228 | SHEET:GUIDE:REGISTRATION:EN<br>TRANCE:RIGHT     | U006      | 38  |
| D0A46230 | SHEET:GUIDE:REGISTRATION:EN<br>TRANCE:LEFT      | U006      | 39  |
| D0A46232 | SHEET:GUIDE PLATE:TRANSFER                      | U006      | 40  |
| D0A46233 | GUIDE PLATE:TRANSFER:ENTRA<br>NCE               | U006      | 41  |
| D0A46234 | TERMINAL:TRANSFER                               | U006      | 42  |
| D0A46235 | SEAL:TRANSFER/SEPARATION U<br>NIT:K             | U006      | 43  |
| D0A46236 | PLAIN SHAFT BEARING:TRANSFE<br>R ROLLER:RIGHT   | U006      | 44  |
| D0A46237 | PLAIN SHAFT BEARING:TRANSFE<br>R ROLLER:LEFT    | U006      | 45  |
| D0A46248 | FRAME:TRANSFER/SEPARATION<br>UNIT               | U006      | 46  |
| D0A46250 | PLAIN SHAFT BEARING                             | U006_S001 | 47  |
| D0A46251 | ROLLER:POSITIONING:TRANSFER<br>ROLLER:K         | U006_S001 | 48  |
| D0A46252 | ROLLER:POSITIONING:TRANSFER<br>ROLLER:HK        | U006_S001 | 49  |
| D0A46260 | GUIDE PLATE:TRANSFER:EXIT:AS<br>S'Y             | U006      | 50  |
| D0A46263 | TERMINAL:TRANSFER:EXIT:SEPA<br>RATION           | U006      | 51  |
| D0A46270 | ELECTRODE PLATE:STRIPPER PL<br>ATE              | U006      | 52  |
| D0A46271 | COVER:ELECTRODE PLATE                           | U006      | 53  |
| D0A46276 | GROUND PLATE:HOLDER:PHOTOI<br>NTERRUPTOR        | U006      | 54  |
| D0A46280 | SEAL:THERMISTOR                                 | U006      | 55  |
| D0A46290 | FRAME:REAR:LOWER:ASS'Y                          | U012      | 46  |
| D1175303 | THERMISTOR:(TH5)                                | U006      | 56  |
| D1494235 | STEPPED SCREW:M3                                | U007_S001 | 56  |
| D1775686 | PCB:DCSW:(SW3)                                  | U004_S002 | 152 |
| D2453080 | BUSHING:TRANSPORT SCREW:R                       | U007_S001 | 57  |

## Exclusive Parts


| Number   | Part Name                                                  | Group                                     | ID                           |
|----------|------------------------------------------------------------|-------------------------------------------|------------------------------|
|          | EAR                                                        |                                           |                              |
| D3EQ2671 | COMPRESSION SPRING:AUXILIARY:SIDE FENCE                    | U004_S003_S001                            | 153                          |
| D3ER1067 | DETENT:PAPER TRAY                                          | U012                                      | 47                           |
| D3ER1068 | ROLLER:DETENT:PAPER TRAY                                   | U012                                      | 48                           |
| D3ER1069 | ROLLER:DETENT:PAPER TRAY:N<br>O.2                          | U012                                      | 49                           |
| D5732949 | COMPRESSION SPRING:RAIL:END<br>FENCE                       | U004_S003_S002<br>S001                    | 154                          |
| G1045141 | KNOB SCREW:M3                                              | U010                                      | 34                           |
| GA132000 | SPACER:DIA4.2XDIA10X1                                      | U004                                      | 155                          |
| GW010007 | PHOTO REFLECTION SENSOR:EXT:(S1/S5)                        | U004<br>U008                              | 156<br>65                    |
| GW020024 | PHOTO INTERRUPTOR:LG2A24BL1<br>:GF:(S2/S3/S4/S6/S7/S8/S10) | U004<br>U004_S002<br>U006<br>U008<br>U012 | 157<br>157<br>57<br>66<br>50 |
| GW140027 | TEMPERATURE & HUMIDITY SENSOR:(S11)                        | U010                                      | 35                           |
| GW500004 | PUSH SWITCH:CASSETTE:TYCO:(<br>SW4)                        | U004                                      | 158                          |
| GX640031 | FAN MOTOR:DC:2.64W:(FAN3)                                  | U011                                      | 11                           |
| M0752610 | COMPRESSION SPRING:LOCK:SIDE<br>FENCE                      | U004_S003_S001<br>U004_S003_S002<br>S001  | 159<br>159                   |
| M0BQ1121 | DUCT:DEVELOPMENT:RIGHT                                     | U011                                      | 12                           |
| M0BQ1123 | DUCT:UPPER                                                 | U011                                      | 13                           |
| M0BQ1320 | COVER:LEFT                                                 | U001                                      | 22                           |
| M0BQ1321 | COVER:RIGHT                                                | U001                                      | 23                           |
| M0BQ1322 | COVER:UPPER                                                | U001                                      | 24                           |
| M0BQ1323 | SHEET:STATIC ELECTRICITY CAUTION:COVER:UPPER               | U001                                      | 25                           |
| M0BQ1329 | COVER:FRONT UPPER                                          | U001                                      | 26                           |
| M0BQ1338 | COVER:HDD:MAIN                                             | U001                                      | 27                           |
| M0BQ1343 | COVER:LOUVER:LEFT UPPER                                    | U001                                      | 28                           |
| M0BQ1344 | COVER:LOUVER:LEFT LOWER                                    | U001                                      | 29                           |
| M0BQ1345 | COVER:LOUVER:RIGHT UPPER                                   | U001                                      | 30                           |

| Number          | Part Name                                   | Group       | ID       |
|-----------------|---------------------------------------------|-------------|----------|
| M0BQ1346        | COVER:LOUVER:RIGHT LOWER                    | U001        | 31       |
| M0BQ1401        | (NA/EU/AA/KOR):OPERATION SUB<br>-UNIT:ASS'Y | U002        | 2        |
| M0BQ4549        | COVER:EXIT:500                              | U008        | 67       |
| M0BQ4575        | EXTENSION TRAY:EXIT                         | U001        | 32       |
| M0BQ4591        | COVER:REAR                                  | U008        | 68       |
| M0BQ4592        | COVER:REAR:UPPER                            | U008        | 69       |
| M0BQ5053        | PCB:EGB:ASS'Y                               | U010        | 36       |
| M0BQ5773        | SERVICE PARTS:CTL:ASS'Y                     | U010        | 37       |
| M0BQ5806        | COVER:POWER SUPPLY UNIT:REAR                | U010        | 38       |
| M0BQ5855        | COVER:CONTROL BOARD:BEHIND:GW(P)            | U010        | 39       |
| M0BQ5880        | COVER:BCU:BEHIND                            | U010        | 40       |
| M0BQ5881        | GUIDE:HARNESS:MIDDLE                        | U010        | 41       |
| M0BQ5882        | GUIDE:HARNESS:MAIN:UPPER                    | U010        | 42       |
| M0BQ5887        | GUIDE:HARNESS:OPERATION SUB-UNIT:UPPER      | U010        | 43       |
| M0BQ5889        | GUIDE:HARNESS:OPERATION SUB-UNIT:LOWER      | U010        | 44       |
| M0BQ5890        | GUIDE:HARNESS:OPERATION SUB-UNIT:EGB        | U010        | 45       |
| M0BQ6851        | (P 501):PLATE:NAME PLATE:P_501              | U013        | 4        |
| M0D16851        | (P 502):PLATE:NAME PLATE:P_502              | U013        | 5        |
| M0D19590        | TOTAL COUNTER SERVICE                       | U010        | 46       |
| M1601900        | LED HEAD:1200DPI:211.3MM                    | U003_S001   | 28       |
| M1871082        | STEPPED SCREW:M3:SECOND KIND:DRAWER         | U012        | 51       |
| <b>M2812415</b> | <b>FILTER:NHC-MKB2:198X52.5</b>             | <b>U014</b> | <b>1</b> |


## Standard Parts



03130040N  
SCREW:M3X4



03530030N  
SCREW:M3X3



03530040N  
SCREW - M3X4



03530060N  
BIND SCREW - M3X6



03603006N  
SCREW - M3X6



03603014N  
SCREW - M3X14




04503035N  
TAPPING SCREW:3X35




04513006N  
TAPPING SCREW - 3X6




04513008N  
TAPPING SCREW - M3X8



04513020N  
TAPPING SCREW:3X20



04513030N  
TAPPING SCREW:3X30



04533006N  
TAPPING SCREW - M3X6




04543006Q  
TAPPING SCREW - M3X6



04543008Q  
TAPPING SCREW:3X8




04543010Q  
TAPPING SCREW:3X10



04583008N  
HEXAGON HEAD TAPPING S  
CREW:3X8



04583010N  
HEXAGON HEAD TAPPING S  
CREW:3X10



04583012N  
HEXAGON HEAD TAPPING S  
CREW:3X12



04593008N  
BINDING HEAD TAPPING SC  
REW:3X8



04593010N  
BINDING HEAD TAPPING SC  
REW:3X10



06320060G  
PARALLEL PIN:2X6



07200020E  
RETAINING RING - M2



07200025E  
RETAINING RING - M2.5



07200030E  
RETAINING RING - M3



07200040E  
RETAINING RING - M4



08010240  
BINDING HEAD SCREW:M2.6  
X4



08025305  
TAPPING SCREW - M3X6



08046127  
HEXAGONAL BOLT:DOUBLE  
SCREW:M3X8

## Standard Parts



08050097  
RING SEPARATOR



08050103  
RETAINING RINGS-E:SILENC  
ER:DIA3




08050104  
RETAINING RINGS-E:SILENC  
ER:DIA4



08050106  
RETAINING RINGS-E:SILENC  
ER:DIA6




09543012N  
SCREW:POLISHED ROUND/  
SPRING:M3X12




09544008N  
SCREW - M4X8



09574008N  
SCREW:SMALL ROUND/SPRI  
NG:M4X8



11036243  
CONNECTOR:16RG017-3210



11050604  
CLAMP:RFC-16V0



11050692  
CLAMP:LES-0503




11050724  
CLAMPS:WES-1210



11050758  
CLAMP:LWSM-0306A




11050759  
CLAMP:LWSM-0605A




11050760  
CLAMP:LWSM-0511A



11050762  
CLAMP:LWS-0711A




11050763  
CLAMP:LWS-1211A



11500482  
(EU/AA/KOR):POWER SUPPL  
Y CODE:250V:10A



12042612  
MICRO SWITCH:D3V-16506-3  
C25:(SW1/SW2)



14077812  
EEPROM:BR24T32-W

## PM Part List

| Number   | Part Name                            | Num | Group     | ID |
|----------|--------------------------------------|-----|-----------|----|
| D0A42021 | PCDU:SERVICE:ASS'Y                   | 1   | U005      | 1  |
| D0A44028 | (EU/AA/KOR/CHN):FUSING SECTION:ASS'Y | 1   | U007_S001 | 59 |
| D0A46202 | TRANSFER ROLLER:ASS'Y                | 1   | U006_S001 | 36 |

## Design Change List

| Number    | Title             | Set | Old Part  |                                       | New Part |                                      | Index No.           |    | Q'ty | Interchg |     | Reason                            | Cut-in S/N |
|-----------|-------------------|-----|-----------|---------------------------------------|----------|--------------------------------------|---------------------|----|------|----------|-----|-----------------------------------|------------|
|           |                   |     | P/N       | Name                                  | P/N      | Name                                 | Group               | ID |      | Indiv.   | Set |                                   |            |
| 201911-01 | 1911 Modification | -   | AW100194  | THERMOPILE:(TH2)                      |          |                                      | U007_S002           | 9  | 1    |          |     | New part number D0A44244, Int X/O |            |
| 201911-02 | 1911 Modification | -   |           |                                       | M2812415 | FILTER:NHC-MKB2:198X52.5             | U014                | 1  | 1    |          |     |                                   |            |
| 201910-01 | 1910 Modification | -   |           |                                       | D0A42706 | FRAME:MANUAL FEED:ASS'Y              | U004_S002           | 79 | 1    |          |     |                                   |            |
| 201908-01 | 1908 Modification | -   | M0BQ5788  | SERVICE PARTS:CTL:ASS'Y               | M0BQ5773 | SERVICE PARTS:CTL:ASS'Y              | U010                | 37 | 1    | X/O      |     |                                   |            |
| 201908-02 | 1908 Modification | -   | D0A44027  | (EU/AA/KOR/CHN):FUSING SECTION:ASS'Y  | D0A44028 | (EU/AA/KOR/CHN):FUSING SECTION:ASS'Y | U007_S001           | 59 | 1    | X/O      |     |                                   |            |
| 201908-03 | 1908 Modification | -   |           |                                       | D0A42669 | SHEET:PAPER TRAY:500TYPE             | U004_S003_S001_S001 | 63 | 1    | X/O      |     |                                   |            |
| 201908-04 | 1908 Modification | -   | 09574008N | SCREW:SMALL ROUND/SPRING:M4X8         | AA143592 | SCREW- M4X6                          | U007_S001           | 6  | 1    | O/O      |     |                                   |            |
|           |                   |     | 09574008N | SCREW:SMALL ROUND/SPRING:M4X8         | AA143592 | SCREW- M4X6                          | U007_S001           | 6  | 1    | O/O      |     |                                   |            |
| 201907-01 | 1907 Modification | -   |           |                                       | D0A44244 | THERMOPILE:SUB-ASS'Y:(TH2)           | U007_S002           | 52 | 1    |          |     |                                   |            |
| 201907-03 | 1907 Modification | -   | D0A44225  | ELECTRODE PLATE:CONNECTING:THERMOSTAT | D0A44254 | STAY:CONNECTING:THERMOSTAT           | U007_S001           | 55 | 1    | X/X      |     |                                   |            |
| 201905-01 | 1905 Modification | -   |           |                                       | D0A42657 | PAWL:LOCK:END FENCE                  | U004_S003_S002_S001 | 57 | 1    |          |     |                                   |            |
| 201903-01 | 1903 Modification | -   | D0A44248  | CAM:ON-OFF:NT                         |          |                                      | U007_S001           | 54 | 1    |          |     |                                   |            |

## Design Change List

| Number | Title | Set | Old Part |                      | New Part |      | Index No. |    | Q'ty | Interchg |     | Reason | Cut-in S/N |
|--------|-------|-----|----------|----------------------|----------|------|-----------|----|------|----------|-----|--------|------------|
|        |       |     | P/N      | Name                 | P/N      | Name | Group     | ID |      | Indiv.   | Set |        |            |
|        |       | -   |          | 863                  |          |      |           |    | 1    |          |     |        |            |
|        |       |     | D0A44248 | CAM:ON-OFF:NT<br>863 |          |      | U007_S001 | 54 |      |          |     |        |            |

