

Model V-C2a/b  
(D014/D015)  
PARTS CATALOG

13 th edition, April 2012

Ricoh Company, LTD.

**Model V-C2a/b (D014/D015)**

**PARTS CATALOG**

This catalog gives the numbers and names of parts on this machine.

|                                |                         |
|--------------------------------|-------------------------|
| <b>Model V-C2a/b</b>           | <b>(D014/D015)</b>      |
| <b>LCIT RT4000</b>             | <b>(D350)</b>           |
| <b>FAX Option Type C7500</b>   | <b>(D356/D357)</b>      |
| <b>Finisher SR4020</b>         | <b>(D373)</b>           |
| <b>Finisher SR4010</b>         | <b>(D374)</b>           |
| <b>Finisher Adapter Type C</b> | <b>(D375)</b>           |
| <b>MFP Controller Options</b>  | <b>(B829/D376/D377)</b> |

# Model V-C2a/b (D014/D015)

This parts catalog includes the changes announced in MB No. 1 to 55, RTB No. 67 and PCIL No. 200903 to 201203.

## Model V-C2a/b (D014/D015)

### PARTS CATALOG

This catalog gives the numbers and names of parts on this machine.

|                                                |          |                                               |     |
|------------------------------------------------|----------|-----------------------------------------------|-----|
| <b>Location of Unit.....</b>                   | <b>2</b> | 22.By-pass Feed 2 (D014/D015).....            | 60  |
| 1.Exterior 1 (D014/D015) .....                 | 18       | 23.Tandem Tray 1 (D014/D015) .....            | 62  |
| 2.Exterior 2 (D014/D015) .....                 | 20       | 24.Tandem Tray 2 (D014/D015) .....            | 64  |
| 3.Operation Panel (D014/D015).....             | 22       | 25.Tandem Tray 3 (D014/D015) .....            | 66  |
| 4.ARDF Exterior (D014/D015) .....              | 24       | 26.Universal Tray 1 (D014/D015).....          | 68  |
| 5.ARDF Original Tray (D014/D015) .....         | 26       | 27.Universal Tray 2 (D014/D015).....          | 70  |
| 6.Original Feed 1 (D014/D015) .....            | 28       | 28.Paper Registration 1 (D014/D015) .....     | 72  |
| 7.Original Feed 2 (D014/D015) .....            | 30       | 29.Paper Registration 2 (D014/D015) .....     | 74  |
| 8.Original Trans 1 (D014/D015) .....           | 32       | 30.Vertical Transport (D014/D015) .....       | 76  |
| 9.Original Trans 2 (D014/D015) .....           | 34       | 31.Toner Supply 1 (D014/D015) .....           | 78  |
| 10.Original Trans 3 (D014/D015) .....          | 36       | 32.Toner Supply 2 (D014/D015) .....           | 80  |
| 11.Original Exit 1 (D014/D015) .....           | 38       | 33.Toner Supply 3 (D014/D015) .....           | 82  |
| 12.Original Exit 2 (D014/D015) .....           | 40       | 34.PCU 1 (D014/D015) .....                    | 84  |
| 13.ARDF Drive & Electrical 1 (D014/D015) ..... | 42       | 35.PCU 2 (D014/D015) .....                    | 86  |
| 14.ARDF Drive & Electrical 2 (D014/D015) ..... | 44       | 36.PCU 3 (D014/D015) .....                    | 88  |
| 15.ARDF Frame (D014/D015) .....                | 46       | 37.Development Unit (D014/D015) .....         | 90  |
| 16.Optics Section 1 (D014/D015) .....          | 48       | 38.Transfer Belt Unit 1 (D014/D015).....      | 92  |
| 17.Optics Section 2 (D014/D015) .....          | 50       | 39.Transfer Belt Unit 2 (D014/D015).....      | 94  |
| 18.Optics Section 3 (D014/D015) .....          | 52       | 40.Transfer Belt Unit 3 (D014/D015).....      | 96  |
| 19.Optics Section 4 (D014/D015) .....          | 54       | 41.Transfer Belt Cleaning 1 (D014/D015) ..... | 98  |
| 20.Laser Unit (D014/D015) .....                | 56       | 42.Transfer Belt Cleaning 2 (D014/D015) ..... | 100 |
| 21.By-pass Feed 1 (D014/D015) .....            | 58       | 43.Transfer Cover (D014/D015) .....           | 102 |

**April 23, 2012**

## Model V-C2a/b (D014/D015)


### PARTS CATALOG

This catalog gives the numbers and names of parts on this machine.

|                                          |     |                                           |            |
|------------------------------------------|-----|-------------------------------------------|------------|
| 44.Transfer Entrance 1 (D014/D015).....  | 104 | 68.Drive Section 2 (D014/D015) .....      | 152        |
| 45.Transfer Entrance 2 (D014/D015).....  | 106 | 69.Drive Section 3 (D014/D015) .....      | 154        |
| 46.Transfer Entrance 3 (D014/D015).....  | 108 | 70.Drive Section 4 (D014/D015) .....      | 156        |
| 47.Paper Transfer 1 (D014/D015).....     | 110 | 71.Drive Section 5 (D014/D015) .....      | 158        |
| 48.Paper Transfer 2 (D014/D015).....     | 112 | 72.Drive Section 6 (D014/D015) .....      | 160        |
| 49.Fusing Unit 1 (D014/D015) .....       | 114 | 73.Electrical Section 1 (D014/D015) ..... | 162        |
| 50.Fusing Unit 2 (D014/D015) .....       | 116 | 74.Electrical Section 2 (D014/D015) ..... | 164        |
| 51.Fusing Unit 3 (D014/D015) .....       | 118 | 75.Electrical Section 3 (D014/D015) ..... | 166        |
| 52.Fusing Unit 4 (D014/D015) .....       | 120 | 76.Electrical Section 4 (D014/D015) ..... | 168        |
| 53.Fusing Unit 5 (D014/D015) .....       | 122 | 77.Electrical Section 5 (D014/D015) ..... | 170        |
| 54.Fusing Unit 6 (D014/D015) .....       | 124 | 78.Electrical Section 6 (D014/D015) ..... | 172        |
| 55.Fusing Unit 7 (D014/D015) .....       | 126 | 79.Electrical Section 7 (D014/D015) ..... | 174        |
| 56.Paper Exit 1 (D014/D015).....         | 128 | 80.Electrical Section 8 (D014/D015) ..... | 176        |
| 57.Paper Exit 2 (D014/D015).....         | 130 | 81.Frame Section 1 (D014/D015) .....      | 178        |
| 58.Paper Exit 3 (D014/D015).....         | 132 | 82.Frame Section 2 (D014/D015) .....      | 180        |
| 59.Paper Exit 4 (D014/D015).....         | 134 | 83.Frame Section 3 (D014/D015) .....      | 182        |
| 60.Duplex Unit 1 (D014/D015).....        | 136 | 84.Frame Section 4 (D014/D015) .....      | 184        |
| 61.Duplex Unit 2 (D014/D015).....        | 138 | 85.Frame Section 5 (D014/D015) .....      | 186        |
| 62.Duplex Unit 3 (D014/D015).....        | 140 | 86.VBCU Board (D014/D015) .....           | 188        |
| 63.Duplex Unit 4 (D014/D015).....        | 142 | 87.IPU Board (D014/D015) .....            | 202        |
| 64.Duplex Unit 5 (D014/D015).....        | 144 | 88.Control Board (D014/D015).....         | 216        |
| 65.Used Toner Section 1 (D014/D015)..... | 146 | 89.Decals and Documents (D014/D015).....  | 238        |
| 66.Used Toner Section 2 (D014/D015)..... | 148 | 90.Special Tools (D014/D015) .....        | 246        |
| 67.Drive Section 1 (D014/D015) .....     | 150 | <b>Parts Index .....</b>                  | <b>250</b> |


## LOCATIONS OF UNITS

1. Exterior 1 (D014/D015)




See Page 19

2. Exterior 2 (D014/D015)




See Page 21

3. Operation Panel (D014/D015)




See Page 23

4. ARDF Exterior (D014/D015)




See Page 25

5. ARDF Original Tray (D014/D015)



See Page 27


6. Original Feed 1 (D014/D015)



See Page 29


## LOCATIONS OF UNITS

7. Original Feed 2 (D014/D015)




See Page 31

8. Original Trans 1 (D014/D015)




See Page 33

9. Original Trans 2 (D014/D015)




See Page 35

10. Original Trans 3 (D014/D015)




See Page 37

11. Original Exit 1 (D014/D015)



See Page 39


12. Original Exit 2 (D014/D015)



See Page 41


## LOCATIONS OF UNITS

13. ARDF Drive & Electrical 1 (D014/D015)




See Page 43

14. ARDF Drive & Electrical 2 (D014/D015)




See Page 45

15. ARDF Frame (D014/D015)




See Page 47

16. Optics Section 1 (D014/D015)




See Page 49

17. Optics Section 2 (D014/D015)



See Page 51


18. Optics Section 3 (D014/D015)



See Page 53


## LOCATIONS OF UNITS

19. Optics Section 4 (D014/D015)




See Page 55

20. Laser Unit (D014/D015)




See Page 57

21. By-pass Feed 1 (D014/D015)




See Page 59

22. By-pass Feed 2 (D014/D015)




See Page 61

23. Tandem Tray 1 (D014/D015)



See Page 63


24. Tandem Tray 2 (D014/D015)



See Page 65


## LOCATIONS OF UNITS

25. Tandem Tray 3 (D014/D015)




See Page 67

26. Universal Tray 1 (D014/D015)




See Page 69

27. Universal Tray 2 (D014/D015)




See Page 71

28. Paper Registration 1 (D014/D015)




See Page 73

29. Paper Registration 2 (D014/D015)



See Page 75


30. Vertical Transport (D014/D015)



See Page 77


## LOCATIONS OF UNITS

31. Toner Supply 1 (D014/D015)




See Page 79

32. Toner Supply 2 (D014/D015)




See Page 81

33. Toner Supply 3 (D014/D015)




See Page 83

34. PCU 1 (D014/D015)




See Page 85

35. PCU 2 (D014/D015)



See Page 87


36. PCU 3 (D014/D015)



See Page 89


## LOCATIONS OF UNITS

37. Development Unit (D014/D015)




See Page 91

38. Transfer Belt Unit 1 (B132/B181/B200)




See Page 93

39. Transfer Belt Unit 2 (B132/B181/B200)




See Page 95

40. Transfer Belt Unit 3 (B132/B181/B200)




See Page 97

41. Transfer Belt Cleaning 1 (D014/D015)



See Page 99


42. Transfer Belt Cleaning 2 (D014/D015)



See Page 101


## LOCATIONS OF UNITS

43. Transfer Cover (D014/D015)




See Page 103

44. Transfer Entrance 1 (D014/D015)




See Page 105

45. Transfer Entrance 2 (D014/D015)




See Page 107

46. Transfer Entrance 3 (D014/D015)




See Page 109

47. Paper Transfer 1 (D014/D015)



See Page 111


48. Paper Transfer 2 (D014/D015)



See Page 113


## LOCATIONS OF UNITS

49. Fusing Unit 1 (D014/D015)




See Page 115

50. Fusing Unit 2 (D014/D015)




See Page 117

51. Fusing Unit 3 (D014/D015)




See Page 119

52. Fusing Unit 4 (D014/D015)




See Page 121

53. Fusing Unit 5 (D014/D015)



See Page 123


54. Fusing Unit 6 (D014/D015)



See Page 125


## LOCATIONS OF UNITS

55. Fusing Unit 7 (D014/D015)




See Page 127

56. Paper Exit 1 (D014/D015)




See Page 129

57. Paper Exit 2 (D014/D015)




See Page 131

58. Paper Exit 3 (D014/D015)




See Page 133

59. Paper Exit 4 (D014/D015)



See Page 135


60. Duplex Unit 1 (D014/D015)



See Page 137


## LOCATIONS OF UNITS

61. Duplex Unit 2 (D014/D015)




See Page 139

62. Duplex Unit 3 (D014/D015)




See Page 141

63. Duplex Unit 4 (D014/D015)




See Page 143

64. Duplex Unit 5 (D014/D015)




See Page 145

65. Used Toner Section 1 (D014/D015)



See Page 147


66. Used Toner Section 2 (D014/D015)



See Page 149


## LOCATIONS OF UNITS

67. Drive Section 1 (D014/D015)




See Page 151

68. Drive Section 2 (D014/D015)




See Page 153

69. Drive Section 3 (D014/D015)




See Page 155

70. Drive Section 4 (D014/D015)




See Page 157

71. Drive Section 5 (D014/D015)



See Page 159


72. Drive Section 6 (D014/D015)



See Page 161


## LOCATIONS OF UNITS

73. Electrical Section 1 (D014/D015)




See Page 163

74. Electrical Section 2 (D014/D015)




See Page 165

75. Electrical Section 3 (D014/D015)




See Page 167

76. Electrical Section 4 (D014/D015)




See Page 169

77. Electrical Section 5 (D014/D015)



See Page 171


78. Electrical Section 6 (D014/D015)



See Page 173


## LOCATIONS OF UNITS

79. Electrical Section 7 (D014/D015)




See Page 175

80. Electrical Section 8 (D014/D015)




See Page 177

81. Frame Section 1 (D014/D015)




See Page 179

82. Frame Section 2 (D014/D015)




See Page 181

83. Frame Section 3 (D014/D015)




See Page 183

84. Frame Section 4 (D014/D015)




See Page 185

**LOCATIONS OF UNITS**

|                                                                                                                                              |  |  |
|----------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <p>85. Frame Section 5 (D014/D015)</p>  <p>See Page 187</p> |  |  |
|                                                                                                                                              |  |  |

## 1.Exterior 1 (D014/D015)



## 1.Exterior 1 (D014/D015)


| Index No. | Part No.             | Description                            | Q'ty Per Assembly |
|-----------|----------------------|----------------------------------------|-------------------|
| 1         | D015 7652            | Manual:Copy Ref:NA                     | 1                 |
| 1         | D015 7703            | Manual:About MachineE:NA               | 1                 |
| 1         | D015 7708            | Manual:Trouble Shoot:NA                | 1                 |
| 2         | B027 8521            | O/I Holder - Assembly                  | 1                 |
| 3         | B065 1371            | Cloth Holder                           | 1                 |
| 4         | B065 1374            | Cloth - DF Exposure Glass              | 1                 |
| 5         | B132 1529            | Sponge:SD-Card:Plate                   | 1                 |
| 6         | B132 1511            | Lever:Guide Plate                      | 1                 |
| 7         | B132 1226            | Holder:Stand                           | 2                 |
| 8         | B065 8490            | Decal - Paper Size                     | 1                 |
| 9         | B132 1558            | Inner Cover:Paper Feed                 | 1                 |
| 10        | B132 6761            | Inner Cover:Paper Feed                 | 1                 |
| 11        | B070 1307            | Decal:Paper Set Direction              | 1                 |
| 12        | D014 1466            | Hinge:Door:Lower:Ass'y                 | 1                 |
|           | <del>B132 1464</del> | X/O MB41                               |                   |
| 13        | B132 2393            | Tray:Holder:PCU                        | 1                 |
| 14        | AG07 1012            | Magnet Catch:Ass'y                     | 2                 |
| 15        | D014 3690            | Holder:PCU:VC2                         | 1                 |
| 15        | B132 2391            | MB19                                   |                   |
| 16        | D014 3144            | Adjusting Pin:Development              | 1                 |
| 17        | D014 1551            | Decal:Misfeed Removal                  | 1                 |
|           | <del>D014 1550</del> | X/O MB39                               |                   |
| 18        | AA00 0239            | Decal:Color:MFP                        | 1                 |
| 19        | B132 1531            | Panel:Logo                             | 1                 |
| 20        | D014 1536            | Sheet:Logo:INF:C6000                   | 1                 |
| 20        | D014 1541            | Sheet:Logo:INF:C6000SP                 | 1                 |
| 20        | D015 1536            | Sheet:Logo:INF:C7500                   | 1                 |
| 20        | D015 1541            | Sheet:Logo:INF:C7500SP                 | 1                 |
| 20        | D014 1532            | Sheet:Logo:FICIO:C6000<br>Added MB22   | 1                 |
| 20        | D014 1533            | Sheet:Logo:GES:NA:C6000<br>Added MB22  | 1                 |
| 20        | D014 1534            | Sheet:Logo:LAN:NA:LD260C<br>Added MB22 | 1                 |

| Index No. | Part No.             | Description                            | Q'ty Per Assembly |
|-----------|----------------------|----------------------------------------|-------------------|
| 20        | D014 1535            | Sheet:Logo:SVN:C6055<br>Added MB22     | 1                 |
| 20        | D014 1537            | Sheet:Logo:NSA:C6000<br>Added MB22     | 1                 |
| 20        | D014 1538            | Sheet:Logo:REX:C6000<br>Added MB22     | 1                 |
| 20        | D014 1539            | Sheet:Logo:GES:EU:C6000<br>Added MB22  | 1                 |
| 20        | D015 1532            | Sheet:Logo:AFICIO:C7500<br>Added MB22  | 1                 |
| 20        | D015 1533            | Sheet:Logo:GES:NA:C7500<br>Added MB22  | 1                 |
| 20        | D015 1534            | Sheet:Logo:LAN:NA:LD275C<br>Added MB22 | 1                 |
| 20        | D015 1535            | Sheet:Logo:SVN:C7570<br>Added MB22     | 1                 |
| 20        | D015 1537            | Sheet:Logo:NSA:C7500<br>Added MB22     | 1                 |
| 20        | D015 1538            | Sheet:Logo:REX:C7500<br>Added MB22     | 1                 |
| 20        | D015 1539            | Sheet:Logo:GES:EU:C7500<br>Added MB22  | 1                 |
| 21        | D014 1455            | Hinge:Door:Upper                       | 1                 |
| 22        | D014 1501            | Door:Front                             | 1                 |
| 23        | B132 1512            | Cover:Main Switch                      | 1                 |
| 24        | B132 1513            | Case:Main Switch                       | 1                 |
| 25        | B132 1514            | Grip:Door:Front                        | 1                 |
| 26        | B132 1515            | Lever:Micro Switch                     | 2                 |
| 27        | B132 1526            | Door Catch                             | 1                 |
| 28        | D014 1560            | Decal:Toner Supply                     | 1                 |
| 29        | B132 3084            | Holder:Cap:Receiving Sub-unit          | 1                 |
| 30        | D014 6961            | Duct:Door:Front                        | 1                 |
| 31        | D014 6975            | Seal:Duct:Door:Front:Short             | 2                 |
|           | <del>D014 6967</del> | X/O MB4                                |                   |

| Index No. | Part No.             | Description                              | Q'ty Per Assembly |
|-----------|----------------------|------------------------------------------|-------------------|
| 32        | D014 6974            | Seal:Duct:Door:Front:Long                | 1                 |
|           | <del>D014 6968</del> | X/O MB4                                  |                   |
| 33        | B652 2378            | Decal - Display:Original Table           | 1                 |
| 34        | B132 1548            | Decal - Cleaning:Exposure Glass          | 1                 |
| 35        | B652 2379            | Decal:Caution:Original:5-Lang            | 1                 |
| 36        | B132 1573            | Decal - Power Source:Off                 | 1                 |
| 37        | B237 1544            | Sheet:Data:Display:Plain<br>MB26 Correct | 1                 |
| 38        | D014 3135            | Joint:Drive:Development Unit             | 1                 |
| 39        | AA00 1477            | Decal:ENERGY-STAR                        | 1                 |
| 40        | B132 1549            | Decal - Cleaning:Exposure Glass          | 1                 |
| 41        | B234 8510            | Decal:Size Indication:Multi-language:C3  | 1                 |
| 42        | D376 6515            | CD-ROM:SCN:EXP:GEN:Ass'y                 | 1                 |
| 42        | D376 6526            | CD-ROM:PRN:EU:INF:Ass'y                  | 1                 |
| 43        | D376 7900            | Sheet:EULA:18Languages                   | 1                 |
| 44        | D376 7901            | Seal:Caution:18Languages                 | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0450 4012N | Tapping Screw:4x12  |                   |
| 102       | 0450 4010N | Tapping Screw:M4x10 |                   |
| 103       | 0451 4008N | Tapping Screw:4x8   |                   |
| 104       | 1607 1461  | Ferrite Core        |                   |

## 2.Exterior 2 (D014/D015)




## 2.Exterior 2 (D014/D015)

| Index No. | Part No.             | Description                 | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------|-------------------|
| 1         | B065 4480            | Decal - Cover               | 1                 |
| 2         | D081 1506            | Cover:Left Middle           | 1                 |
|           | <del>B132 1506</del> | O/O (201003 PCIL)           |                   |
| 3         | D014 1509            | Cover:Left Lower            | 1                 |
| 4         | <b>B132 6609</b>     | <b>Waste Toner Bottle</b>   | <b>1</b>          |
| 5         | B039 1367            | Rivet - M6                  | 3                 |
| 6         | B132 1516            | Cover:Ozone Filter          | 1                 |
| 7         | D014 1507            | Cover:Rear Middle           | 1                 |
| 8         | AA14 3801            | Screw:M4:Exterior           | 4                 |
| 9         | B132 1504            | Cover:Rear Upper            | 1                 |
| 10        | B132 1508            | Cover:Right Lower           | 1                 |
| 11        | B065 1341            | Connector Cap               | 4                 |
| 12        | D014 1510            | Cover:Rear Lower            | 1                 |
| 13        | D014 1505            | Cover:Right Middle          | 1                 |
| 14        | B065 1344            | G4 Cap                      | 2                 |
| 15        | D062 1303            | Cover:Large Capacity Tray   | 1                 |
|           | <del>B065 1303</del> | O/O (201107 PCIL)           |                   |
| 16        | D014 6982            | Seal:Cover:Right Middle     | 1                 |
| 17        | D014 1512            | Cover:Cable:AC Power Supply | 1                 |
| 18        | D014 1511            | Cover:Filter:Rear Lower     | 1                 |
| 19        | D014 6986            | Bracket:Duct:Main:Rear      | 1                 |
| 20        | D014 6985            | Shield:Duct:Main:Rear       | 1                 |
| 21        | D014 6977            | Duct:Main:Rear              | 1                 |
| 22        | A193 1384            | Nylon Clamp                 | 2                 |
| 23        | <b>D014 6978</b>     | <b>Dust Filter</b>          | <b>2</b>          |
| 24        | D014 6984            | Shield:Duct:Main:Rear       | 1                 |
| 25        | D014 1500            | Seal:Cover:Rear Middle      | 1                 |
| 26        | B198 6407            | Decal:Vermont:2             | 1                 |

| Index No. | Part No.   | Description        | Q'ty Per Assembly |
|-----------|------------|--------------------|-------------------|
| 101       | 0451 4010N | Tapping Screw:4x10 |                   |

### 3.Operation Panel (D014/D015)




### 3.Operation Panel (D014/D015)

| Index No. | Part No.             | Description                | Q'ty Per Assembly |
|-----------|----------------------|----------------------------|-------------------|
| *         | D014 7201            | Operation Panel - NA       | 1                 |
| *         | D014 7202            | Operation Panel - EU       | 1                 |
| 1         | D009 1470            | PCB:OP-R                   | 1                 |
| 2         | D009 1482            | Harness:OP-L:12            | 1                 |
| 3         | D009 1483            | Harness:OP-L:13            | 1                 |
| 4         | B238 1552            | Keytop - KANTAN            | 1                 |
| 5         | B238 1550            | Keytop - Login             | 1                 |
| 6         | B238 1549            | Keytop - Power Source      | 1                 |
| 7         | B238 1504            | Keytop - Start             | 1                 |
| 8         | B238 1506            | Keytop - Try Print         | 1                 |
| 9         | B238 1509            | Keytop - Interrupt         | 1                 |
| 10        | B223 1520            | Keytop - Clear/Stop        | 1                 |
| 11        | R724 1540            | Keytop:10key:Service:NA    | 1                 |
|           | <del>B223 1540</del> | O/O (201111 PCIL)          | 1                 |
| 11        | R724 1521            | Keytop:10key:Service       | 1                 |
|           | <del>B223 1521</del> | X/O (201107 PCIL)          | 1                 |
| 12        | B238 1583            | Keytop - Clear Modes       | 1                 |
| 13        | D014 5181            | LCDC Board - NA            | 1                 |
|           | <del>D014 5181</del> | X/O (201004 PCIL)          | 1                 |
| 13        | D014 5182            | PCB:VC2:LCDC:EU:Ass'y      | 1                 |
|           | <del>D014 5182</del> | X/O (201005 PCIL)          | 1                 |
| 14        | D009 1487            | Cable:FFC:TFT:LCD          | 1                 |
| 15        | D009 1484            | Harness:Invertor           | 1                 |
| 16        | D009 1486            | Invertor:TFT               | 1                 |
| 17        | D009 1504            | Shadeing Plate:Touch Panel | 1                 |
| 18        | D009 1488            | Touch Panel:W-VGA:MA       | 1                 |
| 19        | B238 1535            | LCD Spacer B               | 2                 |
| 20        | B238 1534            | LCD Spacer A               | 2                 |
| 21        | <del>D089 1498</del> | LCD:TFT:W-VGA:SH           | 1                 |
|           | <del>D009 1489</del> | O/O (201112 PCIL)          | 1                 |
| 22        | B223 1475            | PCB OP-L                   | 1                 |
| 23        | D009 1481            | Harness:OP-R:13            | 1                 |
| 24        | D009 1480            | Harness:OP-R:10            | 1                 |
| 25        | D014 7223            | Lens:Front                 | 1                 |
| 26        | B238 1547            | Spacer - Keytop            | 1                 |

| Index No. | Part No.   | Description                   | Q'ty Per Assembly |
|-----------|------------|-------------------------------|-------------------|
| 27        | B238 1511  | Keytop - Counter              | 1                 |
| 28        | B223 1518  | Keytop - Blank FB             | 4                 |
| 29        | B223 1529  | Keytop - DOC NA               | 1                 |
| 29        | B223 1535  | Keytop:DOC:EU                 | 1                 |
| 30        | B223 1528  | Keytop - Copy NA              | 1                 |
| 30        | B223 1534  | Keytop:Copy:EU                | 1                 |
| 31        | B132 1562  | Decal - Inkjet:Paper          | 1                 |
| 32        | B223 1538  | Keytop:Scanner:EU             | 1                 |
| 33        | B223 1537  | Keytop:Printer:EU             | 1                 |
| 34        | D009 1556  | Panel:Upper:NA                | 1                 |
|           |            | Added MB12                    |                   |
| 34        | D009 1557  | Panel:Upper:EU                | 1                 |
|           |            | Added MB12                    |                   |
| 35        | B238 1539  | Sheet:Power Source:Display:NA | 1                 |
|           |            | Added MB12                    |                   |
| 35        | B286 1479  | Sheet:Power Source:N-C2:EU    | 1                 |
|           |            | Added MB12                    |                   |
| 36        | D014 7221  | Cover:Upper:V-C2:NA           | 1                 |
|           |            | Added MB12                    |                   |
| 36        | D014 7222  | Cover:Upper:V-C2:EU           | 1                 |
|           |            | Added MB12                    |                   |
| 101       | 0450 3010N | Tapping Screw - M3x10         |                   |
| 102       | 0353 0060N | Bind Screw - M3x6             |                   |
| 103       | 1105 0032  | Clamp                         |                   |
| 104       | 1607 2053  | Ferrite Core:E04FG210810      |                   |

## 4.ARDF Exterior (D014/D015)




#### 4.ARDF Exterior (D014/D015)



| Index No. | Part No.                          | Description                        | Q'ty Per Assembly |
|-----------|-----------------------------------|------------------------------------|-------------------|
| 1         | B132 7454<br><del>B132 7453</del> | ADF Unit<br>X/O MB43               | 1                 |
| 2         | B652 1902                         | Cover:Front                        | 1                 |
| 3         | AA14 3788                         | Pin:Guide Plate:Paper Feed         | 1                 |
| 4         | B652 1952                         | Cover:Rear                         | 1                 |
| 5         | 5447 2681                         | Snap Ring                          | 4                 |
| 6         | B652 4903                         | Stopper:Guide Plate:Pressure Plate | 2                 |
| 7         | B477 2715                         | Pressure Plate Tape                | 16                |
| 8         | B652 4741                         | Pressure Plate:Ass'y               | 1                 |
| 9         | B652 4902                         | Guide Plate:Pressure Plate         | 1                 |
| 10        | B352 2650                         | Magnet Catch - 5N                  | 4                 |
| 11        | B652 4905                         | Decal:Misfeed Removal              | 1                 |
| 12        | A859 7211                         | Stepped Screw                      | 2                 |
| 13        | B652 1906                         | Decal:Misfeed Removal              | 1                 |
| 14        | B652 1905                         | Decal:Misfeed Removal:Exit         | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6 |                   |
| 102       | 0951 5010N | Screw:M5x10         |                   |

## 5.ARDF Original Tray (D014/D015)




## 5.ARDF Original Tray (D014/D015)

| Index No. | Part No.             | Description                            | Q'ty Per Assembly |
|-----------|----------------------|----------------------------------------|-------------------|
| 1         | B714 4151            | Rail:Side Fence                        | 1                 |
|           | <del>G564 4151</del> | O/O (201104 PCIL)                      |                   |
| 2         | B477 2272            | Table Side Fence                       | 1                 |
| 3         | A376 4599            | Side Fence Pad                         | 1                 |
| 4         | B477 2286            | Original Sensor Feeler Stud            | 1                 |
| 5         | A806 1351            | Original Sensor Feeler                 | 1                 |
| 6         | 5206 2686            | Snap Ring                              | 2                 |
| 7         | B652 2351            | Base:Original Table:Ass'y              | 1                 |
| 8         | B652 2354            | Decal:Base:Original                    | 1                 |
| 9         | B652 5451            | Harness:Original Sensor                | 1                 |
| 10        | AW02 0141            | Photointerruptor                       | 1                 |
| 11        | B477 2281            | Original Sensor Bracket                | 1                 |
| 12        | AW01 0112            | Photo Reflection Sensor:Original Table | 3                 |
| 13        | B652 2333            | Shaft:Rise:Base                        | 1                 |
| 14        | A628 1225            | Bushing - 8mm                          | 2                 |
| 15        | B652 2334            | Lever:Rise:Base                        | 1                 |
| 16        | B652 2335            | Bracket:Lever:Rise:Base                | 1                 |
| 17        | B652 2363            | Shaft:Base:Rear:Ass'y                  | 2                 |
| 18        | B652 2403            | Arm:Roller:Reverse:Upper               | 4                 |
| 19        | B351 3752            | Pressure Roller - Reverse              | 4                 |
| 20        | B652 2404            | Compression Spring:3.1N                | 4                 |
| 21        | 5053 0223            | Bushing - 8mm                          | 2                 |
| 22        | B652 2323            | Ground Plate:Shaft:Base                | 1                 |
| 23        | B652 2375            | Bushing:Original Table                 | 2                 |
| 24        | 5447 2681            | Snap Ring                              | 1                 |
| 25        | A859 3225            | Discharge Brush                        | 1                 |
| 26        | B652 2392            | Stopper:Original Table                 | 1                 |
| 27        | B652 2393            | Compression Spring                     | 1                 |
| 28        | B652 2322            | Guide Plate:Reverse:Upper              | 1                 |
| 29        | C101 2360            | Snap Ring                              | 1                 |
| 30        | D412 2345            | Gear:Z47:M0.8                          | 1                 |
|           | <del>A806 2284</del> | X/O (200903 PCIL)                      |                   |
| 31        | AA14 3789            | Shaft:Cleaner                          | 1                 |
| 32        | B652 2376            | Original Table:Face Front              | 1                 |
|           | <del>B652 2372</del> | O/O MB3 (B652)                         |                   |

| Index No. | Part No.   | Description                   | Q'ty Per Assembly |
|-----------|------------|-------------------------------|-------------------|
| 33        | B652 2383  | Original Table:Behind         | 1                 |
| 34        | B652 5436  | Harness:Sensor:Original Table | 1                 |
| 35        | B477 2263  | Cushion:Base:Behind           | 1                 |
| 36        | B477 2264  | Sheet:Cushion:Base            | 1                 |
| 101       | 0451 3006N | Tapping Screw - 3x6           |                   |
| 102       | 0450 3008N | Tapping Screw - M3x8          |                   |
| 103       | 0720 0060E | Retaining Ring - M6           |                   |
| 104       | 0632 0140G | Parallel Pin                  |                   |

## 6.Original Feed 1 (D014/D015)




## 6.Original Feed 1 (D014/D015)

| Index No. | Part No.             | Description                             | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------------------|-------------------|
| 1         | B477 2347            | Guide:Paper Feed:Upper                  | 1                 |
|           | <del>B477 2344</del> | O/O (201005 PCIL)                       |                   |
|           | <del>B477 2343</del> | X/O (200905 PCIL)                       |                   |
|           | <del>B477 2342</del> | X/O MB42                                |                   |
| 2         | B652 1811            | Decal:Misfeed Removal:Paper Feed        | 1                 |
| 3         | B652 1812            | Decal:Display Guidance                  | 1                 |
| 4         | D501 4406            | Decal:Size:Original                     | 1                 |
|           | <del>B652 1807</del> | O/O (201101 PCIL)                       |                   |
| 5         | B477 1821            | Paper Feed Cover Grip                   | 1                 |
| 6         | B477 1825            | Paper Feed Release Lever                | 2                 |
| 7         | B477 4117            | Spring                                  | 2                 |
| 8         | B477 1831            | Grip Shaft                              | 1                 |
| 9         | B652 1822            | Bracket:Pressure:Pickup                 | 1                 |
| 10        | B652 1824            | Compression Spring                      | 1                 |
| 11        | B652 1823            | Pressure Plate:Pickup                   | 1                 |
| 12        | B477 1851            | Rear Cover Bracket                      | 1                 |
| 13        | B477 1841            | Front Cover Bracket                     | 1                 |
| 14        | AA14 3788            | Pin:Guide Plate:Paper Feed              | 1                 |
| 15        | B477 1791            | Paper Feed Cover                        | 1                 |
| 16        | B652 2362            | Bracket:Pressure:Pull Out:Ass'y         | 1                 |
| 17        | B652 2516            | Discharge Brush:Exit:L45                | 1                 |
| 18        | AA08 0037            | Bushing - 6mm                           | 2                 |
| 19        | B477 4111            | Spring                                  | 2                 |
| 20        | B477 2351            | Driven Pull Out Roller                  | 1                 |
| 21        | A697 2131            | Antistatic Brush                        | 1                 |
| 22        | B652 2523            | Bracket:Paper Size Sensor               | 1                 |
| 23        | AW02 0155            | Photointerruptor:Paper Size Sensor      | 4                 |
| 24        | AW02 0154            | Photointerruptor:Entrance               | 1                 |
| 25        | B652 5412            | Harness:Sensor:Connecting:              |                   |
|           |                      | Paper Size Sensor                       | 1                 |
| 26        | AW01 0107            | Paper Feed Sensor                       | 1                 |
| 27        | AW01 0117            | Paper Feed Sensor                       | 2                 |
| 28        | B652 5418            | Harness:Sensor:Connecting:Stopper Guide | 1                 |
| 29        | B477 2373            | Relay Roller Arm                        | 4                 |
| 30        | B652 2505            | Compression Spring                      | 4                 |

| Index No. | Part No.   | Description                   | Q'ty Per Assembly |
|-----------|------------|-------------------------------|-------------------|
| 31        | B477 2372  | Driven Paper Feed Roller      | 4                 |
| 32        | B652 1816  | Link:Stopper:Cover:Paper Feed | 1                 |
| 33        | AA14 3846  | Tapping Screw:M3x6            | 1                 |
| 101       | 0451 3006N | Tapping Screw - 3x6           |                   |
| 102       | 0450 3008N | Tapping Screw - M3x8          |                   |
| 103       | 0720 0040E | Retaining Ring - M4           |                   |
| 104       | 0805 0089  | Retaining Ring - M4           |                   |
| 105       | 1105 0487  | Harness Clamp                 |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC    |                   |
| 107       | 0451 3008N | Tapping Screw - M3x8          |                   |
| 108       | 0720 0060E | Retaining Ring - M6           |                   |

## 7.Original Feed 2 (D014/D015)




## 7.Original Feed 2 (D014/D015)

| Index No. | Part No.  | Description                         | Q'ty Per Assembly |
|-----------|-----------|-------------------------------------|-------------------|
| 1         | AA14 3789 | Shaft:Cleaner                       | 1                 |
| 2         | B301 1286 | Bushing - 6x10x6                    | 1                 |
| 3         | A418 1158 | Spacer - M6.5x1                     | 1                 |
| 4         | AA06 3435 | Compression Spring:Paper Feed:Joint | 1                 |
| 5         | AA13 2013 | Spacer                              | 1                 |
| 6         | A806 1163 | Guide Plate Cushion                 | 4                 |
| 7         | B477 2172 | Front Entrance Guide                | 1                 |
| 8         | A680 1621 | Feed-in Unit Stopper                | 1                 |
| 9         | A628 1225 | Bushing - 8mm                       | 4                 |
| 10        | A806 1293 | Feed Belt Drive Roller              | 1                 |
| 11        | B477 2191 | Separation Shaft                    | 1                 |
| 12        | A806 1295 | Feed Belt                           | 1                 |
| 13        | A806 4261 | Spring Belt Guide Roller            | 2                 |
| 14        | A806 1294 | Feed Belt Driven Roller             | 1                 |
| 15        | A806 1298 | Transport Belt Roller Shaft         | 1                 |
| 16        | A806 1292 | Feed Belt Bracket                   | 1                 |
| 17        | B477 2182 | Rear Entrance Guide                 | 1                 |
| 18        | B477 2231 | Pick-up Roller Lever                | 1                 |
| 19        | 5447 2681 | Snap Ring                           | 2                 |
| 20        | 5053 0447 | Bushing - 6mm                       | 2                 |
| 21        | B477 2227 | Pickup Roller:Coupling              | 1                 |
| 22        | B477 2225 | Pick-Up Roller                      | 1                 |
| 23        | AA13 2171 | Spacer - 6x20x1                     | 1                 |
| 24        | B652 2213 | Timing Belt:B40S2M142               | 1                 |
| 25        | B652 2212 | Timing Pulley:21T                   | 1                 |
| 26        | B652 2215 | Guide:Paper Feed Belt:Front         | 1                 |
| 27        | B477 2222 | Pick-up Roller Bracket              | 1                 |
| 28        | A806 2151 | Timing Pulley - T19/Z23 S2M/M0.6    | 1                 |
| 29        | A806 2271 | Gear - Z18                          | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0720 0040E | Retaining Ring - M4 |                   |
| 102       | 0720 0060E | Retaining Ring - M6 |                   |
| 103       | 0720 0030E | Retaining Ring - M3 |                   |

## 8.Original Trans 1 (D014/D015)




## 8.Original Trans 1 (D014/D015)

| Index No. | Part No.  | Description                      | Q'ty Per Assembly |
|-----------|-----------|----------------------------------|-------------------|
| 1         | B652 2143 | Guide Plate:Paper Feed:Lower     | 1                 |
| 2         | B477 2151 | Separation Cap                   | 1                 |
| 3         | AA14 3790 | Screw:Contact Point              | 1                 |
| 4         | B301 1155 | Separation Support Pad           | 1                 |
| 5         | B652 2146 | Holder:Separation Pad            | 1                 |
| 6         | 5447 2681 | Snap Ring                        | 3                 |
| 7         | A859 2241 | Reverse Roller                   | 1                 |
| 8         | A293 6399 | Torque Limiter - Separator       | 1                 |
| 9         | B652 4156 | Compression Spring:0.5N          | 4                 |
| 10        | A680 1661 | Bushing - 4mm                    | 4                 |
| 11        | B652 4155 | Roller:Driven:Reverse:Middle     | 2                 |
| 12        | B652 2127 | Bracket:Guide Plate:Lower        | 1                 |
| 13        | B477 3131 | Reverse Roller Shaft             | 1                 |
| 14        | A859 2230 | Ball Bearing - 6x13x5            | 2                 |
| 15        | B652 2128 | Cushion:Guide Plate:Reverse:Exit | 1                 |
| 16        | B652 2122 | Stay:Reverse Roller:Ass'y        | 1                 |
| 17        | B652 2126 | Guide:Stay:Reverse Roller        | 1                 |
| 18        | B652 2433 | Guide Plate:Original Table       | 1                 |
| 19        | 5053 0447 | Bushing - 6mm                    | 3                 |
| 20        | B652 4203 | Gate Pawl:Reverse:Upper          | 1                 |
| 21        | A458 2251 | Cushion - Bin Solenoid Lever     | 1                 |
| 22        | B652 4205 | Bracket:Discharge Brush:Ass'y    | 1                 |
| 23        | B652 4207 | Discharge Brush                  | 1                 |
| 24        | B652 4726 | Exit Roller                      | 1                 |
| 25        | B652 4133 | Bracket:Sensor:Reverse:Middle    | 1                 |
| 26        | AW01 0117 | Paper Feed Sensor                | 1                 |
| 27        | B652 4122 | Guide Plate:Reverse:Middle:Upper | 1                 |
| 28        | AA14 3788 | Pin:Guide Plate:Paper Feed       | 1                 |
| 29        | B652 4212 | Hook:Solenoid:Reverse:Upper      | 1                 |
| 30        | B652 4213 | Tension Spring:Hook:Gate Pawl    | 1                 |
| 31        | B652 4727 | Timing Pulley:44T                | 1                 |

| Index No. | Part No.   | Description           | Q'ty Per Assembly |
|-----------|------------|-----------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6   |                   |
| 102       | 0453 3006N | Tapping Screw - M3x6  |                   |
| 103       | 0451 3010N | Tapping Screw:3x10    |                   |
| 104       | 0720 0040E | Retaining Ring - M4   |                   |
| 105       | 0632 0120G | Parallel Pin - 2x12   |                   |
| 106       | 1105 0522  | Edge Saddle - LES0510 |                   |

## 9.Original Trans 2 (D014/D015)




## 9.Original Trans 2 (D014/D015)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | B477 2581 | Entrance Scanning Guide            | 1                 |
| 2         | B477 4115 | Spring                             | 4                 |
| 3         | B477 2577 | Driven Entrance Scanning Roller    | 2                 |
| 4         | 5324 1658 | Bushing - 4x8x4.5mm                | 1                 |
| 5         | A374 2181 | Spacer                             | 1                 |
| 6         | B477 2575 | Entrance Scanning Roller Shaft     | 1                 |
| 7         | B477 2574 | Arm:Roller:Scanning:Entrance       | 4                 |
| 8         | A422 1063 | Seal - 0.7x13x20                   | 1                 |
| 9         | B477 2561 | Entrance Scanning Base             | 1                 |
| 10        | A806 2111 | Timing Pulley - T28 S2M            | 1                 |
| 11        | AW01 0117 | Paper Feed Sensor                  | 1                 |
| 12        | B652 5431 | Harness:Registration Sensor        | 1                 |
| 13        | B477 2665 | Registration Sensor Bracket        | 1                 |
| 14        | B652 3251 | Guide Plate:Entrance:Upper:Ass'y   | 1                 |
| 15        | A859 3225 | Discharge Brush                    | 1                 |
| 16        | B477 2121 | Drive Relay Roller                 | 1                 |
| 17        | B652 2411 | Roller:Scanning:Entrance:Drive     | 1                 |
| 18        | B652 2112 | Roller:Pull Out:Drive              | 1                 |
| 19        | B652 2421 | Roller:Scanning:Exit:Drive         | 1                 |
| 20        | B652 1783 | Timing Belt:B80S3M417              | 1                 |
| 21        | B652 3135 | Timing Belt:B60S2M172              | 1                 |
| 22        | B652 1817 | Bracket:Link:Cover:Paper Feed:Peen | 1                 |
| 23        | AA08 2141 | Bushing - 16x18x5                  | 1                 |
| 24        | AA14 3791 | Screw:Safety                       | 1                 |
| 25        | B652 4153 | Timing Belt:B40S2M230              | 1                 |

| Index No. | Part No.   | Description           | Q'ty Per Assembly |
|-----------|------------|-----------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6   |                   |
| 102       | 0720 0040E | Retaining Ring - M4   |                   |
| 103       | 0720 0060E | Retaining Ring - M6   |                   |
| 104       | 0742 3808  | Ball Bearing - 8x16x5 |                   |
| 105       | 0450 3008N | Tapping Screw - M3x8  |                   |
| 106       | 0453 3006N | Tapping Screw - M3x6  |                   |
| 107       | 0632 0120G | Parallel Pin - 2x12   |                   |
| 108       | 1105 0522  | Edge Saddle - LES0510 |                   |
| 109       | 0454 3006Q | Tapping Screw - M3x6  |                   |

## 10.Original Trans 3 (D014/D015)




## 10.Original Trans 3 (D014/D015)

| Index No. | Part No.             | Description                          | Q'ty Per Assembly |
|-----------|----------------------|--------------------------------------|-------------------|
| 1         | B652 3145            | Tension Spring:Lock:Lever            | 1                 |
| 2         | B652 3148            | Hook:Lock:Image Reading Unit:Front   | 1                 |
| 3         | B652 3146            | Shaft:Lever:Misfeed Removal:Ass'y    | 1                 |
| 4         | B652 3121            | Transport Belt                       | 1                 |
| 5         | B652 3112            | Roller:Transport Belt:Drive          | 1                 |
| 6         | B652 3119            | Stopper:Roller:Drive                 | 1                 |
| 7         | B652 3158            | Discharge Brush:Short                | 2                 |
| 8         | B652 3157            | Discharge Brush:Long                 | 2                 |
| 9         | B652 3159            | Discharge Brush:Middle               | 2                 |
| 10        | B477 2621            | Anti-static Brush                    | 1                 |
| 11        | B652 3116            | Guide:Transport Belt:Front           | 1                 |
| 12        | B652 3120            | Housing:Transport Belt Unit          | 1                 |
| 13        | B652 3125            | Compression Spring                   | 2                 |
| 14        | B652 3117            | Guide:Transport Belt:Rear            | 1                 |
| 15        | B652 3156            | Spacer:Transport Belt                | 2                 |
| 16        | B652 3113            | Roller:Pressure                      | 1                 |
| 17        | B652 3129            | Bracket:Roller:Driven:Transport Belt | 1                 |
|           | <del>B652 3123</del> | X/O (201006 PCIL)                    |                   |
| 18        | B652 3181            | Driven Roller:Scanning               | 1                 |
|           | <del>B652 3124</del> | O/O (201009 PCIL)                    |                   |
| 19        | AA14 3788            | Pin:Guide Plate:Paper Feed           | 5                 |
| 20        | B652 4766            | DC Solenoid:Reverse:Lower:Ass'y      | 1                 |
| 21        | B652 4532            | Lever:Reverse:Lower:DC Solenoid      | 1                 |
| 22        | B652 4533            | Bracket:Reverse:Lower:DC Solenoid    | 1                 |
| 23        | A697 2102            | Damper - Junction Gate Solenoid      | 1                 |
| 24        | B652 0331            | Transport Belt Unit:Ass'y            | 1                 |

| Index No. | Part No.   | Description            | Q'ty Per Assembly |
|-----------|------------|------------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6    |                   |
| 102       | 0353 0040N | Screw - M3x4           |                   |
| 103       | 0453 3006N | Tapping Screw - M3x6   |                   |
| 104       | 0720 0040E | Retaining Ring - M4    |                   |
| 105       | 0720 0060E | Retaining Ring - M6    |                   |
| 106       | 0740 3706  | Ball Bearing - M6x10x3 |                   |
| 107       | 0740 3508  | Ball Bearing - 8x14x4  |                   |
| 108       | 0805 0089  | Retaining Ring - M4    |                   |
| 109       | 0451 3008N | Tapping Screw - M3x8   |                   |

11.Original Exit 1 (D014/D015)




## 11.Original Exit 1 (D014/D015)

| Index No. | Part No.  | Description                      | Q'ty Per Assembly |
|-----------|-----------|----------------------------------|-------------------|
| 1         | 5206 2684 | Shoulder Screw - M3              | 1                 |
| 2         | B652 2152 | Guide Plate:Lower:Pull Out       | 1                 |
| 3         | B652 4119 | Decal:Guide Plate:Reverse:Exit   | 1                 |
| 4         | B652 4114 | Guide Plate:Reverse:Exit:Upper   | 1                 |
| 5         | B652 4116 | Guide:Reverse:Exit               | 2                 |
| 6         | B652 4117 | Guide:Reverse:Exit:Middle        | 1                 |
| 7         | B652 4115 | Guide Plate:Reverse:Middle:Upper | 1                 |
| 8         | B652 4103 | Guide Plate:Reverse:Entrance     | 1                 |
| 9         | B652 4152 | Reverse Roller:Exit:Drive        | 1                 |
| 10        | B652 4726 | Exit Roller                      | 1                 |
| 11        | B477 2495 | Paper Feed Sensor Bracket        | 1                 |
| 12        | AW01 0117 | Paper Feed Sensor                | 1                 |
| 13        | B652 5461 | Harness:Sensor:Exit              | 1                 |
| 14        | B652 4506 | Guide:Scanning:Exit:Long         | 4                 |
| 15        | B652 4507 | Guide:Scanning:Exit:Short        | 1                 |
| 16        | A422 1063 | Seal - 0.7x13x20                 | 1                 |
| 17        | B652 4501 | Guide:Scanning:Exit:Exit         | 1                 |
| 18        | B652 4503 | Discharge Brush:Exit:L37         | 4                 |
| 19        | B652 4504 | Discharge Brush:Exit:L16         | 1                 |
| 20        | 5053 0447 | Bushing - 6mm                    | 2                 |
| 21        | A859 2230 | Ball Bearing - 6x13x5            | 2                 |
| 22        | B652 4727 | Timing Pulley:44T                | 1                 |
| 23        | AA14 3788 | Pin:Guide Plate:Paper Feed       | 2                 |
| 24        | 5447 2681 | Snap Ring                        | 1                 |
| 25        | A806 2111 | Timing Pulley - T28 S2M          | 1                 |
| 26        | C105 1866 | Pin                              | 1                 |
| 27        | B477 2145 | Guide Bracket                    | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 102       | 0454 3006Q | Tapping Screw - M3x6       |                   |
| 103       | 0451 3010N | Tapping Screw:3x10         |                   |
| 104       | 0720 0040E | Retaining Ring - M4        |                   |
| 105       | 0632 0120G | Parallel Pin - 2x12        |                   |
| 106       | 0805 0092  | Retaining Ring - 3M        |                   |
| 107       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |

12.Original Exit 2 (D014/D015)




## 12.Original Exit 2 (D014/D015)

| Index No. | Part No.                          | Description                                                  | Q'ty Per Assembly |
|-----------|-----------------------------------|--------------------------------------------------------------|-------------------|
| 1         | D522 4527<br><del>B652 4527</del> | Gate Pawl:Reverse:Lower:Left<br>O/O (201105 PCIL)            | 1                 |
| 2         | B652 4528                         | Gate Pawl:Reverse:Lower:Right                                | 1                 |
| 3         | A458 2251                         | Cushion - Bin Solenoid Lever                                 | 1                 |
| 4         | B652 4520                         | Bushing:Reverse:Lower:Gate Pawl                              | 1                 |
| 5         | B652 4519                         | Roller:Scanning:Exit:Driven                                  | 4                 |
| 6         | B477 2637                         | Driven Exit Arm                                              | 4                 |
| 7         | B477 4127                         | Exit Arm Spring                                              | 4                 |
| 8         | B652 4521                         | Guide Plate:Reverse:Lower                                    | 1                 |
| 9         | AA14 3843                         | Screw:DIA6                                                   | 2                 |
| 10        | B477 2645                         | Short Arm Shaft                                              | 1                 |
| 11        | B477 2641                         | Long Arm Shaft                                               | 1                 |
| 12        | B652 4529                         | Lever:Reverse:Lower                                          | 1                 |
| 13        | B477 2636                         | Driven Exit Scanning Roller                                  | 4                 |
| 14        | D522 4517<br><del>B652 4517</del> | Arm:Pressure:Reverse:Lower<br>X/X (201101 PCIL)              | 4                 |
| 15        | D522 4518<br><del>B652 4518</del> | Compression Spring:Reverse Roller:Lower<br>X/X (201101 PCIL) | 4                 |
| 16        | B652 4530                         | Tension Spring                                               | 1                 |
| 17        | A422 1063                         | Seal - 0.7x13x20                                             | 1                 |
| 18        | B477 2621                         | Anti-static Brush                                            | 1                 |
| 19        | B652 4522                         | Bracket:Reverse:Lower                                        | 1                 |
| 20        | 5447 2681                         | Snap Ring                                                    | 1                 |
| 21        | 5053 0447                         | Bushing - 6mm                                                | 1                 |
| 22        | AA14 3788                         | Pin:Guide Plate:Paper Feed                                   | 1                 |
| 23        | B652 4726                         | Exit Roller                                                  | 1                 |
| 24        | B652 4602                         | Guide Plate:Reverse:Lower:Fix                                | 1                 |
| 25        | B652 1853                         | Compression Spring                                           | 4                 |
| 26        | A859 4836                         | Bushing- Exit Driven Roller                                  | 4                 |
| 27        | B477 2861                         | Driven Exit Roller                                           | 2                 |
| 28        | B652 1852                         | Cover:Exit                                                   | 1                 |
| 29        | AW01 0117                         | Paper Feed Sensor                                            | 1                 |
| 30        | B652 5456                         | Harness:Sensor:Reverse:Lower                                 | 1                 |
| 31        | B652 1854                         | Cover:Sensor:Reverse:Lower                                   | 1                 |
| 32        | A859 2230                         | Ball Bearing - 6x13x5                                        | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 33        | B652 4727  | Timing Pulley:44T    | 1                 |
| 34        | B477 2715  | Pressure Plate Tape  | 4                 |
| 101       | 0450 4008N | Tapping Screw - M4x8 |                   |
| 102       | 0450 3008N | Tapping Screw - M3x8 |                   |
| 103       | 0720 0040E | Retaining Ring - M4  |                   |
| 104       | 0720 0030E | Retaining Ring - M3  |                   |
| 105       | 0632 0120G | Parallel Pin - 2x12  |                   |
| 106       | 0451 3006N | Tapping Screw - 3x6  |                   |

## 13.ARDF Drive & Electrical 1 (D014/D015)




### 13. ARDF Drive & Electrical 1 (D014/D015)

| Index No. | Part No.             | Description                     | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------|-------------------|
| 1         | B477 3711            | Paper Feed Motor - DC 7.4W      | 1                 |
| 2         | B477 3115            | Paper Feed Motor Stay           | 1                 |
| 3         | B477 3111            | Paper Feed Motor Bracket        | 1                 |
| 4         | AA06 0842            | Tension Spring                  | 1                 |
| 5         | B652 1633            | Spacer:Reverse Roller:Rear      | 1                 |
| 6         | B477 3164            | Gear:Z50:Reverse Roller:Rear    | 1                 |
|           | <del>B477 3161</del> | O/O (201201 PCIL)               |                   |
| 7         | B477 3151            | Gear - 31Z                      | 1                 |
| 8         | 5447 2681            | Snap Ring                       | 3                 |
| 9         | A548 2139            | Pulley                          | 2                 |
| 10        | B477 2244            | Stopper:Shaft:Separation        | 1                 |
| 11        | B477 3123            | Gear - 24Z                      | 1                 |
| 12        | A859 2230            | Ball Bearing - 6x13x5           | 4                 |
| 13        | B477 3124            | Shaft:Separation:Drive          | 1                 |
| 14        | A680 2262            | Feeler - Pick-up Roller Cam     | 1                 |
| 15        | 5053 0447            | Bushing - 6mm                   | 2                 |
| 16        | B477 3251            | Pick-up Roller Cam              | 1                 |
| 17        | AX04 0139            | Stepper Motor:MM42:0.95A:9.5V   | 1                 |
| 18        | B477 3143            | Gear - 20Z                      | 1                 |
| 19        | B652 1643            | Timing Belt:B40S3M186           | 1                 |
| 20        | B477 3147            | Gear:Z23:Input:Front            | 1                 |
|           | <del>B477 3142</del> | O/O (200905 PCIL)               |                   |
|           | <del>B477 3141</del> | X/O (200905 PCIL)               |                   |
| 21        | B477 3177            | Pulley                          | 1                 |
| 22        | AW02 0141            | Photointerruptor                | 1                 |
| 23        | B652 1773            | Timing Belt:B40S2M178           | 1                 |
| 24        | B301 2141            | Pulley - 39Z                    | 1                 |
| 25        | B652 1613            | Timing Belt:B60S2M212           | 1                 |
| 26        | B477 3145            | Pulley                          | 1                 |
| 27        | B477 3181            | Paper Feed Drive Bracket        | 1                 |
| 28        | B477 3171            | Pulley                          | 1                 |
| 29        | B652 1674            | Timing Belt:B40S2M170           | 1                 |
| 30        | B652 1673            | Timing Belt:B40S3M180           | 1                 |
| 31        | B477 3173            | Pulley                          | 1                 |
| 32        | A697 2102            | Damper - Junction Gate Solenoid | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 33        | B652 1134  | Compression Spring         | 1                 |
| 34        | B652 1133  | Shaft:Slider               | 1                 |
| 101       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 102       | 0451 4006N | Tapping Screw - 4x6        |                   |
| 103       | 0720 0040E | Retaining Ring - M4        |                   |
| 104       | 0720 0060E | Retaining Ring - M6        |                   |
| 105       | 1105 0487  | Harness Clamp              |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 107       | 0632 0120G | Parallel Pin - 2x12        |                   |
| 108       | 0720 0030E | Retaining Ring - M3        |                   |
| 109       | 0707 4060N | Bushing:DIA4x6             |                   |

## 14.ARDF Drive & Electrical 2 (D014/D015)




## 14.ARDF Drive & Electrical 2 (D014/D015)

| Index No. | Part No.             | Description                      | Q'ty Per Assembly |
|-----------|----------------------|----------------------------------|-------------------|
| 1         | B477 5751            | Interface Harness                | 1                 |
| 2         | B652 5422            | Harness:Motor:Exit               | 1                 |
| 3         | B652 5426            | Harness:Solenoid:Reverse         | 1                 |
| 4         | B652 5406            | Harness:Paper Size Sensor        | 1                 |
| 5         | B652 5401            | Harness:Original Sensor          | 1                 |
| 6         | B652 5441            | Harness:Motor:Pick Up            | 1                 |
| 7         | B477 5691            | Paper Feed Motor Harness         | 1                 |
| 8         | B652 5508            | PCB:Main Control:Ass'y           | 1                 |
|           | <del>B652 5507</del> | X/O (201007 PCIL)                |                   |
|           | <del>B652 5506</del> | X/O (200912 PCIL)                |                   |
|           | <del>B652 5505</del> | X/O (200905 PCIL)                |                   |
| 9         | B652 2911            | Stepper Motor:Base:Rise:Ass'y    | 1                 |
| 10        | B652 2343            | Bracket:Motor:Base:Ass'y         | 1                 |
| 11        | B700 4428            | Timing Belt:B40S2M158            | 1                 |
| 12        | D412 2348            | Gear:Z20/Z47:M0.8:Right:Rear     | 1                 |
|           | <del>A806 2287</del> | X/O (200903 PCIL)                |                   |
| 13        | D412 2346            | Gear:Z20/Z47:M0.8:Right:Front    | 1                 |
|           | <del>A806 2285</del> | X/O (200903 PCIL)                |                   |
| 14        | AA13 2152            | Spacer - 8x20x1                  | 1                 |
| 15        | D412 2349            | Timing Pulley:T30/Z20:S2M/M0.8   | 1                 |
|           | <del>A806 2164</del> | X/O (200903 PCIL)                |                   |
| 16        | D412 2347            | Gear:Z20/Z47:M0.8:Left:Rear      | 2                 |
|           | <del>A806 2283</del> | X/O (200903 PCIL)                |                   |
| 17        | B652 4772            | DC Stepper Motor:Exit:2.1W       | 3                 |
| 18        | B652 4728            | Timing Belt:B40S2M138            | 2                 |
| 19        | B477 3721            | Scanning Motor - DC 7.4W         | 1                 |
| 20        | B652 3211            | Bracket:Stepper Motor            | 1                 |
| 21        | AA06 0991            | Tension Spring:Tension:Transport | 1                 |
| 22        | B652 3215            | Guide Plate:Stepper Motor        | 1                 |
| 23        | B652 1721            | Timing Belt:B60S2M280            | 1                 |
| 24        | B652 4153            | Timing Belt:B40S2M230            | 1                 |
| 25        | B652 4223            | Bracket:Solenoid:Reverse:Upper   | 1                 |
| 26        | A697 2102            | Damper - Junction Gate Solenoid  | 1                 |
| 27        | B652 4222            | DC Solenoid:Ass'y                | 1                 |
| 28        | B652 1781            | Bracket:Shaft:Scanning:Ass'y     | 1                 |

| Index No. | Part No.             | Description                       | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------------|-------------------|
| 29        | B477 3217            | Pulley                            | 1                 |
| 30        | AA14 3791            | Screw:Safety                      | 1                 |
| 31        | B477 3175            | Pulley                            | 2                 |
| 32        | B652 3174            | Tension Spring                    | 1                 |
| 33        | 5215 2621            | Snap Ring - M6                    | 1                 |
| 34        | B652 3231            | Belt Tensioner:Ass'y              | 1                 |
| 35        | 5447 2681            | Snap Ring                         | 2                 |
| 36        | G070 3088            | Pulley Spacer                     | 1                 |
|           | <del>A356 2747</del> | O/O (200907 PCIL)                 |                   |
|           |                      | X/O ADD As Set No36 (200903 PCIL) |                   |
| 101       | 0451 3006N           | Tapping Screw - 3x6               |                   |
| 102       | 0450 3008N           | Tapping Screw - M3x8              |                   |
| 103       | 0353 0050N           | Screw-M3x5                        |                   |
| 104       | 0451 4006N           | Tapping Screw - 4x6               |                   |
| 105       | 0353 0040N           | Screw - M3x4                      |                   |
| 106       | 0720 0060E           | Retaining Ring - M6               |                   |
| 107       | 0720 0040E           | Retaining Ring - M4               |                   |
| 108       | 1105 0487            | Harness Clamp                     |                   |
| 109       | 1105 0511            | Harness Clamp - LWS-0306ZC        |                   |

15.ARDF Frame (D014/D015)




## 15.ARDF Frame (D014/D015)

| Index No. | Part No.             | Description                         | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------|-------------------|
| 1         | AW02 0141            | Photointerruptor                    | 5                 |
| 2         | B652 1152            | Stay:Frame:Left                     | 1                 |
|           | <del>B477 1152</del> | O/O (201108 PCIL)                   |                   |
| 3         | B477 1171            | Arm Shaft                           | 1                 |
| 4         | AA14 3842            | Screw:DIA6:14.5:M4                  | 2                 |
| 5         | B652 1136            | Compression Spring                  | 2                 |
| 6         | B652 1240            | Hinge:Left:Ass'y                    | 1                 |
|           | <del>B652 1210</del> | O/O (201005 PCIL)                   |                   |
| 7         | A806 1135            | Contact Point Shaft                 | 1                 |
| 8         | B477 1161            | Right Frame Stay                    | 1                 |
| 9         | B652 1135            | Sheet:Exit:Lower                    | 1                 |
| 10        | B652 1250            | Hinge:Right:Ass'y                   | 1                 |
|           | <del>B652 1220</del> | O/O (201005 PCIL)                   |                   |
| 11        | B477 1185            | Sensor Feeler                       | 1                 |
| 12        | B477 1181            | Sensor Bracket                      | 1                 |
| 13        | B477 5611            | Detection Sensor Harness            | 1                 |
| 14        | B652 5446            | Harness:Sensor:Reverse:Upper        | 1                 |
| 15        | B477 2621            | Anti-static Brush                   | 1                 |
| 16        | B652 1131            | Bracket:Pressure:Transport Belt     | 2                 |
| 17        | B652 1132            | Tension Spring                      | 2                 |
| 18        | A257 6112            | Pulley:Belt Tensioner               | 1                 |
| 19        | B652 3136            | Cover:Roller:Scanning:Peen          | 1                 |
| 20        | B652 4904            | Bracket:Magnet Catch:Pressure Plate | 2                 |
| 21        | B477 1191            | Front Left Stopper                  | 1                 |
| 22        | B652 1141            | Adjusting Pin:Transport Belt Unit   | 1                 |
| 23        | AA14 3790            | Screw:Contact Point                 | 2                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 102       | 0454 3006Q | Tapping Screw - M3x6       |                   |
| 103       | 0720 0040E | Retaining Ring - M4        |                   |
| 104       | 0720 0030E | Retaining Ring - M3        |                   |
| 105       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 106       | 1105 0487  | Harness Clamp              |                   |
| 107       | 1105 0522  | Edge Saddle - LES0510      |                   |

16.Optics Section 1 (D014/D015)




## 16.Optics Section 1 (D014/D015)

| Index No. | Part No.             | Description                               | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------------|-------------------|
| 1         | B132 1503            | Cover:Left Upper                          | 1                 |
| 2         | AA14 3559            | Screw:M4:DIA5                             | 2                 |
| 3         | BC01 2008            | Exposure Glass                            | 1                 |
| 4         | B065 1782            | Seal                                      | 1                 |
| 5         | B065 1787            | Scale Bracket                             | 1                 |
| 6         | B065 1773            | Scale Bracket Seal                        | 2                 |
| 7         | AA16 1137            | Cushion - 0.5                             | 2                 |
| 8         | 5442 1924            | Exposure Glass Cushion                    | 4                 |
| 9         | AA14 3520            | Shoulder Screw - M3                       | 6                 |
| 10        | B065 1772            | Left Scale                                | 1                 |
| 11        | B132 1687            | Scale:Sheet Through (NA)                  | 1                 |
| 11        | B132 1686            | Scale:Sheet Through:Ass'y (EU)            | 1                 |
| 12        | A250 1752            | Exposure Glass                            | 1                 |
| 13        | B132 1692            | Scale:Rear:Printing                       | 1                 |
| 14        | B132 1885            | Bracket:ADF                               | 2                 |
| 15        | D081 1432            | Decal:Caution Chart:Copy:Original:English | 1                 |
|           | <del>B132 1583</del> | O/O (201110 PCIL)                         |                   |
| 16        | D082 1502            | Cover:Right Upper                         | 1                 |
|           | <del>B132 1502</del> | O/O (201110 PCIL)                         |                   |
| 17        | B065 1785            | Right Stay                                | 1                 |
| 18        | B132 1898            | Spring Plate:Ground Plate:ADF             | 1                 |
| 19        | B132 1683            | Mylar:Frame:Front                         | 1                 |
| 20        | B132 1684            | Mylar:Frame:Middle                        | 1                 |
| 21        | B132 1685            | Mylar:Frame:Rear                          | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0454 3006Q | Tapping Screw - M3x6 |                   |
| 102       | 0353 0040N | Screw - M3x4         |                   |
| 103       | 0451 4008N | Tapping Screw:4x8    |                   |

## 17.Optics Section 2 (D014/D015)




## 17.Optics Section 2 (D014/D015)

| Index No. | Part No.             | Description                     | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------|-------------------|
| 1         | D014 1731            | Lens Unit                       | 1                 |
| 2         | D014 5301            | Harness:SBU:SCNB                | 2                 |
| 3         | D081 1674            | Cover:Optics Section            | 1                 |
|           | <del>B132 1674</del> | X/O (201002 PCIL)               |                   |
| 4         | B132 1871            | Bracket:Open And Close:Left     | 1                 |
| 5         | A257 1884            | Rubber Bushing                  | 2                 |
| 6         | B132 1877            | Bracket:Positioning:Left        | 1                 |
| 7         | AA16 1104            | Cushion - Motor                 | 2                 |
| 8         | B132 1666            | Frame:Front                     | 1                 |
| 9         | B132 1874            | Bracket:Positioning:Right       | 1                 |
| 10        | B712 5605            | Grip:Application                | 1                 |
| 11        | AX64 0151            | Fan Motor:MM60                  | 1                 |
| 12        | B132 1872            | Bracket:Open And Close:Right    | 1                 |
| 13        | B132 1896            | Ground Wire:Scanner             | 1                 |
| 14        | AW02 0145            | Photointerruptor:Flat           | 1                 |
| 15        | A267 1820            | Sheet - Photointerrupter        | 1                 |
| 16        | B132 1112            | Ground Plate:Scanner:Rear       | 2                 |
| 17        | B132 1889            | Plate:Rod                       | 2                 |
| 18        | B132 1888            | Rod:Open And Close:Scanner Unit | 1                 |
| 19        | D014 1888            | Ferrite Core                    | 2                 |
| 20        | D014 1677            | Cover:SIOB                      | 1                 |
| 21        | D014 1667            | Frame:Rear                      | 1                 |
| 22        | D014 1682            | Sheet:Cover:SIOB                | 1                 |
| 23        | D014 1899            | Spring Plate:Earth:Scanner Unit | 1                 |

| Index No. | Part No.   | Description              | Q'ty Per Assembly |
|-----------|------------|--------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8        |                   |
| 102       | 0454 3006Q | Tapping Screw - M3x6     |                   |
| 103       | 0451 3006N | Tapping Screw - 3x6      |                   |
| 104       | 0451 4025N | Tapping Screw:M4x25      |                   |
| 105       | 0950 4008N | Screw:Spring Washer:M4x8 |                   |
| 106       | 0354 0080N | Screw:M4x8               |                   |
| 107       | 0707 4050N | Bushing - 4x5            |                   |
| 108       | 1105 0487  | Harness Clamp            |                   |

### 18.Optics Section 3 (D014/D015)




## 18.Optics Section 3 (D014/D015)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | B132 1801 | Carriage:No.2:Ass'y                | 1                 |
| 2         | G404 2810 | Spring Plate - 2nd Mirror          | 4                 |
| 3         | B132 1818 | Mirror:No.2                        | 1                 |
| 4         | B132 1819 | Mirror:No.3                        | 1                 |
| 5         | B132 1815 | Holder:Pulley                      | 1                 |
| 6         | G570 2834 | Pulley - High Voltage Supply Cord  | 1                 |
| 7         | AW01 0133 | Original Sensor - 66mm             | 3                 |
| 8         | AW01 0115 | Original Sensor:H=81.5             | 1                 |
| 9         | B132 5304 | Harness:Connecting:Scanner:Lamp    | 1                 |
| 10        | D014 1861 | Bracket:Original Sensor            | 1                 |
| 11        | D014 1751 | Carriage:No.1                      | 1                 |
| 12        | G570 2731 | Grip                               | 1                 |
| 13        | B132 1766 | Feeler:Home Position Sensor:No.1   | 1                 |
| 14        | B132 1767 | Holder:Connector                   | 1                 |
| 15        | B132 1758 | Stay:Wire                          | 2                 |
| 16        | AX50 0101 | Xenon Lamp:50000LX                 | 1                 |
| 17        | A193 1767 | 1st Mirror Holder                  | 2                 |
| 18        | B132 1757 | Mirror:No.1:Ass'y                  | 1                 |
| 19        | AX40 0122 | Anticondensation Heater - 120V 9W  | 1                 |
| 19        | AX40 0123 | Anticondensation Heater - 230V 10W | 1                 |


| Index No. | Part No.   | Description                   | Q'ty Per Assembly |
|-----------|------------|-------------------------------|-------------------|
| 101       | 0454 3006Q | Tapping Screw - M3x6          |                   |
| 102       | 0313 0050N | Philips Pan Head Screw - M3x5 |                   |
| 103       | 0951 3006N | Screw - M3x6                  |                   |
| 104       | 0954 4008N | Screw - M4x8                  |                   |
| 105       | 1105 0511  | Harness Clamp - LWS-0306ZC    |                   |
| 106       | 1105 0516  | Clamp                         |                   |
| 107       | 1105 0551  | Clamp:LES-0505                |                   |
| 108       | 1105 0487  | Harness Clamp                 |                   |
| 109       | 1105 0488  | Harness Clamp                 |                   |

## 19.Optics Section 4 (D014/D015)



55

## 20.Laser Unit (D014/D015)




## 20.Laser Unit (D014/D015)

| Index No. | Part No.             | Description                | Q'ty Per Assembly |
|-----------|----------------------|----------------------------|-------------------|
| 1         | D014 1950            | Imaging Unit               | 1                 |
| 2         | D014 5367            | Cable:LVDS:LDB             | 1                 |
| 3         | B132 1972            | Grip:Imaging Unit          | 2                 |
| 4         | AA00 0217            | Decal - LD 655             | 2                 |
| 5         | B132 2185            | Cover:Polygon Motor:Ass'y  | 1                 |
| 6         | D081 2157            | Polygon Scanner            | 1                 |
|           | <del>D014 2157</del> | O/O (201012 PCIL)          |                   |
| 7         | B132 1971            | Positioning Pin            | 1                 |
| 8         | D014 5366            | Harness:Connecting:LDB:LDD | 2                 |
| 9         | B132 2172            | Cover:Upper:Sub-ass'y      | 1                 |
| 10        | D014 5226            | Harness:Imaging Unit       | 1                 |
| 11        | B132 2085            | Shield:Shield Glass        | 4                 |
| 12        | B132 2094            | Grip:Shield Glass          | 4                 |
| 13        | AC01 5041            | Shield Glass               | 4                 |
| 14        | B132 2093            | Rail:Shield Glass          | 4                 |
| 15        | G060 1908            | Thermistor Plate           | 1                 |
| 16        | AW10 0100            | Thermistor:Imaging Unit    | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0354 0200N | Screw:M4x20          |                   |
| 102       | 0354 0080N | Screw:M4x8           |                   |
| 103       | 0353 0060N | Bind Screw - M3x6    |                   |
| 104       | 0451 4006N | Tapping Screw - 4x6  |                   |
| 105       | 1105 0528  | Nylon Clamp - EMT-2N |                   |

## 21.By-pass Feed 1 (D014/D015)




## 21.By-pass Feed 1 (D014/D015)

| Index No. | Part No.             | Description                         | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------|-------------------|
| 1         | B132 2816            | Cover:Manual Feed:Machine Or Copier | 1                 |
| 2         | D081 1482            | Decal:Caution Chart:Inkjet:         |                   |
|           |                      | Manual Feed:English                 | 1                 |
|           | <del>B132 1482</del> | O/O (201110 PCIL)                   |                   |
| 3         | D081 2810            | Manual Feed Table:Ass'y             | 1                 |
|           | <del>D014 2810</del> | O/O (201203 PCIL)                   |                   |
| 4         | B132 2863            | Side Fence:Auxiliary:Front          | 1                 |
| 5         | B132 2866            | Side Fence:Auxiliary:Rear           | 1                 |
| 6         | D081 2861            | Side Fence:Front:Ass'y              | 1                 |
|           | <del>B132 2861</del> | X/O (201009 PCIL)                   |                   |
| 7         | B132 2864            | Side Fence:Rear:Ass'y               | 1                 |
| 8         | B132 2875            | Decal:Paper Set Direction           | 1                 |
| 9         | B132 2868            | Guide:Manual Feed Table             | 2                 |
| 10        | A232 6083            | Rear Rack                           | 2                 |
| 11        | G011 3305            | Gear - 16Z                          | 1                 |
| 12        | B132 2872            | Paper Size Sensor                   | 1                 |
| 13        | D014 2870            | Friction Pad:Side Fence:Front       | 1                 |

| Index No. | Part No.   | Description           | Q'ty Per Assembly |
|-----------|------------|-----------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8     |                   |
| 102       | 0450 3010N | Tapping Screw - M3x10 |                   |
| 103       | 0452 3008N | Tapping Screw - M3x8  |                   |
| 104       | 0450 3008N | Tapping Screw - M3x8  |                   |
|           |            | ADDED (201009 PCIL)   |                   |

## 22.By-pass Feed 2 (D014/D015)




## 22.By-pass Feed 2 (D014/D015)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | D014 2800 | Manual Paper Feed Unit             | 1                 |
| 2         | B132 2859 | Cover:Manual Feed Unit             | 1                 |
| 3         | B132 2819 | Holder:Manual Feed Table:Front     | 1                 |
| 4         | D014 5249 | Harness:Manual Paper Feed Unit     | 1                 |
| 5         | B132 2845 | Feeler:Paper End Sensor            | 1                 |
| 6         | AW02 0160 | Paper Feed Sensor                  | 1                 |
| 7         | A134 2661 | Feeler Roller                      | 1                 |
| 8         | B132 2848 | Bracket:Sensor:Manual Feed         | 1                 |
| 9         | AW01 0107 | Paper Feed Sensor                  | 1                 |
| 10        | AA06 0952 | Tension Spring                     | 1                 |
| 11        | B132 2839 | DC Solenoid:Pickup:Ass'y           | 1                 |
| 12        | AA08 3014 | One-way Clutch                     | 1                 |
| 13        | AB01 1307 | Gear:42Z                           | 1                 |
| 14        | B132 2856 | Roller:Manual Feed Unit:Drive      | 1                 |
| 15        | AA08 2118 | Bushing - M6                       | 2                 |
| 16        | B132 2857 | Stopper:Magnetic Clutch            | 1                 |
| 17        | B132 2823 | Holder:Manual Feed Table:Rear      | 1                 |
| 18        | 5447 2681 | Snap Ring                          | 6                 |
| 19        | AF03 1081 | Paper Feed Roller:Feed:Manual Feed | 1                 |
| 20        | AA08 2116 | Bushing - M8                       | 1                 |
| 21        | 5447 2706 | Gear - 15T                         | 1                 |
| 22        | AF03 0080 | Paper Feed Roller:Pickup           | 1                 |
| 23        | B132 2837 | Guide Plate:Feed                   | 1                 |
| 24        | B132 2846 | Ground Plate:Manual Feed           | 1                 |
| 25        | B132 2835 | Arm:Pickup:Manual Feed             | 1                 |
| 26        | AA14 0761 | Shaft:Feed Roller                  | 1                 |
| 27        | AA08 3013 | Bushing - 8x18x11                  | 1                 |
| 28        | AX20 0277 | Magnetic Clutch:0.53N M:36Z        | 1                 |
| 29        | D014 2825 | Guide Plate:Separator:Adhesion     | 1                 |
| 30        | AF01 3016 | Bottom Plate Pad                   | 1                 |
| 31        | B132 2849 | Shaft:Separator:Drive:Ass'y        | 1                 |
| 32        | AB01 1306 | Gear:24Z                           | 1                 |
| 33        | AF03 2080 | Paper Feed Roller:Separate         | 1                 |
| 34        | A294 6700 | Torque Limiter - 53mNxm            | 1                 |
| 35        | B132 2851 | Shaft:Separator:Driven:Ass'y       | 1                 |


| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 36        | AB01 1305  | Gear:21Z                   | 1                 |
| 37        | AA06 0954  | Tension Spring             | 1                 |
| 38        | B132 2853  | Lever:Pressure:Separator   | 1                 |
| 101       | 0450 3010N | Tapping Screw - M3x10      |                   |
| 102       | 0805 0088  | Retaining Ring - M6        |                   |
| 103       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 104       | 0720 0040E | Retaining Ring - M4        |                   |
| 105       | 0720 0060E | Retaining Ring - M6        |                   |
| 106       | 1105 0522  | Edge Saddle - LES0510      |                   |
| 107       | 1105 0516  | Clamp                      |                   |
| 108       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |

## 23.Tandem Tray 1 (D014/D015)



63

## 24.Tandem Tray 2 (D014/D015)




## 24.Tandem Tray 2 (D014/D015)

| Index No. | Part No.  | Description                  | Q'ty Per Assembly |
|-----------|-----------|------------------------------|-------------------|
| 1         | D014 7506 | Tandem LCT:Right:NA:Ass'y    | 1                 |
| 1         | D014 7505 | Tandem LCT:Right:EU:Ass'y    | 1                 |
| 2         | B132 7586 | Inner Cover:Tandem LCT       | 1                 |
| 3         | AA00 2246 | Decal - Caution              | 1                 |
| 4         | B065 6859 | Right Stopper                | 1                 |
| 5         | B065 6875 | Protection - Inner Cover     | 1                 |
| 6         | B065 6877 | Decal - Paper Set - Right    | 1                 |
| 7         | B234 6686 | Side Fence - Right Front     | 1                 |
| 8         | B234 6690 | Plate:Paper:Ass'y            | 1                 |
| 9         | B132 7543 | Base:Tandem LCT:Right        | 1                 |
| 10        | 5201 2858 | Friction Pad                 | 1                 |
| 11        | A294 6706 | Sensor Bracket               | 1                 |
| 12        | AW02 0145 | Photointerruptor:Flat        | 5                 |
| 13        | A176 6695 | Misfeed Removal Guide        | 1                 |
| 14        | B475 6855 | Shield:Tandem LCT:Rear Right | 1                 |
| 15        | AA00 2010 | Decal - Paper Level          | 2                 |
| 16        | B132 7576 | Side Fence:Tandem LCT:Right  | 1                 |
| 17        | A294 6666 | Side Plate                   | 1                 |
| 18        | A096 6677 | Decal - Right Paper Set      | 1                 |
| 19        | B247 6672 | Guide:Interlock:Tandem LCT   | 1                 |

| Index No. | Part No.   | Description               | Q'ty Per Assembly |
|-----------|------------|---------------------------|-------------------|
| 101       | 0454 4008Q | Tapping Screw - M4x8      |                   |
| 102       | 0451 4006N | Tapping Screw - 4x6       |                   |
| 103       | 0450 4008N | Tapping Screw - M4x8      |                   |
| 104       | 0451 4008N | Tapping Screw:4x8         |                   |
| 105       | 0951 4006N | Screw:Polished Round:M4x6 |                   |
| 106       | 1105 0534  | Clamp                     |                   |
| 107       | 0354 0040N | Screw-M4x4                |                   |

## 25.Tandem Tray 3 (D014/D015)




### 25.Tandem Tray 3 (D014/D015)

| Index No. | Part No.             | Description                       | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------------|-------------------|
| 1         | B132 7547            | DC Solenoid:End Fence:Front:Ass'y | 1                 |
| 2         | A248 6713            | Hook - Tension Spring             | 2                 |
| 3         | AA06 0757            | Tension Spring - Long             | 2                 |
| 4         | B234 6612            | End Fence - Front                 | 1                 |
| 5         | B132 7545            | Base:Tandem LCT:Right:Welding     | 1                 |
| 6         | B234 6625            | End Fence - Rear                  | 1                 |
| 7         | B234 6630            | Guide Plate - End Fence           | 2                 |
| 8         | B132 7571            | DC Solenoid:End Fence:Rear:Ass'y  | 1                 |
| 9         | A294 6676            | Right Rear Side Plate             | 1                 |
| 10        | B234 6621            | On Off Detector Bracket - Rear    | 1                 |
| 11        | AW02 0145            | Photointerruptor:Flat             | 4                 |
| 12        | A248 6687            | Right Drive Shaft                 | 1                 |
| 13        | A248 6694            | Wire Ring                         | 3                 |
| 14        | B065 6870            | Stay - Rightbase                  | 2                 |
| 15        | B070 6667            | End Fence Cover Front             | 1                 |
| 16        | AA06 0758            | Tension Spring - Short            | 2                 |
| 17        | B070 6683            | Lever:Release:Front               | 1                 |
| 18        | B234 6620            | On Off Detector Bracket - Front   | 1                 |
| 19        | AB03 2058            | Wire Pulley - M10                 | 2                 |
| 20        | A248 6695            | Guide - Pulley                    | 4                 |
| 21        | AB03 2719            | Pulley - M10                      | 2                 |
| 22        | B132 7550            | Cover:Pulley:Drive Were           | 2                 |
| 23        | AB01 3781            | Gear - 30Z                        | 1                 |
| 24        | 5053 0223            | Bushing - 8mm                     | 3                 |
| 25        | B065 6872            | Oil Damper Bracket                | 1                 |
| 26        | B247 6901            | Oil Damper:Fall                   | 1                 |
|           | <del>A248 6701</del> | O/O (200905 PCIL)                 |                   |
| 27        | B070 6668            | Side Plate:Tandem:Right Front     | 1                 |
| 28        | A294 6655            | Front Roller - Slide Rail         | 1                 |
| 29        | AA16 1130            | Cushion - Small                   | 2                 |
| 30        | A294 6690            | Feeler - Paper Height Sensor      | 1                 |
| 31        | B065 6864            | Small Lever                       | 1                 |
| 32        | AF02 2105            | Roller - Slide Rail               | 1                 |
| 33        | AA13 2203            | Spacer - 6mm                      | 1                 |
| 34        | B065 6862            | Large Lever                       | 1                 |

| Index No. | Part No.   | Description                    | Q'ty Per Assembly |
|-----------|------------|--------------------------------|-------------------|
| 35        | B070 6684  | Lever:Release:Rear             | 1                 |
| 36        | AA16 1129  | Cushion - Large                | 1                 |
| 37        | AW01 0113  | Sensor                         | 1                 |
| 38        | B132 7575  | Bracket:Connector:Tandem LCT   | 1                 |
| 39        | B234 5673  | Harness - Tandem LCT Right     | 1                 |
| 40        | B065 6717  | Paper Volume Shield Plate      | 1                 |
| 101       | 0451 4008N | Tapping Screw:4x8              |                   |
| 102       | 0720 0040E | Retaining Ring - M4            |                   |
| 103       | 1105 0328  | Harness Clamp - ES-0505        |                   |
| 104       | 0633 0200G | Pin - M3x20                    |                   |
| 105       | 0720 0060E | Retaining Ring - M6            |                   |
| 106       | 1105 0488  | Harness Clamp                  |                   |
| 107       | 0951 3006N | Screw - M3x6                   |                   |
| 108       | 0313 0120N | Pan Head Screw:M3x12           |                   |
| 109       | 0313 0080N | Pan Head Screw:M3x8            |                   |
| 110       | 1105 0534  | Clamp                          |                   |
| 111       | 1105 0511  | Harness Clamp - LWS-0306ZC     |                   |
| 112       | 0452 3006N | Binding Self-Tapping Screw:3x6 |                   |
| 113       | 0454 4008Q | Tapping Screw - M4x8           |                   |

## 26.Universal Tray 1 (D014/D015)




## 26.Universal Tray 1 (D014/D015)

| Index No. | Part No.             | Description                  | Q'ty Per Assembly |
|-----------|----------------------|------------------------------|-------------------|
| 1         | B132 6693            | Slide Rail:Right:Ass'y       | 2                 |
| 2         | AA00 3213            | Decal:Paper Tray:Display:3   | 1                 |
| 3         | AA00 3212            | Decal:Paper Tray:Display:2   | 1                 |
| 4         | B132 6692            | Slide Rail:Left:Sub-ass'y    | 2                 |
| 5         | B247 6632            | Paper Tray Cover - Long      | 1                 |
| 6         | B247 6633            | Paper Tray Cover - Short     | 1                 |
| 7         | B065 6589            | Left Support Plate           | 2                 |
| 8         | B065 6588            | Right Support Plate          | 2                 |
| 9         | B065 6591            | Paper Tray Holder Base       | 2                 |
| 10        | B132 6653            | Stay:Holder:Paper Tray:Ass'y | 2                 |
| 11        | AX31 0045            | Total Counter:7FIG:24V       | 2                 |
|           | <del>AX31 0047</del> | <del>O/O (201007 PCIL)</del> |                   |
| 12        | B132 5976            | Bracket:Total Counter        | 1                 |
| 13        | B132 5996            | Decal:Total Counter          | 2                 |
| 14        | B247 6781            | Base:Slide Rail:No.2:Peen    | 1                 |
| 15        | AA06 0534            | Tray Lock Spring - 19mm      | 2                 |
| 16        | B065 6136            | Tray Lock Arm                | 2                 |
| 17        | B247 6783            | Base:Slide Rail:No.3:Peen    | 1                 |
| 18        | B247 6634            | Grip - Paper Tray Cover      | 2                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8    |                   |
| 102       | 0451 3008N | Tapping Screw - M3x8 |                   |
| 103       | 0451 3006N | Tapping Screw - 3x6  |                   |
| 104       | 0453 3006N | Tapping Screw - M3x6 |                   |
| 105       | 0720 0040E | Retaining Ring - M4  |                   |
| 106       | 0450 4008N | Tapping Screw - M4x8 |                   |

## 27.Universal Tray 2 (D014/D015)




## 27.Universal Tray 2 (D014/D015)

| Index No. | Part No.             | Description                            | Q'ty Per Assembly |
|-----------|----------------------|----------------------------------------|-------------------|
| 1         | D014 6771            | Paper Tray:Universal:DOM:Ass'y         | 2                 |
| 2         | B181 6789            | Link:Side Fence:Paper Size Sensor      | 1                 |
| 3         | B181 6780            | Link:End Fence:Paper Size Sensor:Ass'y | 1                 |
| 4         | B132 6793            | Side Fence:Front:Ass'y                 | 1                 |
| 5         | B065 6538            | Positioning Stopper Lever              | 1                 |
| 6         | A134 2978            | Spring Plate                           | 1                 |
| 7         | B132 6791            | Plate:Side Fence                       | 2                 |
| 8         | B234 2864            | Pad:Cleaner                            | 2                 |
|           | <del>A096 6553</del> | <del>O/O (200906 PCIL)</del>           |                   |
| 9         | D014 6780            | Tray Bottom Plate:Ass'y                | 1                 |
| 10        | AF01 3005            | Bottom Plate Pad                       | 1                 |
| 11        | B234 6490            | Side Fence:Rear:Ass'y                  | 1                 |
|           | <del>B132 6795</del> | <del>O/O MB2</del>                     |                   |
| 12        | A267 2860            | Rear Lever Stopper                     | 1                 |
| 13        | A267 2859            | Side Fence Stopper                     | 1                 |
| 14        | A267 2857            | Spring Plate - Side Fence              | 1                 |
| 15        | AA00 2010            | Decal - Paper Level                    | 1                 |
| 16        | B132 6798            | Spring Plate:Paper Tray:Earth          | 1                 |
| 17        | D014 6786            | Decal:Paper Set Direction              | 1                 |
| 18        | B065 6545            | Decal - Positioning                    | 2                 |
| 19        | D014 6783            | Arm:End Fence:Lock                     | 1                 |
| 20        | AF01 7033            | End Fence                              | 1                 |
| 21        | B132 6797            | Side Fence:Rear:Auxiliary              | 1                 |
| 22        | AB01 2327            | Gear:16Z                               | 1                 |
| 23        | A176 6695            | Misfeed Removal Guide                  | 1                 |
| 24        | AA06 0961            | Tension Spring:Side Fence:Rear         | 1                 |
| 25        | B065 6524            | Bottom Plate Lift Shaft                | 1                 |
| 26        | B065 6526            | Lift Lever                             | 1                 |
| 27        | D014 6784            | Spring Plate:End Fence                 | 1                 |
| 28        | D014 6785            | Spring Plate:Arm:End Fence:Lock        | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0450 4008N | Tapping Screw - M4x8 |                   |
| 102       | 0360 4008N | Screw - M4x8         |                   |
| 103       | 0720 0060E | Retaining Ring - M6  |                   |

## 28. Paper Registration 1 (D014/D015)




## 28.Paper Registration 1 (D014/D015)

| Index No. | Part No.                          | Description                                              | Q'ty Per Assembly |
|-----------|-----------------------------------|----------------------------------------------------------|-------------------|
| 1         | D062 6641<br><del>B132 6624</del> | Paper Feed Unit:Paper Bank:Ass'y<br>X/O (201102 PCIL)    | 3                 |
| 2         | 5447 2681                         | Snap Ring                                                | 2                 |
| 3         | AF03 0081                         | Paper Feed Roller:Pickup                                 | 1                 |
| 4         | AF03 1082                         | Paper Feed Roller:Feed                                   | 1                 |
| 5         | B065 6350                         | Pick-up Gear Cover                                       | 1                 |
| 6         | AB01 1465                         | Idler Gear                                               | 1                 |
| 7         | AA08 2118                         | Bushing - M6                                             | 2                 |
| 8         | B065 6357                         | Pick-up Arm                                              | 1                 |
| 9         | AA06 0898                         | Spring                                                   | 1                 |
| 10        | AA14 0828                         | Feed Roller Shaft                                        | 1                 |
| 11        | B065 6445                         | Feed Lever                                               | 1                 |
| 12        | AA06 0897                         | Spring                                                   | 1                 |
| 13        | B065 6358                         | Paper Feed Sensor Bracket                                | 1                 |
| 14        | AW01 0149<br><del>AW01 0107</del> | Photo Refiection Sensor:PS122TL8-A<br>O/O (201010 PCIL)  | 3                 |
| 15        | B065 6364                         | Feed Stay                                                | 1                 |
| 16        | B247 6488<br><del>B132 7584</del> | Harness:Paper Feed Unit:Upper:Ass'y<br>O/O (200903 PCIL) | 1                 |
| 17        | AA06 1076<br><del>AA06 0899</del> | Coil Spring:Pressure Release:Pickup<br>X/O (201101 PCIL) | 3                 |
| 18        | B132 6659                         | DC Solenoid:Pickup:Ass'y                                 | 1                 |
| 19        | AB01 7617                         | Gear - 21Z/38Z                                           | 1                 |
| 20        | B065 6345                         | Paper End Sensor Bracket                                 | 1                 |
| 21        | AW02 0160                         | Paper Feed Sensor                                        | 1                 |
| 22        | B247 6487<br><del>B132 7580</del> | Harness - Paper Feed Unit Lower<br>O/O (200903 PCIL)     | 1                 |
| 23        | B140 6339                         | Paper Feed Guide Plate                                   | 1                 |
| 24        | AF02 0726<br><del>AF02 0562</del> | Transfer Roller<br>O/O MB1                               | 1                 |
| 25        | AB01 1466                         | Gear - 35Z                                               | 1                 |
| 26        | B065 6334                         | Heat Sink Base                                           | 1                 |
| 27        | AA06 3889                         | Heat Sink Spring                                         | 1                 |
| 28        | B065 6337                         | Heat Sink                                                | 1                 |
| 29        | B065 6338                         | Heat Sink Sheet                                          | 1                 |

| Index No. | Part No.                          | Description                        | Q'ty Per Assembly |
|-----------|-----------------------------------|------------------------------------|-------------------|
| 30        | B065 6375                         | Paper Feed Unit Stay               | 1                 |
| 31        | B247 6366<br><del>B065 6366</del> | Bracket:Drive<br>O/O (200903 PCIL) | 1                 |
| 32        | B065 6353                         | Feed Gear Cover                    | 1                 |
| 33        | B065 6457                         | Driven Pressure Lever              | 1                 |
| 34        | AA06 0896                         | Spring                             | 1                 |
| 35        | AA14 3718                         | Stepped Screw - M4                 | 1                 |
| 101       | 0451 4008N                        | Tapping Screw:4x8                  |                   |
| 102       | 0353 0040N                        | Screw - M3x4                       |                   |
| 103       | 0720 0060E                        | Retaining Ring - M6                |                   |
| 104       | 0720 0040E                        | Retaining Ring - M4                |                   |
| 105       | 0742 3808                         | Ball Bearing - 8x16x5              |                   |
| 106       | 1105 0511                         | Harness Clamp - LWS-0306ZC         |                   |
| 107       | 1105 0328                         | Harness Clamp - ES-0505            |                   |
| 108       | 1105 0542                         | Harness Clamp - MSBS-1207          |                   |
| 109       | 1102 6252                         | Connector - 9P                     |                   |
| 110       | 1102 6251                         | Connector - 8P                     |                   |
| 111       | 1102 6249                         | Relay Connector - 6P               |                   |

## 29. Paper Registration 2 (D014/D015)




## 29.Paper Registration 2 (D014/D015)

| Index No. | Part No.             | Description                                      | Q'ty Per Assembly |
|-----------|----------------------|--------------------------------------------------|-------------------|
| 1         | B181 6640            | Guide Plate:Swivel:Adhesion                      | 1                 |
| 2         | AF02 2149            | Transport Roller                                 | 1                 |
| 3         | AA08 0327            | Bushing - M4                                     | 2                 |
| 4         | AA14 0829            | Driven Shaft                                     | 1                 |
| 5         | B065 6453            | Transport Roller Lever                           | 1                 |
| 6         | AA14 3812            | Screw - Scale                                    | 2                 |
| 7         | B065 6454            | Driven Release Lever                             | 1                 |
| 8         | B065 6455            | Driven Pressure Lever                            | 1                 |
| 9         | B065 6336            | Front Side Plate - Paper Feed                    | 1                 |
| 10        | B065 6371            | Support Guide Plate                              | 1                 |
| 11        | B065 6317            | Relay Shaft                                      | 1                 |
| 12        | AA08 2118            | Bushing - M6                                     | 4                 |
| 13        | AB01 1469            | Gear - 19Z                                       | 1                 |
| 14        | B247 6335            | Side Plate:Rear:Paper Feed Unit:Ass'y            | 1                 |
|           | <del>B065 6330</del> | O/O (200903 PCIL)                                |                   |
| 15        | AB01 1470            | Gear - 18Z                                       | 1                 |
| 16        | B065 6452            | Tray Link Guide                                  | 1                 |
| 17        | B065 6346            | Paper Tray Link                                  | 1                 |
| 18        | 5894 2540            | Arm Screw                                        | 1                 |
| 19        | AA06 0900            | Spring                                           | 1                 |
| 20        | AB01 7690            | Pulley:Idler:30T/24Z                             | 1                 |
| 21        | AA04 3675            | Synchronous Belt:Reverse:S2M118                  | 1                 |
|           | <del>AA04 3575</del> | O/O (201011 PCIL)                                |                   |
| 22        | B065 6456            | Vertical Transport Link                          | 1                 |
| 23        | AA06 0901            | Spring                                           | 1                 |
| 24        | B140 6378            | Ground Plate:Stepper Motor:Paper Feed Unit       | 1                 |
| 25        | B132 6655            | Stepper Motor:Paper Feed Unit:Ass'y              | 1                 |
| 26        | B065 6394            | Motor Bracket                                    | 1                 |
| 27        | AA06 0904            | Spring                                           | 1                 |
| 28        | B065 6415            | Motor Base                                       | 1                 |
| 29        | AB03 0733            | Pulley - 20T                                     | 1                 |
| 30        | AA04 3676            | Synchronous Belt:Connecting:<br>DC Stepper Motor | 1                 |
|           | <del>AA04 3576</del> | O/O (201011 PCIL)                                |                   |
| 31        | 5447 2681            | Snap Ring                                        | 1                 |

| Index No. | Part No.   | Description                          | Q'ty Per Assembly |
|-----------|------------|--------------------------------------|-------------------|
| 32        | AF03 2080  | Paper Feed Roller:Separate           | 1                 |
| 33        | A294 6700  | Torque Limiter - 53mNxm              | 1                 |
| 34        | B065 6307  | Reverse Driven Shaft                 | 1                 |
| 35        | AB01 1591  | Gear:Reverse                         | 1                 |
| 36        | AB01 1471  | Reverse Gear                         | 1                 |
| 37        | B065 6306  | Reverse Drive Shaft                  | 1                 |
| 38        | AB01 1491  | Gear - 21Z                           | 1                 |
| 39        | AB01 1490  | Gear - 38Z                           | 1                 |
| 40        | AB03 0734  | Pulley - 30Z                         | 1                 |
| 41        | B140 6377  | Ground Plate:Reverse:Paper Feed Unit | 1                 |
| 42        | B132 6670  | DC Solenoid:Reverse:Ass'y            | 1                 |
| 43        | B065 6333  | Reverse Housing                      | 1                 |
|           |            |                                      |                   |
| 101       | 0451 4008N | Tapping Screw:4x8                    |                   |
| 102       | 0450 4008N | Tapping Screw - M4x8                 |                   |
| 103       | 0720 0040E | Retaining Ring - M4                  |                   |
| 104       | 0353 0040N | Screw - M3x4                         |                   |
| 105       | 0741 3506  | Ball Bearing - 6x12x4 mm             |                   |
| 106       | 1105 0522  | Edge Saddle - LES0510                |                   |
| 107       | 0720 0060E | Retaining Ring - M6                  |                   |
| 108       | 0573 0030E | Hexagon Headless Set Screw - M3x3    |                   |
| 109       | 1105 0328  | Harness Clamp - ES-0505              |                   |

## 30.Vertical Transport (D014/D015)




### 30.Vertical Transport (D014/D015)

| Index No. | Part No.             | Description                                 | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------------------|-------------------|
| 1         | B132 6758            | Guide:Relay:Paper Feed Unit                 | 1                 |
| 2         | B132 5999            | Sheet:Micro Switch:12mm                     | 1                 |
| 3         | B132 5971            | Bracket:Micro Switch:Paper Bank             | 1                 |
| 4         | B132 5869            | Torsion Spring                              | 1                 |
| 5         | B132 5868            | Screw:Micro Switch                          | 1                 |
| 6         | B132 6771            | Transport Unit:Vertical Transport:Ass'y     | 1                 |
| 7         | AA06 3487            | Spring - 10mm                               | 1                 |
| 8         | B247 6430            | Cover:Release:Vertical Transport            | 1                 |
| 9         | A029 2984            | Decal - Grip                                | 1                 |
| 10        | B247 6426            | Lever:Release:Vertical Transport            | 1                 |
| 11        | B065 6428            | Release Button - Vertical Transport         | 1                 |
| 12        | B065 6427            | Release Lever - Vertical Transport          | 1                 |
| 13        | AA14 3560            | Stepped Screw - M4                          | 3                 |
| 14        | B132 6753            | Side Plate:Front:Vertical Transport         | 1                 |
| 15        | B132 6754            | Side Plate:Rear:Vertical Transport          | 1                 |
| 16        | B132 6752            | Pressure Plate:Transport Roller:Driven:No.1 | 1                 |
| 17        | B065 6407            | Transport Pressure Plate                    | 1                 |
| 18        | B247 6982            | Stepped Screw - M5                          | 4                 |
| 19        | AF02 0295            | Vertical Driven Roller                      | 4                 |
| 20        | AA08 0241            | Bushing - M4                                | 8                 |
| 21        | AA06 3878            | Spring                                      | 8                 |
| 22        | AF02 0726            | Transfer Roller                             | 1                 |
|           | <del>AF02 0562</del> | O/O MB1                                     |                   |
| 23        | AB01 7619            | Gear - 24Z/40Z                              | 1                 |
| 24        | AB01 1466            | Gear - 35Z                                  | 1                 |
| 25        | AA04 3675            | Synchronous Belt:Reverse:S2M118             | 1                 |
|           | <del>AA04 3575</del> | O/O (201011 PCIL)                           |                   |
| 26        | B140 6472            | Joint Unit Guide Plate Ass'y                | 1                 |
| 27        | B132 6655            | Stepper Motor:Paper Feed Unit:Ass'y         | 1                 |
| 28        | B132 7583            | Harness - Joint Unit                        | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 1204 2521  | Micro Switch               |                   |
| 103       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 104       | 0742 3808  | Ball Bearing - 8x16x5      |                   |
| 105       | 0720 0060E | Retaining Ring - M6        |                   |
| 106       | 0353 0040N | Screw - M3x4               |                   |

## 31.Toner Supply 1 (D014/D015)




### 31.Toner Supply 1 (D014/D015)



| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | D014 3302 | Toner Supply Unit:Venus-C2:Ass'y   | 1                 |
|           | D014 3304 | O/O MB31                           |                   |
|           | D014 3300 | X/O MB5                            |                   |
| 2         | B132 3428 | Stay                               | 1                 |
| 3         | B132 3240 | Spring Plate:Stand                 | 1                 |
| 4         | B132 3239 | Lever:Stand                        | 1                 |
| 5         | B132 3216 | Shaft:Lever:Stand                  | 1                 |
| 6         | B132 3242 | Spring Plate:Lever:Stand           | 1                 |
| 7         | B132 3241 | Guide Plate:Lever:Stand            | 1                 |
| 8         | B132 3236 | Inner Cover:Left                   | 1                 |
| 9         | B132 3237 | Stand:Left                         | 1                 |
| 10        | B132 3238 | Guide:Stand                        | 1                 |
| 11        | B132 3323 | Guide:Arm:Stopper:Holder           | 8                 |
| 12        | B132 3322 | Arm:Stopper:Holder:Color           | 6                 |
| 13        | B132 3316 | Bracket:Stopper:Holder:Left:Ass'y  | 4                 |
| 14        | B132 3314 | Bracket:Stopper:Holder:Right:Ass'y | 4                 |
| 15        | B132 3331 | Decal:Lever:Toner Supply:M         | 1                 |
| 15        | B132 3332 | Decal:Lever:Toner Supply:C         | 1                 |
| 15        | B132 3333 | Decal:Lever:Toner Supply:Y         | 1                 |
| 16        | D014 3341 | Toner Cartridge Unit:Color         | 3                 |
| 17        | B132 3232 | Cover:Black                        | 1                 |
| 18        | B132 3235 | Inner Cover:Right                  | 1                 |
| 19        | D014 3354 | Cover:Lower:Holder:Y               | 1                 |
| 20        | D014 3352 | Cover:Lower:Holder:M               | 1                 |
| 21        | D014 3353 | Cover:Lower:Holder:C               | 1                 |
| 22        | B132 3233 | Cover:Color                        | 3                 |
| 23        | B132 3248 | Decal:Cover:Toner Supply:M         | 1                 |
| 23        | B132 3249 | Decal:Cover:Toner Supply:C         | 1                 |
| 23        | B132 3250 | Decal:Cover:Toner Supply:Y         | 1                 |
| 24        | B132 3321 | Arm:Stopper:Holder:Black           | 2                 |
| 25        | B132 3330 | Decal:Lever:Toner Supply:K         | 1                 |
| 26        | D014 3340 | Toner Cartridge Unit:Black         | 1                 |
| 27        | D014 3351 | Cover:Lower:Holder:BK              | 1                 |
| 28        | B132 3245 | Sheet                              | 1                 |
| 29        | B132 3247 | Decal:Cover:Toner Supply:Black     | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 30        | D014 5252  | Harness:ID          | 2                 |
| 31        | D014 5256  | Harness:ID:Black    | 2                 |
| 101       | 0451 4008N | Tapping Screw:4x8   |                   |
| 102       | 0354 0080N | Screw:M4x8          |                   |
| 103       | 0720 0040E | Retaining Ring - M4 |                   |

## 32.Toner Supply 2 (D014/D015)




### 32.Toner Supply 2 (D014/D015)

| Index No. | Part No.             | Description                                                               | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------------------------------------------------|-------------------|
| 1         | B132 3227            | Shield:Cover:Duct:Lower                                                   | 1                 |
| 2         | B132 2458            | Duct:Development:Front                                                    | 3                 |
| 3         | B132 2485            | Seal:Fan Motor                                                            | 3                 |
| 4         | AX64 0149            | Fan Motor:MM40:15mm                                                       | 4                 |
| 5         | B132 2474            | Shield:Duct                                                               | 1                 |
| 6         | D014 6933            | Sirocco Fan Motor:DC24V 4.32W                                             | 1                 |
| 7         | D014 6937            | Duct:Toner Hopper:Lower                                                   | 1                 |
| 8         | D014 6924            | Sirocco Fan Motor:DC24V 4.32W                                             | 1                 |
| 9         | D014 6926            | Sirocco Fan Motor:DC24V 4.32W                                             | 2                 |
| 10        | D014 6928            | Sirocco Fan Motor:DC24V 4.32W                                             | 1                 |
| 11        | D014 6923            | Duct:Toner Hopper                                                         | 1                 |
| 12        | B132 2496            | Seal:Duct:Toner Hopper:Lower                                              | 1                 |
| 13        | D014 3359            | Toner Supply Unit:Ass'y                                                   | 4                 |
|           | <del>D014 3361</del> | O/O MB30                                                                  |                   |
|           | <del>D014 3360</del> | X/O MB5                                                                   |                   |
| 14        | AW23 0024            | Toner End Sensor                                                          | 4                 |
| 15        | B132 3439            | Coil:Guard:Tube:COLOR                                                     | 3                 |
| 16        | B132 3437            | Tube:Color                                                                | 3                 |
| 17        | B132 3438            | Coil:Guard:Tube:Black                                                     | 1                 |
| 18        | B132 3436            | Tube:Black                                                                | 1                 |
| 19        | D014 6922            | Cover:Lower:Toner Supply:Color                                            | 1                 |
| 20        | B132 2476            | Shield:Duct:Left                                                          | 1                 |
| 21        | D014 6939            | Filter:Duct:Toner Hopper:Left                                             | 1                 |
| 22        | D014 6910            | Heat Insulation - Toner Supply Unit                                       | 1                 |
| 23        | D014 6938            | Filter:Duct:Toner Hopper:Lower                                            | 1                 |
| 24        | D014 6921            | Duct:Vacuum:Toner Hopper                                                  | 1                 |
| 25        | B132 3349            | Gear:Drive:Toner Supply Unit<br>RD014107 ADD (201007 PCIL)                | 4                 |
| 26        | AA08 2101            | Bushing:6x10x6<br>RD014107 ADD (201007 PCIL)                              | 4                 |
| 27        | D014 3366            | Shaft:Magnetic Clutch:Drive:Transport Screw<br>RD014107 ADD (201007 PCIL) | 4                 |
| 28        | G178 3186            | Magnetic Clutch:Toner Supply Unit:Ass'y<br>RD014107 ADD (201007 PCIL)     | 4                 |

| Index No. | Part No.   | Description                                            | Q'ty Per Assembly |
|-----------|------------|--------------------------------------------------------|-------------------|
| 29        | AA08 2140  | Bushing:Drive:Supply:MM6<br>RD014107 ADD (201007 PCIL) | 4                 |
| 30        | 5447 2681  | Snap Ring<br>RD014107 ADD (201007 PCIL)                | 4                 |
| 101       | 0451 4008N | Tapping Screw:4x8                                      |                   |
| 102       | 0453 3006N | Tapping Screw - M3x6                                   |                   |
| 103       | 0450 3008N | Tapping Screw - M3x8                                   |                   |
| 104       | 1105 0568  | Clamp:LWSS-0504                                        |                   |
| 105       | 1105 0458  | Clamp - LHL-18                                         |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC                             |                   |
| 107       | 0451 3030N | Tapping Screw:3x30                                     |                   |
| 108       | 1105 0516  | Clamp                                                  |                   |
| 109       | 0353 0060N | Bind Screw - M3x6                                      |                   |
| 110       | 0720 0040E | Retaining Ring - M4<br>RD014107 ADD (201007 PCIL)      |                   |

### 33.Toner Supply 3 (D014/D015)




### 33.Toner Supply 3 (D014/D015)

| Index No. | Part No.  | Description                         | Q'ty Per Assembly |
|-----------|-----------|-------------------------------------|-------------------|
| 1         | B132 3217 | Supporting Plate:Side Plate         | 2                 |
| 2         | AX06 0356 | Brushless Motor:DC24V 18W           | 1                 |
| 3         | B132 3218 | Bracket:Fix:Right                   | 1                 |
| 4         | B132 2475 | Filter:Duct                         | 1                 |
| 5         | B132 3229 | Cover:Lower:Black                   | 1                 |
| 6         | B132 3224 | Gear:75Z                            | 1                 |
| 7         | B132 3222 | Shaft:Drive                         | 1                 |
| 8         | B132 3223 | Gear:21/32Z                         | 4                 |
| 9         | AA08 2139 | Guide:Shaft:Drive                   | 3                 |
| 10        | 5215 2621 | Snap Ring - M6                      | 3                 |
| 11        | B132 3435 | Cover:Drawer                        | 1                 |
| 12        | B132 3434 | Bracket:Drawer                      | 1                 |
| 13        | D014 3331 | Bracket:CNB                         | 1                 |
| 14        | D014 5440 | PCB:CNB                             | 1                 |
| 15        | D014 5228 | Harness:CNB:Left                    | 1                 |
| 16        | D014 5227 | Harness:Toner Hopper:UNI:Drawer:CNB | 1                 |
| 17        | D014 5233 | Harness:Toner Hopper:Fan Motor      | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 1102 9781  | Connector:51405-3919       |                   |
| 103       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 104       | 0742 3808  | Ball Bearing - 8x16x5      |                   |
| 105       | 0720 0060E | Retaining Ring - M6        |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 107       | 1105 0522  | Edge Saddle - LES0510      |                   |
| 108       | 1105 0487  | Harness Clamp              |                   |
| 109       | 0354 0080N | Screw:M4x8                 |                   |
| 110       | 1105 0516  | Clamp                      |                   |
| 112       | 1105 0409  | Card Spacer - 6.4mm        |                   |

## 34.PCU 1 (D014/D015)




### 34.PCU 1 (D014/D015)

| Index No. | Part No.             | Description                         | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------|-------------------|
| 1         | D014 6942            | Duct:Vacuum Unit                    | 1                 |
| 2         | AX64 0193            | Sirocco Fan Motor:DC24V 4.32W       | 1                 |
| 3         | D014 6930            | Seal:Sirocco Fan Motor              | 1                 |
| 4         | D014 6948            | Filter:Bracket:Vacuum:Belt Cleaning | 1                 |
| 5         | D014 1248            | Plate:Lever:Drum Stay:Left          | 2                 |
| 6         | B132 2366            | Lever:Drum Stay:Left                | 1                 |
| 7         | D014 6901            | Duct:Development                    | 4                 |
| 8         | D014 3659            | Duct:Drum Stay:PCU                  | 4                 |
| 9         | B132 2442            | Duct:Drum Stay                      | 1                 |
| 10        | B132 2450            | Shield:Duct:Intermediate Transfer   | 1                 |
| 11        | A257 3441            | Side Plate Lever                    | 1                 |
| 12        | D014 1238            | Drum Stay Unit                      | 1                 |
|           | <del>D014 1242</del> | X/O MB4                             |                   |
| 13        | GA00 3020            | Decal:Development Unit:Display:Y    | 1                 |
| 14        | GA00 3022            | Decal:Development Unit:Display:C    | 1                 |
| 15        | GA00 3021            | Decal:Development Unit:Display:M    | 1                 |
| 16        | GA00 3023            | Decal:Development Unit:Display:K    | 1                 |
| 17        | B065 3699            | Decal - Release Lever               | 1                 |
| 18        | B132 2417            | Seal:Drum Stay:Lower                | 1                 |
| 19        | B132 4326            | Heat Insulation:Drum Stay           | 1                 |
| 20        | D014 6904            | Duct:Development:Black              | 1                 |
| 21        | D014 6949            | Inner Cover:Drum Stay               | 1                 |
| 22        | D014 6971            | Shield:Duct:Inner Cover             | 1                 |
| 23        | D014 6907            | Duct:Development:FC                 | 3                 |
| 24        | D014 5232            | Harness:Fan                         | 1                 |
| 25        | AX64 0149            | Fan Motor:MM40:15mm                 | 1                 |
| 26        | B132 2454            | Duct:Intermediate Transfer          | 1                 |
| 27        | B132 2466            | Filter:Duct:Intermediate Transfer   | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0451 3030N | Tapping Screw:3x30  |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6 |                   |
| 103       | 0451 4008N | Tapping Screw:4x8   |                   |
| 104       | 0354 0080N | Screw:M4x8          |                   |
| 105       | 0450 3020N | Tapping Screw:M3x20 |                   |
| 106       | 1105 0600  | Clamp:LWSM-0306-2M  |                   |

## 35.PCU 2 (D014/D015)




### 35.PCU 2 (D014/D015)

| Index No. | Part No.         | Description                         | Q'ty Per Assembly |
|-----------|------------------|-------------------------------------|-------------------|
| 1         | <b>D014 2441</b> | <b>Charge Roller Unit</b>           | <b>3</b>          |
| 2         | D014 2420        | Duct:Charge Corona:Ass'y            | 1                 |
| 3         | <b>D014 2391</b> | <b>Charge Corona Unit</b>           | <b>1</b>          |
| 4         | B132 2361        | Positioning Plate:PCU               | 4                 |
| 5         | D014 2380        | Compression Spring - Drum           | 4                 |
| 6         | D014 2325        | Tension Spring - Coating Bar (K)    | 2                 |
| 6         | D014 2326        | Tension Spring - Coating Bar (YMC)  | 6                 |
| 7         | D014 2432        | Right Middle Seal - Bar Bracket     | 4                 |
| 8         | D014 2327        | Bracket - Coating Bar               | 4                 |
| 9         | D014 2328        | Seal - Coating Bar Bracket          | 16                |
| 10        | D014 2349        | Right Seal - Coating Bar Bracket    | 4                 |
| 11        | <b>D014 2321</b> | <b>Drum Lubricant Bar</b>           | <b>4</b>          |
| 12        | D014 2324        | Arm - Coating Bar                   | 8                 |
| 13        | D014 2422        | Duct - Charge Corona                | 1                 |
| 14        | D014 2425        | Guide Plate - Charge Corona Duct    | 1                 |
| 15        | D014 2428        | Duct Seal - Charge Corona           | 2                 |
| 16        | GA00 3033        | Decal - Shielding Plate K           | 1                 |
| 17        | D014 2314        | Stay:PCU:Right:Ass'y<br>Added RTB67 | 1                 |

| Index No. | Part No.   | Description  | Q'ty Per Assembly |
|-----------|------------|--------------|-------------------|
| 101       | 0360 3006N | Screw - M3x6 |                   |
| 102       | 0360 3008N | Screw:M3x8   |                   |

## 36.PCU 3 (D014/D015)




### 36.PCU 3 (D014/D015)

| Index No. | Part No.             | Description                        | Q'ty Per Assembly |
|-----------|----------------------|------------------------------------|-------------------|
| 1         | D014 2376            | Sheet:Discharge Lamp               | 4                 |
| 2         | D014 2278            | Discharge Lamp:LED Array:25MM      | 4                 |
| 3         | D014 2299            | Seal - Blade Bracket               | 8                 |
| 4         | D014 2301            | Front Seal - Blade Bracket         | 4                 |
| 5         | D014 2300            | Rear Seal - Blade Bracket          | 4                 |
| 6         | D014 2306            | Spring Holder                      | 8                 |
| 7         | D014 2305            | Compression Spring - Blade         | 8                 |
| 8         | D014 2297            | Seal - Blade Holder                | 4                 |
| 9         | D014 2303            | Bushing:Blade:Front                | 4                 |
| 10        | D014 2302            | Bushing:Blade:Rear                 | 4                 |
| 11        | <b>D014 2352</b>     | <b>Cleaning Blade</b>              | <b>4</b>          |
| 12        | D014 2479            | Cover:Discharge Lamp               | 4                 |
| 13        | D014 2269            | Seal - Discharge Used Toner        | 4                 |
| 14        | D014 2276            | Seal - Toner Recycling             | 4                 |
| 15        | D014 2457            | Shield:Case:Rear:Color             | 3                 |
|           | <del>D014 2268</del> | X/O MB29                           |                   |
| 15        | D014 2460            | Shield:Case:Rear:K                 | 1                 |
|           | <del>D014 2268</del> | X/O MB29                           |                   |
| 16        | D014 2281            | Transport Screw                    | 4                 |
| 17        | D014 2470            | Collection Coil:Ass'y              | 1                 |
| 18        | <b>D014 2335</b>     | <b>Drum Lubricant Supply Brush</b> | <b>4</b>          |
| 19        | <b>D014 2465</b>     | <b>Joint PCU</b>                   | <b>4</b>          |
|           | <del>D014 2338</del> | X/O MB6                            |                   |
| 20        | D014 2267            | Tape:Entrance Seal                 | 4                 |
| 21        | D014 2266            | Entrance Seal                      | 4                 |
| 22        | <b>D014 2286</b>     | <b>Gear - 23Z</b>                  | <b>4</b>          |
| 23        | <b>D014 2345</b>     | <b>Idler Gear - 23Z</b>            | <b>4</b>          |
| 24        | <b>D014 2346</b>     | <b>Idler Gear - 22Z</b>            | <b>4</b>          |
| 25        | D014 2461            | Drum Stay:Brush Roller:Color:Ass'y | 3                 |
|           | <del>D014 2340</del> | X/O MB29                           |                   |
| 25        | D014 2463            | Drum Stay:Brush Roller:K:Ass'y     | 1                 |
|           | <del>D014 2340</del> | X/O MB29                           |                   |
| 26        | <b>D014 2337</b>     | <b>Gear - 27Z</b>                  | <b>4</b>          |
| 27        | D014 2307            | Spring:Earth:Brush Roller          | 4                 |
| 28        | D014 2347            | Ground Plate - Brush Roller        | 4                 |

| Index No. | Part No.                                                                            | Description                                                                         | Q'ty Per Assembly |
|-----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------|
| 29        | <b>D014 2333</b>                                                                    | <b>Gear - 17Z</b>                                                                   | <b>4</b>          |
| 30        | D014 2277                                                                           | Lever - PCU                                                                         | 4                 |
| 31        | D014 2270                                                                           | Shield - Front Middle Case                                                          | 4                 |
| 32        | D014 2433                                                                           | Seal - Blade Guide Plate                                                            | 4                 |
| 33        | D014 2377                                                                           | Upper Seal - Blade Guide Plate                                                      | 4                 |
| 34        | <b>D014 2368</b>                                                                    | <b>Lubricant Supply Blade</b>                                                       | <b>4</b>          |
| 35        | D014 2365                                                                           | Stay - PCU Rail                                                                     | 1                 |
| 36        | D014 2371                                                                           | Front Seal - Blade Guide Plate                                                      | 4                 |
| 37        | D014 2374                                                                           | Rear Seal - Blade Guide Plate                                                       | 4                 |
| 38        | D014 2374                                                                           | Rear Seal - Blade Guide Plate                                                       | 4                 |
| 39        | D014 2288                                                                           | Rear Seal - Frame                                                                   | 4                 |
| 40        | D014 2438                                                                           | Seal:Blade:Apply:Rear                                                               | 4                 |
| 41        | D014 2439                                                                           | Seal:Blade:Apply:Rear Middle                                                        | 4                 |
| 42        | D014 2271                                                                           | Front Seal - Duct                                                                   | 4                 |
| 43        | D014 2279                                                                           | Seal - Front Frame                                                                  | 4                 |
| 44        | D014 2287                                                                           | Seal - Rear Frame                                                                   | 4                 |
| 45        | D014 2436                                                                           | Seal:Blade:Apply:Front                                                              | 4                 |
| 46        | D014 2437                                                                           | Seal:Blade:Apply:Front Middle                                                       | 4                 |
| 47        | D014 2371                                                                           | Front Seal - Blade Guide Plate                                                      | 4                 |
|           |  |  |                   |
| 101       | 0360 3006N                                                                          | Screw - M3x6                                                                        |                   |
| 102       | 0450 3008N                                                                          | Tapping Screw - M3x8                                                                |                   |
| 103       | 0360 3008N                                                                          | Screw:M3x8                                                                          |                   |
| 104       | 0720 0040E                                                                          | Retaining Ring - M4                                                                 |                   |
| 105       | 0805 0097                                                                           | Ring Separator                                                                      |                   |
| 106       | 1102 9423                                                                           | Connector:PS-26PE-D4T2-M1E                                                          |                   |

### 37.Development Unit (D014/D015)




### 37.Development Unit (D014/D015)

| Index No. | Part No.                                                                            | Description                       | Q'ty Per Assembly |
|-----------|-------------------------------------------------------------------------------------|-----------------------------------|-------------------|
| *         | D014 3047                                                                           | PCU:K:EXP:Ass'y                   | 1                 |
| *         | D014 3048                                                                           | MB7                               |                   |
| *         | D014 3046                                                                           | PCU:FC:EXP:New:Ass'y              | 3                 |
|           | <del>D014 3049</del>                                                                | O/O MB23                          |                   |
| *         | D014 2215                                                                           | MB7                               |                   |
| 1         | D081 3005                                                                           | Development Unit:Ass'y            | 4                 |
|           | <del>D014 3005</del>                                                                | O/O (201008 PCIL)                 |                   |
| 2         | B065 3108                                                                           | Plate:Filter                      | 4                 |
| <b>3</b>  | <b>B247 3340</b>                                                                    | <b>Filter:Development</b>         | <b>4</b>          |
| 4         | B132 3179                                                                           | Cap:Toner Supply:Upper            | 4                 |
| 5         | D014 3130                                                                           | Connector Holder - Density Sensor | 4                 |
| <b>6</b>  | <b>D014 9640</b>                                                                    | <b>Developer:Black</b>            | <b>1</b>          |
| <b>6</b>  | <b>D014 9660</b>                                                                    | <b>Developer:Cyan</b>             | <b>1</b>          |
| <b>6</b>  | <b>D014 9670</b>                                                                    | <b>Developer:Magenta</b>          | <b>1</b>          |
| <b>6</b>  | <b>D014 9680</b>                                                                    | <b>Developer:Yellow</b>           | <b>1</b>          |
| 7         | D014 3136                                                                           | Bracket:Plate:Joint               | 4                 |
| 8         | D014 3132                                                                           | Plate - Density Sensor            | 4                 |
| 9         | AB01 1276                                                                           | Joint Gear - 180Z                 | 4                 |
| 10        | AB01 1277                                                                           | Idle Gear - 21Z                   | 4                 |
| 11        | AB01 1275                                                                           | Gear - 17Z                        | 8                 |
| 12        | AB01 1279                                                                           | Idle Gear - 18Z                   | 4                 |
| <b>13</b> | <b>D014 9510</b>                                                                    | <b>OPC Drum</b>                   | <b>4</b>          |
| 14        | D014 3044                                                                           | Rear Stay - PCU                   | 4                 |
| 15        | D014 3135                                                                           | Joint:Drive:Development Unit      | 4                 |
| 16        | D014 3043                                                                           | Front Stay - PCU                  | 4                 |
| 17        | B132 3159                                                                           | Adjusting Pin:Magnetic Roller     | 4                 |
|           |  |                                   |                   |

| Index No. | Part No.   | Description                  | Q'ty Per Assembly |
|-----------|------------|------------------------------|-------------------|
| 101       | 0450 3006P | Tapping Screw - M3x6         |                   |
| 102       | 0450 3008N | Tapping Screw - M3x8         |                   |
| 103       | 0720 0040E | Retaining Ring - M4          |                   |
| 104       | 0804 6123  | Hexagonal Bolt:W/Washer:M3x8 |                   |

### 38.Transfer Belt Unit 1 (D014/D015)




### 38.Transfer Belt Unit 1 (D014/D015)

| Index No. | Part No.             | Description                          | Q'ty Per Assembly |
|-----------|----------------------|--------------------------------------|-------------------|
| *         | D014 6001            | Image Transfer Belt Unit             | 1                 |
| 1         | D014 5352            | Harness:High Voltage Supply Cord:MCY | 1                 |
| 2         | B132 6140            | Terminal:Collar                      | 1                 |
| 3         | B132 6149            | Terminal:Yellow                      | 1                 |
| 4         | D014 6147            | Compression Spring                   | 3                 |
| 5         | D014 6168            | Plate:Upper:Positioning Sensor       | 1                 |
| 6         | D014 6141            | Positioning Sensor                   | 1                 |
| 7         | <b>D081 6050</b>     | <b>Image Transfer Belt</b>           | <b>1</b>          |
|           | <del>D014 6050</del> | O/O (201001 PCIL)                    |                   |
| 8         | D014 5378            | Harness:Positioning Sensor           | 1                 |
| 9         | D014 6116            | Bushing:Intermediate Transfer        | 4                 |
| 10        | D014 6115            | Bushing:Intermediate Transfer        | 4                 |
| 11        | D014 6144            | Compression Spring                   | 3                 |
| 12        | B132 6061            | Roller:Driven                        | 1                 |
| 13        | D014 6070            | Roller:Intermediate Transfer         | 4                 |
|           | <del>D014 6080</del> | X/O MB18                             |                   |
| 14        | B132 6077            | Bracket:Collar                       | 1                 |
| 15        | D014 5351            | Harness:High Voltage Supply Cord:K   | 1                 |
| 16        | B132 6137            | Terminal:Black                       | 1                 |
| 17        | B132 6098            | Shaft:Contact Point:Collar           | 2                 |
| 18        | D014 6135            | Spring:Transfer:Black:Front          | 1                 |
| 19        | B132 6076            | Bracket:On-Off:Black                 | 1                 |
| 20        | G014 3291            | Snap Ring - Pick Up                  | 4                 |
| 21        | D014 6136            | Spring:Transfer:Black:Rear           | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0450 3008N | Tapping Screw - M3x8       |                   |
| 102       | 0360 3006N | Screw - M3x6               |                   |
| 103       | 0720 0040E | Retaining Ring - M4        |                   |
| 104       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 105       | 1105 0516  | Clamp                      |                   |
| 106       | 1105 0534  | Clamp                      |                   |
| 107       | 1105 0367  | Spacer                     |                   |

### 39.Transfer Belt Unit 2 (D014/D015)




### 39.Transfer Belt Unit 2 (D014/D015)

| Index No. | Part No.  | Description                                        | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------------------|-------------------|
| 1         | AA08 2104 | Bushing - 8x12x7                                   | 2                 |
| 2         | B132 6111 | Cam:On-Off                                         | 2                 |
| 3         | B132 6112 | Shaft:Cam:Color                                    | 1                 |
| 4         | B132 6094 | Shaft:Positioning                                  | 1                 |
| 5         | D014 6190 | Roller:Opposed:Belt Cleaning                       | 2                 |
| 6         | D014 6073 | Roller:Opposed:Transfer:Paper                      | 1                 |
| 7         | B132 6069 | Roller:Transfer:Front                              | 1                 |
| 8         | D014 6055 | Roller:Drive                                       | 1                 |
| 9         | D014 6123 | Shaft:Cam                                          | 1                 |
| 10        | B132 6114 | Cam:On-Off:Black                                   | 1                 |
| 11        | B132 6130 | Gear:16Z                                           | 1                 |
| 12        | B132 6150 | Holder:Opposed:Rear:Ass'y                          | 1                 |
| 13        | B132 6134 | Plate:Intermediate Transfer:Front                  | 1                 |
| 14        | B132 6143 | Holder:Opposed:Transfer:Front                      | 1                 |
| 15        | B132 6132 | Grip:On-Off                                        | 1                 |
| 16        | B132 6175 | Joint:Intermediate Transfer:Front:Ass'y            | 1                 |
| 17        | B132 6136 | Compression Spring:Plate:<br>Intermediate Transfer | 1                 |
| 18        | D014 6119 | Cam:On-Off                                         | 2                 |
| 19        | D014 6065 | Roller:Opposed:Density Sensor                      | 1                 |
| 20        | AA10 0011 | Retaining Ring:Silencer:MM7                        | 2                 |
| 21        | D014 6014 | Spacer:Opposed:Transfer:Paper                      | 2                 |
| 22        | D014 6151 | Shielding Plate:Black                              | 1                 |

| Index No. | Part No.   | Description           | Q'ty Per Assembly |
|-----------|------------|-----------------------|-------------------|
| 101       | 0360 3006N | Screw - M3x6          |                   |
| 102       | 0805 3496  | Ball Bearing - 6x10x3 |                   |
| 103       | 0720 0060E | Retaining Ring - M6   |                   |
| 104       | 0720 0040E | Retaining Ring - M4   |                   |
| 105       | 0720 0080E | Retaining Ring - M8   |                   |
| 106       | 0805 3511  | Bushing 8MM           |                   |

## 40.Transfer Belt Unit 3 (D014/D015)




#### 40.Transfer Belt Unit 3 (D014/D015)

| Index No. | Part No.  | Description                                                | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------------------------|-------------------|
| 1         | AZ32 0170 | Power Pack:T1/T2                                           | 1                 |
| 2         | D014 6145 | Insulating Sheet:Power Pack:<br>Intermediate Transfer      | 1                 |
| 3         | B132 6170 | Guard:Right                                                | 2                 |
| 4         | B132 6171 | Guard:Left                                                 | 2                 |
| 5         | B132 6172 | Guard:Rear                                                 | 1                 |
| 6         | AW02 0145 | Photointerruptor:Flat                                      | 2                 |
| 7         | B132 6124 | Spring Plate:Cam                                           | 1                 |
| 8         | B132 6157 | Stopper:On-Off                                             | 1                 |
| 9         | B132 6121 | Duct                                                       | 1                 |
| 10        | D014 5237 | Harness:Density Sensor                                     | 1                 |
| 11        | AW01 0141 | Positioning Sensor                                         | 1                 |
| 12        | D014 6122 | Bracket:Positioning Sensor:<br>Intermediate Transfer:Ass'y | 1                 |
| 13        | B132 6156 | Stand                                                      | 1                 |
| 14        | D014 5376 | Harness:Transfer Belt Unit                                 | 1                 |
| 15        | D014 5377 | Harness:18PIN                                              | 1                 |
| 16        | B712 5605 | Grip:Application                                           | 1                 |
| 17        | B132 6165 | Plate:Bracket                                              | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0360 3006N | Screw - M3x6               |                   |
| 102       | 1102 9782  | Connector:51405-1819       |                   |
| 103       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 104       | 1105 0522  | Edge Saddle - LES0510      |                   |
| 105       | 1105 0516  | Clamp                      |                   |
| 106       | 1105 0534  | Clamp                      |                   |
| 107       | 1102 9781  | Connector:51405-3919       |                   |

## 41.Transfer Belt Cleaning 1 (D014/D015)




#### 41.Transfer Belt Cleaning 1 (D014/D015)

| Index No. | Part No.         | Description                        | Q'ty Per Assembly |
|-----------|------------------|------------------------------------|-------------------|
| *         | D014 6400        | Belt Cleaning Unit                 | 1                 |
| 1         | D014 6951        | Duct:Belt Cleaning:Side:Ass'y      | 1                 |
| 2         | B132 6469        | Roller:Pressure                    | 1                 |
| 3         | D014 6489        | Spring:Blade:Apply                 | 1                 |
| 4         | D014 6486        | Holder:Belt Cleaning Unit          | 1                 |
| 5         | <b>D014 6507</b> | <b>Lubricant Supply Blade</b>      | <b>1</b>          |
| 6         | <b>D014 6463</b> | <b>Lubricant Supply Brush</b>      | <b>1</b>          |
| 7         | D014 6517        | Shield:Holder:Blade:Front Upper    | 1                 |
| 8         | D014 6518        | Shield:Holder:Blade:Front Lower    | 1                 |
| 9         | D014 6522        | Shield:Holder:Blade:Rear Upper     | 1                 |
| 10        | D014 6523        | Shield:Holder:Blade:Rear Lower     | 1                 |
| 11        | D014 6458        | Spring:Blade:No.1                  | 1                 |
| 12        | D014 6466        | Holder:Blade:Belt Cleaning Unit    | 1                 |
| 13        | <b>D014 6455</b> | <b>Belt Cleaning Blade</b>         | <b>1</b>          |
| 14        | D014 6529        | Stay:Roller:Pressure:Rear          | 1                 |
| 15        | B132 6459        | Holder:Spring:Roller:Pressure      | 2                 |
| 16        | D014 6478        | Spring:Roller:Pressure             | 2                 |
| 17        | B132 6460        | Case:Spring:Roller:Pressure        | 2                 |
| 18        | D014 6510        | Pin:Positioning:Blade              | 2                 |
| 19        | AA08 3022        | Bushing:DIA6:DIA8                  | 1                 |
| 20        | D014 6521        | Shield:Case:Brush:Front            | 1                 |
| 21        | D014 6483        | Gear:12Z/21Z                       | 1                 |
| 22        | D014 6485        | Gear:19Z                           | 1                 |
| 23        | D014 6481        | Gear:18Z                           | 1                 |
| 24        | G011 1058        | Snap Ring                          | 1                 |
| 25        | D014 6528        | Stay:Roller:Pressure:Front         | 1                 |
| 26        | <b>D014 6470</b> | <b>Belt Cleaning Lubricant Bar</b> | <b>1</b>          |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0360 3006N | Screw - M3x6         |                   |
| 102       | 0450 3008N | Tapping Screw - M3x8 |                   |
| 103       | 0720 0040E | Retaining Ring - M4  |                   |
| 104       | 0805 3385  | Bushing - 6MM        |                   |
| 105       | 0451 3006N | Tapping Screw - 3x6  |                   |

## 42.Transfer Belt Cleaning 2 (D014/D015)




## 42.Transfer Belt Cleaning 2 (D014/D015)

| Index No. | Part No.  | Description                                     | Q'ty Per Assembly |
|-----------|-----------|-------------------------------------------------|-------------------|
| 1         | B132 6120 | Seal:Upper:Belt Cleaning                        | 1                 |
| 2         | D014 6497 | Brush:Agitator                                  | 1                 |
| 3         | A571 7653 | Bushing:Cutter Unit                             | 2                 |
| 4         | D014 6524 | Seal:Holder:Behind:Belt Cleaning                | 1                 |
| 5         | D014 6519 | Shield:Case:Holder:Rear                         | 2                 |
| 6         | D014 6520 | Shield:Case:Holder:Front                        | 2                 |
| 7         | D014 6484 | Gear:9Z                                         | 1                 |
| 8         | D014 6482 | Gear:14Z                                        | 1                 |
| 9         | G011 1058 | Snap Ring                                       | 1                 |
| 10        | D014 6480 | Gear:16Z                                        | 1                 |
| 11        | D014 6514 | Entrance Seal:Belt Cleaning                     | 1                 |
| 12        | D014 6515 | Dual Faces Tape:Entrance Seal:<br>Belt Cleaning | 1                 |
| 13        | D014 6490 | Toner Collection Coil                           | 1                 |
| 14        | D014 6460 | Brush:Remove Paper Dust                         | 1                 |
| 15        | D014 6531 | Seal:Scraper:Front:Belt Cleaning                | 1                 |
| 16        | D014 6530 | Seal:Scraper:Rear:Belt Cleaning                 | 1                 |
| 17        | D014 6462 | Scraper:Brush                                   | 1                 |
| 18        | D014 6525 | Seal:Case:Base:Belt Cleaning                    | 1                 |
| 19        | D014 6526 | Seal:Toner Recycling Section                    | 1                 |
| 20        | D014 6504 | Side Plate:Case                                 | 1                 |
| 21        | AA08 3022 | Bushing:DIA6:DIA8                               | 1                 |
| 22        | D014 6476 | Joint:Drive:Brush                               | 1                 |
| 23        | D014 6506 | Shield:Side Plate:Front                         | 1                 |
| 24        | D014 6505 | Shield:Side Plate:Rear                          | 1                 |
| 25        | D014 6500 | Ground Plate:Case                               | 1                 |
| 26        | D014 6501 | Compression Spring:Earth                        | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0360 3006N | Screw - M3x6        |                   |
| 102       | 0805 3385  | Bushing - 6MM       |                   |
| 103       | 0720 0040E | Retaining Ring - M4 |                   |

## 43.Transfer Cover (D014/D015)




### 43.Transfer Cover (D014/D015)

| Index No. | Part No.             | Description                       | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------------|-------------------|
| 1         | B132 7008            | Knob:Front                        | 1                 |
| 2         | B132 7130            | Decal:LED:E1                      | 1                 |
| 3         | D014 7131            | Decal:LED:D1                      | 1                 |
| 4         | A166 4290            | Knob Joint                        | 1                 |
| 5         | AG05 1147            | Knob:Fusing                       | 1                 |
| 6         | D014 1182            | Inner Cover:Left                  | 1                 |
| 7         | B132 2716            | Lever:Release                     | 1                 |
| 8         | AG05 0102            | Registration Roller Knob          | 2                 |
|           | <del>A060 2512</del> | O/O (200911 PCIL)                 |                   |
| 9         | B132 7166            | Bracket:LED:Left                  | 1                 |
| 10        | B132 6940            | Fan Motor:Unit:DC24V 2.4W         | 1                 |
| 11        | D014 5277            | Harness:Front:Fan                 | 1                 |
| 12        | B132 2709            | Decal:Lever:B4                    | 1                 |
| 13        | D081 1184            | Lever:Pull Out:Printing           | 1                 |
|           | <del>B132 1184</del> | X/O (201109 PCIL)                 |                   |
| 14        | D014 1200            | Inner Cover:Middle                | 1                 |
| 15        | B132 1238            | Decal:Caution:Pull Out            | 1                 |
| 16        | B132 1189            | Inner Cover:Pull Out:Right        | 1                 |
| 17        | D014 1570            | Decal:Caution:Pull Out:Inner Back | 1                 |

| Index No. | Part No.   | Description               | Q'ty Per Assembly |
|-----------|------------|---------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8         |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6       |                   |
| 103       | 0354 0080N | Screw:M4x8                |                   |
| 104       | 0354 0060N | Screw-M4x6                |                   |
| 105       | 0951 4006N | Screw:Polished Round:M4x6 |                   |
| 106       | 0454 4008Q | Tapping Screw - M4x8      |                   |
| 107       | 1105 0522  | Edge Saddle - LES0510     |                   |

## 44.Transfer Entrance 1 (D014/D015)




#### 44.Transfer Entrance 1 (D014/D015)

| Index No. | Part No.             | Description                         | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------|-------------------|
| 1         | B132 2605            | Case:Remove Paper Dust              | 1                 |
| 2         | D014 2602            | Bracket:Remove Paper Dust           | 1                 |
|           | <del>D014 2601</del> | X/O MB37                            |                   |
| 3         | D014 2620            | Bracket:Registration Sensor         | 1                 |
| 4         | AW01 0107            | Paper Feed Sensor                   | 1                 |
| 5         | D014 5245            | Harness:Pull Out:UNI:26PIN          | 1                 |
| 6         | AW00 0012            | Optics Sensor:Photo                 | 1                 |
|           | <del>AW00 0011</del> | O/O (201112 PCIL)                   |                   |
| 7         | B132 2703            | Stud:Contact Point                  | 1                 |
| 8         | D014 2631            | Registration Guide:Upper            | 1                 |
| 9         | B132 2671            | Lever:Un Lock                       | 2                 |
| 10        | 5443 2668            | Bushing - 4x6x7mm                   | 2                 |
| 11        | AA06 1025            | Tension Spring:Open And Close       | 2                 |
| 12        | AA06 1033            | Tension Spring:Registration         | 1                 |
| 13        | B132 2674            | Side Plate:Open And Close:Front     | 1                 |
| 14        | B132 2670            | Shaft:Lock                          | 1                 |
| 15        | B132 2644            | Lever:Knob:Release                  | 1                 |
| 16        | B132 2682            | Registration Guide:Upper            | 1                 |
| 17        | B132 2681            | Shaft:Contact Point:Lever           | 1                 |
| 18        | B132 2651            | Knob:Release                        | 1                 |
| 19        | B132 2680            | Registration Guide:Connecting       | 1                 |
| 20        | D014 2669            | Side Plate:Open And Close:Rear:Peen | 1                 |
| 21        | B132 1188            | Cover:Drive Sub-unit                | 1                 |
| 22        | D014 5265            | Harness:Pull Out:UNI:Dehumidifier   | 1                 |
| 23        | AA14 3792            | Screw:Drawer                        | 2                 |

| Index No. | Part No.   | Description                 | Q'ty Per Assembly |
|-----------|------------|-----------------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6         |                   |
| 102       | 0951 3006N | Screw - M3x6                |                   |
| 103       | 0451 4008N | Tapping Screw:4x8           |                   |
| 104       | 0353 0060N | Bind Screw - M3x6           |                   |
| 105       | 1105 0551  | Clamp:LES-0505              |                   |
| 106       | 1105 0568  | Clamp:LWSS-0504             |                   |
| 107       | 1105 0534  | Clamp                       |                   |
| 108       | 1105 0522  | Edge Saddle - LES0510       |                   |
| 109       | 1105 0604  | Clamp:RFC-16V0              |                   |
| 110       | 1102 9387  | Connector:Drawer:51405-2611 |                   |
| 111       | 0720 0025E | Retaining Ring - M2.5       |                   |

## 45.Transfer Entrance 2 (D014/D015)




#### 45.Transfer Entrance 2 (D014/D015)

| Index No. | Part No.             | Description                          | Q'ty Per Assembly |
|-----------|----------------------|--------------------------------------|-------------------|
| 1         | B132 2629            | Registration Roller:Upper            | 1                 |
| 2         | B132 2617            | Registration Roller:Lower            | 1                 |
| 3         | AX56 0011            | LED                                  | 1                 |
| 4         | D014 5246            | Harness:LED:Sensor                   | 1                 |
| 5         | B132 2624            | Bracket:Optics Sensor                | 1                 |
| 6         | D014 2610            | Registration Guide:Lower             | 1                 |
| 7         | B234 2624            | Ball Bearing - 8x12x5                | 2                 |
|           | <del>A247 2800</del> | O/O (201002 PCIL)                    |                   |
| 8         | AA13 2025            | Spacer - 1x8x12                      | 1                 |
| 9         | AB03 0302            | Timing Pulley:35T                    | 1                 |
| 10        | B132 2708            | Pawl:Lock:Front                      | 1                 |
| 11        | 5443 2668            | Bushing - 4x6x7mm                    | 2                 |
| 12        | B132 2691            | Shaft:Lock                           | 1                 |
| 13        | B132 2692            | Pawl:Lock:Rear                       | 1                 |
| 14        | AA06 6372            | Spring                               | 1                 |
| 15        | AA08 2116            | Bushing - M8                         | 2                 |
| 16        | B132 2658            | Roller:Connecting:Drive              | 1                 |
| 17        | B181 2790            | Guide Plate:Entrance:Lower Left:Peen | 1                 |
| 18        | AA06 3433            | Exit Roller Spring                   | 2                 |
| 19        | AA08 0034            | Bushing - 4x5x7                      | 2                 |
| 20        | B132 2675            | Transport Roller:Driven:Duplex       | 1                 |
| 21        | B132 2724            | Bushing:Registration:Front           | 1                 |
| 22        | AA06 2329            | Spring:Registration:20N              | 2                 |
| 23        | 5446 2901            | Collar - 8mm                         | 1                 |
| 24        | B132 1232            | Cover:Harness:Pull Out               | 1                 |
| 25        | B132 2725            | Bushing:Registration:Rear            | 1                 |
| 26        | AB01 1300            | Gear:50Z                             | 1                 |
| 27        | B181 2641            | Guide Plate:Open And Close:Middle    | 1                 |

| Index No. | Part No.   | Description           | Q'ty Per Assembly |
|-----------|------------|-----------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6   |                   |
| 102       | 0451 4008N | Tapping Screw:4x8     |                   |
| 103       | 0720 0060E | Retaining Ring - M6   |                   |
| 104       | 0720 0040E | Retaining Ring - M4   |                   |
| 105       | 0720 0025E | Retaining Ring - M2.5 |                   |
| 106       | 0742 3808  | Ball Bearing - 8x16x5 |                   |
| 107       | 0633 0160G | Parallel Pin - 3x16MM |                   |
| 108       | 1105 0534  | Clamp                 |                   |

## 46.Transfer Entrance 3 (D014/D015)




#### 46.Transfer Entrance 3 (D014/D015)

| Index No. | Part No.  | Description                                     | Q'ty Per Assembly |
|-----------|-----------|-------------------------------------------------|-------------------|
| 1         | AB01 1301 | Gear:32Z                                        | 1                 |
| 2         | B132 1192 | Guard:Pull Out                                  | 1                 |
| 3         | B132 2767 | Guide Plate:Paper Bank:Ass'y                    | 1                 |
| 4         | AA08 0203 | Bushing - 6mm                                   | 2                 |
| 5         | B132 2639 | Transport Roller:Driven                         | 1                 |
| 6         | AA06 3254 | Driven Roller Spring                            | 2                 |
| 7         | D014 2636 | Guide Plate:Connecting:<br>Right Upper:Adhesion | 1                 |
| 8         | D014 5247 | Harness:Sensor                                  | 1                 |
| 9         | AW01 0107 | Paper Feed Sensor                               | 1                 |
| 10        | B181 2773 | Bracket:Sensor:Connecting                       | 1                 |
| 11        | B132 2594 | DC Solenoid:24V:16.5W:Ass'y                     | 1                 |
| 12        | B132 2649 | Arm:Guide                                       | 1                 |
| 13        | B132 2650 | Arm:Perpendicular                               | 1                 |
| 14        | B132 2753 | Support Stay:Solenoid                           | 1                 |
| 15        | B132 2661 | Bracket:Solenoid                                | 1                 |
| 16        | B132 2667 | Rail:Solenoid:Release                           | 1                 |
| 17        | B132 2723 | Cover:Motor:Registration                        | 1                 |
| 18        | 5206 2686 | Snap Ring                                       | 1                 |
| 19        | B132 2720 | Bracket:Tightener                               | 1                 |
| 20        | B132 2710 | Tension Spring                                  | 1                 |
| 21        | B132 2711 | Bracket:Stepper Motor                           | 1                 |
| 22        | AA04 3312 | Timing Belt:60S2M138                            | 1                 |
| 23        | B132 2722 | Stepper Motor:Registration:Ass'y                | 1                 |
| 24        | AW02 0145 | Photointerruptor:Flat                           | 1                 |
| 25        | B132 1233 | Bracket:Photointerruptor                        | 1                 |
| 26        | B132 4868 | Guide:Duplex:Upper Right                        | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 103       | 0353 0060N | Bind Screw - M3x6          |                   |
| 104       | 0353 0040N | Screw - M3x4               |                   |
| 105       | 0720 0040E | Retaining Ring - M4        |                   |
| 106       | 0720 0025E | Retaining Ring - M2.5      |                   |
| 107       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 108       | 1105 0522  | Edge Saddle - LES0510      |                   |
| 109       | 1105 0551  | Clamp:LES-0505             |                   |
| 110       | 1105 0568  | Clamp:LWSS-0504            |                   |
| 111       | 1102 6249  | Relay Connector - 6P       |                   |

## 47.Paper Transfer 1 (D014/D015)




## 47.Paper Transfer 1 (D014/D015)

| Index No. | Part No.         | Description                                | Q'ty Per Assembly |
|-----------|------------------|--------------------------------------------|-------------------|
| *         | D014 6250        | Transfer Unit:Ass'y<br>ADDED (201103 PCIL) | 1                 |
| 1         | 5447 2769        | Stepped Screw                              | 3                 |
| 2         | <b>B132 6268</b> | <b>Paper Discharge Plate</b>               | <b>1</b>          |
| 3         | AA14 3870        | Stepped Screw                              | 3                 |
| 4         | B132 6253        | Stay:Brush Roller:Ass'y                    | 1                 |
| 5         | B132 6274        | Stay:Transfer Unit                         | 1                 |
| 6         | B132 6287        | Shaft:Contact Point                        | 1                 |
| 7         | <b>D014 6280</b> | <b>Paper Transfer Roller</b>               | <b>1</b>          |
| 8         | B132 6303        | Gear:40Z                                   | 1                 |
| 9         | B132 6306        | Spring:Pressure                            | 1                 |
| 10        | B132 6255        | PTR Cleaning Brush                         | 1                 |
| 11        | AA08 2137        | Bushing:6x10x6                             | 2                 |
| 12        | B132 6295        | Guide Plate:Entrance:Ass'y                 | 1                 |
| 13        | D014 6268        | Brush Roller:Apply                         | 1                 |
| 14        | <b>D014 6260</b> | <b>PTR Lubricant Bar</b>                   | <b>1</b>          |
| 15        | <b>D014 6265</b> | <b>PTR Cleaning Blade</b>                  | <b>1</b>          |
| 16        | B132 6269        | Holder:Blade                               | 1                 |
| 17        | B132 6299        | Spring:Blade                               | 2                 |
| 18        | B132 6301        | Gear:40Z                                   | 1                 |
| 19        | B132 6284        | Joint:Transfer:Drive                       | 1                 |
| 20        | B132 6302        | Gear:40Z                                   | 1                 |
| 21        | B132 6311        | Bracket:Gear:Idler                         | 1                 |
| 22        | B132 6307        | Base:Transfer Roller:Rear:Ass'y            | 1                 |
| 23        | B132 6288        | Spring:Pressure                            | 2                 |
| 24        | AB01 1124        | Gear:21Z                                   | 1                 |
| 25        | 5447 2681        | Snap Ring                                  | 4                 |
| 26        | AA04 3587        | Timing Belt:S2M170                         | 1                 |
| 27        | AB03 0749        | Pulley:23T                                 | 1                 |
| 28        | B132 1186        | Supporting Plate:Pull Out                  | 1                 |
| 29        | AB01 1125        | Gear:20/29Z                                | 1                 |
| 30        | AB01 1126        | Gear:20Z                                   | 1                 |
| 31        | B132 6314        | Base Front                                 | 1                 |
| 32        | AA08 0154        | Rear Bushing                               | 1                 |
| 33        | B132 6337        | Spring:Tightener:Transport Screw           | 1                 |

| Index No. | Part No.   | Description                                 | Q'ty Per Assembly |
|-----------|------------|---------------------------------------------|-------------------|
| 34        | A257 6112  | Pulley:Belt Tensioner                       | 1                 |
| 35        | B132 6331  | Tightener:Transfer:Transport Screw:Ass'y    | 1                 |
| 36        | B132 6334  | Side Plate:Positioning:Transfer:Front:Ass'y | 1                 |
| 37        | D014 6272  | Bushing:Brush:Rear                          | 1                 |
| 38        | B132 6326  | Seal:Side Plate:Rear                        | 1                 |
| 39        | B132 6325  | Seal:Side Plate:Front                       | 1                 |
| 40        | D014 6273  | Gear:16Z                                    | 1                 |
| 101       | 0360 3006N | Screw - M3x6                                |                   |
| 102       | 0451 4014N | Tapping Screw:M4x14                         |                   |
| 103       | 0354 0080N | Screw:M4x8                                  |                   |
| 104       | 0720 0060E | Retaining Ring - M6                         |                   |
| 105       | 0633 0120G | Parallel Pin - 3x12                         |                   |
| 106       | 0805 3511  | Bushing 8MM                                 |                   |
| 107       | 0701 0060N | Washer DIA6                                 |                   |
| 108       | 0451 4008N | Tapping Screw:4x8                           |                   |
| 109       | 0720 0040E | Retaining Ring - M4                         |                   |
| 110       | 0720 0030E | Retaining Ring - M3                         |                   |

## 48.Paper Transfer 2 (D014/D015)




## 48.Paper Transfer 2 (D014/D015)

| Index No. | Part No.  | Description                      | Q'ty Per Assembly |
|-----------|-----------|----------------------------------|-------------------|
| 1         | D014 3850 | Paper Transport Belt Unit        | 1                 |
| 2         | AA04 0033 | Transport Belt                   | 2                 |
| 3         | AF02 2064 | Transport Roller:Driven          | 2                 |
| 4         | AA08 2101 | Bushing - 6x10x6                 | 5                 |
| 5         | B132 3851 | Transport Roller:Drive           | 1                 |
| 6         | B132 3862 | Supporting Plate:Vacuum          | 1                 |
| 7         | AX64 0158 | Fan Motor MM60/15mm:24V          | 2                 |
| 8         | D014 5248 | Harness:Fan Motor                | 1                 |
| 9         | B132 6260 | Collection Coil:Toner:Ass'y      | 1                 |
| 10        | B132 6257 | Tray:Toner Catchpan:Ass'y        | 1                 |
| 11        | B132 6304 | Stay:Pull Out                    | 1                 |
| 12        | AB01 7338 | Gear:30T                         | 1                 |
| 13        | AA04 3578 | Timing Belt:S2M208               | 1                 |
| 14        | AB03 0275 | Pulley:31T                       | 1                 |
| 15        | B132 6286 | Stopper:Transfer/Separation Unit | 1                 |
| 16        | 5447 2681 | Snap Ring                        | 1                 |
| 17        | AB03 0748 | Pulley:40T                       | 1                 |
| 18        | B132 6507 | Holder:Heater                    | 1                 |
| 19        | B132 6506 | Heat Sink:Heater:Toner           | 1                 |
| 20        | AX40 0176 | Heater:115V:18W:Upper            | 1                 |
| 20        | AX40 0178 | Heater:240V:18W:Upper            | 1                 |
| 21        | B181 6502 | Cover:Heater                     | 1                 |
| 22        | B132 6328 | Seal:Tray:Toner Recycling Unit   | 1                 |
| 23        | AA14 3394 | Stepped Screw - M3x10            | 2                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0451 3020N | Tapping Screw:3x20         |                   |
| 103       | 0450 4008N | Tapping Screw - M4x8       |                   |
| 104       | 0720 0040E | Retaining Ring - M4        |                   |
| 105       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 106       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 107       | 0450 3010N | Tapping Screw - M3x10      |                   |
| 108       | 1105 0518  | Edge Saddle - LES-1010     |                   |
| 109       | 0720 0060E | Retaining Ring - M6        |                   |
| 110       | 1105 0516  | Clamp                      |                   |

## 49.Fusing Unit 1 (D014/D015)




#### 49.Fusing Unit 1 (D014/D015)

| Index No. | Part No.  | Description                      | Q'ty Per Assembly |
|-----------|-----------|----------------------------------|-------------------|
| 1         | AW02 0145 | Photointerruptor:Flat            | 1                 |
| 2         | D014 4264 | Bracket:Photointerruptor         | 1                 |
| 3         | AB01 4309 | Gear:Shaft:Cam                   | 1                 |
| 4         | D014 4297 | Cam:On-Off:Pressure Roller       | 2                 |
| 5         | D014 4260 | Feeler                           | 1                 |
| 6         | D014 4261 | Shaft                            | 1                 |
| 7         | D014 4263 | Bracket:Shaft:Cam                | 1                 |
| 8         | D014 4274 | Guide:Hook:Lock:Fusing Unit      | 1                 |
| 9         | D014 4276 | Hook:Lock:Fusing Unit            | 2                 |
| 10        | AA06 6684 | Torsion Spring:Front:2N          | 1                 |
| 11        | D014 4277 | Bracket:Lock:Fusing Unit         | 2                 |
| 12        | AA06 6685 | Torsion Spring:Rear:2N           | 1                 |
| 13        | D014 4275 | Guide:Hook:Lock:Fusing Unit:Rear | 1                 |
| 14        | D014 4280 | Stay:Lock:Fusing Unit            | 1                 |
| 15        | D014 6311 | Bracket:Side Fence               | 1                 |
| 16        | D014 6315 | Compression Spring:Stay:On-Off   | 1                 |
| 17        | D014 6312 | Stay                             | 1                 |
| 18        | D014 6310 | Bracket:Contact Point            | 1                 |
| 19        | D014 6316 | Shaft:Contact Point              | 1                 |
| 20        | G047 3472 | Bushing:Back Up:Master Belt      | 2                 |
| 21        | D014 4249 | Guide Plate:Shaft:Cam:Rear       | 1                 |
| 22        | D014 4259 | Stay:Fusing Unit:Rear:Exit       | 1                 |
| 23        | 5206 2684 | Shoulder Screw - M3              | 1                 |
| 24        | AA14 3424 | Knob Screw - M4x8                | 1                 |

| Index No. | Part No.   | Description               | Q'ty Per Assembly |
|-----------|------------|---------------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6       |                   |
| 102       | 0451 4008N | Tapping Screw:4x8         |                   |
| 103       | 0353 0060N | Bind Screw - M3x6         |                   |
| 104       | 0720 0060E | Retaining Ring - M6       |                   |
| 105       | 0740 3008  | Ball Bearing:DIA8xDIA22x7 |                   |
| 106       | 0720 0040E | Retaining Ring - M4       |                   |
| 107       | 0720 0030E | Retaining Ring - M3       |                   |
| 108       | 1105 0534  | Clamp                     |                   |

## 50.Fusing Unit 2 (D014/D015)




## 50.Fusing Unit 2 (D014/D015)

| Index No. | Part No.             | Description                                 | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------------------|-------------------|
| 1         | D014 1150            | Bracket:Knob:Fusing                         | 1                 |
| 2         | AB01 3309            | Gear:18Z                                    | 2                 |
| 3         | B132 1235            | Collar:DIA18                                | 1                 |
| 4         | AB01 7688            | Gear:13/20Z                                 | 1                 |
| 5         | D014 1156            | Shaft:Knob:Fusing                           | 1                 |
| 6         | AB01 3363            | Gear - 16Z                                  | 1                 |
| 7         | D014 1154            | Guide Plate:Fusing Unit                     | 1                 |
| 8         | AX05 0501            | Drive Sub-unit:On-Off:Pressuer Roller       | 1                 |
| 9         | <del>AX06 0357</del> | O/O (201101 PCIL)                           |                   |
| 9         | D014 4265            | Bracket:Motor:On-Off:Press Fit              | 1                 |
| 10        | AB01 4310            | Gear:Motor:On-Off                           | 1                 |
| 11        | D014 4268            | Shaft:Motor                                 | 1                 |
| 12        | D014 4351            | Bracket:Gear:Slow Down:Press Fit            | 1                 |
| 13        | AB01 4311            | Gear:Coupling:Slow Down:21Z                 | 1                 |
| 14        | D014 4350            | Shaft:Gear:Slow Down                        | 1                 |
| 15        | AB01 4312            | Gear:Motor:Drive:15Z                        | 1                 |
| 16        | D014 6322            | Feeler                                      | 1                 |
| 17        | AA08 2101            | Bushing - 6x10x6                            | 2                 |
| 18        | D014 6325            | Bracket:Sensor                              | 1                 |
| 19        | AW02 0145            | Photointerruptor:Flat                       | 1                 |
| 20        | B132 6511            | DC Motor:Agitate:Ass'y                      | 1                 |
| 21        | D014 6318            | Bracket:Motor                               | 1                 |
| 22        | D014 6323            | Gear:15Z/24Z                                | 1                 |
| 23        | D014 6324            | Gear:45Z                                    | 1                 |
| 24        | D014 6321            | Shaft:Cam                                   | 1                 |
| 25        | D014 6326            | Cam                                         | 1                 |
| 26        | 0807 5044            | Spacer - 8.1mm x 11.5mm x 0.2<br>Added MB13 | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 103       | 0360 3006N | Screw - M3x6               |                   |
| 104       | 0353 0030N | Screw:M3x3                 |                   |
| 105       | 0353 0250N | Screw:M3x25                |                   |
| 106       | 0720 0060E | Retaining Ring - M6        |                   |
| 107       | 0720 0030E | Retaining Ring - M3        |                   |
| 108       | 0720 0040E | Retaining Ring - M4        |                   |
| 109       | 0805 3386  | Bushing - 8MM              |                   |
| 110       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 111       | 0632 0160G | Parallel Pin-M2x16         |                   |
| 112       | 1105 0534  | Clamp                      |                   |

## 51.Fusing Unit 3 (D014/D015)




## 51.Fusing Unit 3 (D014/D015)

| Index No. | Part No.                          | Description                                                     | Q'ty Per Assembly |
|-----------|-----------------------------------|-----------------------------------------------------------------|-------------------|
| *         | D014 4019<br><del>D014 4018</del> | Fusing Unit for 120V Model<br>O/O (201003 PCIL)<br>MB27 Correct | 1                 |
| *         | D014 4029<br><del>D014 4028</del> | Fusing Unit:C2EU:Ass'y<br>O/O (201004 PCIL)<br>MB27 Correct     | 1                 |
| 1         | 5206 2684                         | Shoulder Screw - M3                                             | 1                 |
| 2         | D014 4124<br><del>D014 4125</del> | Fusing Unit Cover<br>X/O MB3                                    | 1                 |
| 3         | D014 4190                         | Stopper - Thermostat                                            | 2                 |
| 4         | D014 4191                         | Stopper Pad - Thermostat                                        | 2                 |
| 5         | D014 4175                         | Thermostat:Heat Roller:Welding                                  | 1                 |
| 6         | D014 4235                         | Housing:Thermostat:Press Fit                                    | 1                 |
| 7         | D014 4161                         | Supporting Plate:Positioning:<br>Fusing Unit:Rear               | 1                 |
| 8         | B132 4148                         | Housing:Thermostat                                              | 1                 |
| 9         | AX43 0186                         | Heater - 117V 400W                                              | 1                 |
| 9         | AX44 0267                         | Heater - 227V 600W<br>MB20 Correct                              | 1                 |
| 10        | D014 4236                         | Front Heater Holder - Pressure                                  | 1                 |
| 11        | D014 4237                         | Rear Heater Holder - Pressure                                   | 1                 |
| 12        | AX44 0269                         | Heater - 117V 700W                                              | 1                 |
| 12        | AX44 0271                         | Heater - 227V 700W                                              | 1                 |
| 13        | AX43 0188                         | Heater - 117V 250W                                              | 1                 |
| 13        | AX43 0190                         | Heater - 227V 400W<br>MB20 Correct                              | 1                 |
| 14        | D014 4136                         | Front Heater Holder - Heat Roller                               | 1                 |
| 15        | D014 4138                         | Rear Heater Holder - Heat Roller                                | 1                 |
| 16        | D014 4164                         | Supporting Plate:Positioning:<br>Fusing Unit:Front              | 1                 |
| 17        | D014 4093                         | Front Stay - Fusing Unit                                        | 1                 |
| 18        | B051 4103                         | Knob Screw - 4M                                                 | 2                 |
| 19        | B065 4121                         | Thermostat Terminal                                             | 1                 |
| 20        | D014 4298                         | AC Harness - Thermostat                                         | 1                 |
| 21        | D014 4234                         | Entrance Guide Plate - Lower                                    | 1                 |

| Index No. | Part No.   | Description                       | Q'ty Per Assembly |
|-----------|------------|-----------------------------------|-------------------|
| 22        | D014 4240  | Bracket - Thermistor:Pressure     | 1                 |
| 23        | AW10 0110  | Thermistor                        | 1                 |
| 24        | D014 4247  | Housing - Temperature Sensor      | 2                 |
| 25        | D014 4238  | Bracket - Heat Roller Thermistor  | 1                 |
| 26        | AW10 0114  | Temperature Sensor:Upper          | 1                 |
| 27        | AW11 0044  | Thermostat:150C:250V/17A          | 1                 |
| 28        | AW11 0045  | Thermostat:149C:250V/17A          | 1                 |
| 29        | D014 4343  | Spacer:Min                        | 1                 |
| 30        | D014 4342  | Spacer:Max                        | 1                 |
| 101       | 0954 3008N | Screw - M3x8                      |                   |
| 102       | 0954 3010N | Screw:Polished Round/Spring:M3x10 |                   |
| 103       | 0720 0040E | Retaining Ring - M4               |                   |
| 104       | 0353 0060N | Bind Screw - M3x6                 |                   |

## 52.Fusing Unit 4 (D014/D015)




## 52.Fusing Unit 4 (D014/D015)

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 1         | 5206 2684 | Shoulder Screw - M3             | 1                 |
| 2         | D014 4127 | Guide Plate - Paper Exit Unit   | 1                 |
| 3         | B132 4167 | Grip:Oil Application Unit:Fiber | 1                 |
| 4         | D014 4155 | Front Lever - Paper Exit Unit   | 1                 |
| 5         | AA08 2101 | Bushing - 6x10x6                | 2                 |
| 6         | D014 4150 | Bracket - Exit Unit             | 1                 |
| 7         | B132 4163 | Shaft:Oil Application Unit      | 1                 |
| 8         | B132 4197 | Torsion Spring:Lever            | 1                 |
| 9         | D014 4156 | Rear Lever - Paper Exit Unit    | 1                 |
| 10        | AA06 1019 | Tension Spring - Stripper Plate | 2                 |
| 11        | D014 4324 | Front Lever - Stripper Plate    | 1                 |
| 12        | D014 4151 | Front Bracket - Stripper Plate  | 1                 |
| 13        | AA06 6382 | Front Torsion Spring - Stripper | 1                 |
| 14        | D014 4307 | Stay - Bracket                  | 1                 |
| 15        | D014 4300 | Stripper Plate Unit             | 1                 |
| 16        | AA06 6383 | Rear Torsion Spring - Stripper  | 1                 |
| 17        | D014 4154 | Rear Bracket - Stripper Plate   | 1                 |
| 18        | D014 4325 | Rear Lever - Stripper Plate     | 1                 |
| 19        | D014 4158 | Upper Guide Plate - Fusing Exit | 1                 |
| 20        | AA06 1018 | Tension Spring                  | 2                 |
| 21        | D014 4167 | Roller Holder - Fusing Exit     | 7                 |
| 22        | D014 4327 | Roller - Fusing Exit            | 7                 |
| 23        | AA06 6682 | Torsion Spring - Front          | 1                 |
| 24        | B132 4127 | Bracket:Torsion Spring:Peen     | 1                 |
| 25        | D014 4148 | Spring Bracket - Separation     | 1                 |
| 26        | AA06 6683 | Torsion Spring - Rear           | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0954 3008N | Screw - M3x8        |                   |
| 102       | 0353 0060N | Bind Screw - M3x6   |                   |
| 103       | 0720 0040E | Retaining Ring - M4 |                   |

## 53.Fusing Unit 5 (D014/D015)




### 53.Fusing Unit 5 (D014/D015)

| Index No. | Part No.             | Description                       | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------------|-------------------|
| 1         | D014 4353            | Discharge Brush:Heat Roller:Upper | 1                 |
| 2         | D014 4309            | Spacer:Housing:Thermostat:Front   | 1                 |
| 3         | D014 4239            | Bracket - Hot Roller Thermistor   | 1                 |
| 4         | D014 4103            | Stay - Upper                      | 1                 |
| 5         | D081 4147            | Fusing Entrance Guide Plate:Upper | 1                 |
|           | <del>D014 4147</del> | O/O (201003 PCIL)                 |                   |
| 6         | D014 4095            | Rear Stay - Fusing Unit           | 1                 |
| 7         | AB01 4294            | Gear - 30Z/23Z                    | 1                 |
| 8         | AB01 4295            | Gear - 20Z                        | 1                 |
| 9         | D014 4306            | Rear Positioning Plate - Stripper | 1                 |
| 10        | D014 4194            | Drive Haft                        | 1                 |
| 11        | AE01 0056            | Core:Hot Roller                   | 2                 |
| 12        | AB01 4298            | Drive Gear - 23Z                  | 1                 |
| 13        | AB01 4323            | Gear:Idler:Drive                  | 1                 |
| 14        | AB01 4324            | Gear:Idler:Hot Roller             | 1                 |
| 15        | <b>AE03 0049</b>     | <b>Ball Bearing -20x32x7</b>      | <b>2</b>          |
| 16        | AB01 4325            | Gear - 34Z                        | 1                 |
|           | <del>AB01 4290</del> | X/O (200909 PCIL)                 |                   |
| 17        | AA13 2204            | Collar                            | 1                 |
| 18        | D014 4134            | Rear Positioning Plate            | 1                 |
| 19        | D014 4163            | Rear Guide Plate - Fusing Unit    | 1                 |
| 20        | D014 5205            | AC Harness 2 - Fusing Unit 230V   | 1                 |
| 21        | <b>D014 4090</b>     | <b>Fusing Belt</b>                | <b>1</b>          |
| 22        | <b>AE01 0075</b>     | <b>Hot Roller</b>                 | <b>1</b>          |
|           | <del>AE01 0065</del> | O/O MB17                          |                   |
| 23        | 5206 2684            | Shoulder Screw - M3               | 3                 |
| 24        | AE03 2031            | Thermal Insulating Bushing - 30MM | 2                 |
| 25        | AE03 0039            | Ball Bearing                      | 2                 |
| 26        | D014 4141            | Rear Lever - Heat Roller          | 1                 |
| 27        | D014 4130            | Guide Ring - Heat Roller          | 2                 |
| 28        | AE01 2032            | Heat Roller                       | 1                 |
| 29        | AA06 2351            | Tension Spring - Heat Roller      | 2                 |
| 30        | D014 4140            | Front Lever - Heat Roller         | 1                 |
| 31        | AA14 3517            | Guide Plate Screw                 | 1                 |
| 32        | D014 4179            | Upper Front Harness - Thermostat  | 1                 |

| Index No. | Part No.   | Description                        | Q'ty Per Assembly |
|-----------|------------|------------------------------------|-------------------|
| 33        | D014 4243  | Relay Terminal                     | 1                 |
| 34        | D014 4305  | Front Positioning Plate - Stripper | 1                 |
| 35        | D014 4133  | Front Positioning Plate            | 1                 |
| 36        | B132 4125  | Collar:Shaft:Drive                 | 1                 |
| 37        | B132 4138  | Roller:Coupling:Knob:Fusing        | 1                 |
| 38        | AB01 3703  | Gear - 24Z                         | 1                 |
| 39        | D014 4188  | Adjusting Pin:Heat Roller          | 1                 |
| 40        | D014 4185  | Pin:Adjusting Pin:Heat Roller:Peen | 1                 |
|           |            |                                    |                   |
| 101       | 0353 0060N | Bind Screw - M3x6                  |                   |
| 102       | 0954 3008N | Screw - M3x8                       |                   |
| 103       | 0720 0040E | Retaining Ring - M4                |                   |
| 104       | 0720 0060E | Retaining Ring - M6                |                   |
| 105       | 0633 0120G | Parallel Pin - 3x12                |                   |
| 106       | 0725 0300E | Retaining Ring C - M30             |                   |
| 107       | 0954 3010N | Screw:Polished Round/Spring:M3x10  |                   |
| 108       | 0725 0200E | Retaining Ring C - M20             |                   |

## 54.Fusing Unit 6 (D014/D015)




## 54.Fusing Unit 6 (D014/D015)

| Index No. | Part No.             | Description                               | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------------|-------------------|
| 1         | AW01 0118            | Paper Feed Sensor                         | 2                 |
| 2         | 5206 2684            | Shoulder Screw - M3                       | 1                 |
| 3         | D014 4258            | Bracket - Paper Feed Sensor               | 1                 |
| 4         | D014 4257            | Guide - Fusing Exit                       | 9                 |
| 5         | D014 4356            | Guide Plate:Fusing Exit                   | 1                 |
|           | <del>D014 4256</del> | X/X MB21                                  |                   |
| 6         | D014 4250            | Bracket - Cleaning Roller                 | 1                 |
| 7         | AE04 4064            | Pick-off Pawl Pressure Roller             | 7                 |
|           | <del>D014 4255</del> | O/O MB16                                  |                   |
| 8         | D014 4254            | Rear Side Plate - Cleaning Roller         | 1                 |
| 9         | AA06 3991            | Spring - Oil Supply Roller                | 2                 |
| 10        | AE03 1069            | Rear Bushing - Cleaning Roller            | 1                 |
| 11        | <b>AE04 0042</b>     | <b>Oil Supply Roller</b>                  | <b>1</b>          |
| 12        | <b>AE04 2080</b>     | <b>Cleaning Roller:Ass'y</b>              | <b>1</b>          |
| 13        | D014 4253            | Front Side Plate - Cleaning Roller        | 1                 |
| 14        | AE03 1068            | Front Bushing - Cleaning Roller           | 1                 |
| 15        | B132 4196            | Spring:Pick-off Pawl<br>Added MB16        | 7                 |
| 16        | B132 4265            | Roller:Pick-off Pawl<br>Added MB16        | 7                 |
| 17        | B132 4268            | Holder:Roller:Pick-off Pawl<br>Added MB16 | 7                 |
| 18        | D014 4347            | Guide:Fusing Exit:Middle<br>Added MB21    | 1                 |

| Index No. | Part No.   | Description       | Q'ty Per Assembly |
|-----------|------------|-------------------|-------------------|
| 101       | 0954 3008N | Screw - M3x8      |                   |
| 102       | 0353 0060N | Bind Screw - M3x6 |                   |

## 55.Fusing Unit 7 (D014/D015)




## 55.Fusing Unit 7 (D014/D015)

| Index No. | Part No.         | Description                            | Q'ty Per Assembly |
|-----------|------------------|----------------------------------------|-------------------|
| 1         | AB01 4291        | Gear - 32Z                             | 1                 |
| 2         | <b>AE03 0049</b> | <b>Ball Bearing - 20x32x7</b>          | <b>2</b>          |
| 3         | <b>AE02 0165</b> | <b>Pressure Roller</b>                 | <b>1</b>          |
| 4         | D014 4291        | Holder:Adjusting Pin:M5                | 2                 |
| 5         | D014 4292        | Lever:Control Plate:Pressure:Link:Peen | 2                 |
| 6         | D014 4289        | Lever:Control Plate:Pressure           | 2                 |
| 7         | D014 4296        | Stepped Screw - M5                     | 2                 |
| 8         | D014 4281        | Upper Front Lever - Pressure           | 1                 |
| 9         | AA06 3450        | Compression Spring - Pressure          | 2                 |
| 10        | D014 4290        | Hub:Pressure Stand:M5                  | 2                 |
| 11        | D014 4287        | Pin:Lever:Pressure:Control Plate       | 4                 |
| 12        | D014 4284        | Lever:Pressure:Lower Front:Ass'y       | 1                 |
| 13        | D014 4233        | Pin:Cam:Lever:Pressure                 | 2                 |
| 14        | AE03 0056        | Ball Bearing - 8x16x5                  | 2                 |
| 15        | D014 4269        | Front Lock Bracket - Fusing Unit       | 1                 |
| 16        | D014 4201        | Side Plate - Lower Front               | 1                 |
| 17        | D014 4203        | Stay - Lower                           | 1                 |
| 18        | D014 4204        | Stay - Right Lower                     | 1                 |
| 19        | D014 5204        | AC/DC Harness - Fusing Unit 120V       | 1                 |
| 19        | D014 5209        | AC/DC Harness - Fusing Unit 230V       | 1                 |
| 20        | D014 4202        | Side Plate - Lower Rear                | 1                 |
| 21        | D014 4271        | Rear Lock Bracket - Fusing Unit        | 1                 |
| 22        | D014 4225        | Lever:Pressure:Lower Rear:Ass'y        | 1                 |
| 23        | D014 4241        | Bracket - Drawer                       | 1                 |
| 24        | AA11 3037        | Terminal:4P:187                        | 1                 |
| 25        | D014 4282        | Upper Rear Lever - Pressure            | 1                 |
| 26        | AB01 4322        | Idle Gear - 27Z                        | 1                 |

| Index No. | Part No.   | Description                       | Q'ty Per Assembly |
|-----------|------------|-----------------------------------|-------------------|
| 101       | 0725 0200E | Retaining Ring C - M20            |                   |
| 102       | 0720 0060E | Retaining Ring - M6               |                   |
| 103       | 0720 0030E | Retaining Ring - M3               |                   |
| 104       | 0701 0060N | Washer DIA6                       |                   |
| 105       | 0585 0201N | Hexagonal Head Bolt:M5x20         |                   |
| 106       | 0353 0060N | Bind Screw - M3x6                 |                   |
| 107       | 0954 3010N | Screw:Polished Round/Spring:M3x10 |                   |
| 108       | 0954 3008N | Screw - M3x8                      |                   |
| 109       | 0354 0120N | Screw M4x12                       |                   |
| 110       | 1105 0518  | Edge Saddle - LES-1010            |                   |

## 56.Paper Exit 1 (D014/D015)




## 56.Paper Exit 1 (D014/D015)

| Index No. | Part No.             | Description                       | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------------|-------------------|
| *         | D014 7001            | Paper Exit Unit                   | 1                 |
| 1         | B132 7056            | Grip:Guide Plate:Upper            | 1                 |
| 2         | B132 7044            | Pawl:Guide Plate:Fix              | 2                 |
| 3         | B132 7052            | Shaft:Release:Guide Plate:Upper   | 1                 |
| 4         | AA06 3909            | Spring:Guide Plate:Open And Close | 1                 |
| 4         | AA06 3908            | MB32                              |                   |
| 5         | B132 7105            | Stopper:Pipe                      | 1                 |
| 6         | B132 7016            | Guide Plate:Transport:Upper:Left  | 1                 |
| 7         | B132 7013            | Spring Plate:Upper:Right          | 2                 |
| 8         | B132 7033            | Roller:MM14                       | 2                 |
| 9         | AA08 0213            | Bushing:DIA6                      | 2                 |
| 10        | D014 7010            | Guide Plate:Right                 | 1                 |
| 11        | B132 7124            | Sound Proofing Material           | 1                 |
| 12        | B132 7129            | Guide Plate:Entrance:Upper        | 1                 |
| 13        | B132 7164            | Guide:Entrance:Right Front        | 1                 |
| 14        | D014 7005            | Decura:Heat Pipe:DIA15            | 1                 |
|           | <del>B132 7005</del> | O/O (200904 PCIL)                 |                   |
| 15        | B132 7133            | Bracket:Positioning Plate:Rear    | 1                 |
| 16        | AA08 0240            | Bushing - MM5                     | 1                 |
| 17        | AA06 3906            | Compression Spring                | 2                 |
| 18        | B132 1159            | Supporting Plate:Pull Out:Front   | 1                 |
| 19        | B181 7037            | Shaft:Knob                        | 1                 |
| 20        | B132 7002            | Gear:28Z                          | 1                 |
| 21        | B181 7007            | Bracket:Lever                     | 1                 |
| 22        | B132 7011            | Holder:Bearing:Front              | 1                 |
| 23        | B132 7039            | Bracket:Bearing:Front             | 1                 |
| 24        | 5447 2681            | Snap Ring                         | 1                 |
| 25        | AA08 2118            | Bushing - M6                      | 2                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0454 4008Q | Tapping Screw - M4x8 |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6  |                   |
| 103       | 0450 3008N | Tapping Screw - M3x8 |                   |
| 104       | 0451 4006N | Tapping Screw - 4x6  |                   |
| 105       | 0954 3006N | Screw - M3x6         |                   |
| 106       | 0720 0040E | Retaining Ring - M4  |                   |
| 108       | 0720 0030E | Retaining Ring - M3  |                   |

57.Paper Exit 2 (D014/D015)




## 57.Paper Exit 2 (D014/D015)

| Index No. | Part No.  | Description                                  | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------------|-------------------|
| 1         | B132 7086 | Exit Roller:Exit:Drive                       | 1                 |
| 2         | D014 7082 | Roller:Middle                                | 1                 |
| 3         | B132 7151 | Guide Plate:Shaft:Ass'y                      | 1                 |
| 4         | 5937 4158 | Spring Washer - BD10                         | 1                 |
| 5         | B132 7165 | MB25 Correct<br>Spacer:DIA21<br>MB25 Correct | 1                 |
| 6         | D014 7156 | Roller:Decura                                | 1                 |
| 7         | B132 7085 | Roller:Decura:Exit                           | 1                 |
| 8         | H053 1174 | Washer M6 - Scanner Unit                     | 1                 |
| 9         | B247 4456 | Spring - Lower Exit Roller                   | 1                 |
| 10        | A470 1703 | Shift Clutch                                 | 1                 |
| 11        | B132 7051 | Pulley:19Z                                   | 1                 |
| 12        | B132 7116 | Timing Belt:T198                             | 1                 |
| 13        | B132 7112 | Tightener:Front Upper:Ass'y                  | 1                 |
| 14        | AA06 0695 | Tension Spring                               | 1                 |
| 15        | B132 7048 | Pulley:13T                                   | 1                 |
| 16        | B132 7025 | Roller:Tightener                             | 1                 |
| 17        | B132 7069 | Bracket:Connector                            | 1                 |
| 18        | B132 7036 | Pulley:15T                                   | 1                 |
| 19        | B132 7028 | Pulley:15T                                   | 1                 |
| 20        | B132 7117 | Timing Belt:T213                             | 1                 |
| 21        | B132 7059 | Roller:Tightener                             | 1                 |
| 22        | B132 7141 | Shaft:Base:Tightener                         | 1                 |
| 23        | B132 7080 | Pulley:37T                                   | 1                 |
| 24        | B132 7143 | Spring:Tightener                             | 1                 |
| 25        | B132 7138 | Gear:Z20                                     | 1                 |
| 26        | B132 7144 | Gear:Z28                                     | 1                 |
| 27        | B132 7162 | Pulley:Z13                                   | 1                 |
| 28        | B132 7030 | Gear:Z27                                     | 2                 |
| 29        | B132 7060 | Gear:29Z                                     | 1                 |
| 30        | B132 7055 | Gear:22Z                                     | 1                 |
| 31        | B132 7155 | Stopper:Guide                                | 2                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 102       | 0720 0040E | Retaining Ring - M4        |                   |
| 103       | 0741 3706  | Ball Bearing - 6x10x3      |                   |
| 104       | 0632 0100G | Pin - 2x10mm               |                   |
| 105       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 106       | 1102 6245  | Relay Connector - 2P       |                   |
| 107       | 0805 0089  | Retaining Ring - M4        |                   |

## 58.Paper Exit 3 (D014/D015)




### 58.Paper Exit 3 (D014/D015)

| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 1         | B132 7115 | Guide Plate:Left Upper:Ass'y      | 1                 |
| 2         | B132 7033 | Roller:MM14                       | 4                 |
| 3         | B132 7015 | Grip:Guide Plate:Left             | 1                 |
| 4         | B132 7110 | Guide Plat:Left Lower:Ass'y       | 1                 |
| 5         | 5447 2681 | Snap Ring                         | 4                 |
| 6         | AA06 3908 | Spring:Tightener                  | 1                 |
| 6         | AA06 3909 | MB32 Correct                      |                   |
| 7         | D014 7159 | Gate Pawl:Reverse:Paper Exit Unit | 1                 |
| 8         | B132 7004 | Guide Plate:Middle:Transport      | 1                 |
| 9         | H020 2318 | NRP345                            | 3                 |
| 10        | B132 7045 | Arm:Pressure                      | 2                 |
| 11        | B132 7029 | Shaft:Release:Guide Plate         | 1                 |
| 12        | B132 7169 | Plate:Transport Roller            | 1                 |
| 13        | B132 7098 | Lever:Release                     | 1                 |
| 14        | B132 7017 | Guide Plate:Middle:Right          | 1                 |
| 15        | B132 7031 | Roller:Middle                     | 2                 |
| 16        | B132 7020 | Spring Plate:Middle               | 2                 |
| 17        | B132 7160 | Stay:Supporting Plate             | 1                 |
| 18        | B132 7103 | Guide:Entrance:Right Rear         | 1                 |
| 19        | B132 7097 | Stay:Shaft:Ass'y                  | 1                 |
| 20        | B132 7046 | Lever:Release:Guide Plate:Lower   | 1                 |
| 21        | AA06 2330 | Tension Spring                    | 1                 |
| 22        | D014 7148 | DC Solenoid                       | 1                 |
| 23        | B132 7088 | Roller:Middle:Duplex Sub-Unit     | 1                 |
| 24        | D014 7081 | Roller:Drive:Connecting:Reverse   | 1                 |
| 25        | D014 7027 | Guide Plate:Middle:Ass'y          | 1                 |

| Index No. | Part No.   | Description           | Q'ty Per Assembly |
|-----------|------------|-----------------------|-------------------|
| 101       | 0451 3006N | Tapping Screw - 3x6   |                   |
| 102       | 0450 3006N | Tapping Screw - M3x6  |                   |
| 103       | 0353 0060N | Bind Screw - M3x6     |                   |
| 104       | 0720 0040E | Retaining Ring - M4   |                   |
| 105       | 0741 3706  | Ball Bearing - 6x10x3 |                   |
| 106       | 0353 0060N | Bind Screw - M3x6     |                   |
| 107       | 0450 3008N | Tapping Screw - M3x8  |                   |

## 59.Paper Exit 4 (D014/D015)




## 59.Paper Exit 4 (D014/D015)

| Index No. | Part No.             | Description                                     | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------------------|-------------------|
| 1         | D014 5244            | Harness:Paper Exit Unit                         | 1                 |
| 2         | B132 7049            | Bracket:Sensor                                  | 1                 |
| 3         | AW01 0107            | Paper Feed Sensor                               | 1                 |
| 4         | B132 7023            | Cover:Exhaust                                   | 1                 |
| 5         | AA12 0084            | Discharge Brush                                 | 1                 |
| 6         | B132 7018            | Stay:Exit:Ass'y                                 | 1                 |
| 7         | B247 4455            | Compression Spring                              | 2                 |
| 8         | AA08 4053            | Ball Bearing:Driven:MM4                         | 2                 |
| 9         | B132 7147            | Exit Roller:Driven:Upper                        | 1                 |
| 10        | B132 7123            | Shaft:Lever:Left Inner Rear                     | 1                 |
| 11        | B132 7041            | Lever:Stopper                                   | 1                 |
| 12        | AA06 2319            | Spring                                          | 1                 |
| 13        | B132 7042            | Lever:Open And Close                            | 1                 |
| 14        | B132 7119            | Bracket:Stay:Left                               | 1                 |
| 15        | B132 7043            | Bracket:Fix:Front                               | 1                 |
| 16        | B132 1195            | Bracket:Drawer:Pull Out                         | 1                 |
| 17        | B132 1194            | Actuator:Pull Out                               | 1                 |
| 18        | B132 1220            | Cover:Base:Pull Out                             | 1                 |
| 19        | D014 5242            | Harness:Pull Out:UNI:39PIN                      | 1                 |
| 20        | D081 5356            | Harness:Separation:<br>High Voltage Supply Cord | 1                 |
|           | <del>B132 5356</del> | X/O (201005 PCIL)                               |                   |
| 21        | AZ31 0029            | Power Pack:D                                    | 1                 |
| 22        | B132 1228            | Insulating Sheet:Pull Out                       | 1                 |
| 23        | 5413 1875            | Knob Screw                                      | 1                 |
| 24        | B132 1191            | Handle:Pull Out                                 | 1                 |
| 25        | B132 1185            | Shaft:Lock:Pull Out                             | 1                 |
| 26        | AA06 3951            | Compression Spring                              | 1                 |
| 27        | B132 6305            | Cam:Transfer Roller                             | 2                 |
| 28        | B132 6285            | Toner Catchpan                                  | 1                 |
| 29        | A267 5814            | Compression Spring                              | 2                 |
| 30        | B132 1221            | Holder:Spring:Pull Out                          | 1                 |
| 31        | B132 1190            | Bracket:Release:Lock                            | 1                 |
| 32        | AA13 2300            | Roller:Lock:Pull Out                            | 2                 |
| 33        | B132 1183            | Bracket:Lock                                    | 1                 |

| Index No. | Part No.   | Description                    | Q'ty Per Assembly |
|-----------|------------|--------------------------------|-------------------|
| 34        | B132 1224  | Supporting Plate:Bracket:Lock  | 1                 |
| 35        | B132 7050  | Bracket:Fix:Rear               | 1                 |
| 36        | B132 7096  | Shaft:Stopper                  | 1                 |
| 37        | B132 7070  | Holder:Shaft                   | 1                 |
| 38        | B132 1193  | Bracket:Interlock:Lever        | 1                 |
| 101       | 0451 3006N | Tapping Screw - 3x6            |                   |
| 102       | 0451 4006N | Tapping Screw - 4x6            |                   |
| 103       | 0451 4008N | Tapping Screw:4x8              |                   |
| 104       | 0353 0060N | Bind Screw - M3x6              |                   |
| 105       | 0720 0040E | Retaining Ring - M4            |                   |
| 106       | 0720 0060E | Retaining Ring - M6            |                   |
| 107       | 0354 0060N | Screw-M4x6                     |                   |
| 109       | 1105 0534  | Clamp                          |                   |
| 110       | 1105 0551  | Clamp:LES-0505                 |                   |
| 111       | 1105 0522  | Edge Saddle - LES0510          |                   |
| 113       | 0314 0180N | Pan Head Screw:M4x18           |                   |
| 114       | 1102 9781  | Connector:51405-3919           |                   |
| 115       | 0720 0030E | Retaining Ring - M3            |                   |
| 116       | 1105 0042  | Wire Band<br>ADD (201004 PCIL) |                   |

## 60.Duplex Unit 1 (D014/D015)




## 60.Duplex Unit 1 (D014/D015)

| Index No. | Part No.             | Description                      | Q'ty Per Assembly |
|-----------|----------------------|----------------------------------|-------------------|
| 1         | B132 4525            | Inner Cover:Duplex Unit:Ass'y    | 1                 |
| 2         | B132 4797            | Decal:Warning (High Temperature) | 1                 |
| 3         | D014 4501            | Duplex Unit                      | 1                 |
| 4         | B247 4675            | Grip:Release:Duplex Unit:Ass'y   | 1                 |
|           | <del>B132 4674</del> | O/O (200904 PCIL)                |                   |
| 5         | B247 4673            | Shaft:Lever:Release              | 1                 |
| 6         | B132 4671            | Arm:Lock:Duplex                  | 1                 |
| 7         | B065 4675            | Duplex Release Bracket           | 1                 |
| 8         | AA06 2320            | Spring                           | 1                 |
| 9         | B065 4672            | Release Lever Bracket            | 1                 |
| 10        | 5447 2681            | Snap Ring                        | 1                 |
| 11        | B132 4987            | Stay:Duplex Unit:Upper           | 1                 |
| 12        | D014 4874            | Guide Plate:Jogger:Upper         | 1                 |
| 13        | B132 4869            | Guide Plate:Duplex:Exit          | 1                 |
| 14        | AA14 3811            | Stepped Screw - M3x4             | 3                 |
| 15        | B181 4725            | Table:Duplex:Right               | 1                 |
| 16        | B132 4727            | Bracket:Sensor:Right             | 1                 |
| 17        | AW02 0149            | Paper Feed Sensor                | 1                 |
| 18        | D014 5263            | Harness:Sensor:Duplex:3P         | 1                 |
| 19        | B132 4730            | Guide Plate:Transport:Lower      | 1                 |
| 20        | B065 4731            | Spring Plate - Driven Roller     | 8                 |
| 21        | AF02 2077            | Driven Roller                    | 8                 |
| 22        | A096 4928            | Guide Plate Band                 | 1                 |
| 23        | AA06 3581            | Compression Spring               | 4                 |
| 24        | A229 4727            | Guide Plate Pressure Holder      | 2                 |
| 25        | AF02 2067            | Guide Stopper Roller             | 2                 |
| 26        | B065 4531            | Guide Plate Lever                | 1                 |
| 27        | B065 4867            | Decal - Guide Plate Lever        | 1                 |
| 28        | B065 4933            | Guide Plate Lever Hook           | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4006N | Tapping Screw - 4x6        |                   |
| 102       | 0450 4008N | Tapping Screw - M4x8       |                   |
| 103       | 0450 4010N | Tapping Screw:M4x10        |                   |
| 104       | 0720 0040E | Retaining Ring - M4        |                   |
| 105       | 1105 0328  | Harness Clamp - ES-0505    |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 107       | 0450 3008N | Tapping Screw - M3x8       |                   |
| 108       | 0451 4008N | Tapping Screw:4x8          |                   |

61.Duplex Unit 2 (D014/D015)




## 61.Duplex Unit 2 (D014/D015)

| Index No. | Part No.             | Description                        | Q'ty Per Assembly |
|-----------|----------------------|------------------------------------|-------------------|
| 1         | AA14 3129            | Shoulder Screw - Front Cover       | 1                 |
| 2         | AA06 2318            | Spring                             | 1                 |
| 3         | B132 4796            | Decal:Grip:E3                      | 1                 |
| 4         | B132 4647            | Lever:Open And Close:Reverse Unit  | 1                 |
| 5         | AG05 1141            | Release Lever                      | 1                 |
| 6         | A229 4623            | Lower Entrance Guide Plate         | 1                 |
| 7         | B247 4817            | Compression Spring                 | 2                 |
| 8         | AA08 0034            | Bushing - 4x5x7                    | 2                 |
| 9         | B247 4624            | Roller:Driven:Duplex               | 1                 |
| 10        | AA08 2118            | Bushing - M6                       | 2                 |
| 11        | AA08 2116            | Bushing - M8                       | 2                 |
| 12        | D081 4627            | Side Plate:Front:Reverse Unit      | 1                 |
|           | <del>B132 4627</del> | O/O (201008 PCIL)                  |                   |
| 13        | AA06 2328            | Tension Spring:Black               | 1                 |
| 14        | D014 4818            | Reverse Roller:Entrance            | 1                 |
| 15        | B132 4643            | Spacer:Gate Pawl                   | 2                 |
| 16        | A293 4613            | Front Gate Pawl                    | 1                 |
| 17        | A293 4611            | Reverse Roller                     | 1                 |
| 18        | A293 4614            | Rear Gate Pawl                     | 1                 |
| 19        | D081 4620            | Side Plate:Rear:Reverse Unit:Ass'y | 1                 |
|           | <del>B132 4620</del> | O/O (201008 PCIL)                  |                   |
| 20        | B065 4632            | Joint Holder                       | 1                 |
| 21        | B247 4815            | Compression Spring                 | 1                 |
| 22        | A229 4740            | Drive Joint                        | 1                 |
| 23        | B065 4644            | Sensor Bracket                     | 1                 |
| 24        | A229 4617            | Duplex Discharge Brush             | 2                 |
| 25        | AW01 0119            | Paper Feed Sensor                  | 1                 |
| 26        | D014 4985            | Harness:Sensor:Reverse Unit:3P     | 1                 |
| 27        | B132 4640            | Guide Plate:Entrance:Upper:Ass'y   | 1                 |
| 28        | AA14 3426            | Stopped Screw - M4x17              | 1                 |
| 29        | 5447 2681            | Snap Ring                          | 1                 |
| 30        | D014 4819            | Guide:Auxiliary:Reverse Roller     | 2                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0354 0060N | Screw-M4x6                 |                   |
| 102       | 0353 0050N | Screw-M3x5                 |                   |
| 103       | 0450 4010N | Tapping Screw:M4x10        |                   |
| 104       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 105       | 0720 0040E | Retaining Ring - M4        |                   |
| 106       | 0720 0060E | Retaining Ring - M6        |                   |
| 107       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 108       | 1105 0328  | Harness Clamp - ES-0505    |                   |

## 62.Duplex Unit 3 (D014/D015)




## 62.Duplex Unit 3 (D014/D015)

| Index No. | Part No.  | Description                      | Q'ty Per Assembly |
|-----------|-----------|----------------------------------|-------------------|
| 1         | B132 4780 | Stepper Motor:Reverse:Ass'y      | 1                 |
| 2         | B132 4810 | Bracket:Motor:Reverse:Ass'y      | 1                 |
| 3         | AB01 7687 | Gear:22/24Z                      | 1                 |
| 4         | AA04 3291 | Timing Belt                      | 1                 |
| 5         | B132 4745 | DC Solenoid:Reversal:Ass'y       | 1                 |
| 6         | B132 4650 | Stepper Motor:Jogger:Ass'y       | 1                 |
| 7         | B132 4696 | Bracket:Stepper Motor:Jogger     | 1                 |
| 8         | B132 4785 | Stepper Motor:Transport:Ass'y    | 1                 |
| 9         | B132 4789 | Bracket:Stepper Motor:Transport  | 1                 |
| 10        | AA04 3309 | Timing Belt:40S2M360G            | 1                 |
| 11        | 5447 2681 | Snap Ring                        | 1                 |
| 12        | B132 4663 | Lever:Roller:Driven:Reversal     | 1                 |
| 13        | AA06 2327 | Tension Spring                   | 1                 |
| 14        | AA08 2118 | Bushing - M6                     | 4                 |
| 15        | B132 4665 | Stay:Bearing:Reversal            | 1                 |
| 16        | AA02 1034 | Magnetic                         | 1                 |
| 17        | AA14 3183 | Stepped Screw                    | 2                 |
| 18        | B132 4681 | Jogger Fence:Front               | 1                 |
| 19        | B132 4682 | Jogger Fence:Rear                | 1                 |
| 20        | B065 4683 | Spring Plate - Rear Jogger Fence | 1                 |
| 21        | AA14 3811 | Stepped Screw - M3x4             | 1                 |
| 22        | B132 4720 | Table:Duplex:Left                | 1                 |
| 23        | B132 4661 | Arm:Roller:Reversal:Driven       | 2                 |
| 24        | AA06 3592 | Compression Spring               | 2                 |
| 25        | AF02 0690 | Roller:Reversal:Driven           | 1                 |
| 26        | AA08 2063 | Bushing - 8x10x5                 | 4                 |
| 27        | AA14 8692 | Shaft:Roller:Reversal            | 1                 |
| 28        | B132 4655 | Bracket:Reversal:Driven:Ass'y    | 1                 |

| Index No. | Part No.   | Description              | Q'ty Per Assembly |
|-----------|------------|--------------------------|-------------------|
| 101       | 0451 4006N | Tapping Screw - 4x6      |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6      |                   |
| 103       | 0450 3006N | Tapping Screw - M3x6     |                   |
| 104       | 0720 0040E | Retaining Ring - M4      |                   |
| 105       | 0720 0030E | Retaining Ring - M3      |                   |
| 106       | 1105 0534  | Clamp                    |                   |
| 107       | 0353 0050N | Screw-M3x5               |                   |
| 108       | 1105 0508  | Harness Clamp - LWS-0711 |                   |
| 109       | 0450 3008N | Tapping Screw - M3x8     |                   |

63.Duplex Unit 4 (D014/D015)




### 63.Duplex Unit 4 (D014/D015)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | AF02 1075 | Duplex Turn Roller                 | 1                 |
| 2         | B247 4812 | Roller:Transport:Driven:Left:Right | 2                 |
| 3         | B247 4813 | Roller:Reversal:Drive              | 1                 |
| 4         | B247 4825 | Roller:Drive:Left                  | 1                 |
| 5         | B065 4694 | Jogger Guide Rod                   | 1                 |
| 6         | AF02 1079 | Right Drive Roller                 | 1                 |
| 7         | AB03 0583 | Timing Pulley - 24Z                | 4                 |
| 8         | AA08 2118 | Bushing - M6                       | 8                 |
| 9         | AA04 3310 | Timing Belt:40S2M278G              | 1                 |
| 10        | AA04 3311 | Timing Belt:40S2M302G              | 1                 |
| 11        | AB01 1497 | Gear:45Z                           | 1                 |
| 12        | AB01 7614 | Pulley                             | 1                 |
| 13        | AB01 1498 | Gear:22Z                           | 1                 |
| 14        | 5447 2681 | Snap Ring                          | 1                 |
| 15        | AB01 1496 | Gear - 32Z                         | 1                 |
| 16        | AB03 0731 | Pulley - 29Z                       | 1                 |

| Index No. | Part No.             | Description           | Q'ty Per Assembly |
|-----------|----------------------|-----------------------|-------------------|
| 101       | 0720 0060E           | Retaining Ring - M6   |                   |
| 102       | 0720 0040E           | Retaining Ring - M4   |                   |
| 103       | 0742 3808            | Ball Bearing - 8x16x5 |                   |
|           | <del>0741 3808</del> | O/O (200904 PCIL)     |                   |

64.Duplex Unit 5 (D014/D015)




## 64.Duplex Unit 5 (D014/D015)



| Index No. | Part No.             | Description                         | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------|-------------------|
| 1         | B065 4733            | Duplex Gate Pawl                    | 1                 |
| 2         | B065 4738            | Gate Pawl Cushion                   | 1                 |
| 3         | A294 4626            | Lower Duplex Guide Plate            | 1                 |
| 4         | B065 4865            | Spacer                              | 1                 |
| 5         | B132 4689            | Stay:Timing Belt                    | 1                 |
| 6         | AA04 3435            | Timing Belt:40S2M810                | 1                 |
|           | <del>AA04 3294</del> | O/O (201007 PCIL)                   |                   |
| 7         | B132 4692            | Slider:Jogger Fence:Front           | 1                 |
| 8         | B132 4693            | Slider:Jogger Fence:Rear            | 1                 |
| 9         | AW02 0148            | Paper Feed Sensor                   | 1                 |
| 10        | AW02 0149            | Paper Feed Sensor                   | 2                 |
| 11        | B132 4715            | Bracket:Sensor:Reverse:Exit         | 1                 |
| 12        | AB01 7615            | Gear - 30Z/45Z                      | 1                 |
| 13        | B132 4710            | Guide Plate:Transport:Upper:Ass'y   | 1                 |
| 14        | AA06 0984            | Tension Spring                      | 1                 |
| 15        | D014 4740            | DC Solenoid:Gate Pawl               | 1                 |
| 16        | A096 4595            | Duplex Guide                        | 2                 |
| 17        | B132 4619            | Bracket:Support:Positioning Pin     | 1                 |
| 18        | D014 4790            | Bracket:Drawer:32PIN                | 1                 |
| 19        | D014 5261            | Harness:Duplex Unit:32PIN           | 1                 |
| 20        | B132 4791            | Bracket:Drawer:12PIN:Duplex         | 1                 |
| 21        | D014 5262            | Harness:Duplex Unit:12PIN           | 1                 |
| 22        | AB03 0732            | Jogger Pulley                       | 1                 |
| 23        | AA06 2318            | Spring                              | 1                 |
| 24        | B065 4820            | Jogger Bracket                      | 1                 |
| 25        | AW02 0145            | Photointerruptor:Flat               | 1                 |
| 26        | B132 4699            | Bracket:Home Position Sensor:Jogger | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4006N | Tapping Screw - 4x6        |                   |
| 102       | 0450 4008N | Tapping Screw - M4x8       |                   |
| 103       | 0720 0040E | Retaining Ring - M4        |                   |
| 104       | 1105 0516  | Clamp                      |                   |
| 105       | 1105 0534  | Clamp                      |                   |
| 106       | 1105 0508  | Harness Clamp - LWS-0711   |                   |
| 107       | 1105 0522  | Edge Saddle - LES0510      |                   |
| 108       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 109       | 1105 0328  | Harness Clamp - ES-0505    |                   |
| 110       | 0353 0080N | Screw:M3x8                 |                   |

## 65.Used Toner Section 1 (D014/D015)




## 65.Used Toner Section 1 (D014/D015)

| Index No. | Part No.  | Description                         | Q'ty Per Assembly |
|-----------|-----------|-------------------------------------|-------------------|
| 1         | B132 6578 | Shield:Joint:PCU                    | 1                 |
| 2         | B132 6519 | Case:Toner Outlet Sub-unit:Cover    | 1                 |
| 3         | B132 6518 | Case:Toner Outlet Sub-unit          | 1                 |
| 4         | B132 6539 | Toner Catchpan:Tank:Entrance        | 1                 |
| 5         | AW50 0023 | Push Switch                         | 1                 |
| 6         | B132 6520 | Transport Screw:Upper:Ass'y         | 1                 |
| 7         | D014 5393 | Harness:Bank                        | 1                 |
| 8         | AW02 0147 | Photointerruptor:Feeler:Square      | 1                 |
| 9         | B132 6512 | Base:Toner Outlet Sub-unit:Ass'y    | 1                 |
| 10        | B132 6514 | Bracket:Toner Outlet Sub-unit:Drive | 1                 |
| 11        | B132 6542 | Tension Spring                      | 1                 |
| 12        | AB01 1029 | Gear:31/44Z                         | 1                 |
| 13        | B132 6527 | Shaft:Toner Outlet Sub-unit         | 2                 |
| 14        | B132 6548 | Shaft:Drive:Long:Ass'y              | 1                 |
| 15        | AB01 3299 | Gear:18Z                            | 1                 |
| 16        | AX06 0302 | Brushless Motor DC24V 2.4W          | 1                 |
| 17        | B132 6537 | Cover:DC Motor                      | 1                 |
| 18        | AB01 1248 | Gear:14/30Z                         | 1                 |
| 19        | AB01 1247 | Gear:32Z                            | 1                 |
| 20        | B132 6536 | Bushing:Transport Screw             | 1                 |
| 21        | B065 3587 | Toner Collection Gear               | 1                 |
| 22        | AA13 2208 | Spacer - M6                         | 1                 |
| 23        | B065 3561 | Spring                              | 1                 |
| 24        | B132 6526 | Guide:Spring:Discharge Used Toner   | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0451 3008N | Tapping Screw - M3x8       |                   |
| 103       | 0353 0080N | Screw:M3x8                 |                   |
| 104       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 105       | 1105 0522  | Edge Saddle - LES0510      |                   |
| 106       | 1105 0488  | Harness Clamp              |                   |
| 107       | 1105 0600  | Clamp:LWSM-0306-2M         |                   |

## 66.Used Toner Section 2 (D014/D015)




## 66.Used Toner Section 2 (D014/D015)

| Index No. | Part No.             | Description                                | Q'ty Per Assembly |
|-----------|----------------------|--------------------------------------------|-------------------|
| 1         | D014 5264            | Harness:Connecting:Main:Thermistor         | 1                 |
| 2         | AW10 0107            | Thermistor                                 | 1                 |
| 3         | D014 3240            | Cover:Discharge Used Toner                 | 4                 |
| 4         | D014 3241            | Seal:Discharge Used Toner                  | 4                 |
| 5         | D014 3242            | Seal:Discharge Used Toner:Lower            | 4                 |
| 6         | D081 6558            | Toner Outlet Sub-unit:PCU:Side:Ass'y       | 1                 |
|           | <del>D014 6558</del> | O/O (201107 PCIL)                          |                   |
| 7         | D014 3624            | Duct:PCU:Side Plate:Main                   | 3                 |
| 8         | B132 6599            | Toner Catchpan:K                           | 3                 |
| 9         | B132 1229            | Cover:Drawer                               | 1                 |
| 10        | D014 3613            | Duct:Stay:Right                            | 1                 |
| 11        | D081 6569            | Toner Outlet Sub-Unit:Transfer:            |                   |
|           |                      | Diagonal Slanted:Ass'y                     | 1                 |
|           | <del>D014 6569</del> | O/O (201102 PCIL)                          |                   |
| 12        | D014 3616            | Duct:Charge Corona:Side                    | 1                 |
| 13        | D014 3664            | Duct Filter - Charge Corona                | 1                 |
| 14        | D014 3611            | Cover:Duct:Blower:Charge Corona            | 1                 |
| 15        | D014 3607            | Sirocco Fan Motor:DC24V 1.44W              | 1                 |
| 16        | D014 5385            | Harness:Sirocco Fan Motor                  | 1                 |
| 17        | D014 3610            | Duct:Blower:Charge Corona                  | 1                 |
| 18        | D081 6528            | Toner Outlet Sub-Unit:PCU:Lengthwise:Ass'y | 1                 |
|           | <del>B132 6528</del> | O/O (201110 PCIL)                          |                   |
| 19        | B132 6531            | Pipe:Toner Recycling Section:              |                   |
|           |                      | Around The Photoconductor                  | 1                 |
| 20        | B132 6561            | Transport Screw:Lengthwise                 | 1                 |
| 21        | B132 6545            | Shaft:Drive:Short:Ass'y                    | 1                 |
| 22        | B132 6540            | Case:Drive:Ass'y                           | 1                 |
| 23        | AB01 3122            | Gear:26Z                                   | 1                 |
| 24        | AB01 3189            | Gear:30Z                                   | 1                 |
| 25        | 5447 2681            | Snap Ring                                  | 1                 |
| 26        | D014 1127            | Stud:Manual Feed:Rear                      | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0451 4006N | Tapping Screw - 4x6  |                   |
| 102       | 0451 4008N | Tapping Screw:4x8    |                   |
| 103       | 0353 0060N | Bind Screw - M3x6    |                   |
| 104       | 1102 9783  | Connector:55949-3919 |                   |
| 105       | 1102 9785  | Connector:55949-1819 |                   |
| 106       | 0360 4008N | Screw - M4x8         |                   |

## 67. Drive Section 1 (D014/D015)




## 67. Drive Section 1 (D014/D015)



| Index No. | Part No.  | Description                  | Q'ty Per Assembly |
|-----------|-----------|------------------------------|-------------------|
| 1         | D014 1300 | Drive Unit:Transfer Belt     | 1                 |
| 2         | D014 1265 | Bracket:DC Motor             | 1                 |
| 3         | AX05 0293 | DC Motor:DC24V:6W            | 1                 |
| 4         | D014 1255 | DC Motor:DC24V:9W            | 1                 |
| 5         | AX06 0359 | DC Motor:DC24V:21W           | 1                 |
| 6         | D014 1270 | Bracket:Drive Unit           | 1                 |
| 7         | D014 1279 | Pulley:27T                   | 1                 |
| 8         | D014 1267 | Holder:Drive Unit            | 1                 |
| 9         | AA04 3978 | Timing Belt:40DS2M300        | 1                 |
| 10        | AB03 0819 | Timing Pulley:23T            | 1                 |
| 11        | D014 1285 | Shaft:Drive:Transport Screw  | 1                 |
| 12        | D014 1251 | Drum Shaft                   | 1                 |
| 13        | AB03 0766 | Timing Pulley:37T            | 1                 |
| 14        | D014 1280 | Shaft:Drive:Development Unit | 1                 |
| 15        | D014 1275 | Bracket:Auxiliary:Drive Unit | 1                 |
| 16        | D014 1261 | Gear:60Z/47T                 | 1                 |
| 17        | AA06 0950 | Tension Spring               | 1                 |
| 18        | D014 1276 | Bracket:Tightener            | 1                 |
| 19        | D014 1285 | Shaft:Drive:Transport Screw  | 1                 |
| 20        | AB01 0143 | Gear:81Z                     | 1                 |
| 21        | AB01 0142 | Gear:93Z                     | 1                 |
| 22        | AX06 0360 | DC Motor:MM56:DC24V:12W      | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0360 4006N | Screw - M4x6               |                   |
| 102       | 0360 3005N | Screw - M3x5               |                   |
| 103       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 104       | 0313 0040N | Screw:M3x4                 |                   |
| 105       | 0360 4010N | Screw:M4x10                |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 107       | 0360 3014N | Screw - M3x14              |                   |
| 108       | 0742 3906  | Ball Bearing - 6x14x5MM    |                   |
| 109       | 0740 3906  | Ball Bearing - 6x15x5      |                   |

## 68.Drive Section 2 (D014/D015)




## 68.Drive Section 2 (D014/D015)

| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 1         | D014 3553 | Cleaning Drive Unit:Charge        | 1                 |
| 2         | D014 3558 | Shaft:Drive:Cleaner:Charge Corona | 1                 |
| 3         | D014 3559 | Gear:20Z                          | 1                 |
| 4         | AX04 0167 | Motor:DC5V 0.71W                  | 1                 |
| 5         | D014 3554 | Housing:Charge Corona             | 1                 |
| 6         | D014 2419 | Gear:11Z                          | 1                 |
| 7         | D014 3670 | Duct:Joint:PCU:M&K:Ass'y          | 1                 |
| 8         | D014 5272 | Harness:T:Sensor:Drawer           | 1                 |
| 9         | D014 3550 | Connector:1Pole                   | 1                 |
| 10        | D014 5271 | Harness:PCU:Drawer:MCY            | 3                 |
| 11        | B259 1131 | Screw:PCU                         | 8                 |
| 12        | D014 3261 | Receptacle:Development Unit       | 4                 |
| 13        | D014 5340 | Harness:Development:BM            | 1                 |
| 14        | D014 5342 | Harness:Development:CY            | 1                 |
| 15        | D014 3630 | Duct:Joint:PCU:Color              | 2                 |
| 16        | D014 5270 | Harness:PCU:Drawer:Black          | 1                 |
| 17        | D014 3601 | Duct:Connecting:Fusing Unit       | 1                 |
| 18        | B132 1339 | Bracket:On-Off:Plate              | 1                 |
| 19        | B132 1338 | DC Motor:On-Off:Ass'y             | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 103       | 0452 3008N | Tapping Screw - M3x8       |                   |
| 104       | 0360 4006N | Screw - M4x6               |                   |
| 105       | 0720 0025E | Retaining Ring - M2.5      |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 107       | 1102 9430  | Connector:Drawer:1612257-7 |                   |

## 69. Drive Section 3 (D014/D015)




## 69. Drive Section 3 (D014/D015)

| Index No. | Part No.             | Description                         | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------|-------------------|
| 1         | B132 6655            | Stepper Motor:Paper Feed Unit:Ass'y | 1                 |
| 2         | AA06 0958            | Tension Spring                      | 1                 |
| 3         | B132 2760            | Bracket:Drive:Paper Feed Sub-Unit   | 1                 |
| 4         | AB03 0301            | Timing Pulley:35T                   | 1                 |
| 5         | AA04 3313            | Timing Belt:40S2M150                | 1                 |
| 6         | AA13 2025            | Spacer - 1x8x12                     | 2                 |
| 7         | B234 2624            | Ball Bearing - 8x12x5               | 1                 |
|           | <del>A247-2800</del> | O/O (201002 PCIL)                   |                   |
| 8         | D014 5371            | Harness:PSU:Fusing:100V             | 1                 |
| 8         | D014 5373            | AC/DC Harness - PSU-Fusing 200V     | 1                 |
| 8         | D014 5374            | Harness - PSU 230V                  | 1                 |
| 9         | D014 1372            | Gear:86Z                            | 1                 |
| 10        | B132 1367            | Shaft:Drive:Vacuum                  | 1                 |
| 11        | AB01 1250            | Gear:22Z                            | 1                 |
| 12        | AX06 0362            | Motor:DC24V 48W                     | 1                 |
| 13        | AA14 3301            | Stepped Screw - M3x4                | 2                 |
| 14        | AB03 0770            | Timing Pulley:47T                   | 1                 |
| 15        | AB03 0768            | Timing Pulley:47T                   | 1                 |
| 16        | D014 1371            | Gear:80Z/30T                        | 1                 |
| 17        | AA06 0951            | Pressure Spring                     | 1                 |
| 18        | B132 1356            | Bracket:Tightener:Ass'y             | 1                 |
| 19        | B132 1360            | Shaft:Drive:Fusing:Ass'y            | 1                 |
| 20        | B132 1370            | Pulley:Idler                        | 1                 |
| 21        | AA04 3965            | Timing Belt:40S3M471                | 1                 |
| 22        | AA04 3964            | Timing Belt:60S3M741                | 1                 |
| 23        | AB03 0771            | Timing Pulley:44T                   | 1                 |
| 24        | AB03 0772            | Timing Pulley:44T                   | 1                 |
| 25        | B132 1363            | Shaft:Drive:Reverse:Ass'y           | 1                 |
| 26        | D014 1380            | Bracket:Drive:Fusing Unit           | 1                 |
| 27        | AB01 1304            | Gear:40Z                            | 1                 |
| 28        | AB01 1302            | Gear:30Z                            | 1                 |
| 29        | B132 2679            | Bracket:Gear:Swivel                 | 1                 |
| 30        | B132 2699            | Spacer:MM12                         | 1                 |
| 31        | B132 2762            | Shaft:Drive:Paper Feed              | 1                 |
| 32        | AB01 1303            | Gear:33Z                            | 1                 |

| Index No. | Part No.                                                                            | Description                | Q'ty Per Assembly |
|-----------|-------------------------------------------------------------------------------------|----------------------------|-------------------|
| 101       | 0451 3006N                                                                          | Tapping Screw - 3x6        |                   |
| 102       | 0353 0060N                                                                          | Bind Screw - M3x6          |                   |
| 104       | 0954 4008N                                                                          | Screw - M4x8               |                   |
| 106       | 0360 4006N                                                                          | Screw - M4x6               |                   |
| 107       | 0720 0060E                                                                          | Retaining Ring - M6        |                   |
| 108       | 0720 0040E                                                                          | Retaining Ring - M4        |                   |
| 109       | 0805 0088                                                                           | Retaining Ring - M6        |                   |
| 110       | 0805 3497                                                                           | Bushing - 8x12x3.5MM       |                   |
| 111       | 0633 0140G                                                                          | Parallel Pin - 3x14        |                   |
| 112       | 1105 0511                                                                           | Harness Clamp - LWS-0306ZC |                   |
| 113       | 1105 0516                                                                           | Clamp                      |                   |
| 114       | 1105 0488                                                                           | Harness Clamp              |                   |
| 115       | 0633 0160G                                                                          | Parallel Pin - 3x16MM      |                   |
|           |  |                            |                   |

## 70. Drive Section 4 (D014/D015)




## 70.Drive Section 4 (D014/D015)

| Index No. | Part No.  | Description                          | Q'ty Per Assembly |
|-----------|-----------|--------------------------------------|-------------------|
| 1         | AA14 3794 | Screw:Spring:Drawer                  | 2                 |
| 2         | AA06 3670 | Spring Connector:9.8N                | 6                 |
| 3         | B132 1020 | Bracket:Drawer:Paper Feed Unit       | 1                 |
| 4         | AX06 0361 | Motor:DC24V 17W                      | 1                 |
| 5         | B132 1307 | Bracket:Sensor                       | 1                 |
| 6         | AW02 0145 | Photointerruptor:Flat                | 1                 |
| 7         | D014 1334 | Bracket:Brushless Motor              | 1                 |
| 8         | AB01 0145 | Gear:96Z                             | 1                 |
| 9         | D014 1326 | Shaft:Drive:Transfer                 | 1                 |
| 10        | AB01 0144 | Gear:64Z                             | 1                 |
| 11        | D014 1331 | Shaft:Drive:Cleaning                 | 1                 |
| 12        | AB01 7746 | Gear:46Z/25Z                         | 1                 |
| 13        | AB01 7747 | Gear:25Z/25Z                         | 1                 |
| 14        | AB01 1274 | Gear:25Z                             | 2                 |
| 15        | D014 1338 | Bracket:Plate                        | 1                 |
| 16        | AB01 1273 | Gear:24Z                             | 2                 |
| 17        | D014 1343 | Toner Recycling Unit                 | 1                 |
| 18        | AA08 2063 | Bushing - 8x10x5                     | 2                 |
| 19        | D014 1328 | Stud:Bracket                         | 1                 |
| 20        | D014 1350 | Holder:Toner Recycling Unit          | 2                 |
| 21        | D014 5260 | Harness:Duplex:DRB:Drawer            | 1                 |
| 22        | D014 1345 | Shaft:Horizontal                     | 1                 |
| 23        | D014 1351 | Cover:Toner Recycling Unit:Shaft     | 2                 |
| 24        | B132 7107 | Bracket:Spring Plate:Ass'y           | 1                 |
| 25        | AA14 3797 | Connector Guide Pin                  | 4                 |
| 26        | D014 1344 | Holder:Drive Unit                    | 1                 |
| 27        | D014 1346 | Joint:Universal<br>ADD (200908 PCIL) | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0360 4006N | Screw - M4x6         |                   |
| 102       | 0360 3006N | Screw - M3x6         |                   |
| 103       | 0451 3006N | Tapping Screw - 3x6  |                   |
| 104       | 0720 0040E | Retaining Ring - M4  |                   |
| 105       | 1105 0516  | Clamp                |                   |
| 106       | 1102 9784  | Connector:55949-2619 |                   |
| 107       | 0451 4008N | Tapping Screw:4x8    |                   |

## 71.Drive Section 5 (D014/D015)




## 71.Drive Section 5 (D014/D015)

| Index No. | Part No.             | Description                               | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------------------|-------------------|
| 1         | A555 1671            | Stepped Screw - M3x26.5                   | 2                 |
| 2         | B132 6550            | Compression Spring                        | 2                 |
| 3         | B132 6547            | Bracket:Used Toner Sensor:Install         | 1                 |
| 4         | AW02 0164            | Oil End Sensor                            | 1                 |
| 5         | D014 5394            | Harness:Bank                              | 1                 |
| 6         | B132 6566            | Compression Spring                        | 1                 |
| 7         | AB01 3467            | Gear - 30Z                                | 1                 |
| 8         | D014 6552            | Bracket:Used Toner Sensor                 | 1                 |
| 9         | D014 6532            | Bracket:Used Toner Sensor:DC Motor        | 1                 |
| 10        | AB01 7000            | Gear:17/51Z                               | 1                 |
| 11        | D014 6533            | Shaft:Idler:DC Motor                      | 1                 |
| 12        | B132 6511            | DC Motor:Agitate:Ass'y                    | 1                 |
| 13        | AX04 0254            | DC Motor:Rising Tray:Ass'y                | 2                 |
|           | <del>AX04 0252</del> | O/O (201011 PCIL)                         |                   |
|           | <del>AX04 0144</del> | O/O (201005 PCIL)                         |                   |
| 14        | B247 6174            | Bracket:Positioning:Paper Tray:Ass'y      | 2                 |
| 15        | B065 6172            | Paper Tray Stopper                        | 2                 |
| 16        | B132 6737            | Bracket:Paper Size Sensor:No.1            | 2                 |
| 17        | AW50 0010            | Push Switch                               | 2                 |
| 18        | D014 5397            | Harness:Bank:Tray:Paper Size Sensor       | 2                 |
| 19        | B132 5977            | Bracket:Power Supply Unit:Right           | 1                 |
| 20        | B132 5827            | Bracket:Earth:Power Supply Unit:Rear:Peen | 2                 |
| 21        | B132 5997            | Bracket:Power Supply Unit:Right:EXP       | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0354 0080N | Screw:M4x8                 |                   |
| 103       | 0353 0030N | Screw:M3x3                 |                   |
| 104       | 0451 3008N | Tapping Screw - M3x8       |                   |
| 105       | 1105 0522  | Edge Saddle - LES0510      |                   |
| 106       | 1105 0508  | Harness Clamp - LWS-0711   |                   |
| 107       | 1105 0544  | Edge Saddle:LES-2017       |                   |
| 108       | 1105 0490  | Harness Clamp - IWS-2218   |                   |
| 109       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 110       | 1105 0488  | Harness Clamp              |                   |
| 111       | 0720 0030E | Retaining Ring - M3        |                   |

## 72. Drive Section 6 (D014/D015)




## 72.Drive Section 6 (D014/D015)

| Index No. | Part No.  | Description                    | Q'ty Per Assembly |
|-----------|-----------|--------------------------------|-------------------|
| 1         | B132 6764 | Bracket:Connector:Right        | 1                 |
| 2         | D014 5396 | DC Harness - Bank Rear         | 1                 |
| 3         | AA06 3268 | Connector Spring               | 2                 |
| 4         | B132 6726 | Bracket:Arm:Ass'y              | 1                 |
| 5         | B132 6763 | Bracket:Connector:Left         | 1                 |
| 6         | B065 6769 | Lock Arm                       | 1                 |
| 7         | B247 6753 | Lock Spring - Large            | 1                 |
| 8         | B132 6759 | DC Motor:Rise:Tandem LCT:Ass'y | 1                 |
| 9         | B247 6754 | Lock Spring - Small            | 1                 |
| 10        | B132 6762 | DC Solenoid:Coupling:Ass'y     | 1                 |
| 11        | B132 6765 | DC Solenoid:Lock:Ass'y         | 1                 |
| 12        | AA06 3902 | Spring:Connector:Tandem LCT    | 2                 |
| 13        | AA13 2203 | Spacer - 6mm                   | 1                 |

| Index No. | Part No.   | Description                     | Q'ty Per Assembly |
|-----------|------------|---------------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8               |                   |
| 102       | 0803 0058  | Stepped Screw                   |                   |
| 103       | 0720 0040E | Retaining Ring - M4             |                   |
| 104       | 0452 4010N | Binding Self-tapping Screw:4x10 |                   |

## 73.Electrical Section 1 (D014/D015)




### 73.Electrical Section 1 (D014/D015)

| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 1         | D014 6911 | Duct:Exit:Exhaust                 | 1                 |
| 2         | AX65 0042 | Fan:Sirocco:DC24V:2Speed          | 1                 |
| 3         | B132 6966 | Shield:Sirocco                    | 1                 |
| 4         | AX64 0150 | Fan Motor:MM60:25mm:DC24V 4.8W    | 2                 |
| 5         | D014 6852 | Bracket:Drive:Exhaust             | 1                 |
| 6         | D014 6861 | Duct:Exhaust                      | 1                 |
| 7         | D014 5258 | Harness:DRB:ADF:Power Source      | 1                 |
| 8         | B132 5415 | Base:Electric Potential Sensor    | 1                 |
| 9         | AZ32 0169 | Power Pack:C/G/B                  | 1                 |
| 10        | D014 5229 | Harness:Electric Potential Sensor | 1                 |
| 11        | D014 5358 | Harness:Sensor:CY                 | 1                 |
| 12        | D014 5357 | Harness:Sensor:KM                 | 1                 |
| 13        | D014 3661 | Relay Duct:Black:PCU              | 1                 |
| 14        | B132 2433 | Bracket:Stay:Duct:Right           | 1                 |
| 15        | D014 3567 | Duct:Horizontal:PCU               | 1                 |
| 16        | D014 3575 | Duct:Exhaust:Color                | 1                 |
| 17        | D014 1018 | Bracket:Stay:Duct:Horizontal      | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0354 0400N | Screw:M4x40                |                   |
| 103       | 0451 4030N | Tapping Screw:M4x30        |                   |
| 104       | 0451 4035N | Tapping Screw:4x35         |                   |
| 105       | 0360 3006N | Screw - M3x6               |                   |
| 106       | 0454 3006Q | Tapping Screw - M3x6       |                   |
| 107       | 1105 0508  | Harness Clamp - LWS-0711   |                   |
| 108       | 1105 0488  | Harness Clamp              |                   |
| 109       | 1105 0490  | Harness Clamp - IWS-2218   |                   |
| 110       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 111       | 1105 0521  | Clamp - LES-1017           |                   |
| 112       | 1105 0489  | Harness Clamp - LWS 1316   |                   |
| 113       | 1105 0518  | Edge Saddle - LES-1010     |                   |
| 114       | 1105 0522  | Edge Saddle - LES0510      |                   |

## 74.Electrical Section 2 (D014/D015)




## 74.Electrical Section 2 (D014/D015)

| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 1         | D014 5430 | PCB:DRB                           | 1                 |
| 2         | D014 5218 | Harness:Manual Feed:Stepper Motor | 1                 |
| 3         | D014 5216 | Harness:Large Capacity Tray:DRB   | 1                 |
| 4         | D014 5383 | Harness:DRB:Safety Switch         | 1                 |
| 5         | D014 5864 | Bracket - DRV                     | 1                 |
| 6         | D014 5425 | PCB:DTMB                          | 1                 |
| 7         | D014 5267 | Harness:Drum:Motor:KMCY           | 1                 |
| 8         | D014 5219 | Harness:TMB                       | 1                 |
| 9         | D014 5395 | DC Harness - Bank Front           | 1                 |
| 10        | D014 5465 | Paper Feed Board                  | 1                 |
| 11        | AZ32 0168 | Power Pack:C                      | 1                 |
| 12        | D014 5350 | Harness:High Voltage Supply Cord  | 1                 |
| 13        | D014 5985 | Bracket - Power Pack              | 1                 |

| Index No. | Part No.   | Description              | Q'ty Per Assembly |
|-----------|------------|--------------------------|-------------------|
| 101       | 0360 3006N | Screw - M3x6             |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6      |                   |
| 103       | 0451 4008N | Tapping Screw:4x8        |                   |
| 104       | 1105 0488  | Harness Clamp            |                   |
| 105       | 1105 0522  | Edge Saddle - LES0510    |                   |
| 106       | 1105 0489  | Harness Clamp - LWS 1316 |                   |
| 107       | 1105 0521  | Clamp - LES-1017         |                   |
| 108       | 1105 0518  | Edge Saddle - LES-1010   |                   |
| 109       | 1105 0521  | Clamp - LES-1017         |                   |
| 110       | 1105 0680  | Spacer:KGPS-5RF-V0       |                   |

75.Electrical Section 3 (D014/D015)




## 75.Electrical Section 3 (D014/D015)

| Index No. | Part No.         | Description                      | Q'ty Per Assembly |
|-----------|------------------|----------------------------------|-------------------|
| 1         | D014 5865        | Bracket:Finisher                 | 1                 |
| 2         | B132 6954        | Fan Motor:Upper:DC24V 2.4W       | 1                 |
| 3         | B132 6950        | Bracket:Duplex:Exhaust:Front     | 1                 |
| 4         | B132 6951        | Fan Motor:Lower:Unit:DC24V 2.64W | 1                 |
| 5         | D014 3595        | Cover:Filter:Color               | 1                 |
| 6         | D014 3592        | Cover:Filter:Black               | 1                 |
| 7         | D014 3588        | Bracket:Stay:Sirocco             | 1                 |
| 8         | D014 3589        | Lever:Cover:Filter               | 1                 |
| 9         | D014 3591        | Spring Plate:Cover:Filter        | 1                 |
| 10        | D014 3584        | Cover:Duct:Exhaust               | 1                 |
| 11        | D014 3585        | Ozone Filter:Black               | 1                 |
| 12        | <b>D014 3586</b> | <b>Dust Filter</b>               | <b>3</b>          |
| 13        | B132 2436        | Ozone Filter                     | 1                 |
| 14        | <b>B132 2435</b> | <b>Dust Filter</b>               | <b>3</b>          |
| 15        | D014 3590        | Seal:Duct:Exhaust                | 1                 |
| 16        | D014 3583        | Duct:Exhaust:PCU                 | 1                 |
| 17        | B132 5866        | Bracket:LCT                      | 1                 |
| 18        | D014 5385        | Harness:Sirocco Fan Motor        | 1                 |
| 19        | AX65 0041        | Fan Motor:Sirocco                | 1                 |
| 20        | D014 3587        | Bracket:Duct:Exhaust             | 1                 |
| 21        | AX65 0036        | Sirocco Fan Motor:DC24V 7.92W    | 1                 |
| 22        | D014 3598        | Spring Plate:Duct:Exhaust        | 1                 |

| Index No. | Part No.   | Description            | Q'ty Per Assembly |
|-----------|------------|------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8      |                   |
| 102       | 0451 3008N | Tapping Screw - M3x8   |                   |
| 103       | 0450 3008N | Tapping Screw - M3x8   |                   |
| 104       | 0354 0400N | Screw:M4x40            |                   |
| 105       | 0450 4014N | Tapping Screw:4x14     |                   |
| 106       | 1105 0534  | Clamp                  |                   |
| 107       | 1102 8504  | Connector              |                   |
| 108       | 1102 8502  | Connector - 54679-1615 |                   |
| 109       | 1102 6246  | Relay Connector - 3P   |                   |
| 110       | 1102 6247  | Connector - 4P         |                   |

76.Electrical Section 4 (D014/D015)




## 76.Electrical Section 4 (D014/D015)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | D014 5210 | Harness:DC PSU                     | 1                 |
| 2         | AZ26 0005 | Power Supply Unit                  | 1                 |
| 3         | B132 5978 | Bracket:Power Supply Unit:Fix:Left | 1                 |
| 4         | B132 5995 | Stopper:Power Supply Cord          | 1                 |
| 5         | D014 5361 | Power Supply Cord - NA             | 1                 |
| 5         | D014 5362 | Power Supply Cord - 230V           | 1                 |
| 5         | D014 5364 | Power Supply Cord - 230V           | 1                 |
| 6         | B132 5994 | Bracket:Power Supply Cord:EXP      | 1                 |
| 7         | D014 5200 | Harness:AC:Main:Switch             | 1                 |
| 8         | D014 5392 | Harness:Bank:Dehumidifier          | 1                 |
| 9         | D014 5202 | Harness:PSU:Short Circuit          | 1                 |
| 10        | D014 5530 | AC Drive Board:100V                | 1                 |
| 10        | D014 5532 | AC Drive Board - 230V              | 1                 |
| 11        | B132 5981 | Bracket:Power Pack:Fix:Lower       | 1                 |
| 12        | D014 5380 | Harness:Connecting:AC Drive Board  | 1                 |
| 13        | B132 5985 | Bracket:Leak Breaker               | 1                 |
| 14        | D014 5981 | Bracket:AC Drive Board             | 1                 |
| 15        | D014 5986 | Bracket:Power Pack:Upper           | 1                 |
| 16        | B132 5981 | Bracket:Power Pack:Fix:Lower       | 1                 |
| 17        | B132 5911 | Bracket:Fix:C/T Box:Lower          | 1                 |
| 18        | D014 5869 | Bracket:C/T Box:Lower              | 1                 |

| Index No. | Part No.   | Description               | Q'ty Per Assembly |
|-----------|------------|---------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8         |                   |
| 102       | 0451 3006N | Tapping Screw - 3x6       |                   |
| 103       | 0950 5012N | Screw:Spring Washer:M5x12 |                   |
| 104       | 1105 0508  | Harness Clamp - LWS-0711  |                   |
| 105       | 1105 0518  | Edge Saddle - LES-1010    |                   |
| 106       | 1105 0488  | Harness Clamp             |                   |
| 107       | 1105 0522  | Edge Saddle - LES0510     |                   |

77.Electrical Section 5 (D014/D015)




## 77.Electrical Section 5 (D014/D015)

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 1         | B132 1553 | Decal:Main Switch Display:On    | 1                 |
| 2         | B132 1555 | Decal - Main Switch Display:Off | 1                 |
| 3         | B132 1551 | Inner Cover:Main Switch         | 1                 |
| 4         | B132 5855 | Shaft:Micro Switch:Front        | 1                 |
| 5         | B132 5853 | Lever:Micro Switch              | 1                 |
| 6         | A257 1165 | Safety Switch Spring            | 1                 |
| 7         | AG07 1012 | Magnet Catch:Ass'y              | 1                 |
| 8         | B132 5851 | Bracket:Main Switch             | 1                 |
| 9         | B132 5852 | Screw:Micro Switch              | 2                 |
| 10        | D014 6876 | Duct:Main:Vacuum                | 1                 |
| 11        | AX64 0150 | Fan Motor:MM60:25mm:DC24V 4.8W  | 2                 |
| 12        | D014 6871 | Duct:Heat Sink                  | 1                 |
| 13        | D014 3635 | Humidity Control Unit           | 1                 |
| 14        | B132 2465 | Seal:Fan:Humidity Control       | 1                 |
| 15        | D014 1450 | Operation Panel Bracket         | 1                 |
| 16        | B132 2468 | Filter                          | 1                 |
| 17        | B132 6851 | Duct:Vacuum:Ass'y               | 1                 |
| 18        | D014 6983 | Duct:Imaging Unit:Rear:C2:Ass'y | 1                 |
| 19        | B132 6921 | Duct:Imaging Unit:Front:Ass'y   | 1                 |
| 20        | AX64 0164 | Fan Motor:15mm:24V              | 2                 |
| 21        | D014 1020 | Bracket:Connector               | 1                 |
| 22        | B132 3489 | Bracket:Drawer:Toner Supply     | 1                 |
| 23        | B132 3491 | Cover:Drawer                    | 1                 |
| 24        | B132 3493 | Bracket:Fix:Toner Supply        | 1                 |
| 25        | B132 6855 | Duct:Vacuum:Entrance            | 1                 |
| 26        | D014 1453 | Bracket:Harness:Operation Panel | 1                 |
| 27        | D014 1514 | Cover:Connector:Key Counter     | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0451 3025N | Tapping Screw:M3x25        |                   |
| 103       | 0451 4035N | Tapping Screw:4x35         |                   |
| 104       | 0720 0040E | Retaining Ring - M4        |                   |
| 105       | 1204 2598  | Switch                     |                   |
| 106       | 1204 2521  | Micro Switch               |                   |
| 107       | 1105 0508  | Harness Clamp - LWS-0711   |                   |
| 108       | 0360 4008N | Screw - M4x8               |                   |
| 109       | 1105 0516  | Clamp                      |                   |
| 110       | 1105 0551  | Clamp:LES-0505             |                   |
| 111       | 1102 6248  | Connector - 5P             |                   |
| 112       | 1102 9783  | Connector:55949-3919       |                   |
| 113       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 115       | 0454 4008Q | Tapping Screw - M4x8       |                   |

## 78.Electrical Section 6 (D014/D015)




## 78.Electrical Section 6 (D014/D015)

| Index No. | Part No.             | Description                          | Q'ty Per Assembly |
|-----------|----------------------|--------------------------------------|-------------------|
| 1         | D014 5748            | PBC:Control Board:EX1:V-C2:Sub-Ass'y | 1                 |
|           | <del>D014 5738</del> | O/O (201005 PCIL)                    |                   |
|           | <del>D014 5734</del> | X/O MB34                             |                   |
|           | <del>D014 5714</del> | X/O MB28                             |                   |
| 2         | B132 5819            | Decal:Caution:HDD:Fan                | 2                 |
| 3         | B132 5809            | Seal:C/T Box:Cover:Middle            | 2                 |
| 4         | B132 5812            | Seal:C/T Box:Cover:Side              | 2                 |
| 5         | B132 5832            | Sheet:Cover:C/T Box                  | 2                 |
| 6         | D081 5799            | HDD:Ass'y                            | 1                 |
|           | <del>D014 5724</del> | O/O (201105 PCIL)                    |                   |
| 7         | D014 5783            | Cable:HDD:Power                      | 1                 |
| 8         | D014 5782            | Cable:HDD:Gray                       | 1                 |
| 9         | D014 5781            | Cable:HDD:Red                        | 1                 |
| 10        | D014 5971            | Bracket:Control Board                | 1                 |
| 11        | D014 5973            | Cover:SD-Card                        | 1                 |
| 12        | AA14 1008            | Panel Knob Screw                     | 2                 |
| 13        | B132 5835            | Panel - Interface                    | 1                 |
| 14        | D014 5974            | Cover:Connector:EFI                  | 1                 |
| 15        | D014 5977            | Cover:Control Board:USB              | 1                 |
| 16        | G178 6072            | PCB:PC4200:RAWCARD-A:1GB             | 1                 |
| 17        | D014 9590            | NVRAM                                | 1                 |
| 18        | G178 6062            | PCB:PC4200:RAWCARD-C:512MB           | 1                 |
| 19        | B070 6877            | Large Drum Stay Ground Plate         | 1                 |
| 20        | B132 5831            | Gasket:Cover:C/T Box                 | 2                 |
| 21        | D014 5816            | Cover - C/T Box                      | 1                 |
| 22        | D376 5017            | SD-Card - P/S Unit                   | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0454 3006Q | Tapping Screw - M3x6 |                   |
| 102       | 0454 4008Q | Tapping Screw - M4x8 |                   |
| 103       | 1105 0680  | Spacer:KGPS-5RF-V0   |                   |

## 79. Electrical Section 7 (D014/D015)




## 79.Electrical Section 7 (D014/D015)

| Index No. | Part No.             | Description                                       | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------------------------|-------------------|
| 1         | D014 5375            | Harness:Upper Front                               | 1                 |
| 2         | D014 5231            | Harness:Upper Rear                                | 1                 |
| 3         | D014 5306            | Harness:SIOB:VBCU                                 | 1                 |
| 4         | D014 5379            | Harness:Middle                                    | 1                 |
| 5         | D014 5213            | Harness:DRB:VBCU:Power Source                     | 1                 |
| 6         | D014 5381            | Harness:VBCU:PP1:pFB                              | 1                 |
| 7         | D014 5133            | PCB:VBCU                                          | 1                 |
| 8         | AX64 0159            | Fan Motor MM80                                    | 2                 |
| 9         | D014 5386            | Harness:HDD:Fan Motor                             | 1                 |
| 10        | B132 5944            | Bracket:Fan Motor                                 | 1                 |
| 11        | D014 5424            | PCB:IPU                                           | 1                 |
|           | <del>D014 5422</del> | O/O MB24                                          |                   |
| 12        | D014 5305            | Interface Cable:Scanner:<br>Image Processing Unit | 1                 |
| 13        | D014 5367            | Cable:LVDS:LDB                                    | 1                 |

| Index No. | Part No.   | Description                 | Q'ty Per Assembly |
|-----------|------------|-----------------------------|-------------------|
| 101       | 0454 3006Q | Tapping Screw - M3x6        |                   |
| 102       | 0451 4030N | Tapping Screw:M4x30         |                   |
| 103       | 0451 3008N | Tapping Screw - M3x8        |                   |
| 104       | 1105 0508  | Harness Clamp - LWS-0711    |                   |
| 105       | 1607 0721  | Ferrite Core - TFC-23-11-14 |                   |
| 106       | 1105 0559  | Clamp:EMT-5N                |                   |
| 107       | 1105 0528  | Nylon Clamp - EMT-2N        |                   |
| 108       | 1407 6362  | EEPROM:BR24I64-W            |                   |

## 80.Electrical Section 8 (D014/D015)




## 80.Electrical Section 8 (D014/D015)

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 1         | B132 5933 | Hinge:C/T Box:Upper             | 1                 |
| 2         | B132 5930 | Hinge:C/T Box:Lower             | 1                 |
| 3         | B132 5947 | Arm:Hinge:C/T Box               | 2                 |
| 4         | D014 5921 | Right Frame - C/T Box           | 1                 |
| 5         | D014 5955 | Bracket - IPU/VBCU              | 1                 |
| 6         | B132 5951 | Lower Frame - C/T Box           | 1                 |
| 7         | B132 5807 | Ground Plate:Base:Control Board | 1                 |
| 8         | D014 5953 | Supporter:Lower                 | 1                 |
| 9         | D014 5952 | Supporter:Upper                 | 1                 |
| 10        | D014 5951 | Base - C/T Box                  | 1                 |
| 11        | B070 6877 | Large Drum Stay Ground Plate    | 4                 |
| 12        | D014 5931 | Left Frame - C/T Box            | 1                 |
| 13        | B132 1528 | Guard:Gap:C/T Box               | 1                 |
| 14        | D014 5818 | Decal:Caption:Interface         | 1                 |
| 15        | D014 5911 | Upper Frame - C/T Box           | 1                 |
| 16        | B132 5813 | Seal:C/T Box:Upper:Side         | 2                 |
| 17        | B712 5605 | Grip:Application                | 1                 |
| 18        | B132 5989 | Stopper:C/T Box:Upper           | 1                 |
| 19        | AA14 3718 | Stepped Screw - M4              | 1                 |
| 20        | B132 5940 | Bracket:C/T Box:Upper           | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0454 4008Q | Tapping Screw - M4x8       |                   |
| 102       | 0451 4008N | Tapping Screw:4x8          |                   |
| 103       | 0454 3006Q | Tapping Screw - M3x6       |                   |
| 104       | 1105 0490  | Harness Clamp - IWS-2218   |                   |
| 105       | 1105 0599  | Clamp:LESR-25              |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 107       | 1105 0516  | Clamp                      |                   |
| 108       | 1105 0508  | Harness Clamp - LWS-0711   |                   |
| 109       | 1106 0923  | Bushing:JKR-100            |                   |
| 110       | 1106 0922  | Bushing:JKR-60             |                   |

## 81.Frame Section 1 (D014/D015)




## 81.Frame Section 1 (D014/D015)

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 1         | AA07 0064 | Slide Rail:Toner Supply:Ass'y   | 1                 |
| 2         | D014 6898 | Upper Sheet - Stay Left         | 1                 |
| 3         | D014 1003 | Stay:Intermediate Transfer:Left | 1                 |
| 4         | D014 6899 | Lower Sheet - Stay Left         | 1                 |
| 5         | B132 6958 | Duct:Imaging Unit:Exhaust:Ass'y | 1                 |
| 6         | B132 6978 | Duct:Imaging Unit:Sub-ass'y     | 1                 |
| 7         | B132 6971 | Duct:Imaging Unit:1st:Ass'y     | 1                 |
| 8         | B132 6965 | Duct:Imaging Unit:Exhaust:Ass'y | 1                 |
| 9         | B132 6980 | Cover:Duct:Imaging Unit:Ass'y   | 1                 |
| 10        | B132 6973 | Duct:Imaging Unit:23st:Ass'y    | 2                 |
| 11        | B132 6975 | Duct:Imaging Unit:4st:Ass'y     | 1                 |
| 12        | B132 2470 | Duct:Humidity Control:Ass'y     | 1                 |
| 13        | B132 6867 | Bracket:Exhaust:Harness         | 1                 |
| 14        | D014 1463 | Bracket:Hinge:Door              | 1                 |
| 15        | B132 1465 | Spring:Hinge:Upper              | 1                 |
| 16        | B132 1463 | Hinge Shaft                     | 1                 |
| 17        | D014 6882 | Heat Pipe                       | 1                 |
| 18        | D014 6891 | Sheet - Shielding Plate         | 1                 |
| 19        | AA14 3791 | Screw:Safety                    | 4                 |
| 20        | B132 6912 | Duct:Exit:Upper                 | 1                 |
| 21        | D014 6893 | Duct:Fusing:Exit:Upper          | 1                 |
| 22        | D014 6894 | Duct:Fusing:Exit:Upper:Left     | 1                 |
| 23        | B132 6908 | Duct:Exit:Upper:Left:Ass'y      | 1                 |
| 24        | GA00 3016 | Decal - Y Toner Supply          | 1                 |
| 25        | GA00 3018 | Decal - C Toner Supply          | 1                 |
| 26        | GA00 3017 | Decal - M Toner Supply          | 1                 |
| 27        | GA00 3019 | Decal - K Toner Supply          | 1                 |
| 28        | D014 6892 | Heat Insulation:Heat Pipe:Panel | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8   |                   |
| 102       | 0354 0060N | Screw-M4x6          |                   |
| 103       | 0354 0080N | Screw:M4x8          |                   |
| 104       | 0720 0040E | Retaining Ring - M4 |                   |
| 105       | 1105 0598  | Clamp:LWSS-1N       |                   |
| 106       | 1106 0922  | Bushing:JKR-60      |                   |

## 82.Frame Section 2 (D014/D015)




## 82.Frame Section 2 (D014/D015)

| Index No. | Part No.  | Description                      | Q'ty Per Assembly |
|-----------|-----------|----------------------------------|-------------------|
| 1         | D014 3644 | Bracket:Sensor:CYK               | 3                 |
| 2         | D014 3656 | Holder:Electric Potential Sensor | 4                 |
| 3         | D014 3657 | Shielding Plate                  | 4                 |
| 4         | D014 3655 | Electric Potential Sensor        | 4                 |
| 5         | D014 3643 | Bracket:Sensor:M                 | 1                 |
| 6         | AW14 0015 | Temperature & Humidity Sensor    | 1                 |
| 7         | D014 3646 | DC Solenoid:On-Off               | 3                 |
| 8         | D014 5384 | Harness:Solenoid                 | 1                 |
| 9         | D014 2196 | Gasket:7x10:50mm                 | 2                 |
| 10        | D014 6856 | Sheet:Heat Pipe:Front            | 1                 |
| 11        | D014 6857 | Sheet:Heat Pipe:Inner Back       | 1                 |

| Index No. | Part No.   | Description         | Q'ty Per Assembly |
|-----------|------------|---------------------|-------------------|
| 101       | 0353 0040N | Screw - M3x4        |                   |
| 102       | 0360 3006N | Screw - M3x6        |                   |
| 103       | 0451 4006N | Tapping Screw - 4x6 |                   |
| 104       | 1105 0516  | Clamp               |                   |

## 83.Frame Section 3 (D014/D015)




### 83.Frame Section 3 (D014/D015)

| Index No. | Part No.             | Description                        | Q'ty Per Assembly |
|-----------|----------------------|------------------------------------|-------------------|
| 1         | B132 1115            | Stay:Machine Or Copier:Left:Peen   | 1                 |
| 2         | B132 1222            | Cover:Stay:Left                    | 2                 |
| 3         | AA07 0066            | Slide Rail:Pull Out:Left           | 1                 |
| 4         | B132 7101            | Bracket:Sensor:Entrance            | 1                 |
| 5         | AW01 0107            | Paper Feed Sensor                  | 2                 |
| 6         | D014 5253            | Harness:Sensor                     | 1                 |
| 7         | AA14 3421            | Stud:Guide Pin                     | 1                 |
| 8         | D081 7114            | Guide Plate:Left Lower:Ass'y       | 1                 |
|           | <del>B132 7114</del> | O/O (200910 PCIL)                  |                   |
| 9         | AA06 3907            | Compression Spring                 | 1                 |
| 10        | B132 7038            | Stopper:Pressure                   | 1                 |
| 11        | AA07 0064            | Slide Rail:Toner Supply:Ass'y      | 1                 |
| 12        | B132 3486            | Stay:Slide Rail:Toner Supply       | 1                 |
| 13        | B132 2718            | Guide:Registration:Open And Close  | 1                 |
| 14        | AA07 0067            | Slide Rail:Pull Out:Right          | 1                 |
| 15        | B132 1004            | Stay:Machine Or Copier:Right Lower | 1                 |
| 16        | G104 5139            | Knob Screw:HDD Unit                | 1                 |
| 17        | 5447 2681            | Snap Ring                          | 1                 |
| 18        | D014 2637            | Guide Plate:Connecting:LCT         | 1                 |
| 19        | B010 1289            | Left Gasket - Front Rear           | 2                 |
| 20        | B132 2815            | Bracket:Fix:Manual Feed            | 1                 |
| 21        | AA08 0265            | Bushing:6x8x5                      | 1                 |
| 22        | AA06 0960            | Tension Spring                     | 1                 |
| 23        | D014 2662            | Guide Plate:LCT:Open And Close     | 1                 |
| 24        | B132 2654            | Bracket:Sensor:Large Capacity Tray | 1                 |
| 25        | D014 5250            | Harness:Paper Feed Unit:LCT:Sensor | 1                 |
| 26        | B132 1008            | Bracket:Cover:LCT                  | 1                 |

| Index No. | Part No.   | Description                | Q'ty Per Assembly |
|-----------|------------|----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8          |                   |
| 102       | 0451 4012N | Tapping Screw:4x12         |                   |
| 103       | 0451 3006N | Tapping Screw - 3x6        |                   |
| 104       | 0354 0060N | Screw-M4x6                 |                   |
| 106       | 1105 0511  | Harness Clamp - LWS-0306ZC |                   |
| 107       | 1105 0551  | Clamp:LES-0505             |                   |
| 108       | 0451 4010N | Tapping Screw:4x10         |                   |

## 84.Frame Section 4 (D014/D015)




## 84.Frame Section 4 (D014/D015)

| Index No. | Part No.             | Description                        | Q'ty Per Assembly |
|-----------|----------------------|------------------------------------|-------------------|
| 1         | 5447 2681            | Snap Ring                          | 2                 |
| 2         | A300 2134            | Guide Roller - B                   | 2                 |
| 3         | B132 4835            | Rail:Left:Ass'y                    | 1                 |
| 4         | D014 4591            | Rail:Right:Ass'y                   | 1                 |
|           | <del>B132 4591</del> | O/O MB8                            |                   |
| 5         | 6754 2866            | Roller - Positioning Guide         | 2                 |
| 6         | AA14 3798            | Hexagonal Bolt:M12x35              | 4                 |
| 7         | B140 6225            | Heat Sink:Heater:Lower:NA:Ass'y    | 1                 |
| 7         | B140 6226            | Heat Sink:Heater:Lower:EU:Ass'y    | 1                 |
| 8         | B132 6579            | Cover:Temperature/Humidity Sensor  | 1                 |
| 9         | B181 6577            | Guide:Tank:Discharge Used Toner    | 1                 |
| 10        | AW14 0015            | Temperature & Humidity Sensor      | 1                 |
| 11        | AH01 2031            | Caster:1470N                       | 4                 |
| 12        | AA14 3803            | Flanged Hexagonal Head Bolt:Caster | 12                |
| 13        | D014 5266            | Harness:Duplex:Fan:Middle          | 1                 |
| 14        | AX64 0163            | Fan Motor:MM80                     | 1                 |
| 15        | B132 1118            | Bracket:Fan:Duplex                 | 1                 |
| 16        | AA16 1104            | Cushion - Motor                    | 2                 |
| 17        | A096 6693            | Paper Guide Sheet                  | 1                 |
| 18        | B065 1092            | Bracket                            | 4                 |
| 19        | B132 4830            | Bracket:Holder:Ass'y               | 1                 |
| 20        | A222 1193            | Sheet:Duct:Lower                   | 1                 |

| Index No. | Part No.   | Description                 | Q'ty Per Assembly |
|-----------|------------|-----------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8           |                   |
| 102       | 0313 0060N | Screw - M3x6                |                   |
| 103       | 0434 0080N | Pan Self Tapping Screw:M4x8 |                   |
| 104       | 0720 0040E | Retaining Ring - M4         |                   |
| 105       | 0354 0200N | Screw:M4x20                 |                   |
| 106       | 0707 4050N | Bushing - 4x5               |                   |
| 107       | 0951 4010N | Screw:Polished Round:M4x10  |                   |

85.Frame Section 5 (D014/D015)



## 85.Frame Section 5 (D014/D015)

| Index No. | Part No.  | Description                   | Q'ty Per Assembly |
|-----------|-----------|-------------------------------|-------------------|
| 1         | A248 6103 | Guide Plate - Upper Heat Sink | 1                 |
| 2         | AX40 0176 | Heater:115V:18W:Upper         | 1                 |
| 2         | AX40 0178 | Heater:240V:18W:Upper         | 1                 |
| 3         | B070 6293 | Heat Sink:Heater:Upper:Fiber  | 1                 |
| 4         | B132 6669 | Supporting Plate:Stay         | 1                 |
| 5         | AA07 0072 | Slide Rail:Tandem LCT         | 1                 |
| 6         | B065 6774 | Slide Bracket                 | 1                 |
| 7         | B132 6696 | Stay:Tandem LCT               | 1                 |
| 8         | B132 7590 | Rail:Tandem LCT:Left:Ass'y    | 1                 |
| 9         | B132 6742 | Left Rail Bracket             | 1                 |
| 10        | B065 6135 | Lock Arm - Tandem Tray        | 1                 |
| 11        | AA06 0761 | Spring                        | 1                 |
| 12        | B132 6689 | Side Plate:Front:Paper Bank   | 1                 |
| 13        | B132 7591 | Rail:Paper Tray:Ass'y         | 1                 |
| 14        | AA15 0406 | Seal - Misfeed Removal        | 1                 |
| 15        | B132 6630 | Bracket:Holder:Ass'y          | 1                 |

| Index No. | Part No.   | Description              | Q'ty Per Assembly |
|-----------|------------|--------------------------|-------------------|
| 101       | 0451 4008N | Tapping Screw:4x8        |                   |
| 102       | 0314 0040N | Pan Head Screw - M4x4    |                   |
| 103       | 0720 0040E | Retaining Ring - M4      |                   |
| 104       | 1105 0508  | Harness Clamp - LWS-0711 |                   |

## 86.VBCU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C1         | 202       | C11        | 202       | C21        | 198       | C31        | 201       | C41        | 200       | C51        | 239       | C61        | 194       |
| ---        | ---       | C12        | 194       | C22        | 198       | C32        | 201       | C42        | 200       | ---        | ---       | C62        | 194       |
| ---        | ---       | C13        | 202       | C23        | 198       | ---        | ---       | C43        | 200       | C53        | 201       | ---        | ---       |
| C4         | 202       | C14        | 202       | C24        | 194       | C34        | 201       | C44        | 237       | C54        | 201       | C64        | 202       |
| C5         | 202       | C15        | 200       | C25        | 200       | C35        | 201       | C45        | 202       | C55        | 201       | C65        | 201       |
| C6         | 202       | C16        | 202       | C26        | 200       | C36        | 201       | C46        | 202       | C56        | 194       | C66        | 201       |
| C7         | 202       | C17        | 200       | C27        | 200       | C37        | 202       | C47        | 202       | C57        | 194       | C67        | 201       |
| C8         | 237       | C18        | 198       | C28        | 201       | C38        | 202       | C48        | 202       | C58        | 202       | C68        | 201       |
| C9         | 202       | C19        | 198       | C29        | 201       | C39        | 202       | C49        | 234       | C59        | 236       | C69        | 201       |
| C10        | 203       | C20        | 198       | C30        | 201       | C40        | 202       | C50        | 202       | C60        | 193       | C70        | 201       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C71        | 201       | C81        | 200       | C91        | 202       | C101       | 198       | C111       | 202       | C121       | 202       | C131       | 201       |
| C72        | 201       | C82        | 200       | C92        | 200       | C102       | 200       | C112       | 200       | C122       | 215       | C132       | 210       |
| C73        | 201       | C83        | 200       | C93        | 202       | C103       | 202       | C113       | 202       | C123       | 200       | C133       | 200       |
| C74        | 202       | C84        | 202       | C94        | 202       | C104       | 200       | C114       | 202       | C124       | 200       | C134       | 200       |
| C75        | 198       | C85        | 200       | C95        | 200       | C105       | 202       | C115       | 200       | C125       | 202       | C135       | 202       |
| C76        | 198       | C86        | 202       | C96        | 200       | C106       | 202       | C116       | 205       | C126       | 200       | C136       | 200       |
| C77        | 202       | C87        | 200       | C97        | 202       | C107       | 200       | C117       | 205       | C127       | 212       | C137       | 209       |
| C78        | 195       | C88        | 202       | C98        | 202       | C108       | 202       | C118       | 204       | C128       | 202       | C138       | 202       |
| C79        | 204       | C89        | 202       | C99        | 209       | C109       | 200       | C119       | 213       | C129       | 212       | C139       | 202       |
| C80        | 196       | C90        | 200       | C100       | 202       | C110       | 202       | C120       | 202       | C130       | 201       | ---        | ---       |

## 86.VBCU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C141       | 200       | C151       | 210       | C161       | 200       | C171       | 201       | C181       | 201       | C191       | 201       | C201       | 202       |
| C142       | 200       | C152       | 202       | C162       | 202       | C172       | 201       | C182       | 201       | C192       | 201       | ---        | ---       |
| C143       | 200       | C153       | 210       | C163       | 209       | C173       | 201       | C183       | 201       | C193       | 201       | C203       | 200       |
| ---        | ---       | C154       | 200       | C164       | 202       | C174       | 200       | C184       | 202       | C194       | 201       | C204       | 200       |
| C145       | 210       | C155       | 198       | C165       | 205       | C175       | 201       | C185       | 201       | C195       | 210       | C205       | 200       |
| C146       | 200       | C156       | 210       | C166       | 200       | C176       | 201       | C186       | 201       | C196       | 200       | ---        | ---       |
| C147       | 206       | C157       | 200       | C167       | 210       | C177       | 201       | C187       | 205       | C197       | 200       | C207       | 194       |
| C148       | 197       | ---        | ---       | C168       | 200       | C178       | 201       | C188       | 205       | C198       | 200       | C208       | 200       |
| C149       | 200       | C159       | 200       | ---        | ---       | C179       | 202       | C189       | 205       | C199       | 209       | C209       | 198       |
| C150       | 198       | C160       | 200       | C170       | 201       | C180       | 202       | C190       | 205       | C200       | 202       | C210       | 210       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C211       | 202       | C221       | 194       | C231       | 200       | C241       | 201       | C251       | 201       | C261       | 199       | C271       | 205       |
| C212       | 200       | C222       | 198       | C232       | 200       | C242       | 203       | C252       | 201       | C262       | 199       | C272       | 201       |
| C213       | 200       | C223       | 200       | C233       | 202       | C243       | 203       | C253       | 201       | C263       | 202       | C273       | 199       |
| C214       | 209       | C224       | 200       | C234       | 202       | C244       | 203       | C254       | 201       | C264       | 201       | C274       | 202       |
| C215       | 202       | ---        | ---       | C235       | 200       | C245       | 203       | C255       | 201       | C265       | 201       | C275       | 205       |
| C216       | 202       | C226       | 200       | C236       | 200       | C246       | 202       | C256       | 201       | C266       | 202       | C276       | 201       |
| C217       | 210       | C227       | 210       | C237       | 200       | C247       | 201       | C257       | 201       | C267       | 214       | C277       | 199       |
| C218       | 200       | C228       | 200       | C238       | 201       | C248       | 199       | C258       | 201       | C268       | 202       | C278       | 205       |
| C219       | 210       | ---        | ---       | C239       | 201       | C249       | 202       | C259       | 202       | C269       | 214       | C279       | 205       |
| C220       | 200       | C230       | 200       | C240       | 201       | C250       | 205       | C260       | 202       | C270       | 201       | C280       | 199       |

## 86.VBCU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C281       | 199       | C291       | 204       | C301       | 201       | C311       | 204       | C321       | 201       | C331       | 205       | C341       | 201       |
| C282       | 202       | C292       | 201       | C302       | 201       | C312       | 204       | C322       | 201       | C332       | 205       | C342       | 201       |
| C283       | 199       | C293       | 201       | C303       | 201       | C313       | 193       | C323       | 201       | C333       | 205       | C343       | 201       |
| C284       | 199       | C294       | 205       | C304       | 201       | C314       | 205       | C324       | 201       | C334       | 201       | C344       | 201       |
| C285       | 205       | C295       | 199       | C305       | 201       | C315       | 205       | C325       | 201       | C335       | 201       | C345       | 201       |
| C286       | 205       | C296       | 202       | C306       | 201       | C316       | 204       | C326       | 201       | C336       | 201       | C346       | 201       |
| C287       | 205       | C297       | 205       | C307       | 201       | C317       | 204       | C327       | 201       | C337       | 201       | C347       | 201       |
| C288       | 205       | C298       | 201       | C308       | 201       | C318       | 202       | C328       | 201       | C338       | 200       | C348       | 201       |
| C289       | 201       | C299       | 199       | C309       | 205       | C319       | 201       | C329       | 201       | C339       | 200       | C349       | 201       |
| C290       | 204       | C300       | 201       | C310       | 205       | C320       | 201       | C330       | 201       | C340       | 200       | C350       | 201       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C351       | 201       | C361       | 235       | C371       | 204       | C381       | 207       | C391       | 202       | C401       | 208       | C411       | 201       |
| C352       | 201       | C362       | 193       | C372       | 204       | C382       | 207       | C392       | 202       | C402       | 202       | C412       | 205       |
| C353       | 201       | C363       | 201       | C373       | 201       | C383       | 207       | C393       | 193       | C403       | 202       | C413       | 205       |
| C354       | 201       | C364       | 201       | C374       | 201       | C384       | 202       | C394       | 205       | C404       | 202       | C414       | 201       |
| C355       | 201       | C365       | 201       | C375       | 201       | C385       | 200       | C395       | 205       | C405       | 208       | C415       | 201       |
| C356       | 201       | C366       | 201       | C376       | 193       | C386       | 199       | C396       | 201       | C406       | 208       | C416       | 201       |
| C357       | 200       | C367       | 201       | C377       | 193       | C387       | 200       | C397       | 204       | C407       | 207       | C417       | 201       |
| C358       | 200       | C368       | 201       | C378       | 193       | C388       | 199       | C398       | 204       | C408       | 201       | C418       | 205       |
| C359       | 200       | C369       | 204       | C379       | 193       | C389       | 200       | C399       | 201       | C409       | 201       | C419       | 205       |
| C360       | 200       | C370       | 204       | C380       | 207       | C390       | 199       | C400       | 208       | C410       | 201       | C420       | 205       |

## 86.VBCU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| C421       | 205       |
| C422       | 205       |
| C423       | 201       |
| C424       | 201       |
| C425       | 201       |
| C426       | 201       |
| C427       | 201       |
| C428       | 201       |
| C429       | 201       |
| C430       | 201       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| C431       | 201       |
| C432       | 201       |
| C433       | 201       |
| C434       | 211       |
| C435       | 211       |
| C436       | 211       |
| C437       | 211       |
| C438       | 287       |
| C439       | 287       |
| C440       | 207       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| C441       | 201       |
| C442       | 207       |
| C443       | 238       |
| C444       | 238       |
| C445       | 202       |
| C446       | 202       |

### CONNECTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| CN200      | 105       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| CN201      | 101       |
| CN202      | 107       |
| CN203      | 117       |
| CN204      | 119       |
| CN205      | 115       |
| CN206      | 116       |
| CN207      | 112       |
| CN208      | 113       |
| ---        | ---       |
| CN210      | 119       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| CN211      | 113       |
| CN212      | 117       |
| CN213      | 116       |
| CN214      | 114       |
| CN215      | 117       |
| CN216      | 116       |
| CN217      | 114       |
| CN218      | 118       |
| CN219      | 110       |
| CN220      | 117       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| CN223      | 109       |
| CN224      | 103       |
| CN225      | 101       |
| ---        | ---       |
| CN227      | 104       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |

### CONNECTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| CN232      | 120       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| CN301      | 106       |
| CN303      | 108       |
| CN304      | 111       |
| CN305      | 102       |
| CN306      | 121       |

### DIODE

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D1         | 140       |
| D2         | 138       |
| D3         | 140       |
| D4         | 140       |
| D5         | 140       |
| D6         | 140       |
| D7         | 139       |
| D8         | 139       |
| D9         | 139       |
| D10        | 139       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D11        | 139       |
| D12        | 139       |
| D13        | 139       |
| D14        | 139       |
| D15        | 139       |
| D16        | 140       |
| D17        | 140       |
| D18        | 140       |
| D19        | 140       |
| D20        | 140       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D21        | 139       |
| D22        | 139       |
| D23        | 139       |
| D24        | 139       |
| D25        | 139       |
| D26        | 139       |
| D27        | 139       |
| D28        | 139       |
| D29        | 139       |
| D30        | 139       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D31        | 139       |
| D32        | 139       |
| D33        | 139       |
| D34        | 141       |
| D35        | 140       |
| D36        | 140       |
| D37        | 144       |
| D38        | 140       |
| D39        | 140       |
| D40        | 140       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D41        | 140       |
| D42        | 140       |
| D43        | 140       |
| D44        | 140       |
| D45        | 140       |
| D46        | 141       |
| D47        | 141       |
| D48        | 140       |
| D49        | 140       |
| D50        | 140       |

## 86.VBCU Board (D014/D015)

### DIODE

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D51        | 140       |
| D52        | 138       |
| D53        | 139       |
| D54        | 139       |
| D55        | 140       |
|            |           |
| D56        | 140       |
| D57        | 140       |
| D58        | 139       |
| D59        | 139       |
| D60        | 139       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D61        | 139       |
| D62        | 139       |
| D63        | 139       |
| D64        | 139       |
| D65        | 139       |
|            |           |
| D66        | 144       |
| D67        | 140       |
| D68        | 140       |
| D69        | 140       |
| D70        | 139       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D71        | 139       |
| D72        | 139       |
| D73        | 141       |
| D74        | 140       |
| D75        | 140       |
|            |           |
| D76        | 139       |
| D76        | 144       |
| D77        | 141       |
| D79        | 140       |
| D80        | 140       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D81        | 140       |
| D82        | 140       |
| D83        | 140       |
| D84        | 141       |
| D85        | 141       |
|            |           |
| D86        | 139       |
| D87        | 139       |
| D88        | 139       |
| D89        | 139       |
| D90        | 141       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D91        | 141       |
| D92        | 139       |
| D93        | 139       |
| D94        | 139       |
| D95        | 139       |
|            |           |
| D96        | 139       |
| D97        | 139       |

### FIL

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FIL1       | 217       |
| FIL2       | 217       |
| FIL3       | 218       |
| FIL4       | 218       |
| FIL5       | 216       |
|            |           |
| FIL6       | 218       |
| FIL7       | 218       |
| FIL8       | 218       |

### FUSE

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FU1        | 123       |
| FU2        | 123       |
| FU3        | 124       |
| FU4        | 125       |

### IC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC1        | 171       |
| IC2        | 122       |
| IC3        | 160       |
| IC4        | 160       |
| IC5        | 156       |
|            |           |
| IC6        | 156       |
| IC7        | 155       |
| IC8        | 157       |
| IC9        | 152       |
| IC10       | 152       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC11       | 157       |
| IC12       | 157       |
| IC13       | 157       |
| IC14       | 166       |
| IC15       | 163       |
|            |           |
| IC16       | 154       |
| IC17       | 153       |
| IC18       | 149       |
| IC19       | 149       |
| IC20       | 175       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC21       | 168       |
| IC22       | 152       |
| IC23       | 151       |
| IC24       | 164       |
| IC25       | 159       |
|            |           |
| IC26       | 150       |
| IC27       | 150       |
| IC28       | 158       |
| IC29       | 148       |
| IC30       | 150       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC31       | 176       |
| IC32       | 170       |
| IC33       | 174       |
| IC34       | 169       |
| IC35       | 169       |
|            |           |
| IC36       | 178       |
| IC37       | 178       |
| IC38       | 169       |
| IC39       | 169       |
| IC40       | 169       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC41       | 172       |
| IC42       | 169       |
| IC43       | 161       |
| IC44       | 176       |
| IC45       | 167       |
|            |           |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
|            |           |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| IC100      | 162       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC101      | 165       |
| IC102      | 165       |
| IC103      | 1         |
| IC104      | 1         |
| IC105      | 289       |
|            |           |
| IC106      | 288       |
| IC107      | 288       |

## 86.VBCU Board (D014/D015)

### LED

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| LED1       | 146       |
| LED2       | 146       |
| LED3       | 146       |
| LED4       | 146       |
| LED5       | 146       |
| LED6       | 145       |

### OSC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| OSC1       | 180       |
| OSC2       | 179       |

### Q

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q1         | 129       |
| Q2         | 129       |
| Q3         | 134       |
| Q4         | 129       |
| Q5         | 127       |
| Q6         | 135       |
| Q7         | 135       |
| Q8         | 135       |
| Q9         | 135       |
| Q10        | 133       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q11        | 133       |
| Q12        | 133       |
| Q13        | 133       |
| Q14        | 133       |
| Q15        | 133       |
| Q16        | 136       |
| Q17        | 128       |
| Q18        | 127       |
| Q19        | 133       |
| Q20        | 133       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q21        | 133       |
| Q22        | 133       |
| Q23        | 133       |
| Q24        | 133       |
| Q25        | 129       |
| Q26        | 135       |
| Q27        | 135       |
| Q28        | 132       |
| Q29        | 133       |
| Q30        | 135       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q31        | 136       |
| Q32        | 136       |
| Q33        | 136       |
| Q34        | 134       |
| Q35        | 136       |
| Q36        | 136       |
| Q37        | 136       |
| Q38        | 129       |
| Q39        | 131       |
| Q40        | 133       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q41        | 133       |
| Q42        | 133       |
| Q43        | 133       |
| Q44        | 133       |
| Q45        | 133       |
| Q46        | 133       |
| Q47        | 130       |
| Q48        | 130       |
| Q49        | 130       |
| Q50        | 130       |

### Q

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q51        | 133       |
| Q52        | 133       |
| Q53        | 133       |
| Q54        | 133       |
| Q55        | 133       |
| Q56        | 133       |
| Q57        | 133       |
| Q58        | 133       |
| Q59        | 133       |
| Q60        | 133       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q61        | 133       |
| Q62        | 133       |
| Q63        | 136       |
| Q64        | 133       |
| Q65        | 136       |
| Q66        | 133       |
| Q67        | 133       |
| Q68        | 133       |
| Q69        | 133       |
| Q70        | 133       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q71        | 133       |
| Q72        | 129       |
| Q73        | 133       |
| Q74        | 133       |
| Q75        | 133       |
| Q76        | 133       |
| Q77        | 133       |
| Q78        | 133       |
| Q79        | 133       |
| Q80        | 136       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q81        | 136       |
| Q82        | 133       |
| Q83        | 135       |
| Q84        | 135       |
| Q85        | 133       |
| Q86        | 133       |
| Q87        | 133       |
| Q88        | 133       |
| Q89        | 129       |
| Q90        | 133       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q91        | 133       |
| Q92        | 133       |
| Q93        | 129       |
| Q94        | 129       |
| Q95        | 129       |
| Q96        | 133       |
| Q97        | 133       |
| Q98        | 133       |
| Q99        | 133       |
| Q100       | 133       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q101       | 129       |
| Q102       | 133       |
| Q103       | 136       |
| Q104       | 129       |
| Q105       | 130       |
| Q106       | 133       |
| Q107       | 133       |
| Q108       | 127       |
| Q109       | 127       |
| Q110       | 127       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q111       | 127       |
| Q112       | 129       |
| Q113       | 130       |
| Q114       | 130       |
| Q115       | 133       |
| Q116       | 133       |
| Q117       | 133       |
| Q118       | 136       |
| Q119       | 136       |
| Q120       | 136       |

## 86.VBCU Board (D014/D015)

Q

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| Q121       | 130       | Q131       | 136       | R1         | 263       | R11        | 254       | R21        | 247       | R31        | 245       | R41        | 252       |
| Q122       | 130       | Q132       | 136       | R2         | 263       | R12        | 247       | R22        | 246       | R32        | 246       | R42        | 260       |
| Q123       | 130       | Q133       | 133       | R3         | 253       | R13        | 261       | R23        | 247       | R33        | 246       | R43        | 258       |
| Q124       | 130       | Q134       | 133       | R4         | 245       | R14        | 254       | ---        | ---       | ---        | ---       | R44        | 258       |
| Q125       | 132       | Q135       | 137       | R5         | 253       | R15        | 253       | R25        | 246       | R35        | 247       | R45        | 247       |
| Q126       | 133       | Q136       | 137       | R6         | 246       | R16        | 244       | R26        | 247       | ---        | ---       | R46        | 245       |
| Q127       | 133       | Q137       | 133       | R7         | 247       | R17        | 244       | R27        | 247       | R37        | 248       | R47        | 247       |
| Q128       | 133       | Q138       | 135       | R8         | 247       | R18        | 253       | R28        | 253       | R38        | 248       | R48        | 245       |
| Q129       | 133       | Q139       | 136       | R9         | 254       | R19        | 247       | R29        | 253       | R39        | 260       | R49        | 247       |
| Q130       | 136       |            |           | R10        | 254       | R20        | 246       | R30        | 245       | R40        | 252       | R50        | 245       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R51        | 245       | R61        | 247       | R71        | 254       | R81        | 284       | R91        | 245       | R101       | 275       | R111       | 262       |
| R52        | 247       | R63        | 246       | R72        | 254       | R82        | 246       | R92        | 245       | R102       | 248       | R112       | 262       |
| R53        | 246       | R63        | 268       | R73        | 245       | R83        | 279       | R93        | 245       | ---        | ---       | R113       | 254       |
| R54        | 246       | R64        | 268       | R74        | 245       | R84        | 269       | R94        | 247       | R104       | 246       | R114       | 246       |
| R55        | 246       | R65        | 247       | R75        | 245       | R85        | 247       | R95        | 247       | R105       | 246       | R115       | 233       |
| R56        | 246       | R66        | 247       | ---        | ---       | R86        | 247       | R96        | 266       | R106       | 249       | R116       | 262       |
| R57        | 266       | R67        | 245       | R77        | 226       | R87        | 253       | R97        | 261       | R107       | 254       | R117       | 262       |
| R58        | 249       | ---        | ---       | R78        | 226       | R88        | 253       | R98        | 247       | ---        | ---       | R118       | 247       |
| R59        | 247       | R69        | 254       | R79        | 246       | R89        | 253       | ---        | ---       | R109       | 246       | ---        | ---       |
| R60        | 254       | R70        | 254       | R80        | 284       | R90        | 244       | R100       | 247       | R110       | 246       | ---        | ---       |

## 86.VBCU Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| ---        | ---       | ---        | ---       | R141       | 258       | R151       | 226       | R161       | 262       | R171       | 274       | R181       | 246       |
| R122       | 247       | R132       | 230       | R142       | 245       | R152       | 227       | R162       | 244       | R172       | 268       | R182       | 246       |
| R123       | 247       | R133       | 230       | R143       | 245       | R153       | 227       | R163       | 246       | R173       | 274       | R183       | 268       |
| R124       | 247       | R134       | 246       | R144       | 255       | R154       | 247       | R164       | 246       | R174       | 268       | R184       | 268       |
| R125       | 246       | R135       | 241       | R145       | 255       | R155       | 246       | R165       | 253       | R175       | 271       | R185       | 268       |
| R126       | 268       | R136       | 247       | R146       | 246       | R156       | 246       | ---        | ---       | R176       | 281       | R186       | 269       |
| R127       | 247       | R137       | 244       | R147       | 246       | R157       | 246       | R167       | 253       | R177       | 246       | R187       | 277       |
| ---        | ---       | R138       | 247       | R148       | 258       | R158       | 246       | R168       | 247       | R178       | 246       | R188       | 269       |
| ---        | ---       | R139       | 247       | R149       | 258       | R159       | 246       | R169       | 259       | R179       | 270       | R189       | 277       |
| R130       | 247       | R140       | 258       | R150       | 226       | R160       | 244       | R170       | 259       | R180       | 267       | R190       | 246       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R191       | 246       | R201       | 181       | R211       | 246       | R221       | 182       | R231       | 268       | R241       | 285       | R251       | 258       |
| R192       | 246       | R202       | 182       | R212       | 231       | R222       | 247       | R232       | 268       | R242       | 275       | R252       | 256       |
| R193       | 183       | R203       | 182       | R213       | 246       | R223       | 258       | R233       | 268       | R243       | 285       | R253       | 253       |
| R194       | 231       | R204       | 280       | R214       | 183       | R224       | 265       | R234       | 268       | R244       | 275       | R254       | 247       |
| R195       | 246       | R205       | 282       | R215       | 231       | R225       | 265       | R235       | 268       | R245       | 226       | R255       | 268       |
| R196       | 183       | R206       | 246       | R216       | 246       | R226       | 258       | R236       | 268       | R246       | 226       | R256       | 240       |
| R197       | 231       | R207       | 282       | R217       | 246       | R227       | 258       | R237       | 280       | R247       | 227       | R257       | 240       |
| R198       | 246       | R208       | 246       | R218       | 246       | R228       | 265       | R238       | 282       | R248       | 227       | R258       | 240       |
| R199       | 246       | R208       | 280       | R219       | 181       | R229       | 265       | R239       | 282       | R249       | 226       | R259       | 247       |
| R200       | 246       | R210       | 183       | R220       | 182       | R230       | 258       | R240       | 280       | R250       | 246       | R260       | 247       |

## 86.VBCU Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R261       | 247       | R271       | 257       | R281       | 250       | R291       | 247       | R301       | 242       | R311       | 280       | R321       | 276       |
| R262       | 247       | R272       | 264       | R282       | 251       | R292       | 272       | R302       | 227       | R312       | 258       | R322       | 286       |
| R263       | 250       | R273       | 264       | R283       | 228       | R293       | 275       | R303       | 227       | R313       | 280       | R323       | 229       |
| R264       | 250       | R274       | 257       | R284       | 232       | R294       | 273       | R304       | 227       | R314       | 283       | R324       | 226       |
| R265       | 250       | R275       | 257       | R285       | 228       | R295       | 278       | R305       | 227       | R315       | 283       | R325       | 229       |
| R266       | 250       | R276       | 257       | R286       | 228       | R296       | 278       | R306       | 245       | R316       | 276       | R326       | 246       |
| R267       | 250       | R276       | 264       | R287       | 275       | R297       | 273       | R307       | 246       | R317       | 276       | R327       | 247       |
| R268       | 250       | R277       | 264       | R288       | 285       | R298       | 273       | R308       | 246       | R318       | 286       | R328       | 246       |
| R269       | 250       | R279       | 257       | R289       | 275       | R299       | 278       | R309       | 245       | R319       | 286       | R329       | 247       |
| R270       | 250       | R280       | 257       | R290       | 285       | R300       | 242       | R310       | 258       | R320       | 283       | R330       | 246       |

### RESISTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| R331       | 246       |
| R332       | 249       |
| R333       | 247       |
| R334       | 247       |
| R335       | 246       |
| R336       | 247       |
| R337       | 246       |
| R338       | 247       |
| R339       | 243       |

### REG

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| REG1       | 177       |
| REG2       | 173       |

### RN

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| RN1        | 221       | RN11       | 185       | RN21       | 185       | RN31       | 185       | RN41       | 219       |
| RN2        | 221       | RN12       | 224       | RN22       | 185       | RN32       | 185       | RN42       | 220       |
| RN3        | 221       | RN13       | 224       | RN23       | 185       | RN33       | 189       | RN43       | 219       |
| RN4        | 221       | RN14       | 186       | RN24       | 188       | RN34       | 185       | RN44       | 219       |
| RN5        | 221       | RN15       | 185       | RN25       | 185       | RN35       | 189       | RN45       | 219       |
| RN6        | 191       | RN16       | 185       | RN26       | 185       | RN36       | 185       | RN46       | 219       |
| RN7        | 220       | RN17       | 189       | RN27       | 192       | RN37       | 189       | RN47       | 219       |
| RN8        | 219       | RN18       | 185       | RN28       | 185       | RN38       | 190       | RN48       | 186       |
| RN9        | 219       | RN19       | 190       | RN29       | 185       | RN39       | 220       | RN49       | 219       |
| RN10       | 219       | RN20       | 185       | RN30       | 185       | RN40       | 186       | RN50       | 222       |

## 86.VBCU Board (D014/D015)

### RN

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| RN51       | 220       | RN61       | 220       | RN71       | 185       | RN81       | 184       | RN91       | 222       | RN101      | 189       | RN111      | 191       |
| RN52       | 220       | RN62       | 221       | RN72       | 185       | RN82       | 184       | RN92       | 223       | RN102      | 225       | RN112      | 225       |
| RN53       | 222       | RN63       | 185       | RN73       | 185       | RN83       | 184       | RN93       | 189       | RN103      | 185       | RN113      | 185       |
| RN54       | 222       | RN64       | 188       | RN74       | 185       | RN84       | 184       | RN94       | 191       | RN104      | 185       | RN114      | 189       |
| RN55       | 222       | RN65       | 222       | RN75       | 185       | RN85       | 189       | RN95       | 191       | RN105      | 185       | RN115      | 185       |
| RN56       | 222       | RN66       | 222       | RN76       | 185       | RN86       | 185       | RN96       | 187       | RN106      | 185       | RN116      | 184       |
| RN57       | 222       | RN67       | 185       | RN77       | 185       | RN87       | 192       | RN97       | 185       | RN107      | 189       | RN117      | 185       |
| RN58       | 184       | RN68       | 185       | RN78       | 185       | RN88       | 185       | RN98       | 185       | RN108      | 191       | RN118      | 185       |
| RN59       | 224       | RN69       | 185       | RN79       | 189       | RN89       | 222       | RN99       | 187       | RN109      | 225       | RN119      | 185       |
| RN60       | 224       | RN70       | 185       | RN80       | 184       | RN90       | 185       | ---        | ---       | RN110      | 185       | RN120      | 185       |

### RN

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| RN121      | 185       | RN131      | 185       | RN141      | 185       | RN151      | 189       | RN161      | 225       | RN171      | 190       | RN181      | 185       |
| RN122      | 224       | RN132      | 191       | RN142      | 185       | RN152      | 185       | RN162      | 185       | RN172      | 191       | RN182      | 185       |
| RN123      | 185       | RN133      | 185       | RN143      | 185       | RN153      | 191       | RN163      | 190       | RN173      | 185       | RN183      | 184       |
| RN124      | 189       | RN134      | 185       | RN144      | 191       | RN154      | 189       | RN164      | 192       | RN174      | 185       |            |           |
| RN125      | 184       | RN135      | 189       | RN145      | 185       | RN155      | 185       | RN165      | 185       | RN175      | 224       |            |           |
| RN126      | 184       | RN136      | 185       | RN146      | 191       | RN156      | 184       | RN166      | 191       | RN176      | 189       |            |           |
| RN127      | 184       | RN137      | 185       | RN147      | 189       | RN157      | 184       | RN167      | 185       | RN177      | 185       |            |           |
| RN128      | 184       | RN138      | 185       | RN148      | 184       | RN158      | 184       | RN168      | 185       | RN178      | 185       |            |           |
| RN129      | 185       | RN139      | 185       | RN149      | 185       | RN159      | 189       | RN169      | 184       | RN179      | 185       |            |           |
| RN130      | 191       | RN140      | 185       | RN150      | 185       | RN160      | 185       | RN170      | 184       | RN180      | 185       |            |           |

## 86.VBCU Board (D014/D015)

### SW

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| SW2           | 126          |

### V

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| V1            | 147          |

### ZU

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| ZD1           | 143          |
| ZD2           | 143          |
| ZD3           | 142          |
| ZD4           | 142          |
| ZD5           | 143          |
| ZD6           | 143          |
| ZD7           | 143          |

## 86.VBCU Board (D014/D015)

| Index No. | Part No.  | Description | Q'ty Per Assembly |
|-----------|-----------|-------------|-------------------|
| *         | D014 5133 | PCB:VBCU    | 1                 |
| 1         | B238 5503 | PWB:VBCU    | 2                 |

| Index No. | Part No.  | Description                  | Q'ty Per Assembly |
|-----------|-----------|------------------------------|-------------------|
| 101       | 1102 5301 | Connector - 2P               |                   |
| 102       | 1102 6297 | Connector:53324-0460         |                   |
| 103       | 1102 6298 | Connector - 5P               |                   |
| 104       | 1102 6301 | Connector - 8P               |                   |
| 105       | 1102 6594 | Connector - 10P              |                   |
| 106       | 1102 7626 | Connector - TX25-80P-LT-N1   |                   |
| 107       | 1102 8469 | Connector - 55447-0510       |                   |
| 108       | 1102 8473 | Connector - 55447-0910       |                   |
| 109       | 1102 8477 | Connector - 13P              |                   |
| 110       | 1102 8482 | Connector - 55447-1810       |                   |
| 111       | 1102 8485 | Connector - 55451-2210       |                   |
| 112       | 1102 8486 | Connector - 55451-2410       |                   |
| 113       | 1102 8488 | Connector - 5451-2810        |                   |
| 114       | 1102 8489 | Connector - 55451-3010       |                   |
| 115       | 1102 8490 | Connector:55451-3210         |                   |
| 116       | 1102 8491 | Connector - 55451-3410       |                   |
| 117       | 1102 8492 | Connector - 55451-3610       |                   |
| 118       | 1102 8493 | Connector - 55451-3810       |                   |
| 119       | 1102 8494 | Connector - 55451-4010       |                   |
| 120       | 1102 9547 | Connector:55451-1870         |                   |
| 121       | 1103 3426 | Connector:FH12-50S-0.5SV(55) |                   |
| 122       | 1104 0764 | IC Socket - 8 PIN            |                   |
| 123       | 1107 1194 | Fuse:451003.MRL              |                   |
| 124       | 1107 1212 | Fuse:451010.MRL              |                   |
| 125       | 1109 0018 | Circuit Protector - SMD100   |                   |
| 126       | 1204 2802 | Dip Switch                   |                   |
| 127       | 1400 0936 | Transistor - UMD3N           |                   |
| 128       | 1400 1190 | Transistor - STD1664         |                   |
| 129       | 1400 0910 | Transistor Array:STA401A     |                   |
| 130       | 1400 1245 | Transistor:2SC5343UF         |                   |
| 131       | 1400 0909 | Transistor:DTA143EUA         |                   |
| 132       | 1400 1270 | Transistor:UMA9N             |                   |
| 133       | 1400 0823 | Transistor:UMG9N             |                   |
| 134       | 1401 1426 | FET:CPH3323-E                |                   |
| 135       | 1401 1427 | FET Array:ECH8616-E          |                   |

| Index No. | Part No.  | Description                    | Q'ty Per Assembly |
|-----------|-----------|--------------------------------|-------------------|
| 136       | 1401 1428 | FET Array:ECH8615-E            |                   |
| 137       | 1401 1459 | FET Array:FW359-E              |                   |
| 138       | 1402 1620 | Diode:UMN11N                   |                   |
| 139       | 1402 1854 | Diode:RF071M2S                 |                   |
| 140       | 1402 1977 | Diode:SDB310Q                  |                   |
| 141       | 1402 1995 | Diode:SDS511                   |                   |
| 142       | 1402 2033 | Diode:TDZ6.8                   |                   |
| 143       | 1402 2034 | Diode:TDZ13                    |                   |
| 144       | 1402 2037 | Diode:SUD494J                  |                   |
| 145       | 1403 0953 | LED - SML-310MT                |                   |
| 146       | 1403 0996 | LED - SML-310VT                |                   |
| 147       | 1404 1056 | Varistor:AVR-M1005C120MBAAB    |                   |
| 148       | 1407 2187 | TTLIC - SN74LS07NS             |                   |
| 149       | 1407 2219 | IC - TD62003AP                 |                   |
| 150       | 1407 7005 | CMOS Logic:TC74VHCT244AFT(K)   |                   |
| 151       | 1407 5352 | IC - 74LVC32A TSSOP            |                   |
| 152       | 1407 5353 | IC - SN74LV244APW              |                   |
| 153       | 1407 5366 | IC - 74LVC08A TSSOP            |                   |
| 154       | 1407 5376 | IC - SN74LV32APW               |                   |
| 155       | 1407 5392 | IC:SN74LV541APW                |                   |
| 156       | 1407 5463 | IC - SN74LV245APW              |                   |
| 157       | 1407 5469 | IC - SN74LV07APW               |                   |
| 158       | 1407 5509 | IC - SN74AHCT08PW              |                   |
| 159       | 1407 5511 | CMOS Logic:SN74LVC14APW        |                   |
| 160       | 1407 5633 | IC - SN74LV574APW              |                   |
| 161       | 1407 6133 | CMOS Logic - SN74AHCT00PW      |                   |
| 162       | 1407 6166 | IC - ESOC                      |                   |
| 163       | 1407 6235 | Driver:TD62003AFG(5)           |                   |
| 164       | 1407 6631 | Clock Generator:ICS180M-53LF   |                   |
| 165       | 1407 6759 | Custom IC:EIO                  |                   |
| 166       | 1407 6843 | Interface IC:PCA9515ADP        |                   |
| 167       | 1408 0436 | IC,LB1650,Driver               |                   |
| 168       | 1408 1033 | IC - NJM2103M                  |                   |
| 169       | 1408 1550 | IC - LM2902PW                  |                   |
| 170       | 1408 1685 | Operational Amplifier:LM2904PW |                   |

| Index No. | Part No.  | Description                                   | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------------|-------------------|
| 171       | 1408 1779 | IC - R3112Q281A                               |                   |
| 172       | 1408 1829 | Ope Amp - LM358PW                             |                   |
| 173       | 1408 1850 | Regulator - R1170H181B                        |                   |
| 174       | 1408 1911 | Comparator - LM2903PW                         |                   |
| 175       | 1408 1995 | IC:MB3793-30APNFE1                            |                   |
| 176       | 1408 2029 | Comparator:LM2901PW                           |                   |
| 177       | 1408 2398 | Series Regulator:AIC1086-33PMJ                |                   |
| 178       | 1408 2602 | Operational Amplifier:LM324APW                |                   |
| 179       | 1503 0784 | Oscillator - MA-406 19.6608MHz                |                   |
| 180       | 1503 1215 | Crystal Oscilator - 17.5MHz                   |                   |
| 181       | 1601 5632 | Resistor - 1K $\Omega$ $\pm$ 0.1% 1/16W       |                   |
| 182       | 1601 5711 | Resistor - 33K $\Omega$ $\pm$ 0.1% 1/16W      |                   |
| 183       | 1601 5898 | Resistor:150K $\Omega$ : $\pm$ 0.1%:1/16W     |                   |
| 184       | 1601 7877 | Resistor Array 4.7K $\Omega$ $\pm$ 5% 1/32W   |                   |
| 185       | 1601 7887 | Resistor Array - 10K $\Omega$ $\pm$ 5% 1/32W  |                   |
| 186       | 1601 7898 | Resistor Array                                |                   |
| 187       | 1601 7909 | Resistor Array - 10 $\Omega$ $\pm$ 5% 1/32W   |                   |
| 188       | 1601 7943 | Resistor Array - 68 $\Omega$ $\pm$ 5% 1/32W   |                   |
| 189       | 1601 7959 | Resistor                                      |                   |
| 190       | 1601 7960 | Resistor Array - 100 $\Omega$ $\pm$ 5% 1/16W  |                   |
| 191       | 1601 7983 | Resistor Array:2.2K $\Omega$ : $\pm$ 5%:1/16W |                   |
| 192       | 1601 7992 | Resistor - 47K $\Omega$ $\pm$ 5% 1/16W        |                   |
| 193       | 1605 1148 | Capacitor - 0.1 $\mu$ F+80-20% 50V            |                   |
| 194       | 1605 1200 | Capacitor - 10PF $\pm$ 0.5pF 50V              |                   |
| 195       | 1605 1202 | Capacitor - 15pF $\pm$ 5% 50V                 |                   |
| 196       | 1605 1203 | Capacitor - 18pF $\pm$ 5% 50V                 |                   |
| 197       | 1605 1204 | Capacitor-pF50V                               |                   |
| 198       | 1605 1208 | Capacitor:100pF: $\pm$ 5%:50V                 |                   |
| 199       | 1605 1211 | Capacitor - 220pF $\pm$ 10% 50V               |                   |
| 200       | 1605 1212 | Capacitor - 470pF $\pm$ 10% 50V               |                   |
| 201       | 1605 1214 | Capacitor - 1000pF $\pm$ 10% 50V              |                   |
| 202       | 1605 1221 | Capacitor - 0.1 UF+80-20%16V                  |                   |
| 203       | 1605 1234 | Capacitor:4700pF: $\pm$ 10%:50V               |                   |
| 204       | 1605 1240 | Capacitor - 0.01 $\mu$ F $\pm$ 10% 25V        |                   |
| 205       | 1605 1280 | Capacitor:390pF: $\pm$ 5%:25V                 |                   |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 206       | 1605 1293 | Capacitor - 27pF±5%50V                 |                   |
| 207       | 1605 1303 | Capacitor - 0.01μF+80-20% 50V          |                   |
| 208       | 1605 1306 | Capacitor - 1μF±10% 10V                |                   |
| 209       | 1605 1307 | Capacitor - 2.2μF+80-20% 11V           |                   |
| 210       | 1605 1347 | Capacitor - 1μF+80-20%:16V             |                   |
| 211       | 1605 1353 | Capacitor - 0.1μF±10% 25V              |                   |
| 212       | 1605 1406 | Capacitor - 10μF±10% 6.3V              |                   |
| 213       | 1605 1427 | Capacitor:1μF±10%:6.3V                 |                   |
| 214       | 1605 1547 | Capacitor:2.2μF±10%:6.3V               |                   |
| 215       | 1605 1606 | Capacitor:0.33μF±10%:16V               |                   |
| 216       | 1607 1124 | Filter - BLM11A471SGPB                 |                   |
| 217       | 1607 1351 | Filter BLM21PG221SN1B                  |                   |
| 218       | 1607 1424 | Filter:MMZ1608B601C                    |                   |
| 219       | 1609 0005 | Resistor:33 Ω±5%:1/16W                 |                   |
| 220       | 1609 0006 | Resistor:10k Ω±5%:1/16W                |                   |
| 221       | 1609 0016 | Resistor:56 Ω±5%:1/16W                 |                   |
| 222       | 1609 0020 | Resistor:10 Ω±5%:1/16W                 |                   |
| 223       | 1609 0037 | Resistor Array:560 Ω±5%:1/16W:4Number  |                   |
| 224       | 1609 0070 | Resistor Array:1M Ω±5%:1/16W           |                   |
| 225       | 1609 0071 | Resistor Array:150K Ω±5%:1/16W:4Number |                   |
| 226       | 1610 1702 | Chip Resistor 120 Ω ±5% 1W 6332        |                   |
| 227       | 1610 1787 | Resistor:56 Ω±1%:1W:6332               |                   |
| 228       | 1610 1798 | Resistor:1 Ω±5%:1W:6332                |                   |
| 229       | 1610 1847 | Resistor:180 Ω±5%:1W:6332              |                   |
| 230       | 1610 1852 | Resistor:2 Ω±1%:1W                     |                   |
| 231       | 1610 1880 | Resistor:10K Ω±0.5%:1/16W 1005         |                   |
| 232       | 1610 1960 | Resistor:0.22 Ω±1%:1W 6332             |                   |
| 233       | 1634 0000 | Resistor - 0 Ω 1/16W                   |                   |
| 234       | 1640 0102 | Capacitor - 1000μF- ±20% - 10V         |                   |
| 235       | 1640 3101 | Capacitor - 100μF±20% 35V              |                   |
| 236       | 1640 3471 | Capacitor - 470UF±20% 35V              |                   |
| 237       | 1644 1470 | Capacitor - 47μF±20% 16V               |                   |
| 238       | 1644 3220 | Capacitor 22μF±20% 35V                 |                   |
| 239       | 1644 6101 | Capacitor - 100μF±20% 6.3V             |                   |
| 240       | 1650 2121 | Resistor:120Ω±5%:1/4W:3216             |                   |

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 241       | 1650 2151 | Resistor - 150Ω ±5% 1/4W        |                   |
| 242       | 1650 3131 | Resistor - 130 Ω ±5% 1/8W       |                   |
| 243       | 1650 3201 | Resistor - 200Ω ±5% 1/8W        |                   |
| 244       | 1650 5100 | Chip Resistor - 10 Ω±5%1/16W    |                   |
| 245       | 1650 5101 | Chip Resistor - 100 Ω±5%1/16W   |                   |
| 246       | 1650 5102 | Chip Resistor - 1KΩ±5%1/16W     |                   |
| 247       | 1650 5103 | Chip Resistor - 10KΩ±5%1/16W    |                   |
| 248       | 1650 5104 | Chip Resistor - 100KΩ±5%1/16W   |                   |
| 249       | 1650 5105 | Chip Resistor - 1MΩ±5%1/16W     |                   |
| 250       | 1650 5154 | Chip Resistor - 150KΩ ±5% 1/16W |                   |
| 251       | 1650 5162 | Resistor:1.6K Ω±5%:1/16W:1005   |                   |
| 252       | 1650 5202 | Chip Resistor:2KΩ±5%:1/16W      |                   |
| 253       | 1650 5222 | Resistor - 2.2KΩ ±5% 1/16W      |                   |
| 254       | 1650 5330 | Chip Resistor - 33Ω±5%1/16W     |                   |
| 255       | 1650 5332 | Resistor - 3.3KΩ ±5% 1/16W      |                   |
| 256       | 1650 5333 | Resistor:33K Ω±5%:1/16W:1005    |                   |
| 257       | 1650 5471 | Chip Resistor - 470Ω -5% 1/16W  |                   |
| 258       | 1650 5472 | Chip Resistor:4.7KΩ±5%:1/16W    |                   |
| 259       | 1650 5474 | Resistor:470K Ω±5%:1/16W:1005   |                   |
| 260       | 1650 5510 | Chip Resistor - 51Ω±5%1/16W     |                   |
| 261       | 1650 5560 | Chip Resistor 56Ω ±5% 1/16W     |                   |
| 262       | 1650 5680 | Resistor - 68Ω ±5% 1/16W        |                   |
| 263       | 1650 5681 | Chip Resistor:680Ω±5%:1/16W     |                   |
| 264       | 1653 4709 | Resistor:47 Ω±1%:1/8W:2125      |                   |
| 265       | 1653 5609 | Resistor - 56Ω ±1% 1/8W         |                   |
| 266       | 1655 0000 | Chip Resistor - 0Ω±0%1/16W      |                   |
| 267       | 1655 1001 | Chip Resistor - 1KΩ ±1% 1/16W   |                   |
| 268       | 1655 1002 | Chip Resistor - 10KΩ±1%1/16W    |                   |
| 269       | 1655 1102 | Resistor - 11KΩ ±1% 1/16W       |                   |
| 270       | 1655 1501 | Chip Resistor 1.5KΩ ±1% 1/16W   |                   |
| 271       | 1655 1602 | Resistor:16K Ω±1%:1/16W         |                   |
| 272       | 1655 1801 | Resistor - 1.8K Ω ±1% 1/16W     |                   |
| 273       | 1655 1802 | Resistor:18K Ω±1%:1/16W:1005    |                   |
| 274       | 1655 2101 | Resistor:2.1K Ω±1%:1/16W:1005   |                   |
| 275       | 1655 2202 | Chip Resistor - 22KΩ±1%1/16W    |                   |

| Index No. | Part No.  | Description                                   | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------------|-------------------|
| 276       | 1655 2402 | Resistor - 24K $\Omega$ $\pm$ 1% 1/16W        |                   |
| 277       | 1655 2702 | Resistor - 27K $\Omega$ $\pm$ 1% 1/16W        |                   |
| 278       | 1655 3001 | Resistor:3K $\Omega$ : $\pm$ 1%:1/16W:1005    |                   |
| 279       | 1655 4301 | Resistor:4.3K $\Omega$ : $\pm$ 1%:1/16W       |                   |
| 280       | 1655 4302 | Resistor:43K $\Omega$ : $\pm$ 1%:1/16W:1005   |                   |
| 281       | 1655 5102 | Resistor:51K $\Omega$ : $\pm$ 1%:1/16W:1005   |                   |
| 282       | 1655 6492 | Resistor:64.9K $\Omega$ : $\pm$ 1%:1/16W:1005 |                   |
| 283       | 1655 6801 | Resistor - 6.8K $\Omega$ $\pm$ 1% 1/16W       |                   |
| 284       | 1655 8201 | Resistor:8.2K $\Omega$ : $\pm$ 1%:1/16W:1005  |                   |
| 285       | 1655 8451 | Resistor:8.45K $\Omega$ : $\pm$ 1%:1/16W:1005 |                   |
| 286       | 1655 9101 | Resistor - 9.1K $\Omega$ $\pm$ 1% 1/16W       |                   |
| 287       | 1660 4222 | Capacitor - 2200pF - $\pm$ 10% - 50V          |                   |
| 288       | 1902 0076 | SRAM:8M:X16:55NS:G1                           |                   |
| 289       | 1906 0115 | Flash Memory:S29GL064A90TFIR40                |                   |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

## 87.IPU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C1         | 187       | C11        | 176       | C21        | 187       | C31        | 189       | ---        | ---       | C51        | 187       | C61        | 186       |
| C2         | 187       | C12        | 176       | C22        | 194       | C32        | 171       | ---        | ---       | C52        | 187       | C62        | 186       |
| ---        | ---       | C13        | 176       | C23        | 187       | C33        | 187       | ---        | ---       | C53        | 202       | C63        | 176       |
| ---        | ---       | C14        | 176       | C24        | 187       | C34        | 179       | C44        | 177       | C54        | 187       | C64        | 176       |
| ---        | ---       | C15        | 176       | C25        | 187       | C35        | 172       | C45        | 177       | C55        | 176       | C65        | 187       |
| ---        | ---       | C16        | 176       | C26        | 179       | ---        | ---       | C46        | 177       | C56        | 187       | C66        | 186       |
| ---        | ---       | C17        | 202       | C27        | 179       | ---        | ---       | C47        | 177       | C57        | 186       | C67        | 186       |
| ---        | ---       | C18        | 202       | C28        | 179       | ---        | ---       | C48        | 177       | C58        | 186       | C68        | 186       |
| ---        | ---       | C19        | 187       | C29        | 198       | ---        | ---       | C49        | 179       | C59        | 176       | C69        | 186       |
| ---        | ---       | C20        | 190       | C30        | 198       | ---        | ---       | C50        | 187       | C60        | 187       | C70        | 166       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C71        | 201       | C81        | 168       | C91        | 187       | C101       | 201       | C111       | 192       | ---        | ---       | C131       | 201       |
| C72        | 201       | C82        | 200       | C92        | 179       | ---        | ---       | ---        | ---       | C122       | 174       | ---        | ---       |
| C73        | 201       | C83        | 192       | C93        | 192       | C103       | 187       | C113       | 178       | C123       | 187       | C133       | 187       |
| C74        | 201       | C84        | 182       | C94        | 192       | C104       | 169       | C114       | 189       | C124       | 187       | C134       | 179       |
| C75        | 201       | C85        | 187       | C95        | 187       | C105       | 187       | C115       | 166       | C125       | 187       | ---        | ---       |
| C76        | 187       | ---        | ---       | C96        | 179       | C106       | 187       | ---        | ---       | C126       | 189       | ---        | ---       |
| C77        | 179       | C87        | 201       | ---        | ---       | C107       | 173       | ---        | ---       | C127       | 202       | ---        | ---       |
| C78        | 189       | C88        | 201       | C98        | 192       | C108       | 173       | C118       | 187       | C128       | 174       | ---        | ---       |
| C79        | 195       | C89        | 196       | C99        | 196       | C109       | 173       | C119       | 187       | C129       | 189       | ---        | ---       |
| C80        | 187       | ---        | ---       | C100       | 201       | C110       | 187       | C120       | 187       | C130       | 202       | ---        | ---       |

## 87.IPU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| ---        | ---       | C151       | 187       | ---        | ---       | C201       | 165       | C211       | 187       | C221       | 187       | ---        | ---       |
| ---        | ---       | C152       | 187       | ---        | ---       | C202       | 187       | C212       | 187       | C222       | 187       | C232       | 166       |
| ---        | ---       | C153       | 187       | ---        | ---       | C203       | 187       | C213       | 187       | C223       | 187       | C233       | 187       |
| ---        | ---       | C154       | 187       | ---        | ---       | C204       | 173       | C214       | 187       | C224       | 187       | C234       | 180       |
| C145       | 187       | C155       | 187       | ---        | ---       | C205       | 173       | C215       | 187       | C225       | 187       | C235       | 177       |
| C146       | 187       | ---        | ---       | ---        | ---       | C206       | 173       | C216       | 187       | C226       | 187       | C236       | 187       |
| C147       | 177       | ---        | ---       | C197       | 179       | C207       | 187       | C217       | 187       | C227       | 187       | C237       | 189       |
| C148       | 177       | ---        | ---       | C198       | 178       | C208       | 192       | C218       | 187       | C228       | 187       | C238       | 178       |
| C149       | 177       | ---        | ---       | C199       | 178       | C209       | 187       | C219       | 187       | C229       | 187       | C239       | 187       |
| C150       | 187       | ---        | ---       | C200       | 178       | C210       | 187       | C220       | 192       | ---        | ---       | C240       | 187       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C241       | 187       | C251       | 177       | C261       | 169       | C271       | 177       | C281       | 189       | C291       | 187       | C301       | 179       |
| C242       | 187       | C252       | 179       | C262       | 187       | ---        | ---       | C282       | 187       | C292       | 187       | C302       | 179       |
| C243       | 175       | C253       | 180       | C263       | 169       | C273       | 187       | C283       | 179       | C293       | 187       | C303       | 193       |
| C244       | 175       | C254       | 187       | C264       | 189       | C274       | 187       | C284       | 179       | C294       | 187       | C304       | 193       |
| C245       | 175       | C255       | 187       | C265       | 189       | ---        | ---       | C285       | 179       | C295       | 187       | C305       | 193       |
| C246       | 175       | C256       | 187       | C266       | 187       | ---        | ---       | C286       | 179       | C296       | 187       | C306       | 193       |
| C247       | 187       | C257       | 187       | C267       | 189       | ---        | ---       | C287       | 179       | C297       | 187       | C307       | 193       |
| C248       | 187       | C258       | 189       | C268       | 189       | ---        | ---       | C288       | 179       | C298       | 187       | C308       | 193       |
| C249       | 187       | C259       | 167       | C269       | 177       | C279       | 189       | C289       | 179       | C299       | 179       | C309       | 193       |
| C250       | 187       | C260       | 189       | C270       | 177       | C280       | 187       | C290       | 179       | C300       | 179       | C310       | 193       |

## 87.IPU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C311       | 179       | C321       | 187       | C331       | 187       | C341       | 194       | C351       | 187       | C361       | 187       | C371       | 189       |
| C312       | 179       | C322       | 187       | C332       | 199       | C342       | 189       | ---        | ---       | ---        | ---       | C372       | 187       |
| C313       | 179       | C323       | 179       | C333       | 189       | C343       | 199       | C353       | 179       | C363       | 179       | C373       | 201       |
| C314       | 179       | C324       | 179       | C334       | 194       | C344       | 187       | C354       | 187       | C364       | 187       | C374       | 197       |
| C315       | 193       | C325       | 187       | C335       | 187       | C345       | 179       | C355       | 199       | C365       | 199       | C375       | 185       |
| C316       | 193       | C326       | 189       | C336       | 189       | ---        | ---       | C356       | 189       | C366       | 189       | C376       | 187       |
| C317       | 193       | C327       | 179       | C337       | 194       | C347       | 187       | C357       | 194       | C367       | 194       | C377       | 189       |
| C318       | 179       | C328       | 187       | C338       | 194       | C348       | 179       | C358       | 187       | C368       | 187       | C378       | 178       |
| C319       | 187       | ---        | ---       | C339       | 189       | C349       | 194       | C359       | 179       | C369       | 189       | C379       | 178       |
| C320       | 187       | C330       | 179       | C340       | 187       | C350       | 189       | C360       | 179       | C370       | 194       | C380       | 178       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C381       | 178       | C391       | 189       | C401       | 178       | C411       | 187       | C421       | 178       | C431       | 178       | C441       | 178       |
| C382       | 178       | C392       | 187       | C402       | 194       | C412       | 187       | C422       | 178       | C432       | 189       | C442       | 178       |
| C383       | 187       | C393       | 187       | C403       | 178       | C413       | 187       | C423       | 187       | C433       | 187       | C443       | 189       |
| C384       | 187       | C394       | 189       | C404       | 189       | C414       | 189       | C424       | 178       | C434       | 178       | C444       | 187       |
| C385       | 178       | C395       | 187       | C405       | 178       | C415       | 178       | C425       | 178       | C435       | 189       | C445       | 178       |
| C386       | 187       | C396       | 189       | C406       | 187       | C416       | 178       | C426       | 178       | C436       | 178       | C446       | 189       |
| C387       | 178       | C397       | 181       | C407       | 189       | C417       | 189       | C427       | 187       | C437       | 194       | C447       | 187       |
| C388       | 187       | C398       | 178       | C408       | 178       | C418       | 187       | C428       | 178       | C438       | 178       | C448       | 178       |
| C389       | 178       | C399       | 187       | C409       | 187       | C419       | 189       | C429       | 187       | C439       | 189       | C449       | 189       |
| C390       | 178       | C400       | 189       | C410       | 187       | C420       | 187       | C430       | 181       | C440       | 187       | C450       | 187       |

## 87.IPU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C451       | 178       | C461       | 178       | C471       | 178       | C481       | 178       | C491       | 187       | C501       | 187       | C511       | 189       |
| C452       | 194       | C462       | 187       | C472       | 178       | C482       | 189       | C492       | 178       | C502       | 178       | C512       | 187       |
| C453       | 178       | C463       | 178       | C473       | 178       | C483       | 178       | C493       | 178       | C503       | 178       | ---        | ---       |
| C454       | 187       | C464       | 187       | C474       | 178       | C484       | 187       | C494       | 178       | C504       | 178       | ---        | ---       |
| C455       | 178       | C465       | 178       | C475       | 178       | C485       | 178       | C495       | 187       | C505       | 178       | ---        | ---       |
| C456       | 189       | C466       | 178       | C476       | 189       | C486       | 194       | C496       | 178       | C506       | 178       | ---        | ---       |
| C457       | 187       | C467       | 187       | C477       | 187       | C487       | 178       | C497       | 187       | C507       | 178       | ---        | ---       |
| C458       | 178       | C468       | 178       | C478       | 178       | C488       | 187       | C498       | 178       | C508       | 189       | ---        | ---       |
| C459       | 187       | C469       | 178       | C479       | 189       | C489       | 178       | C499       | 187       | C509       | 187       | ---        | ---       |
| C460       | 187       | C470       | 178       | C480       | 187       | C490       | 189       | C500       | 178       | C510       | 178       | ---        | ---       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C521       | 197       | C531       | 199       | C541       | 189       | C551       | 194       | C561       | 187       | C571       | 185       | C581       | 189       |
| C522       | 185       | C532       | 189       | C542       | 199       | C552       | 189       | ---        | ---       | C572       | 189       | C582       | 194       |
| C523       | 189       | C533       | 194       | C543       | 187       | C553       | 199       | C563       | 179       | C573       | 187       | C583       | 187       |
| C524       | 187       | C534       | 187       | C544       | 179       | C554       | 187       | C564       | 187       | C574       | 201       | C584       | 189       |
| C525       | 201       | C535       | 189       | ---        | ---       | C555       | 179       | C565       | 199       | C575       | 179       | C585       | 194       |
| C526       | 179       | C536       | 194       | C546       | 187       | ---        | ---       | C566       | 189       | C576       | 187       | C586       | 194       |
| C527       | 187       | C537       | 194       | C547       | 189       | C557       | 187       | C567       | 194       | ---        | ---       | C587       | 189       |
| ---        | ---       | C538       | 189       | C548       | 194       | C558       | 189       | C568       | 187       | C578       | 179       | C588       | 187       |
| C529       | 179       | C539       | 187       | C549       | 179       | C559       | 194       | C569       | 179       | C579       | 187       | ---        | ---       |
| C530       | 187       | C540       | 194       | C550       | 187       | C560       | 179       | C570       | 197       | C580       | 199       | C590       | 179       |

## 87.IPU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C591       | 187       | C601       | 179       | C611       | 179       | C621       | 188       | C631       | 187       | C641       | 179       | C651       | 170       |
| C592       | 199       | C602       | 187       | C612       | 187       | C622       | 188       | C632       | 179       | C642       | 187       | C652       | 179       |
| C593       | 189       | C603       | 199       | C613       | 199       | C623       | 179       | C633       | 187       | C643       | 188       | C653       | 187       |
| C594       | 194       | C604       | 189       | C614       | 189       | C624       | 187       | C634       | 179       | C644       | 188       | C654       | 179       |
| C595       | 187       | C605       | 194       | C615       | 194       | C625       | 178       | C635       | 187       | C645       | 188       | C655       | 179       |
| C596       | 189       | C606       | 187       | C616       | 187       | C626       | 187       | C636       | 187       | C646       | 188       | C656       | 179       |
| C597       | 194       | C607       | 189       | C617       | 179       | C627       | 179       | C637       | 179       | C647       | 198       | C657       | 187       |
| C598       | 179       | C608       | 179       | C618       | 194       | C628       | 179       | C638       | 259       | C648       | 189       | C658       | 187       |
| C599       | 187       | C609       | 187       | C619       | 188       | C629       | 187       | C639       | 170       | C649       | 198       | C659       | 187       |
| ---        | ---       | ---        | ---       | C620       | 188       | C630       | 179       | C640       | 178       | C650       | 259       | C660       | 198       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C661       | 198       | C671       | 189       | C681       | 187       | C691       | 179       | C701       | 177       | C711       | 191       | ---        | ---       |
| C662       | 189       | C672       | 198       | C682       | 179       | C692       | 179       | C702       | 179       | C712       | 191       | C722       | 187       |
| C663       | 170       | C673       | 175       | C683       | 179       | C693       | 179       | C703       | 187       | C713       | 260       | C723       | 180       |
| C664       | 259       | C674       | 198       | C684       | 187       | C694       | 179       | C704       | 191       | C714       | 260       | C724       | 177       |
| C665       | 189       | C675       | 198       | C685       | 187       | C695       | 187       | C705       | 260       | C715       | 191       | ---        | ---       |
| C666       | 187       | C676       | 187       | C686       | 187       | C696       | 179       | C706       | 260       | C716       | 191       | C726       | 180       |
| C667       | 179       | C677       | 179       | C687       | 187       | C697       | 187       | C707       | 191       | C717       | 260       | ---        | ---       |
| C668       | 170       | C678       | 178       | C688       | 187       | C698       | 179       | C708       | 191       | C718       | 260       | C728       | 187       |
| C669       | 259       | C679       | 187       | C689       | 187       | C699       | 177       | C709       | 260       | C719       | 191       | C729       | 173       |
| C670       | 198       | C680       | 179       | C690       | 179       | C700       | 178       | C710       | 260       | C720       | 183       | C730       | 187       |

## 87.IPU Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| C731       | 184       |
| C732       | 177       |
| C733       | 177       |
| C734       | 180       |
| C735       | 180       |
| C736       | 183       |
| C737       | 187       |
| C738       | 187       |

### CONNECTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| CN360      | 107       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| CN362      | 113       |
| CN363      | 106       |
| CN364      | 103       |
| CN365      | 104       |
| CN366      | 109       |
| ---        | ---       |
| CN368      | 108       |
| ---        | ---       |
| CN370      | 101       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| CN371      | 103       |
| CN372      | 102       |
| CN373      | 110       |
| ---        | ---       |
| CN375      | 112       |
| CN376      | 111       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| CN387      | 105       |

### DIODE

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D1         | 122       |
| D2         | 122       |
| D3         | 122       |

### FIL

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| FIL3       | 210       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| FIL8       | 210       |
| FIL9       | 204       |
| FIL10      | 204       |

### FIL

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FIL11      | 203       |
| FIL12      | 203       |
| FIL13      | 203       |
| FIL14      | 210       |
| FIL15      | 203       |
| FIL16      | 203       |
| FIL17      | 205       |
| FIL18      | 205       |
| FIL19      | 203       |
| FIL20      | 203       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FIL21      | 203       |
| FIL22      | 203       |
| FIL23      | 203       |
| FIL24      | 203       |
| FIL25      | 203       |
| FIL26      | 203       |
| FIL27      | 203       |
| FIL28      | 203       |
| FIL29      | 205       |
| FIL30      | 205       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FIL31      | 205       |
| FIL32      | 205       |

### FUSE

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FU1        | 114       |
| FU2        | 115       |

### IC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC1        | 135       |
| IC2        | 144       |
| IC3        | 137       |
| IC4        | 144       |
| IC5        | 144       |
| IC6        | 134       |
| IC7        | 132       |
| IC8        | 145       |
| IC9        | 145       |
| IC10       | 130       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC11       | 130       |
| IC12       | 146       |
| IC13       | 155       |
| IC14       | 152       |
| IC15       | 133       |
| IC16       | 131       |
| IC17       | 131       |
| IC18       | 128       |
| IC19       | 136       |
| IC20       | 136       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC21       | 128       |
| ---        | ---       |
| IC23       | 142       |
| IC24       | 129       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| IC29       | 131       |
| IC30       | 131       |

## 87.IPU Board (D014/D015)

### IC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC31       | 149       |
| IC32       | 140       |
| IC33       | 140       |
| IC34       | 138       |
| IC35       | 143       |
| IC36       | 147       |
| IC37       | 141       |
| IC38       | 154       |
| IC39       | 150       |
| IC40       | 147       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC41       | 127       |
| IC42       | 139       |

### L

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| L9         | 206       |
| L10        | 208       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| L11        | 207       |
| L12        | 211       |
| L13        | 207       |
| L14        | 209       |

### LED

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| LED1       | 126       |
| LED2       | 125       |
| LED3       | 125       |
| LED4       | 125       |
| LED5       | 125       |
| LED6       | 125       |
| LED7       | 126       |
| LED8       | 123       |
| LED9       | 123       |
| LED10      | 124       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| LED11      | 124       |

### OSC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| OSC1       | 158       |
| OSC2       | 156       |
| ---        | ---       |
| OSC4       | 157       |

### Q

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q1         | 116       |
| Q2         | 121       |
| Q3         | 120       |
| Q4         | 120       |
| Q5         | 118       |
| Q6         | 119       |
| Q7         | 119       |
| Q8         | 116       |
| Q9         | 116       |
| Q10        | 116       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q11        | 116       |
| ---        | ---       |
| Q13        | 117       |
| Q14        | 117       |
| Q15        | 117       |
| Q16        | 117       |
| Q17        | 117       |

### RESISTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| R1         | 222       |
| R2         | 222       |
| R3         | 222       |
| R4         | 222       |
| R5         | 222       |
| R6         | 222       |
| R7         | 233       |
| R8         | 233       |
| R9         | 233       |
| R10        | 233       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| R11        | 233       |
| R12        | 233       |
| R13        | 244       |
| R14        | 244       |
| R15        | 244       |
| R16        | 244       |
| R17        | 244       |
| R18        | 244       |
| R19        | 244       |
| R20        | 244       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| R21        | 245       |
| R22        | 245       |
| R23        | 245       |
| R24        | 245       |
| R25        | 222       |
| R26        | 221       |
| R27        | 245       |
| R28        | 245       |
| R29        | 245       |
| R30        | 245       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| R31        | 244       |
| R32        | 244       |
| R33        | 244       |
| R34        | 244       |
| R35        | 244       |
| R36        | 244       |
| R37        | 244       |
| R38        | 244       |
| R39        | 223       |
| R40        | 224       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| R41        | 245       |
| R42        | 245       |
| R43        | 245       |
| R44        | 245       |
| R45        | 227       |
| R46        | 245       |
| R47        | 245       |
| R48        | 245       |
| R49        | 245       |
| ---        | ---       |

## 87.IPU Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R51        | 241       | R61        | 243       | R71        | 243       | R81        | 223       | R91        | 221       | R101       | 230       | R111       | 230       |
| R52        | 243       | R62        | 240       | R72        | 241       | R82        | 221       | R92        | 223       | R102       | 247       | R112       | 230       |
| R53        | 240       | R63        | 240       | R73        | 243       | R83        | 230       | R93        | 221       | R103       | 252       | R113       | 223       |
| R54        | 240       | R64        | 243       | R74        | 240       | R84        | 221       | R94        | 230       | R104       | 160       | R114       | 222       |
| R55        | 243       | R65        | 241       | R75        | 228       | R85        | 223       | R95        | 221       | R105       | 159       | R115       | 222       |
| R56        | 241       | R66        | 243       | R76        | 223       | R86        | 221       | R96        | 223       | R106       | 218       | R116       | 223       |
| R57        | 240       | R67        | 241       | R77        | 223       | R87        | 228       | R97        | 221       | R107       | 224       | R117       | 223       |
| R58        | 243       | R68        | 240       | R78        | 228       | R88        | 228       | R98        | 230       | R108       | 224       | R118       | 222       |
| R59        | 241       | R69        | 240       | R79        | 230       | R89        | 223       | R99        | 224       | R109       | 230       | R119       | 223       |
| R60        | 241       | R70        | 241       | R80        | 221       | R90        | 223       | R100       | 230       | R110       | 230       | R120       | 224       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R121       | 224       | R131       | 230       | R141       | 232       | R151       | 230       | ---        | ---       | R171       | 230       | R181       | 230       |
| R122       | 230       | R132       | 230       | R142       | 230       | ---        | ---       | ---        | ---       | R172       | 230       | R182       | 236       |
| R123       | 230       | R133       | 230       | R143       | 244       | R153       | 233       | ---        | ---       | R173       | 230       | ---        | ---       |
| R124       | 223       | R134       | 230       | R144       | 244       | R154       | 244       | R164       | 230       | R174       | 230       | R184       | 222       |
| R125       | 222       | R135       | 230       | ---        | ---       | R155       | 244       | R165       | 230       | R175       | 230       | R185       | 222       |
| R126       | 222       | R136       | 232       | R146       | 244       | ---        | ---       | R166       | 230       | R176       | 230       | R186       | 222       |
| R127       | 223       | R137       | 232       | R147       | 244       | R157       | 244       | R167       | 230       | R177       | 230       | R187       | 223       |
| R128       | 223       | ---        | ---       | ---        | ---       | R158       | 230       | R168       | 230       | R178       | 230       | R188       | 224       |
| R129       | 230       | R139       | 232       | R149       | 244       | R159       | 230       | R169       | 230       | R179       | 230       | R189       | 224       |
| R130       | 230       | ---        | ---       | ---        | ---       | ---        | ---       | R170       | 230       | R180       | 230       | R190       | 224       |

## 87.IPU Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R191       | 244       | R201       | 233       | R211       | 221       | R221       | 224       | R231       | 224       | R241       | 236       | R251       | 230       |
| R192       | 244       | R202       | 221       | R212       | 221       | R222       | 224       | R232       | 224       | R242       | 236       | R252       | 230       |
| R193       | 244       | R203       | 221       | R213       | 221       | R223       | 224       | R233       | 224       | R243       | 236       | R253       | 224       |
| R194       | 230       | R204       | 221       | R214       | 221       | R224       | 224       | R234       | 236       | R244       | 236       | R254       | 224       |
| R195       | 223       | R205       | 221       | R215       | 221       | R225       | 224       | R235       | 236       | R245       | 236       | R255       | 223       |
| R196       | 237       | R206       | 221       | R216       | 221       | R226       | 224       | R236       | 236       | R246       | 223       | R256       | 223       |
| R197       | 237       | R207       | 221       | R217       | 221       | R227       | 224       | R237       | 236       | R247       | 230       | R257       | 223       |
| R198       | 233       | R208       | 221       | R218       | 224       | R228       | 224       | R238       | 236       | R248       | 222       | R258       | 230       |
| R199       | 233       | R209       | 221       | R219       | 224       | R229       | 224       | R239       | 236       | R249       | 223       | R259       | 244       |
| R200       | 233       | R210       | 221       | R220       | 224       | R230       | 224       | R240       | 236       | R250       | 223       | R260       | 231       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R261       | 230       | R271       | 230       | R281       | 236       | R291       | 223       | R301       | 244       | R311       | 226       | R321       | 234       |
| R262       | 223       | R272       | 230       | R282       | 236       | R292       | 223       | R302       | 231       | R312       | 244       | R322       | 230       |
| R263       | 223       | R273       | 230       | R283       | 230       | R293       | 223       | R303       | 219       | R313       | 244       | R323       | 223       |
| R264       | 223       | R274       | 230       | R284       | 230       | R294       | 223       | R304       | 236       | R314       | 244       | R324       | 223       |
| R265       | 222       | ---        | ---       | R285       | 230       | R295       | 223       | ---        | ---       | ---        | ---       | ---        | ---       |
| ---        | ---       | ---        | ---       | R286       | 230       | R296       | 223       | ---        | ---       | R316       | 224       | ---        | ---       |
| R267       | 244       | ---        | ---       | R287       | 230       | R297       | 223       | R307       | 244       | R317       | 223       | ---        | ---       |
| ---        | ---       | ---        | ---       | R288       | 230       | R298       | 223       | R308       | 226       | R318       | 223       | ---        | ---       |
| R269       | 244       | R279       | 236       | R289       | 230       | R299       | 230       | R309       | 244       | R319       | 223       | R329       | 223       |
| R270       | 244       | R280       | 236       | R290       | 230       | R300       | 230       | R310       | 226       | R320       | 223       | R330       | 230       |

## 87.IPU Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R331       | 230       | R341       | 230       | R351       | 222       | R361       | 230       | R371       | 244       | R381       | 230       | R391       | 245       |
| R332       | 230       | R342       | 230       | R352       | 223       | R362       | 230       | R372       | 244       | R382       | 223       | R392       | 245       |
| R333       | 230       | R343       | 250       | R353       | 230       | R363       | 230       | R373       | 244       | R383       | 245       | R393       | 222       |
| R334       | 230       | R344       | 230       | R354       | 230       | R364       | 230       | R374       | 250       | R384       | 245       | R394       | 255       |
| R335       | 230       | R345       | 230       | ---        | ---       | R365       | 230       | R375       | 230       | R385       | 245       | R395       | 242       |
| R336       | 223       | R346       | 223       | R356       | 244       | R366       | 244       | R376       | 223       | R386       | 245       | R396       | 223       |
| R337       | 223       | R347       | 230       | R357       | 244       | R367       | 244       | R377       | 224       | R387       | 242       | R397       | 223       |
| R338       | 222       | R348       | 223       | R358       | 223       | R368       | 244       | R378       | 224       | R388       | 255       | R398       | 242       |
| R339       | 230       | R349       | 223       | R359       | 230       | R369       | 244       | R379       | 250       | R389       | 245       | R399       | 255       |
| R340       | 230       | R350       | 223       | R360       | 230       | R370       | 244       | R380       | 230       | R390       | 245       | R400       | 242       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R401       | 255       | R411       | 230       | R421       | 238       | ---        | ---       | R441       | 244       | R451       | 254       | ---        | ---       |
| R402       | 223       | R412       | 230       | R422       | 238       | R432       | 244       | R442       | 244       | R452       | 225       | R462       | 223       |
| R403       | 236       | R413       | 230       | R423       | 239       | R433       | 223       | R443       | 223       | R453       | 258       | ---        | ---       |
| R404       | 223       | R414       | 238       | R424       | 239       | R434       | 234       | R444       | 223       | R454       | 219       | ---        | ---       |
| R405       | 230       | R415       | 239       | R425       | 238       | R435       | 219       | R445       | 223       | R455       | 249       | R465       | 230       |
| R406       | 230       | R416       | 239       | R426       | 238       | R436       | 256       | R446       | 220       | R456       | 246       | R466       | 224       |
| R407       | 230       | R417       | 238       | R427       | 239       | R437       | 257       | R447       | 229       | R457       | 229       | ---        | ---       |
| R408       | 233       | R418       | 238       | R428       | 239       | R438       | 224       | R448       | 251       | R458       | 229       | R468       | 231       |
| R409       | 235       | R419       | 239       | R429       | 238       | ---        | ---       | R449       | 219       | R459       | 226       | R469       | 219       |
| R410       | 230       | R420       | 239       | R430       | 248       | R440       | 220       | R450       | 253       | R460       | 230       | R470       | 219       |

## 87.IPU Board (D014/D015)

### REG

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| REG1       | 148       |
| REG2       | 151       |
| REG3       | 153       |
| REG4       | 153       |
| REG5       | 153       |
| REG6       | 153       |
| REG7       | 153       |

### RN

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN1        | 163       |
| RN2        | 163       |
| RN3        | 163       |
| RN4        | 163       |
| RN5        | 217       |
| RN6        | 214       |
| RN7        | 214       |
| RN8        | 214       |
| RN9        | 214       |
| RN10       | 214       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN11       | 213       |
| RN12       | 162       |
| RN13       | 214       |
| RN14       | 213       |
| RN15       | 216       |
| RN16       | 216       |
| RN17       | 215       |
| RN18       | 215       |
| RN19       | 215       |
| RN20       | 215       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN21       | 161       |
| ---        | ---       |
| RN23       | 215       |
| RN24       | 215       |
| RN25       | 215       |
| RN26       | 215       |
| RN27       | 212       |
| RN28       | 212       |
| RN29       | 212       |
| RN30       | 212       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN31       | 212       |
| RN32       | 214       |
| RN33       | 214       |
| RN34       | 164       |
| RN35       | 164       |
| RN36       | 214       |
| RN37       | 213       |
| RN38       | 214       |
| RN39       | 214       |
| RN40       | 214       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN41       | 214       |
| RN42       | 214       |
| RN43       | 214       |
| RN44       | 214       |
| RN45       | 214       |
| RN46       | 162       |
| RN47       | 216       |
| RN48       | 216       |
| RN49       | 216       |
| RN50       | 216       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN51       | 214       |
| RN52       | 214       |
| RN53       | 214       |
| RN54       | 214       |
| RN55       | 214       |
| RN56       | 214       |
| RN57       | 214       |
| RN58       | 214       |
| RN59       | 214       |
| RN60       | 214       |

### RN

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN61       | 162       |
| RN62       | 162       |
| RN63       | 214       |
| RN64       | 214       |
| RN65       | 214       |
| RN66       | 214       |
| RN67       | 214       |
| RN68       | 214       |
| RN69       | 214       |
| RN70       | 214       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN71       | 213       |
| RN72       | 213       |
| RN73       | 213       |
| RN74       | 213       |
| RN75       | 213       |
| RN76       | 164       |
| RN77       | 214       |
| RN78       | 214       |
| RN79       | 214       |
| RN80       | 214       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN81       | 214       |
| RN82       | 214       |
| RN83       | 213       |
| RN84       | 213       |
| RN85       | 213       |
| RN86       | 213       |
| RN87       | 213       |
| RN88       | 213       |
| RN89       | 213       |
| RN90       | 213       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN91       | 213       |
| RN92       | 213       |
| RN93       | 213       |
| RN94       | 213       |
| RN95       | 213       |
| RN96       | 216       |
| RN97       | 216       |
| ---        | ---       |
| ---        | ---       |
| RN100      | 213       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN101      | 213       |
| RN102      | 213       |
| RN103      | 213       |
| RN104      | 213       |
| RN105      | 163       |
| RN106      | 163       |
| RN107      | 216       |
| RN108      | 216       |

## 87.IPU Board (D014/D015)

| Index No. | Part No.             | Description                     | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------|-------------------|
| *         | D014 5424            | PCB:IPU                         | 1                 |
|           | <del>D014 5422</del> | O/O MB24                        |                   |
| 1         | D014 5423            | PWB:VE-C2:Image Processing Unit | 1                 |

| Index No. | Part No.  | Description                    | Q'ty Per Assembly |
|-----------|-----------|--------------------------------|-------------------|
| 101       | 1102 5304 | Connector - 5P                 |                   |
| 102       | 1102 6299 | Connector - 6P                 |                   |
| 103       | 1102 6305 | Connector - 12P                |                   |
| 104       | 1102 6306 | Connector - 13P                |                   |
| 105       | 1102 6596 | Connector                      |                   |
| 106       | 1102 6895 | Connector - 40P                |                   |
| 107       | 1102 7625 | Connector - TX24-80R-LT-N1     |                   |
| 108       | 1102 8488 | Connector - 5451-2810          |                   |
| 109       | 1102 8494 | Connector - 55451-4010         |                   |
| 110       | 1102 8560 | Connector - KX14-60K5D1E       |                   |
| 111       | 1103 3176 | Connector:FH12-45S-0.5SH(89)   |                   |
| 112       | 1103 3178 | Connector - FH12-50S-0.5SH(89) |                   |
| 113       | 1103 3947 | Connector - 55451-3410         |                   |
| 114       | 1107 1198 | Connector - 55451-3810         |                   |
| 115       | 1109 0042 | Connector - 55451-4010         |                   |
| 116       | 1400 0810 | Transistor:DTC114EUA           |                   |
| 117       | 1400 0993 | Transistor:DTC143TUA           |                   |
| 118       | 1401 1369 | FET:TPC6004                    |                   |
| 119       | 1401 1414 | FET:SI3433BDV-E3               |                   |
| 120       | 1401 1416 | FET:SI9433BDY-E3               |                   |
| 121       | 1401 1466 | FET:SI4800BDY-E3               |                   |
| 122       | 1402 2039 | Diode:RSX301LA-30              |                   |
| 123       | 1403 0953 | LED - SML-310MT                |                   |
| 124       | 1403 0978 | LED:SML-310DT                  |                   |
| 125       | 1403 0996 | LED - SML-310VT                |                   |
| 126       | 1403 1033 | LED - SML-310YT                |                   |
| 127       | 1407 4804 | IC-TC7SH08FU                   |                   |
| 128       | 1407 4840 | IC - TC7SH04FU                 |                   |
| 129       | 1407 5351 | IC - SN74LV14APW               |                   |
| 130       | 1407 5353 | IC - SN74LV244APW              |                   |
| 131       | 1407 5392 | IC:SN74LV541APW                |                   |
| 132       | 1407 5469 | IC - SN74LV07APW               |                   |
| 133       | 1407 5592 | CMOS Logic:SN74LV139APW        |                   |
| 134       | 1407 6447 | Custom IC - GAVD TYPE-W        |                   |
| 135       | 1407 6520 | Custom IC - Garac-C            |                   |

| Index No. | Part No.  | Description                                   | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------------|-------------------|
| 136       | 1407 6613 | Clock Generator:ICS7152M-01LF                 |                   |
| 137       | 1407 6641 | Diode - ZTP12B                                |                   |
| 138       | 1407 6677 | CMOS Logic:TC7SET14FU                         |                   |
| 139       | 1407 6751 | LED - SML-310YT                               |                   |
| 140       | 1407 6801 | IC - TD62308AP                                |                   |
| 141       | 1407 6803 | TTLIC - SN74LS07NS                            |                   |
| 142       | 1407 6804 | IC - TD62003AP                                |                   |
| 143       | 1407 6806 | CMOS Logic:TC7WH00FU                          |                   |
| 144       | 1407 6850 | Controller:RB5V871                            |                   |
| 145       | 1408 1653 | Opeamp - LMV324IPW                            |                   |
| 146       | 1408 1751 | IC:R3112Q301C                                 |                   |
| 147       | 1408 1826 | IC - R3112Q421A                               |                   |
| 148       | 1408 1850 | Regulator - R1170H181B                        |                   |
| 149       | 1408 2024 | IC:R3112Q261A-FA                              |                   |
| 150       | 1408 2088 | IC:LTC3701EGN#TRPBF                           |                   |
| 151       | 1408 2246 | Series Regulator:R1114N331B-F                 |                   |
| 152       | 1408 2433 | IC - SN74LV32APW                              |                   |
| 153       | 1408 2462 | Series Regulator:BH18MA3WHFV                  |                   |
| 154       | 1408 2484 | IC - SN74LV07APW                              |                   |
| 155       | 1408 2607 | IC - SN74LV125APW                             |                   |
| 156       | 1503 1380 | Crystal Oscillator:38.28MHz                   |                   |
| 157       | 1503 1381 | Driver - TD62783APG                           |                   |
| 158       | 1503 1406 | Crystal Oscillator:27MHz                      |                   |
| 159       | 1600 1880 | Resistor - 25M $\Omega$ $\pm$ 1% 1W           |                   |
| 160       | 1600 1946 | Resistor - 33M $\Omega$ $\pm$ 1% 1W           |                   |
| 161       | 1601 7752 | Resistor Array - 10K $\Omega$ $\pm$ 5%        |                   |
| 162       | 1601 7887 | Resistor Array - 10K $\Omega$ $\pm$ 5% 1/32W  |                   |
| 163       | 1601 7898 | Resistor Array                                |                   |
| 164       | 1601 7981 | Resistor Array - 100K $\Omega$ $\pm$ 5% 1/16W |                   |
| 165       | 1604 4728 | Capacitor - 100 $\mu$ F $\pm$ 20% 16V         |                   |
| 166       | 1604 4987 | Capacitor - 330 $\mu$ F $\pm$ 20% 6.3V        |                   |
| 167       | 1604 5065 | Capacitor 10 $\mu$ F $\pm$ 20%:50V            |                   |
| 168       | 1604 5336 | Capacitor:47 $\mu$ F $\pm$ 20%:20V            |                   |
| 169       | 1604 5432 | Capacitor:220 $\mu$ F $\pm$ 20%:35V           |                   |
| 170       | 1605 1166 | Capacitor - 0.015 $\mu$ F $\pm$ 10% 50V       |                   |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 171       | 1605 1195 | Capacitor:4PF: $\pm$ 0.25pF:50V        |                   |
| 172       | 1605 1196 | Capacitor - 5PF: $\pm$ 0.25pF:50V      |                   |
| 173       | 1605 1200 | Capacitor - 10PF $\pm$ 0.5pF 50V       |                   |
| 174       | 1605 1202 | Capacitor - 15pF $\pm$ 5% 50V          |                   |
| 175       | 1605 1205 | Capacitor - 33pF $\pm$ 5% 50V          |                   |
| 176       | 1605 1206 | Capacitor - 47pF $\pm$ 5% 50V          |                   |
| 177       | 1605 1208 | Capacitor:100pF: $\pm$ 5%:50V          |                   |
| 178       | 1605 1212 | Capacitor - 470pF $\pm$ 10% 50V        |                   |
| 179       | 1605 1214 | Capacitor - 1000pF $\pm$ 10% 50V       |                   |
| 180       | 1605 1216 | Capacitor - 2200pF $\pm$ 10%:50V       |                   |
| 181       | 1605 1224 | Capacitor 4.7 $\mu$ F $\pm$ 10% 6.3V   |                   |
| 182       | 1605 1281 | Capacitor - 0.22 $\mu$ F $\pm$ 10% 16V |                   |
| 183       | 1605 1283 | Capacitor - 680pF $\pm$ 10% 50V        |                   |
| 184       | 1605 1284 | Capacitor:1500pF: $\pm$ 10%:50V        |                   |
| 185       | 1605 1285 | Capacitor - 3300pF $\pm$ 10% 50V       |                   |
| 186       | 1605 1288 | Capacitor - 220pF $\pm$ 5% 50V         |                   |
| 187       | 1605 1289 | Capacitor - 0.1 $\mu$ F $\pm$ 10% 10V  |                   |
| 188       | 1605 1301 | Capacitor-6800pF $\pm$ 10% 50V         |                   |
| 189       | 1605 1303 | Capacitor - 0.01 $\mu$ F+80-20% 50V    |                   |
| 190       | 1605 1306 | Capacitor - 1 $\mu$ F $\pm$ 10% 10V    |                   |
| 191       | 1605 1355 | Ceramic Capacitor:680pF: $\pm$ 10%:50V |                   |
| 192       | 1605 1358 | Capacitor - 10 $\mu$ F $\pm$ 10% 10V   |                   |
| 193       | 1605 1451 | Capacitor:0.47 $\mu$ F $\pm$ 10%:6.3V  |                   |
| 194       | 1605 1452 | Capacitor - 1 $\mu$ F $\pm$ 10% 6.3V   |                   |
| 195       | 1605 1453 | Capacitor:0.022 $\mu$ F $\pm$ 10%:16V  |                   |
| 196       | 1605 1474 | Capacitor - 47 $\mu$ F $\pm$ 20% 6.3V  |                   |
| 197       | 1605 1544 | Resistor - 330pF $\pm$ 5% 50V          |                   |
| 198       | 1605 1547 | Resistor - 100 $\Omega$ $\pm$ 5%1/10W  |                   |
| 199       | 1605 1585 | Resistor - 1K $\Omega$ $\pm$ 5% 1/10W  |                   |
| 200       | 1605 1586 | Resistor - 10K $\Omega$ $\pm$ 5% 1/10W |                   |
| 201       | 1605 1587 | Resistor - 100K $\Omega$ $\pm$ 5%1/10W |                   |
| 202       | 1605 1687 | Resistor - 1M $\Omega$ $\pm$ 5% 1/10W  |                   |
| 203       | 1607 0861 | Filter - BK2125HS101                   |                   |
| 204       | 1607 1002 | IC - NFM60R30T222                      |                   |
| 205       | 1607 1108 | Filter - BLM21PG220SN1B                |                   |

| Index No. | Part No.  | Description                                        | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------------------|-------------------|
| 206       | 1607 1196 | Inductor -220UH $\pm 20\%$ 0.33A                   |                   |
| 207       | 1607 1222 | Inductor - 3.3UH $\pm 20\%$ 2.5A                   |                   |
| 208       | 1607 1529 | Resistor - 2.2K $\Omega \pm 5\%$ 1/10W             |                   |
| 209       | 1607 1556 | Inductor:RLF7030-1R5N6R1                           |                   |
| 210       | 1607 1567 | Filter:MPZ2012S101A                                |                   |
| 211       | 1607 1903 | Chip Resistor - 33 $\Omega \pm 5\%$ 1/10W          |                   |
| 212       | 1609 0005 | Resistor:33 $\Omega \pm 5\%$ :1/16W                |                   |
| 213       | 1609 0006 | Resistor:10k $\Omega \pm 5\%$ :1/16W               |                   |
| 214       | 1609 0007 | Resistor - 68 $\Omega \pm 5\%$ 1/16W               |                   |
| 215       | 1609 0019 | Resistor:0 $\Omega$ :1608                          |                   |
| 216       | 1609 0027 | Resistor - 100K $\Omega \pm 5\%$ 1/16W             |                   |
| 217       | 1609 0095 | Resistor Array:220 $\Omega \pm 5\%$ :1/16W:4Number |                   |
| 218       | 1610 1960 | Resistor - 68 $\Omega \pm 5\%$ 1/10W               |                   |
| 219       | 1634 0000 | Resistor - 0 $\Omega$ 1/16W                        |                   |
| 220       | 1650 4100 | Resistor - 10 $\Omega \pm 5\%$ 1/10W               |                   |
| 221       | 1650 5101 | Chip Resistor - 100 $\Omega \pm 5\%$ 1/16W         |                   |
| 222       | 1650 5102 | Chip Resistor - 1K $\Omega \pm 5\%$ 1/16W          |                   |
| 223       | 1650 5103 | Chip Resistor - 10K $\Omega \pm 5\%$ 1/16W         |                   |
| 224       | 1650 5104 | Chip Resistor - 100K $\Omega \pm 5\%$ 1/16W        |                   |
| 225       | 1650 5153 | Chip Resistor - 15K $\Omega \pm 5\%$ 1/16W         |                   |
| 226       | 1650 5220 | Resistor - 22 $\Omega \pm 5\%$ 1/16W               |                   |
| 227       | 1650 5221 | Chip Resistor - 220 $\Omega \pm 5\%$ 1/16W         |                   |
| 228       | 1650 5222 | Resistor - 2.2K $\Omega \pm 5\%$ 1/16W             |                   |
| 229       | 1650 5303 | Chip Resistor 30K $\Omega \pm 5\%$ 1/16W           |                   |
| 230       | 1650 5330 | Chip Resistor - 33 $\Omega \pm 5\%$ 1/16W          |                   |
| 231       | 1650 5332 | Resistor - 3.3K $\Omega \pm 5\%$ 1/16W             |                   |
| 232       | 1650 5470 | Chip Resistor 47 $\Omega \pm 5\%$ 1/16W            |                   |
| 233       | 1650 5471 | Chip Resistor - 470 $\Omega \pm 5\%$ 1/16W         |                   |
| 234       | 1650 5472 | Chip Resistor:4.7K $\Omega \pm 5\%$ :1/16W         |                   |
| 235       | 1650 5560 | Chip Resistor 56 $\Omega \pm 5\%$ 1/16W            |                   |
| 236       | 1650 5680 | Resistor - 68 $\Omega \pm 5\%$ 1/16W               |                   |
| 237       | 1650 5751 | Resistor:750 $\Omega \pm 5\%$ :1/16W:1005          |                   |
| 238       | 1654 1001 | Resistor - 1K $\Omega \pm 1\%$ 1/10W               |                   |
| 239       | 1654 1002 | Resistor - 10K $\Omega \pm 5\%$ 1/10W              |                   |
| 240       | 1654 1301 | Chip Resistor:1.3K $\Omega$ :1/10W                 |                   |

| Index No. | Part No.  | Description                                 | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------------|-------------------|
| 241       | 1654 2200 | Resistor:220 $\Omega \pm 1\%$ :1/10W:1608   |                   |
| 242       | 1654 4300 | Resistor - 430 $\Omega \pm 1\%$ 1/10W       |                   |
| 243       | 1654 6800 | Resistor - 680 $\Omega \pm 1\%$ 1/10W       |                   |
| 244       | 1655 0000 | Chip Resistor - 0 $\Omega \pm 0\%$ 1/16W    |                   |
| 245       | 1655 1000 | Chip Resistor:100 $\Omega \pm 1\%$ :1/16W   |                   |
| 246       | 1655 1003 | Chip Resistor - 100K $\Omega \pm 1\%$ 1/16W |                   |
| 247       | 1655 1201 | Resistor - 1.2K $\Omega \pm 1\%$ 1/16W      |                   |
| 248       | 1655 1202 | Resistor:12K $\Omega \pm 1\%$ :1/16W:1005   |                   |
| 249       | 1655 1802 | Resistor:18K $\Omega \pm 1\%$ :1/16W:1005   |                   |
| 250       | 1655 2400 | Resistor:240 $\Omega \pm 1\%$ :1/16W:1005   |                   |
| 251       | 1655 2402 | Resistor - 24K $\Omega \pm 1\%$ 1/16W       |                   |
| 252       | 1655 3001 | Resistor:3K $\Omega \pm 1\%$ :1/16W:1005    |                   |
| 253       | 1655 3002 | Chip Resistor - 30K $\Omega \pm 1\%$ 1/16W  |                   |
| 254       | 1655 4222 | Resistor:42.2K $\Omega \pm 1\%$ :1/16W:1005 |                   |
| 255       | 1655 4701 | Chip Resistor - 4.7K $\Omega \pm 1\%$ 1/16W |                   |
| 256       | 1655 5902 | Resistor:59K $\Omega \pm 1\%$ :1/16W:1005   |                   |
| 257       | 1655 6202 | Chip Resistor - 62K $\Omega \pm 1\%$ 1/16W  |                   |
| 258       | 1655 8452 | Resistor:84.5K $\Omega \pm 1\%$ :1/16W:1005 |                   |
| 259       | 1660 2101 | Capacitor - 100pF - $\pm 10\%$ - 50V        |                   |
| 260       | 1660 2680 | Capacitor - 68pF $\pm 5\%$ 50V              |                   |

## 88.Control Board (D014/D015)

### BAT

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| BAT1          | 120          |

### CAPACITOR

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C1            | 209          |
| C2            | 226          |
| C3            | 217          |
| ---           | ---          |
| C5            | 209          |
| ---           | ---          |
| C7            | 209          |
| ---           | ---          |
| C9            | 217          |
| C10           | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C11           | 209          |
| C12           | 226          |
| C13           | 206          |
| C14           | 209          |
| C15           | 209          |
| ---           | ---          |
| C16           | 217          |
| C17           | 209          |
| C18           | 203          |
| C19           | 209          |
| C20           | 209          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C21           | 209          |
| C22           | 226          |
| C23           | 226          |
| C24           | 209          |
| C25           | 230          |
| ---           | ---          |
| C26           | 230          |
| C27           | 209          |
| C28           | 209          |
| C29           | 209          |
| ---           | ---          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| ---           | ---          |
| C32           | 207          |
| C33           | 217          |
| C34           | 209          |
| C35           | 226          |
| ---           | ---          |
| C36           | 224          |
| C37           | 211          |
| C38           | 226          |
| C39           | 226          |
| C40           | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C41           | 226          |
| C42           | 217          |
| C43           | 209          |
| C44           | 209          |
| ---           | ---          |
| ---           | ---          |
| C46           | 226          |
| C47           | 217          |
| C48           | 226          |
| C49           | 209          |
| ---           | ---          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C51           | 217          |
| C52           | 224          |
| C53           | 203          |
| C54           | 209          |
| ---           | ---          |
| ---           | ---          |
| C56           | 226          |
| C57           | 226          |
| C58           | 223          |
| C59           | 226          |
| C60           | 226          |

### CAPACITOR

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C61           | 223          |
| C62           | 206          |
| C63           | 209          |
| C64           | 209          |
| C65           | 226          |
| ---           | ---          |
| C66           | 226          |
| C67           | 224          |
| C68           | 226          |
| C69           | 226          |
| C70           | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C71           | 209          |
| C72           | 224          |
| C73           | 209          |
| C74           | 226          |
| C75           | 226          |
| ---           | ---          |
| C76           | 209          |
| C77           | 209          |
| C78           | 226          |
| C79           | 209          |
| C80           | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C81           | 226          |
| C82           | 209          |
| C83           | 206          |
| C84           | 224          |
| C85           | 226          |
| ---           | ---          |
| C86           | 224          |
| C87           | 206          |
| C88           | 226          |
| C89           | 226          |
| C90           | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C91           | 210          |
| C92           | 209          |
| C93           | 209          |
| C94           | 226          |
| C95           | 202          |
| ---           | ---          |
| C97           | 209          |
| C98           | 224          |
| C99           | 209          |
| C100          | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C101          | 209          |
| C102          | 209          |
| C103          | 206          |
| C104          | 217          |
| C105          | 217          |
| ---           | ---          |
| C106          | 222          |
| C107          | 201          |
| C108          | 222          |
| C109          | 206          |
| C110          | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C111          | 217          |
| C112          | 217          |
| C113          | 226          |
| C114          | 226          |
| C115          | 217          |
| ---           | ---          |
| C116          | 222          |
| C117          | 222          |
| C118          | 224          |
| C119          | 209          |
| C120          | 226          |

| SYMBOL<br>NO. | INDEX<br>NO. |
|---------------|--------------|
| C121          | 217          |
| ---           | ---          |
| C123          | 226          |
| C124          | 224          |
| C125          | 209          |
| ---           | ---          |
| C126          | 228          |
| C127          | 213          |
| C128          | 229          |
| C129          | 206          |
| C130          | 206          |

## 88.Control Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| ---        | ---       | C141       | 226       | C151       | 217       | C161       | 200       | C171       | 226       | C181       | 212       | C191       | 226       |
| C132       | 217       | C142       | 226       | C152       | 209       | C162       | 200       | C172       | 226       | C182       | 224       | C192       | 209       |
| ---        | ---       | C143       | 209       | C153       | 226       | C163       | 226       | C173       | 226       | ---        | ---       | C193       | 211       |
| C134       | 209       | C144       | 226       | ---        | ---       | C164       | 228       | C174       | 206       | C184       | 226       | C194       | 224       |
| ---        | ---       | ---        | ---       | ---        | ---       | C165       | 226       | ---        | ---       | C185       | 209       | C195       | 226       |
| C136       | 217       | C146       | 209       | ---        | ---       | ---        | ---       | C176       | 226       | C186       | 217       | ---        | ---       |
| ---        | ---       | C147       | 215       | ---        | ---       | ---        | ---       | ---        | ---       | C187       | 226       | ---        | ---       |
| ---        | ---       | C148       | 209       | C158       | 226       | ---        | ---       | C178       | 212       | C188       | 226       | C198       | 226       |
| ---        | ---       | C149       | 228       | C159       | 226       | ---        | ---       | C179       | 212       | C189       | 226       | C199       | 209       |
| C140       | 226       | C150       | 217       | C160       | 226       | C170       | 226       | C180       | 212       | C190       | 226       | C200       | 199       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C201       | 199       | C211       | 206       | C221       | 226       | ---        | ---       | C241       | 212       | C251       | 212       | C261       | 197       |
| C202       | 217       | C212       | 226       | C222       | 212       | C232       | 209       | ---        | ---       | C252       | 212       | C262       | 197       |
| C203       | 226       | C213       | 226       | C223       | 226       | C233       | 226       | C243       | 226       | C253       | 212       | C263       | 197       |
| C204       | 226       | C214       | 226       | ---        | ---       | C234       | 226       | C244       | 226       | C254       | 220       | C264       | 197       |
| C205       | 209       | C215       | 206       | C225       | 226       | C235       | 226       | C245       | 226       | C255       | 226       | C265       | 197       |
| C206       | 209       | ---        | ---       | C226       | 209       | C236       | 203       | C246       | 226       | C256       | 220       | C266       | 197       |
| C207       | 207       | C217       | 217       | C227       | 225       | C237       | 225       | C247       | 226       | ---        | ---       | C267       | 197       |
| C208       | 226       | C218       | 209       | C228       | 228       | C238       | 209       | C248       | 226       | C258       | 226       | C268       | 217       |
| C209       | 207       | C219       | 226       | C229       | 228       | C239       | 226       | C249       | 221       | C259       | 206       | C269       | 226       |
| ---        | ---       | C220       | 219       | C230       | 223       | C240       | 223       | C250       | 221       | C260       | 197       | ---        | ---       |

## 88.Control Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C271       | 205       | C281       | 206       | C291       | 225       | C301       | 226       | C311       | 226       | C321       | 226       | C331       | 209       |
| C272       | 203       | C282       | 230       | C292       | 205       | C302       | 225       | C312       | 221       | C322       | 224       | C332       | 226       |
| C273       | 223       | C283       | 214       | C293       | 206       | C303       | 205       | C313       | 221       | C323       | 226       | C333       | 226       |
| C274       | 206       | C284       | 209       | C294       | 226       | C304       | 218       | C314       | 200       | C324       | 226       | C334       | 226       |
| C275       | 226       | C285       | 218       | C295       | 223       | C305       | 230       | C315       | 200       | C325       | 209       | C335       | 226       |
| C276       | 215       | ---        | ---       | C296       | 224       | C306       | 209       | C316       | 226       | C326       | 204       | C336       | 204       |
| C277       | 226       | C287       | 209       | C297       | 219       | C307       | 209       | C317       | 226       | C327       | 206       | C337       | 209       |
| C278       | 225       | ---        | ---       | ---        | ---       | C308       | 205       | C318       | 226       | C328       | 226       | C338       | 226       |
| C279       | 205       | C289       | 226       | C299       | 209       | C309       | 206       | C319       | 226       | C329       | 206       | C339       | 230       |
| C280       | 226       | C290       | 209       | C300       | 226       | C310       | 226       | C320       | 226       | C330       | 223       | C340       | 226       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C341       | 226       | C351       | 205       | C361       | 206       | C371       | 226       | C381       | 217       | C391       | 217       | C401       | 209       |
| C342       | 226       | C352       | 206       | C362       | 226       | C372       | 209       | C382       | 209       | C392       | 226       | C402       | 217       |
| C343       | 226       | C353       | 225       | C363       | 222       | C373       | 206       | C383       | 217       | C393       | 217       | C403       | 226       |
| C344       | 226       | C354       | 209       | C364       | 217       | C374       | 226       | C384       | 217       | C394       | 217       | C404       | 217       |
| C345       | 226       | C355       | 226       | C365       | 209       | C375       | 203       | C385       | 209       | C395       | 209       | C405       | 217       |
| C346       | 209       | C356       | 217       | C366       | 226       | C376       | 226       | C386       | 209       | C396       | 226       | C406       | 226       |
| C347       | 209       | C357       | 226       | C367       | 226       | C377       | 203       | C387       | 226       | C397       | 226       | C407       | 226       |
| C348       | 226       | C358       | 226       | C368       | 209       | C378       | 217       | C388       | 217       | C398       | 209       | C408       | 226       |
| C349       | 223       | C359       | 222       | C369       | 209       | C379       | 226       | C389       | 226       | C399       | 217       | C409       | 209       |
| C350       | 223       | C360       | 209       | C370       | 226       | C380       | 209       | C390       | 209       | C400       | 226       | C410       | 209       |

## 88.Control Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C411       | 209       | C421       | 213       | C431       | 209       | C441       | 222       | C451       | 216       | C461       | 217       | C471       | 209       |
| C412       | 226       | C422       | 217       | C432       | 209       | C442       | 226       | C452       | 217       | C462       | 217       | C472       | 226       |
| C413       | 226       | C423       | 226       | C433       | 226       | C443       | 226       | C453       | 226       | C463       | 217       | C473       | 217       |
| C414       | 216       | C424       | 226       | C434       | 226       | C444       | 226       | C454       | 226       | C464       | 217       | C474       | 226       |
| C415       | 207       | C425       | 217       | C435       | 217       | C445       | 217       | C455       | 216       | C465       | 226       | C475       | 226       |
| C416       | 229       | C426       | 209       | C436       | 217       | C446       | 227       | C456       | 198       | C466       | 226       | C476       | 226       |
| C417       | 226       | C427       | 209       | C437       | 226       | C447       | 209       | C457       | 217       | C467       | 217       | C477       | 226       |
| C418       | 217       | C428       | 222       | C438       | 217       | C448       | 226       | C458       | 226       | C468       | 198       | C478       | 226       |
| C419       | 217       | C429       | 209       | C439       | 226       | C449       | 226       | C459       | 217       | C469       | 226       | C479       | 226       |
| C420       | 216       | C430       | 226       | C440       | 209       | C450       | 209       | C460       | 217       | C470       | 226       | C480       | 226       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C481       | 226       | C491       | 206       | C501       | 226       | C511       | 217       | C521       | 226       | C531       | 226       | C541       | 228       |
| C482       | 226       | C492       | 224       | C502       | 226       | C512       | 226       | C522       | 226       | C532       | 226       | C542       | 226       |
| C483       | 226       | C493       | 217       | C503       | 226       | C513       | 226       | C523       | 226       | C533       | 226       | C543       | 209       |
| C484       | 209       | C494       | 226       | C504       | 226       | C514       | 226       | C524       | 226       | C534       | 226       | C544       | 228       |
| C485       | 206       | C495       | 226       | C505       | 226       | C515       | 226       | C525       | 209       | C535       | 226       | C545       | 226       |
| C486       | 226       | C496       | 226       | C506       | 226       | C516       | 217       | C526       | 226       | C536       | 226       | C546       | 226       |
| C487       | 226       | C497       | 226       | C507       | 206       | C517       | 209       | C527       | 226       | C537       | 226       | C547       | 226       |
| C488       | 226       | C498       | 226       | C508       | 206       | C518       | 209       | C528       | 226       | C538       | 209       | C548       | 226       |
| C489       | 209       | C499       | 226       | C509       | 226       | C519       | 209       | C529       | 226       | C539       | 226       | C549       | 226       |
| C490       | 226       | C500       | 209       | C510       | 226       | C520       | 226       | C530       | 226       | C540       | 226       | C550       | 226       |

## 88.Control Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C551       | 226       | C561       | 226       | C571       | 218       | C581       | 226       | C591       | 226       | C601       | 209       | C611       | 221       |
| C552       | 226       | C562       | 226       | C572       | 218       | C582       | 206       | C592       | 228       | C602       | 209       | C612       | 226       |
| C553       | 226       | C563       | 209       | C573       | 224       | C583       | 226       | C593       | 226       | C603       | 226       | C613       | 217       |
| C554       | 226       | C564       | 209       | C574       | 209       | C584       | 217       | C594       | 212       | C604       | 226       | C614       | 224       |
| C555       | 226       | C565       | 209       | C575       | 228       | C585       | 217       | C595       | 212       | C605       | 226       | C615       | 226       |
| C556       | 228       | C566       | 226       | C576       | 226       | C586       | 212       | C596       | 212       | C606       | 209       | C616       | 217       |
| C557       | 209       | C567       | 220       | ---        | ---       | C587       | 217       | C597       | 209       | C607       | 209       | C617       | 217       |
| C558       | 226       | C568       | 209       | ---        | ---       | C588       | 212       | C598       | 226       | C608       | 217       | C618       | 217       |
| C559       | 226       | C569       | 217       | ---        | ---       | C589       | 212       | C599       | 226       | C609       | 226       | C619       | 217       |
| C560       | 224       | C570       | 217       | ---        | ---       | C590       | 212       | C600       | 209       | C610       | 226       | C620       | 217       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C621       | 217       | C631       | 226       | C641       | 209       | C651       | 217       | C661       | 226       | C671       | 226       | C681       | 212       |
| C622       | 217       | C632       | 209       | C642       | 226       | C652       | 217       | C662       | 206       | C672       | 226       | C682       | 212       |
| C623       | 206       | C633       | 209       | C643       | 209       | C653       | 226       | C663       | 209       | C673       | 228       | C683       | 212       |
| C624       | 226       | C634       | 226       | C644       | 217       | C654       | 226       | C664       | 226       | C674       | 226       | C684       | 212       |
| C625       | 226       | C635       | 226       | C645       | 224       | C655       | 226       | C665       | 226       | C675       | 217       | C685       | 212       |
| C626       | 226       | C636       | 209       | C646       | 217       | C656       | 226       | C666       | 209       | C676       | 217       | C686       | 212       |
| C627       | 206       | C637       | 217       | C647       | 217       | C657       | 226       | C667       | 206       | C677       | 226       | C687       | 212       |
| C628       | 217       | C638       | 228       | C648       | 217       | C658       | 209       | C668       | 226       | C678       | 226       | ---        | ---       |
| C629       | 217       | C639       | 226       | C649       | 217       | C659       | 226       | C669       | 226       | C679       | 212       | C689       | 226       |
| C630       | 226       | C640       | 226       | C650       | 217       | C660       | 217       | ---        | ---       | C680       | 212       | C690       | 221       |

## 88.Control Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C691       | 217       | C701       | 217       | C711       | 217       | C721       | 226       | C731       | 209       | C741       | 226       | C751       | 209       |
| C692       | 226       | C702       | 217       | C712       | 217       | C722       | 206       | C732       | 209       | C742       | 226       | C752       | 209       |
| C693       | 226       | C703       | 228       | C713       | 217       | C723       | 209       | C733       | 209       | C743       | 226       | C753       | 223       |
| C694       | 209       | C704       | 217       | C714       | 206       | C724       | 217       | C734       | 226       | C744       | 226       | C754       | 226       |
| C695       | 206       | C705       | 217       | C715       | 217       | C725       | 217       | C735       | 226       | C745       | 226       | C755       | 209       |
| C696       | 206       | C706       | 217       | C716       | 209       | C726       | 209       | C736       | 226       | C746       | 226       | C756       | 209       |
| C697       | 206       | C707       | 217       | C717       | 206       | C727       | 226       | C737       | 226       | C747       | 226       | C757       | 208       |
| C698       | 206       | C708       | 217       | C718       | 209       | C728       | 209       | C738       | 226       | C748       | 226       | C758       | 224       |
| C699       | 226       | C709       | 217       | C719       | 226       | C729       | 209       | C739       | 226       | C749       | 217       | C759       | 226       |
| C700       | 226       | C710       | 217       | C720       | 206       | C730       | 206       | C740       | 226       | C750       | 209       | C760       | 212       |

### CAPACITOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| C761       | 225       | C771       | 209       | C781       | 228       | C791       | 226       | C801       | 206       | C811       | 226       | C821       | 208       |
| C762       | 209       | C772       | 212       | ---        | ---       | C792       | 212       | C802       | 206       | C812       | 224       | C822       | 226       |
| C763       | 209       | C773       | 228       | C783       | 217       | C793       | 212       | C803       | 226       | C813       | 223       | C823       | 226       |
| C764       | 208       | C774       | 226       | C784       | 212       | C794       | 226       | C804       | 226       | C814       | 226       | C824       | 226       |
| C765       | 226       | C775       | 209       | C785       | 209       | C795       | 226       | C805       | 226       | C815       | 226       | C825       | 226       |
| C766       | 209       | C776       | 217       | C786       | 226       | C796       | 226       | C806       | 226       | C816       | 226       | C826       | 226       |
| C767       | 209       | C777       | 212       | C787       | 226       | C797       | 226       | C807       | 223       | C817       | 226       | C827       | 226       |
| C768       | 209       | C778       | 226       | C788       | 226       | C798       | 226       | C808       | 209       | C818       | 209       | C828       | 226       |
| C769       | 224       | C779       | 212       | C789       | 228       | C799       | 223       | C809       | 209       | C819       | 226       | C829       | 226       |
| C770       | 209       | C780       | 217       | C790       | 209       | C800       | 206       | C810       | 226       | C820       | 225       | C830       | 226       |

## 88.Control Board (D014/D015)

### CAPACITOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| C831       | 226       |
| C832       | 226       |
| C833       | 226       |
| C834       | 226       |
| C835       | 226       |
|            |           |
| C836       | 206       |
| C837       | 225       |
| C838       | 209       |
| ---        | ---       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| C842       | 218       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
|            |           |
| C846       | 206       |
| C847       | 209       |
| C848       | 226       |
| C849       | 217       |
| C850       | 217       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| C851       | 217       |
| C852       | 209       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
|            |           |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
| ---        | ---       |
|            |           |
| ---        | ---       |
| C917       | 226       |
| C918       | 226       |
| C919       | 217       |
| C920       | 209       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| C921       | 212       |

### CONNECTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| CN2        | 112       |
| ---        | ---       |
| ---        | ---       |
| CN5        | 107       |
|            |           |
| CN6        | 111       |
| ---        | ---       |
| CN8        | 103       |
| CN9        | 116       |
| CN10       | 114       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| CN11       | 109       |
| CN12       | 106       |
| CN13       | 106       |
| CN14       | 112       |
| CN15       | 108       |
|            |           |
| CN16       | 108       |
| CN17       | 110       |
| CN18       | 110       |
| ---        | ---       |
| ---        | ---       |

### CONNECTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| CN21       | 101       |
| CN22       | 104       |
| CN23       | 102       |
| ---        | ---       |
| ---        | ---       |
|            |           |
| ---        | ---       |
| CN27       | 103       |
| ---        | ---       |
| ---        | ---       |
| CN30       | 115       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| CN31       | 113       |
| CN32       | 105       |

### DIODE

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D1         | 137       |
| D2         | 136       |
| D3         | 134       |
| D4         | 135       |
| D5         | 136       |
|            |           |
| D6         | 136       |
| D7         | 133       |
| D8         | 136       |
| ---        | ---       |
| D10        | 137       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D11        | 133       |
| ---        | ---       |
| D13        | 136       |
| D14        | 136       |
| D15        | 136       |
|            |           |
| D16        | 136       |
| D17        | 135       |
| D18        | 135       |
| D19        | 137       |
| D20        | 136       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| D21        | 133       |
| D22        | 136       |

### FIL

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| ---        | ---       |
| FIL3       | 236       |
| FIL4       | 234       |
| FIL5       | 231       |
|            |           |
| FIL6       | 234       |
| FIL7       | 236       |
| FIL8       | 240       |
| FIL9       | 232       |
| FIL10      | 236       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FIL11      | 236       |
| FIL12      | 236       |
| FIL13      | 236       |
| FIL14      | 236       |
| FIL15      | 236       |
|            |           |
| ---        | ---       |
| FIL17      | 231       |
| FIL18      | 231       |
| ---        | ---       |
| FIL20      | 233       |

## 88.Control Board (D014/D015)

### FIL

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FIL21      | 233       |
| FIL22      | 233       |
| FIL23      | 233       |
| FIL24      | 232       |

### IC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| FU1        | 118       |
| FU2        | 117       |
| FU3        | 118       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC1        | 155       |
| IC2        | 163       |
| IC3        | 163       |
| IC4        | 143       |
| IC5        | 163       |
| IC6        | 163       |
| IC7        | 142       |
| ---        | ---       |
| IC9        | 188       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC11       | 163       |
| IC12       | 174       |
| ---        | ---       |
| IC14       | 152       |
| IC15       | 188       |
| IC16       | 155       |
| ---        | ---       |
| IC18       | 146       |
| IC19       | 183       |
| IC20       | 141       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC21       | 187       |
| ---        | ---       |
| ---        | ---       |
| IC24       | 145       |
| IC25       | 144       |
| IC26       | 187       |
| IC27       | 168       |
| IC28       | 163       |
| IC29       | 179       |
| IC30       | 158       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC31       | 160       |
| IC32       | 171       |
| IC33       | 2         |
| IC34       | 165       |
| IC35       | 169       |
| IC36       | 155       |
| IC37       | 327       |
| IC38       | 167       |
| IC39       | 153       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC41       | 158       |
| IC42       | 162       |
| IC43       | 164       |
| IC44       | 159       |
| IC45       | 179       |
| IC46       | 181       |
| IC47       | 155       |
| IC48       | 175       |
| IC49       | 172       |
| IC50       | 161       |

### IC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC51       | 185       |
| IC52       | 150       |
| IC53       | 151       |
| IC54       | 163       |
| ---        | ---       |
| IC56       | 170       |
| ---        | ---       |
| IC58       | 177       |
| IC59       | 328       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| IC62       | 142       |
| ---        | ---       |
| IC64       | 180       |
| IC65       | 173       |
| IC66       | 157       |
| IC67       | 158       |
| IC68       | 155       |
| ---        | ---       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| IC72       | 182       |
| IC73       | 158       |
| IC74       | 163       |
| IC75       | 151       |
| IC76       | 158       |
| IC77       | 151       |
| IC78       | 158       |
| IC79       | 147       |
| IC80       | 148       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC81       | 163       |
| IC82       | 148       |
| IC83       | 163       |
| IC84       | 144       |
| IC85       | 166       |
| IC86       | 155       |
| IC87       | 154       |
| IC88       | 178       |
| IC89       | 163       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC91       | 154       |
| IC92       | 177       |
| ---        | ---       |
| IC94       | 163       |
| IC95       | 146       |
| IC96       | 158       |
| IC97       | 156       |
| IC98       | 156       |
| IC99       | 143       |
| IC100      | 163       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| IC101      | 163       |
| IC102      | 149       |
| IC103      | 181       |

### L

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| L1         | 238       |
| L2         | 244       |
| L3         | 245       |
| L4         | 241       |
| L5         | 246       |
| L6         | 239       |
| L7         | 239       |
| L8         | 246       |
| L9         | 237       |
| L10        | 243       |

## 88.Control Board (D014/D015)

L

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| L11        | 242       |
| L12        | 243       |
| L13        | 238       |
| L14        | 238       |
| L15        | 238       |
| L16        | 242       |
| L17        | 235       |

LED

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| LED1       | 139       |
| LED2       | 139       |
| LED3       | 139       |
| LED4       | 139       |
| LED5       | 139       |
| LED6       | 139       |
| LED7       | 139       |
| LED8       | 139       |
| LED9       | 139       |
| LED10      | 138       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| LED11      | 140       |

MS

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| MS1        | 1         |
| MS2        | 1         |
| MS3        | 1         |
| MS4        | 1         |

OSC

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| OSC1       | 189       |
| OSC2       | 191       |
| OSC3       | 192       |
| ---        | ---       |
| OSC5       | 190       |
| OSC6       | 194       |
| OSC7       | 191       |
| OSC8       | 193       |

Q

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q1         | 122       |
| ---        | ---       |
| Q3         | 132       |
| ---        | ---       |
| Q5         | 123       |
| Q6         | 122       |
| Q7         | 123       |
| Q8         | 123       |
| Q9         | 123       |
| Q10        | 123       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q11        | 123       |
| Q12        | 123       |
| ---        | ---       |
| Q14        | 127       |
| Q15        | 123       |
| ---        | ---       |
| Q17        | 121       |
| Q18        | 132       |
| Q19        | 123       |
| Q20        | 129       |

Q

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q21        | 132       |
| Q22        | 122       |
| Q23        | 129       |
| Q24        | 122       |
| Q25        | 123       |
| ---        | ---       |
| Q27        | 131       |
| Q28        | 124       |
| Q29        | 123       |
| Q30        | 123       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q31        | 123       |
| Q32        | 123       |
| ---        | ---       |
| Q34        | 123       |
| ---        | ---       |
| Q36        | 125       |
| Q37        | 127       |
| Q38        | 130       |
| Q39        | 125       |
| Q40        | 123       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q41        | 123       |
| Q42        | 123       |
| Q43        | 123       |
| Q44        | 121       |
| Q45        | 123       |
| Q46        | 122       |
| Q47        | 123       |
| ---        | ---       |
| Q49        | 128       |
| Q50        | 128       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q51        | 122       |
| Q52        | 123       |
| Q53        | 123       |
| Q54        | 123       |
| Q55        | 123       |
| Q56        | 123       |
| Q57        | 123       |
| Q58        | 123       |
| Q59        | 123       |
| Q60        | 123       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q61        | 123       |
| Q62        | 123       |
| Q63        | 123       |
| Q64        | 123       |
| Q65        | 126       |
| Q66        | 123       |
| ---        | ---       |
| Q68        | 122       |
| Q69        | 123       |
| ---        | ---       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| Q71        | 123       |
| Q72        | 123       |

RESISTOR

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| ---        | ---       |
| R2         | 269       |
| R3         | 269       |
| ---        | ---       |
| R5         | 302       |
| R6         | 267       |
| R7         | 267       |
| R8         | 269       |
| R9         | 307       |
| R10        | 269       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R11        | 307       | R21        | 302       | R31        | 302       | R41        | 267       | R51        | 269       | R61        | 269       | ---        | ---       |
| R12        | 302       | R22        | 267       | R32        | 302       | R42        | 277       | R52        | 272       | R62        | 268       | R72        | 269       |
| R13        | 290       | R23        | 270       | R33        | 302       | R43        | 270       | R53        | 287       | R63        | 268       | R73        | 269       |
| R14        | 318       | R24        | 267       | R34        | 302       | R44        | 307       | R54        | 285       | R64        | 254       | ---        | ---       |
| R15        | 269       | R25        | 272       | R35        | 267       | R45        | 269       | R55        | 307       | R65        | 287       | R75        | 268       |
| R16        | 269       | R26        | 269       | R36        | 269       | R46        | 302       | R56        | 286       | R66        | 269       | R76        | 267       |
| R17        | 269       | R27        | 286       | R37        | 269       | R47        | 302       | R57        | 287       | R67        | 269       | R77        | 269       |
| R18        | 269       | ---        | ---       | R38        | 302       | R48        | 268       | R58        | 269       | R68        | 270       | R78        | 267       |
| R19        | 269       | R29        | 269       | R39        | 307       | R49        | 267       | R59        | 269       | R69        | 319       | R79        | 302       |
| R20        | 307       | R30        | 257       | R40        | 267       | R50        | 270       | R60        | 269       | R70        | 283       | R80        | 267       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R81        | 268       | R91        | 293       | R101       | 269       | R111       | 269       | R121       | 307       | R131       | 302       | R141       | 280       |
| R82        | 302       | R92        | 269       | R102       | 302       | R112       | 302       | R122       | 323       | R132       | 269       | R142       | 269       |
| R83        | 267       | R93        | 302       | R103       | 275       | R113       | 269       | R123       | 323       | R133       | 307       | R143       | 302       |
| R84        | 267       | R94        | 267       | R104       | 275       | R114       | 269       | R124       | 323       | R134       | 281       | R144       | 258       |
| R85        | 318       | R95        | 267       | R105       | 269       | R115       | 269       | R125       | 323       | R135       | 269       | R145       | 269       |
| R86        | 267       | R96        | 267       | R106       | 270       | R116       | 270       | R126       | 267       | R136       | 269       | R146       | 302       |
| R87        | 267       | R97        | 267       | R107       | 267       | R117       | 323       | R127       | 324       | R137       | 269       | R147       | 269       |
| ---        | ---       | R98        | 269       | R108       | 267       | R118       | 323       | R128       | 307       | R138       | 254       | R148       | 267       |
| R89        | 302       | R99        | 303       | R109       | 264       | R119       | 269       | R129       | 269       | R139       | 302       | R149       | 323       |
| R90        | 267       | R100       | 290       | R110       | 269       | R120       | 307       | R130       | 272       | R140       | 302       | R150       | 311       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R151       | 270       | R161       | 256       | ---        | ---       | ---        | ---       | R191       | 302       | R201       | 310       | R211       | 269       |
| R152       | 302       | R162       | 269       | R172       | 323       | R182       | 315       | R192       | 302       | R202       | 310       | R212       | 269       |
| R153       | 302       | R163       | 323       | R173       | 268       | R183       | 255       | R193       | 302       | R203       | 310       | R213       | 302       |
| R154       | 269       | R164       | 254       | R174       | 302       | R184       | 255       | R194       | 269       | R204       | 310       | R214       | 302       |
| ---        | ---       | R165       | 323       | R175       | 323       | R185       | 255       | R195       | 315       | R205       | 269       | R215       | 302       |
| ---        | ---       | R166       | 277       | ---        | ---       | R186       | 302       | R196       | 269       | R206       | 300       | R216       | 302       |
| R157       | 307       | R167       | 269       | R177       | 268       | R187       | 291       | R197       | 310       | R207       | 269       | R217       | 302       |
| R158       | 307       | R168       | 323       | ---        | ---       | R188       | 288       | R198       | 310       | R208       | 315       | R218       | 302       |
| R159       | 264       | R169       | 269       | R179       | 267       | R189       | 264       | R199       | 310       | R209       | 302       | R219       | 302       |
| R160       | 269       | R170       | 323       | ---        | ---       | R190       | 307       | R200       | 310       | R210       | 302       | R220       | 302       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R221       | 302       | R231       | 272       | R241       | 302       | R251       | 272       | R261       | 267       | R271       | 313       | R281       | 302       |
| R222       | 269       | R232       | 269       | R242       | 302       | R252       | 269       | R262       | 302       | R272       | 295       | R282       | 302       |
| R223       | 269       | R233       | 272       | R243       | 264       | R253       | 315       | R263       | 275       | R273       | 272       | R283       | 302       |
| R224       | 272       | ---        | ---       | R244       | 269       | R254       | 315       | R264       | 269       | R274       | 272       | R284       | 302       |
| R225       | 272       | R235       | 302       | R245       | 302       | R255       | 315       | R265       | 269       | R275       | 269       | R285       | 302       |
| R226       | 272       | R236       | 302       | R246       | 302       | R256       | 315       | R266       | 269       | R276       | 271       | R286       | 315       |
| R227       | 310       | R237       | 269       | R247       | 272       | R257       | 291       | R267       | 269       | R277       | 286       | R287       | 310       |
| R228       | 310       | R238       | 302       | R248       | 272       | ---        | ---       | R268       | 269       | R278       | 302       | R288       | 310       |
| R229       | 313       | R239       | 288       | R249       | 268       | R259       | 272       | ---        | ---       | R279       | 302       | R289       | 310       |
| R230       | 272       | R240       | 272       | R250       | 272       | R260       | 272       | ---        | ---       | R280       | 302       | R290       | 310       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R291       | 310       | R301       | 317       | R311       | 269       | R321       | 287       | ---        | ---       | R341       | 287       | R351       | 320       |
| R292       | 295       | R302       | 317       | R312       | 267       | R322       | 269       | R332       | 269       | R342       | 287       | R352       | 270       |
| R293       | 310       | R303       | 269       | ---        | ---       | ---        | ---       | R333       | 287       | R343       | 270       | R353       | 307       |
| R294       | 310       | R304       | 302       | R314       | 287       | R324       | 268       | R334       | 269       | R344       | 302       | R354       | 272       |
| R295       | 310       | R305       | 267       | R315       | 270       | R325       | 287       | R335       | 269       | R345       | 302       | R355       | 269       |
| R296       | 313       | R306       | 269       | ---        | ---       | R326       | 269       | R336       | 287       | R346       | 302       | R356       | 268       |
| R297       | 315       | R307       | 315       | R317       | 269       | R327       | 302       | R337       | 270       | R347       | 302       | R357       | 269       |
| R298       | 317       | R308       | 287       | R318       | 270       | R328       | 268       | R338       | 302       | R348       | 269       | R358       | 268       |
| R299       | 268       | R309       | 315       | R319       | 302       | R329       | 270       | R339       | 269       | R349       | 269       | R359       | 268       |
| R300       | 284       | R310       | 287       | ---        | ---       | R330       | 269       | R340       | 269       | ---        | ---       | R360       | 269       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R361       | 269       | R371       | 305       | R381       | 307       | ---        | ---       | R401       | 269       | R411       | 305       | R421       | 276       |
| R362       | 315       | R372       | 305       | R382       | 268       | R392       | 269       | R402       | 269       | R412       | 305       | R422       | 305       |
| R363       | 315       | R373       | 273       | R383       | 315       | R393       | 269       | R403       | 254       | R413       | 305       | R423       | 255       |
| R364       | 315       | R374       | 317       | R384       | 302       | R394       | 270       | R404       | 302       | ---        | ---       | R424       | 255       |
| R365       | 287       | R375       | 271       | R385       | 287       | R395       | 269       | ---        | ---       | R415       | 305       | R425       | 255       |
| R366       | 287       | ---        | ---       | R386       | 287       | R396       | 269       | R406       | 270       | R416       | 267       | R426       | 255       |
| R367       | 287       | R377       | 267       | R387       | 270       | R397       | 270       | R407       | 269       | ---        | ---       | R427       | 305       |
| R368       | 287       | R378       | 269       | R388       | 278       | ---        | ---       | R408       | 269       | R418       | 267       | R428       | 310       |
| ---        | ---       | ---        | ---       | R389       | 278       | R399       | 253       | R409       | 284       | R419       | 305       | R429       | 305       |
| R370       | 307       | R380       | 272       | ---        | ---       | R400       | 269       | R410       | 302       | R420       | 305       | R430       | 310       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R431       | 269       | R441       | 314       | R451       | 267       | ---        | ---       | R471       | 284       | R481       | 283       | ---        | ---       |
| R432       | 305       | R442       | 310       | R452       | 314       | ---        | ---       | R472       | 284       | R482       | 307       | R492       | 268       |
| R433       | 310       | R443       | 310       | R453       | 317       | R463       | 267       | R473       | 284       | R483       | 268       | R493       | 294       |
| R434       | 269       | R444       | 307       | R454       | 317       | R464       | 307       | R474       | 284       | R484       | 268       | R494       | 254       |
| R435       | 269       | R445       | 314       | R455       | 317       | R465       | 305       | R475       | 283       | R485       | 307       | ---        | ---       |
| R436       | 268       | ---        | ---       | R456       | 317       | R466       | 284       | R476       | 255       | R486       | 307       | R496       | 282       |
| ---        | ---       | R447       | 270       | R457       | 310       | ---        | ---       | R477       | 307       | R487       | 275       | R497       | 325       |
| R438       | 305       | R448       | 316       | ---        | ---       | R468       | 302       | R478       | 254       | R488       | 307       | R498       | 304       |
| R439       | 305       | R449       | 316       | ---        | ---       | ---        | ---       | R479       | 254       | R489       | 254       | R499       | 301       |
| R440       | 310       | R450       | 310       | ---        | ---       | R470       | 302       | R480       | 254       | R490       | 302       | R500       | 270       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R501       | 307       | R511       | 275       | R521       | 299       | R531       | 254       | R541       | 267       | R551       | 286       | R561       | 302       |
| R502       | 298       | R512       | 275       | R522       | 254       | R532       | 309       | R542       | 315       | R552       | 271       | R562       | 267       |
| R503       | 279       | R513       | 275       | R523       | 261       | R533       | 254       | ---        | ---       | ---        | ---       | R563       | 302       |
| R504       | 270       | R514       | 275       | ---        | ---       | R534       | 254       | R544       | 267       | ---        | ---       | R564       | 267       |
| R505       | 296       | R515       | 275       | R525       | 267       | R535       | 254       | R545       | 267       | ---        | ---       | R565       | 302       |
| R506       | 307       | R516       | 275       | ---        | ---       | R536       | 267       | R546       | 269       | ---        | ---       | R566       | 302       |
| R507       | 307       | R517       | 275       | ---        | ---       | ---        | ---       | R547       | 272       | R557       | 269       | R567       | 310       |
| R508       | 307       | R518       | 275       | R528       | 267       | R538       | 269       | R548       | 269       | R558       | 267       | R568       | 302       |
| R509       | 307       | R519       | 254       | ---        | ---       | R539       | 270       | R549       | 302       | R559       | 267       | R569       | 310       |
| R510       | 275       | R520       | 254       | ---        | ---       | R540       | 302       | R550       | 269       | R560       | 310       | R570       | 302       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| ---        | ---       | R581       | 269       | R591       | 310       | R601       | 310       | R611       | 302       | R621       | 302       | ---        | ---       |
| R572       | 267       | R582       | 310       | R592       | 302       | R602       | 255       | R612       | 269       | R622       | 302       | R632       | 302       |
| R573       | 267       | R583       | 302       | R593       | 267       | R603       | 302       | R613       | 302       | R623       | 302       | ---        | ---       |
| R574       | 268       | ---        | ---       | R594       | 302       | R604       | 310       | R614       | 269       | R624       | 269       | R634       | 286       |
| R575       | 302       | ---        | ---       | R595       | 268       | R605       | 302       | R615       | 269       | R625       | 319       | ---        | ---       |
| R576       | 267       | R586       | 269       | R596       | 269       | R606       | 302       | R616       | 302       | ---        | ---       | R636       | 268       |
| R577       | 267       | R587       | 269       | ---        | ---       | R607       | 310       | R617       | 302       | ---        | ---       | R637       | 307       |
| R578       | 302       | R588       | 267       | R598       | 269       | ---        | ---       | ---        | ---       | R628       | 270       | R638       | 269       |
| R579       | 267       | R589       | 308       | R599       | 269       | ---        | ---       | R619       | 267       | R629       | 269       | R639       | 307       |
| R580       | 269       | R590       | 302       | R600       | 302       | R610       | 302       | R620       | 267       | R630       | 311       | ---        | ---       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R641       | 286       | R651       | 266       | ---        | ---       | R671       | 269       | R681       | 267       | R691       | 267       | R701       | 267       |
| R642       | 286       | ---        | ---       | R662       | 267       | R672       | 269       | R682       | 267       | R692       | 267       | R702       | 267       |
| R643       | 302       | R653       | 267       | R663       | 267       | R673       | 269       | ---        | ---       | R693       | 274       | R703       | 267       |
| R644       | 286       | R654       | 272       | R664       | 302       | R674       | 302       | R684       | 267       | R694       | 304       | R704       | 269       |
| R645       | 270       | R655       | 267       | R665       | 302       | R675       | 269       | R685       | 267       | R695       | 271       | ---        | ---       |
| R646       | 254       | R656       | 302       | R666       | 267       | R676       | 267       | R686       | 268       | R696       | 268       | R706       | 269       |
| R647       | 298       | R657       | 269       | R667       | 269       | R677       | 267       | R687       | 269       | R697       | 297       | R707       | 269       |
| R648       | 326       | R658       | 267       | R668       | 302       | R678       | 269       | ---        | ---       | R698       | 315       | R708       | 269       |
| R649       | 267       | R659       | 277       | R669       | 269       | R679       | 269       | R689       | 269       | R699       | 269       | R709       | 267       |
| ---        | ---       | ---        | ---       | R670       | 269       | R680       | 302       | R690       | 302       | R700       | 269       | R710       | 269       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| ---        | ---       | R721       | 268       | R731       | 269       | R741       | 323       | R750       | 267       | R761       | 269       | R771       | 323       |
| R712       | 315       | R722       | 269       | R732       | 323       | R742       | 269       | R752       | 315       | R762       | 269       | R772       | 269       |
| R713       | 267       | R723       | 269       | R733       | 323       | ---        | ---       | R753       | 312       | ---        | ---       | R773       | 269       |
| R714       | 285       | R724       | 269       | R734       | 323       | ---        | ---       | R754       | 312       | R764       | 269       | R774       | 269       |
| R715       | 321       | R725       | 269       | R735       | 314       | R745       | 269       | R755       | 312       | R765       | 307       | R775       | 269       |
| R716       | 315       | ---        | ---       | R736       | 291       | R746       | 289       | R756       | 312       | R766       | 323       | R776       | 268       |
| R717       | 267       | ---        | ---       | R737       | 323       | R747       | 255       | R757       | 312       | R767       | 323       | R777       | 283       |
| R718       | 269       | R728       | 269       | ---        | ---       | R748       | 315       | R758       | 312       | R768       | 269       | R778       | 263       |
| R719       | 269       | R729       | 268       | R739       | 314       | ---        | ---       | R759       | 312       | R769       | 269       | R779       | 269       |
| R720       | 269       | R730       | 268       | R740       | 323       | ---        | ---       | R760       | 312       | ---        | ---       | R780       | 302       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R781       | 307       | R791       | 269       | R801       | 307       | R811       | 287       | R821       | 302       | R831       | 315       | R841       | 269       |
| R782       | 264       | R792       | 313       | R802       | 302       | R812       | 287       | R822       | 302       | R832       | 315       | R842       | 291       |
| R783       | 323       | R793       | 268       | R803       | 268       | R813       | 287       | R823       | 302       | R833       | 315       | R843       | 302       |
| R784       | 323       | R794       | 268       | R804       | 302       | R814       | 287       | R824       | 302       | R834       | 315       | R844       | 269       |
| R785       | 269       | R795       | 269       | R805       | 267       | R815       | 287       | R825       | 302       | ---        | ---       | ---        | ---       |
| R786       | 269       | R796       | 262       | R806       | 268       | R816       | 287       | R826       | 269       | R836       | 264       | R846       | 302       |
| R787       | 269       | R797       | 268       | R807       | 302       | R817       | 287       | R827       | 302       | R837       | 283       | R847       | 257       |
| R788       | 323       | R798       | 268       | R808       | 262       | R818       | 287       | R828       | 302       | ---        | ---       | R848       | 315       |
| ---        | ---       | ---        | ---       | R809       | 264       | R819       | 287       | R829       | 307       | R839       | 269       | R849       | 269       |
| ---        | ---       | R800       | 268       | R810       | 287       | R820       | 287       | ---        | ---       | R840       | 269       | ---        | ---       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R851       | 267       | R861       | 272       | R871       | 308       | R881       | 262       | ---        | ---       | R901       | 268       | R911       | 315       |
| R852       | 302       | R862       | 269       | R872       | 285       | ---        | ---       | R892       | 269       | R902       | 268       | R912       | 315       |
| R853       | 269       | ---        | ---       | R873       | 275       | R883       | 315       | R893       | 269       | R903       | 268       | R913       | 315       |
| R854       | 254       | R864       | 269       | R874       | 269       | R884       | 302       | R894       | 307       | R904       | 306       | R914       | 315       |
| R855       | 302       | R865       | 269       | R875       | 285       | R885       | 269       | R895       | 302       | R905       | 306       | ---        | ---       |
| R856       | 302       | R866       | 272       | R876       | 269       | ---        | ---       | ---        | ---       | R906       | 322       | ---        | ---       |
| R857       | 256       | R867       | 269       | R877       | 269       | R887       | 307       | R897       | 307       | ---        | ---       | R917       | 269       |
| R858       | 257       | R868       | 269       | R878       | 315       | ---        | ---       | R898       | 269       | R908       | 307       | R918       | 302       |
| R859       | 272       | R869       | 317       | ---        | ---       | R889       | 269       | R899       | 268       | R909       | 302       | R919       | 269       |
| R860       | 254       | R870       | 317       | R880       | 269       | ---        | ---       | R900       | 268       | R910       | 269       | R920       | 269       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R921       | 269       | R931       | 302       | ---        | ---       | R951       | 269       | R961       | 269       | R971       | 315       | R981       | 269       |
| R922       | 302       | R932       | 251       | ---        | ---       | ---        | ---       | R962       | 287       | R972       | 312       | ---        | ---       |
| R923       | 269       | R933       | 270       | R943       | 315       | ---        | ---       | R963       | 269       | R973       | 267       | R983       | 287       |
| R924       | 307       | R934       | 270       | R944       | 322       | R954       | 267       | R964       | 269       | R974       | 268       | R984       | 269       |
| R925       | 307       | R935       | 307       | R945       | 267       | R955       | 269       | R965       | 268       | R975       | 269       | R985       | 267       |
| R926       | 269       | R936       | 317       | R946       | 269       | R956       | 287       | R966       | 312       | ---        | ---       | ---        | ---       |
| R927       | 302       | ---        | ---       | R947       | 307       | R957       | 269       | R967       | 267       | R977       | 287       | R987       | 307       |
| R928       | 267       | R938       | 307       | R948       | 269       | R958       | 267       | R968       | 268       | R978       | 270       | R988       | 269       |
| ---        | ---       | R939       | 302       | R949       | 269       | R959       | 267       | ---        | ---       | R979       | 315       | R989       | 267       |
| ---        | ---       | R940       | 269       | R950       | 267       | R960       | 269       | R970       | 307       | R980       | 267       | R990       | 267       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R991       | 267       | R1001      | 315       | R1011      | 315       | R1021      | 315       | R1031      | 269       | R1041      | 302       | R1051      | 287       |
| R992       | 267       | R1002      | 315       | R1012      | 315       | R1022      | 315       | R1032      | 307       | R1042      | 302       | R1052      | 270       |
| R993       | 287       | R1003      | 315       | R1013      | 315       | R1023      | 315       | R1033      | 315       | R1043      | 302       | R1053      | 269       |
| R994       | 269       | R1004      | 315       | R1014      | 315       | R1024      | 315       | R1034      | 269       | R1044      | 302       | R1054      | 287       |
| R995       | 267       | R1005      | 315       | R1015      | 315       | R1025      | 315       | R1035      | 287       | R1045      | 302       | R1055      | 267       |
| R996       | 267       | R1006      | 315       | R1016      | 315       | R1026      | 315       | R1036      | 287       | R1046      | 302       | R1056      | 269       |
| R997       | 267       | R1007      | 315       | R1017      | 315       | R1027      | 269       | R1037      | 287       | R1047      | 272       | R1057      | 269       |
| R998       | 287       | R1008      | 315       | R1018      | 315       | R1028      | 272       | R1038      | 302       | R1048      | 302       | R1058      | 269       |
| R999       | 270       | R1009      | 315       | R1019      | 315       | R1029      | 269       | R1039      | 302       | R1049      | 302       | R1059      | 270       |
| R1000      | 272       | R1010      | 315       | R1020      | 315       | R1030      | 302       | R1040      | 302       | R1050      | 270       | R1060      | 269       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R1061      | 269       | R1071      | 269       | R1081      | 268       | R1091      | 268       | R1101      | 284       | R1111      | 302       | R1121      | 302       |
| R1062      | 270       | ---        | ---       | R1082      | 268       | R1092      | 307       | R1102      | 268       | R1112      | 302       | R1122      | 302       |
| R1063      | 269       | R1073      | 269       | R1083      | 269       | R1093      | 305       | R1103      | 307       | R1113      | 302       | R1123      | 268       |
| R1064      | 269       | R1074      | 315       | ---        | ---       | R1094      | 305       | R1104      | 314       | R1114      | 302       | R1124      | 302       |
| R1065      | 269       | R1075      | 314       | R1085      | 302       | R1095      | 305       | R1105      | 268       | ---        | ---       | R1125      | 269       |
| R1066      | 307       | R1076      | 284       | R1086      | 284       | R1096      | 284       | R1106      | 269       | R1116      | 264       | R1126      | 284       |
| R1067      | 269       | R1077      | 284       | R1087      | 323       | R1097      | 284       | R1107      | 315       | R1117      | 264       | R1127      | 269       |
| R1068      | 315       | ---        | ---       | ---        | ---       | R1098      | 307       | ---        | ---       | R1118      | 302       | ---        | ---       |
| R1069      | 272       | R1079      | 269       | ---        | ---       | R1099      | 267       | R1109      | 284       | R1119      | 302       | R1129      | 315       |
| R1070      | 269       | R1080      | 272       | R1090      | 254       | R1100      | 269       | R1110      | 264       | R1120      | 302       | R1130      | 269       |

## 88.Control Board (D014/D015)

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R1131      | 307       | R1141      | 284       | R1151      | 315       | R1161      | 315       | R1171      | 292       | ---        | ---       | R1191      | 307       |
| ---        | ---       | R1142      | 284       | R1152      | 315       | R1162      | 315       | R1172      | 307       | ---        | ---       | R1192      | 307       |
| R1133      | 307       | R1143      | 315       | R1153      | 315       | R1163      | 315       | R1173      | 284       | R1183      | 267       | R1193      | 307       |
| R1134      | 284       | R1144      | 315       | R1154      | 315       | ---        | ---       | R1174      | 284       | ---        | ---       | ---        | ---       |
| R1135      | 284       | R1145      | 315       | R1155      | 315       | R1165      | 315       | R1175      | 292       | ---        | ---       | R1195      | 270       |
| R1136      | 305       | R1146      | 315       | R1156      | 315       | R1166      | 315       | ---        | ---       | R1186      | 267       | R1196      | 307       |
| R1137      | 284       | R1147      | 315       | R1157      | 315       | R1167      | 315       | R1177      | 259       | ---        | ---       | R1197      | 260       |
| ---        | ---       | R1148      | 315       | R1158      | 315       | R1168      | 315       | R1178      | 285       | R1188      | 267       | R1198      | 264       |
| ---        | ---       | R1149      | 315       | R1159      | 315       | R1169      | 315       | R1179      | 302       | R1189      | 307       | R1199      | 255       |
| R1140      | 284       | R1150      | 315       | R1160      | 315       | R1170      | 252       | R1180      | 307       | R1190      | 307       | R1200      | 269       |

### RESISTOR

| SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. | SYMBOL NO. | INDEX NO. |
|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|-----------|
| R1201      | 269       | R1211      | 302       | R1221      | 307       | ---        | ---       | ---        | ---       | R1251      | 255       | REG1       | 184       |
| R1202      | 269       | R1212      | 302       | R1222      | 314       | R1232      | 254       | R1242      | 272       | R1252      | 255       | REG2       | 186       |
| R1203      | 269       | R1213      | 302       | R1223      | 314       | R1233      | 272       | ---        | ---       | R1253      | 302       | REG3       | 176       |
| ---        | ---       | R1214      | 302       | R1224      | 314       | ---        | ---       | ---        | ---       |            |           |            |           |
| ---        | ---       | R1215      | 302       | R1225      | 302       | ---        | ---       | R1245      | 254       |            |           |            |           |
| R1206      | 267       | R1216      | 302       | ---        | ---       | ---        | ---       | R1246      | 254       |            |           |            |           |
| ---        | ---       | ---        | ---       | ---        | ---       | ---        | ---       | R1247      | 269       |            |           |            |           |
| ---        | ---       | R1218      | 268       | R1228      | 302       | ---        | ---       | R1248      | 255       |            |           |            |           |
| ---        | ---       | R1219      | 270       | R1229      | 302       | ---        | ---       | ---        | ---       |            |           |            |           |
| ---        | ---       | R1220      | 307       | R1230      | 302       | ---        | ---       | ---        | ---       |            |           |            |           |

### REG

## 88.Control Board (D014/D015)

### RN

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN1        | 250       |
| RN2        | 250       |
| RN3        | 250       |
| RN4        | 250       |
| RN5        | 250       |
|            |           |
| RN6        | 250       |
| RN7        | 250       |
| RN8        | 250       |
| RN9        | 250       |
| RN10       | 196       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN11       | 196       |
| RN12       | 196       |
| RN13       | 196       |
| RN14       | 249       |
| RN15       | 196       |
|            |           |
| RN16       | 249       |
| RN17       | 249       |
| RN18       | 249       |
| RN19       | 249       |
| RN20       | 195       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN21       | 247       |
| RN22       | 195       |
| RN23       | 195       |
| RN24       | 195       |
| RN25       | 195       |
|            |           |
| RN26       | 195       |
| RN27       | 195       |
| RN28       | 195       |
| RN29       | 195       |
| RN30       | 195       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN31       | 195       |
| RN32       | 195       |
| RN33       | 195       |
| RN34       | 195       |
| RN35       | 195       |
|            |           |
| RN36       | 195       |
| RN37       | 195       |
| RN38       | 195       |
| RN39       | 195       |
| RN40       | 195       |

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| RN41       | 195       |
| RN42       | 195       |
| RN43       | 195       |
| RN44       | 195       |
| RN45       | 195       |
|            |           |
| RN46       | 249       |
| RN47       | 249       |
| RN48       | 249       |
| RN49       | 265       |
| RN50       | 248       |

### SW

| SYMBOL NO. | INDEX NO. |
|------------|-----------|
| SW1        | 119       |
| ---        | ---       |
| SW3        | 119       |

## 88.Control Board (D014/D015)

| Index No. | Part No.             | Description                          | Q'ty Per Assembly |
|-----------|----------------------|--------------------------------------|-------------------|
| *         | D014 5748            | PBC:Control Board:EX1:V-C2:Sub-Ass'y | 1                 |
|           | <del>D014 5738</del> | O/O (201005 PCIL)                    |                   |
|           | <del>D014 5734</del> | X/O MB34                             |                   |
|           | <del>D014 5714</del> | X/O MB28                             |                   |
| 1         | B132 5794            | Hook:Heat Sinker:MCH                 | 1                 |
| 2         | D014 5753            | Flash Memory:BIOS:EX1:V-C2           | 1                 |
| 3         | G178 6001            | PWB:CONT:EX1                         | 1                 |
| 4         | G178 6016            | Heat Sinker:EX1:PEN                  | 1                 |
| 5         | G178 6017            | Heat Sinker:EX1:GMCH                 | 1                 |

| Index No. | Part No.  | Description                      | Q'ty Per Assembly |
|-----------|-----------|----------------------------------|-------------------|
| 101       | 1102 5303 | Connector - 4P                   |                   |
| 102       | 1102 6295 | Connector - 2P                   |                   |
| 103       | 1102 7615 | Connector - B8B-XH-A             |                   |
| 104       | 1102 7635 | Connector:53398-0210             |                   |
| 105       | 1102 8028 | Connector - 4P                   |                   |
| 106       | 1102 9336 | Connector:FPS009-2300-0          |                   |
| 107       | 1102 9535 | Connector - 200PS-JUK-G-B        |                   |
| 108       | 1102 9686 | Connector - RHM-176P-SDK11-U1L1C |                   |
| 109       | 1102 9887 | Connector:52588-3090             |                   |
| 110       | 1103 3481 | Connector:67800-8005             |                   |
| 111       | 1103 3497 | Connector:87715-9002             |                   |
| 112       | 1103 3865 | Connector:29 6406 200 101 856+   |                   |
| 113       | 1103 3964 | Connector:WB4P140HA1             |                   |
| 114       | 1103 3965 | Connector:6605444-6              |                   |
| 115       | 1103 4137 | Connector:UAR64-8K5J00           |                   |
| 116       | 1103 4138 | Connector:UBR24-4K5J00           |                   |
| 117       | 1107 1095 | Fuse - SST 2                     |                   |
| 118       | 1109 0042 | Fuse:MINISMDC150F                |                   |
| 119       | 1204 2622 | FET:2SK1590                      |                   |
| 120       | 1206 0122 | Lithium Cell:CR2450/V1A          |                   |
| 121       | 1400 0714 | Transistor - 2SD1781KR           |                   |
| 122       | 1400 1248 | Transistor:2SC5342SF             |                   |
| 123       | 1401 0902 | FET:2SK1590                      |                   |
| 124       | 1401 1222 | FET:HAT2068R                     |                   |
| 125       | 1401 1234 | FET - SSM3J02T                   |                   |
| 126       | 1401 1235 | FET:HAT2071R                     |                   |
| 127       | 1401 1296 | FET:TPC8115                      |                   |
| 128       | 1401 1317 | FET - HAT2197R                   |                   |
| 129       | 1401 1318 | FET - HAT2198R                   |                   |
| 130       | 1401 1320 | FET - TPC8107                    |                   |
| 131       | 1401 1411 | FET - HAT2195R-E                 |                   |
| 132       | 1401 1414 | FET:SI3433BDV-E3                 |                   |
| 133       | 1402 1530 | Diode - RB520S-30                |                   |
| 134       | 1402 1537 | LED - SML-310MT                  |                   |
| 135       | 1402 1565 | Diode - RB                       |                   |

| Index No. | Part No.             | Description                   | Q'ty Per Assembly |
|-----------|----------------------|-------------------------------|-------------------|
| 136       | 1402 1995            | Diode:SDS511                  |                   |
| 137       | 1402 2001            | Diode: SX34                   |                   |
| 138       | 1403 0953            | LED - SML-310MT               |                   |
| 139       | 1403 1131            | LED:SML-311UT                 |                   |
| 140       | 1403 1168            | LED:SML-311YT                 |                   |
| 141       | 1407 4919            | IC - 74VHCT244 TSSOP          |                   |
| 142       | 1407 5107            | IC:SN74LV132APW               |                   |
| 143       | 1407 7242            | IC - SN74AHCT1G08DCK          |                   |
|           | <del>1407 5377</del> | O/O MB38                      |                   |
| 144       | 1407 5428            | CMOS Logic - SN74AHC1G08DCK   |                   |
| 145       | 1407 5523            | ROM - I2C SOP 3V              |                   |
| 146       | 1407 5531            | Clock Generator:ICS960008AFLF |                   |
| 147       | 1407 5733            | IC:SN74ALVC244PW              |                   |
| 148       | 1407 5734            | CMOS Logic - SN74ALVC245PW    |                   |
| 149       | 1407 7236            | CMOS Logic SN74LVC2G04DCK     |                   |
|           | <del>1407 6080</del> | O/O MB38                      |                   |
| 150       | 1407 7244            | IC:SN74LVC1G04DCK             |                   |
|           | <del>1407 6100</del> | O/O MB38                      |                   |
| 151       | 1407 7239            | IC - SN74LVC2G17DCK           |                   |
|           | <del>1407 6101</del> | O/O MB38                      |                   |
| 152       | 1407 7237            | IC SN74IVC2G125DCU            |                   |
|           | <del>1407 6123</del> | O/O MB38                      |                   |
| 153       | 1407 6127            | Clock Generator:ICS960008AFLF |                   |
| 154       | 1407 6158            | IC:R3112Q101A                 |                   |
| 155       | 1407 6187            | CMOS Logic - SN74LVC1G07DCK   |                   |
| 156       | 1407 7247            | CMOS Logic SN74LVC1G125DCK    |                   |
|           | <del>1407 7242</del> | O/O MB40                      |                   |
|           | <del>1407 6201</del> | O/O MB38                      |                   |
| 157       | 1407 6203            | CMOS Logic - SN74LVC3G07DCT   |                   |
| 158       | 1407 7250            | CMOS Logic SN74LVC2G07DCK     |                   |
|           | <del>1407 6204</del> | O/O MB38                      |                   |
| 159       | 1407 7245            | CMOS Logic SN74LVC1G06DCK     |                   |
|           | <del>1407 6205</del> | O/O MB38                      |                   |
| 160       | 1407 7241            | CMOS Logic SN74AHCT1G04DCK    |                   |
|           | <del>1407 6259</del> | O/O MB38                      |                   |

| Index No. | Part No.             | Description                                 | Q'ty Per Assembly |
|-----------|----------------------|---------------------------------------------|-------------------|
| 161       | 1407 6332            | Oscillator - MC-306 32.768MHz               |                   |
| 162       | 1407 6333            | CMOS Logic - SN74LVC2G08DCU                 |                   |
| 163       | 1407 6335            | CMOS Logic:SN74LVC1G17DCK                   |                   |
| 164       | 1407 4840            | CMOS Logic SN74AHC1G04DCK                   |                   |
|           | <del>1407 6368</del> | O/O MB38                                    |                   |
| 165       | 1407 6915            | Resistor Array - 10 $\Omega$ $\pm$ 5% 1/32W |                   |
| 166       | 1407 7249            | CMOS Logic SN74LVC1G32DCK                   |                   |
|           | <del>1407 6451</del> | O/O MB38                                    |                   |
| 167       | 1407 6517            | Custom IC:WHISTLE                           |                   |
| 168       | 1407 6536            | ICH6-MNH82801FBM(SL89K)                     |                   |
| 169       | 1407 7029            | GMCH:QG82915GME(SLA9K)                      |                   |
| 170       | 1407 6917            | Clock Generator:ICS960023BGLF               |                   |
| 171       | 1407 6676            | Clock Generator:ICS954206BGLF               |                   |
| 172       | 1407 6683            | LAN Controller LSI:BCM5461A1KpFG            |                   |
| 173       | 1407 6944            | USB Controller IC:ST72681/R21               |                   |
| 174       | 1407 6783            | Custom IC:VEENA                             |                   |
| 175       | 1407 6784            | Capacitor:4PF: $\pm$ 0.25pF:50V             |                   |
| 176       | 1408 1668            | Capacitor - 10PF $\pm$ 0.5pF 50V            |                   |
| 177       | 1408 1778            | IC:R3112Q101A                               |                   |
| 178       | 1408 1779            | IC - R3112Q281A                             |                   |
| 179       | 1408 1788            | Capacitor - 33pF $\pm$ 5% 50V               |                   |
| 180       | 1408 1826            | IC - R3112Q421A                             |                   |
| 181       | 1408 1839            | IC - R3112Q211A                             |                   |
| 182       | 1408 2305            | Reset IC - BU4242FVE                        |                   |
| 183       | 1408 2350            | IC:R1211D002B-FA                            |                   |
| 184       | 1408 2458            | DC/DC Converter:LTC3407EMSE-2#PBF           |                   |
| 185       | 1408 2463            | DDR Terminator - TPS51116PWPG4              |                   |
| 186       | 1408 2464            | Capacitor - 470pF $\pm$ 10% 50V             |                   |
| 187       | 1408 2638            | Capacitor - 1000pF $\pm$ 10% 50V            |                   |
| 188       | 1408 2637            | Capacitor - 2200pF $\pm$ 10%50V             |                   |
| 189       | 1503 0758            | Oscillator - MC-306 32.768MHz               |                   |
| 190       | 1503 1138            | Crystal Oscilator - 48MHz                   |                   |
| 191       | 1503 1146            | Capacitor - 0.01 $\mu$ F $\pm$ 10% 25V      |                   |
| 192       | 1503 1368            | Capacitor:0.047 $\mu$ F $\pm$ 10%:16V       |                   |
| 193       | 1503 1363            | Capacitor - 0.22 $\mu$ F $\pm$ 10% 16V      |                   |







| Index No. | Part No.  | Description                                  | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------------|-------------------|
| 194       | 1503 1367 | Crystal Oscillator:25MHz                     |                   |
| 195       | 1601 7887 | Resistor Array - 10K $\Omega$ $\pm$ 5% 1/32W |                   |
| 196       | 1601 7896 | Resistor Array - 56 $\Omega$ $\pm$ 5% 1/32W  |                   |
| 197       | 1605 1195 | Capacitor:4PF $\pm$ 0.25pF:50V               |                   |
| 198       | 1605 1197 | Capacitor - 6PF $\pm$ 0.5pF 50V              |                   |
| 199       | 1605 1199 | Capacitor - 8PF $\pm$ 0.5pF 50V              |                   |
| 200       | 1605 1200 | Capacitor - 10PF $\pm$ 0.5pF 50V             |                   |
| 201       | 1605 1202 | Capacitor - 15pF $\pm$ 5% 50V                |                   |
| 202       | 1605 1203 | Capacitor - 18pF $\pm$ 5% 50V                |                   |
| 203       | 1605 1204 | Capacitor-pF50V                              |                   |
| 204       | 1605 1207 | Capacitor - 68pF $\pm$ 5% 50V                |                   |
| 205       | 1605 1208 | Capacitor:100pF $\pm$ 5%:50V                 |                   |
| 206       | 1605 1214 | Capacitor - 1000pF $\pm$ 10% 50V             |                   |
| 207       | 1605 1216 | Capacitor - 2200pF $\pm$ 10%:50V             |                   |
| 208       | 1605 1234 | Capacitor:4700pF $\pm$ 10%:50V               |                   |
| 209       | 1605 1240 | Capacitor - 0.01 $\mu$ F $\pm$ 10% 25V       |                   |
| 210       | 1605 1275 | Capacitor - 820pF $\pm$ 5% 50V               |                   |
| 211       | 1605 1288 | Capacitor - 220pF $\pm$ 5% 50V               |                   |
| 212       | 1605 1291 | Capacitor:2.2 $\mu$ F $\pm$ 10%:10V          |                   |
| 213       | 1605 1299 | Resistor - 56pF $\pm$ 5% 50V                 |                   |
| 214       | 1605 1300 | Capacitor - 270pF $\pm$ 5% 50V               |                   |
| 215       | 1605 1367 | Capacitor - 0.033 $\mu$ F $\pm$ 10% 16V      |                   |
| 216       | 1605 1387 | Capacitor - 0.68 $\mu$ F $\pm$ 10% 10V       |                   |
| 217       | 1605 1406 | Capacitor - 10 $\mu$ F $\pm$ 10% 6.3V        |                   |
| 218       | 1605 1419 | Capacitor:4.7 $\mu$ F $\pm$ 10%:16V          |                   |
| 219       | 1605 1428 | Capacitor:0.22 $\mu$ F $\pm$ 10%:6.3V        |                   |
| 220       | 1605 1447 | Resistor - 470pF $\pm$ 5% 50V                |                   |
| 221       | 1605 1450 | Resistor - 22 $\mu$ F $\pm$ 10% 6.3V         |                   |
| 222       | 1605 1453 | Capacitor:0.022 $\mu$ F $\pm$ 10%:16V        |                   |
| 223       | 1605 1464 | Resistor - 10 $\mu$ F $\pm$ 20% 25V          |                   |
| 224       | 1605 1465 | Resistor - 1 $\mu$ F $\pm$ 10% 25V           |                   |
| 225       | 1605 1544 | Resistor - 330pF $\pm$ 5% 50V                |                   |
| 226       | 1605 1583 | Capacitor - 0.1 $\mu$ F $\pm$ 10%:16V        |                   |
| 227       | 1605 1635 | Resistor - 10M $\Omega$ $\pm$ 5% 1/16W       |                   |
| 228       | 1605 1689 | Capacitor:100 $\mu$ F $\pm$ 20%:6.3V         |                   |

| Index No. | Part No.  | Description                                       | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------------------|-------------------|
| 229       | 1605 1695 | Chip Resistor 1 $\Omega$ $\pm$ 5% 1/16W           |                   |
| 230       | 1606 2319 | Capacitor:100 $\mu$ F $\pm$ 20%:6.3V              |                   |
| 231       | 1607 0810 | Filter - BK2125HS121                              |                   |
| 232       | 1607 1051 | Filter - FBMJ2125HS420                            |                   |
| 233       | 1607 1061 | Filter - BLM11P300SPB                             |                   |
| 234       | 1607 1108 | Filter - BLM21PG220SN1B                           |                   |
| 235       | 1607 1228 | Inductor - SLF7045-4R7M2R0                        |                   |
| 236       | 1607 1316 | Filter - FBMJ1608HS280NT                          |                   |
| 237       | 1607 1362 | Coil - ACM3225-800-2P                             |                   |
| 238       | 1607 1388 | Inductor:LB2518B1R0M                              |                   |
| 239       | 1607 1438 | Chip Resistor - 33 $\Omega$ $\pm$ 5%1/16W         |                   |
| 240       | 1607 1489 | Filter - MMZ1608B301C                             |                   |
| 241       | 1607 1651 | Inductor - HM73-101R0LF                           |                   |
| 242       | 1607 1744 | Inductor:LQH32CNR15M33B                           |                   |
| 243       | 1607 1853 | Inductor:LB2518B100M                              |                   |
| 244       | 1607 1854 | Chip Resistor 47 $\Omega$ $\pm$ 5% 1/16W          |                   |
| 245       | 1607 1657 | Inductor - HM73-10R68LF                           |                   |
| 246       | 1607 1974 | Chip Resistor:4.7K $\Omega$ $\pm$ 5%:1/16W        |                   |
| 247       | 1609 0006 | Resistor:10K $\Omega$ $\pm$ 5%:1/16W              |                   |
| 248       | 1609 0005 | Resistor:33 $\Omega$ $\pm$ 5%:1/16W               |                   |
| 249       | 1609 0122 | Resistor Array:10 $\Omega$ $\pm$ 5%:1/16W:4Number |                   |
| 250       | 1609 0123 | Chip Resistor 56 $\Omega$ $\pm$ 5% 1/16W          |                   |
| 251       | 1610 1417 | Resistor:0.5 $\Omega$ $\pm$ 5%:1/8W:1608          |                   |
| 252       | 1610 1804 | Resistor:0.006 $\Omega$ $\pm$ 1%:1W               |                   |
| 253       | 1610 2116 | Chip Resistor:680 $\Omega$ $\pm$ 5%:1/16W         |                   |
| 254       | 1633 0000 | Resistor - 0 $\Omega$ 1/10W                       |                   |
| 255       | 1634 0000 | Resistor - 0 $\Omega$ 1/16W                       |                   |
| 256       | 1650 4109 | Resistor - 1 $\Omega$ $\pm$ 5% 1/10W              |                   |
| 257       | 1650 4229 | Resistor - 2.2 $\Omega$ $\pm$ 5% 1/10W            |                   |
| 258       | 1650 5106 | Resistor - 10M $\Omega$ $\pm$ 5% 1/16W            |                   |
| 259       | 1650 5309 | Resistor - 3 $\Omega$ $\pm$ 5% 1/16W              |                   |
| 260       | 1650 5519 | Resistor - 5.1 $\Omega$ $\pm$ 5% 1/16W            |                   |
| 261       | 1653 1009 | Resistor:10 $\Omega$ $\pm$ 1%:1/8W:2125           |                   |
| 262       | 1654 1000 | Resistor - 100 $\Omega$ $\pm$ 1% 1/10W            |                   |
| 263       | 1654 1009 | Resistor - 10 $\Omega$ $\pm$ 1% 1/10W             |                   |










| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 264       | 1655 1000 | Chip Resistor:100Ω±1%:1/16W     |                   |
| 265       | 1601 7914 | Resistor Array - 47 Ω ±5%       |                   |
| 266       | 1607 1567 | Filter:MPZ2012S101A             |                   |
| 267       | 1655 0000 | Chip Resistor - 0Ω±0%:1/16W     |                   |
| 268       | 1655 1001 | Chip Resistor - 1KΩ ±1% 1/16W   |                   |
| 269       | 1655 1002 | Chip Resistor - 10KΩ±1%1/16W    |                   |
| 270       | 1655 1003 | Chip Resistor - 100KΩ±1%1/16W   |                   |
| 271       | 1655 1004 | Resistor - 1MΩ ±1% 1/16W        |                   |
| 272       | 1655 1009 | Resistor - 10Ω ±1% 1/16W        |                   |
| 273       | 1655 1102 | Resistor - 11KΩ ±1% 1/16W       |                   |
| 274       | 1655 1132 | Resistor:11.3K Ω:±1%:1/16W:1005 |                   |
| 275       | 1655 1201 | Resistor - 1.2KΩ ±1% 1/16W      |                   |
| 276       | 1655 1241 | Resistor - 27.4Ω ±1% 1/16W      |                   |
| 277       | 1655 1300 | Resistor:130 Ω:±1%:1/16W:1005   |                   |
| 278       | 1655 1501 | Chip Resistor 1.5KΩ ±1% 1/16W   |                   |
| 279       | 1655 1502 | Resistor - 15KΩ ±1% 1/16W       |                   |
| 280       | 1655 1692 | Resistor:16.9K Ω:±1%:1/16W:1005 |                   |
| 281       | 1655 1803 | Resistor - 330KΩ ±1% 1/16W      |                   |
| 282       | 1655 1963 | Resistor:196K Ω:±1%:1/16W:1005  |                   |
| 283       | 1655 2000 | Resistor - 200Ω ±1% 1/16W       |                   |
| 284       | 1655 2001 | Resistor - 2KΩ ±1% 1/16W        |                   |
| 285       | 1655 2002 | Chip Resistor - 20KΩ±1%1/16W    |                   |
| 286       | 1655 2201 | Resistor:2.2K Ω:±1%:1/16W:1005  |                   |
| 287       | 1655 2209 | Resistor - 22Ω ±1% 1/16W        |                   |
| 288       | 1655 2210 | Resistor - 221Ω ±1% 1/16W       |                   |
| 289       | 1655 2269 | Resistor - 475Ω ±1% 1/16W       |                   |
| 290       | 1655 2432 | Resistor - 49.9Ω ±1% 1/16W      |                   |
| 291       | 1655 2499 | Resistor - 5.1KΩ ±1% 1/16W      |                   |
| 292       | 1655 2700 | Resistor - 51Ω ±1% 1/16W        |                   |
| 293       | 1655 2701 | Resistor:2.7K Ω:±1%:1/16W:1005  |                   |
| 294       | 1655 2741 | Resistor - 54.9Ω ±1% 1/16W      |                   |
| 295       | 1655 2749 | Resistor - 27.4Ω ±1% 1/16W      |                   |
| 296       | 1655 2802 | Resistor:28K Ω:±1%:1/16W:1005   |                   |
| 297       | 1655 5600 | Resistor - 560Ω ±1% 1/16W       |                   |
| 298       | 1655 3002 | Chip Resistor - 30KΩ±1%1/16W    |                   |

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 299       | 1655 3013 | Resistor:301K Ω:±1%:1/16W:1005  |                   |
| 300       | 1655 3242 | Resistor:32.4K Ω:±1%:1/16W:1005 |                   |
| 301       | 1655 3303 | Resistor - 330KΩ ±1% 1/16W      |                   |
| 302       | 1655 3309 | Resistor - 33Ω ±1% 1/16W        |                   |
| 303       | 1655 3601 | Resistor:3.6K Ω:±1%:1/16W:1005  |                   |
| 304       | 1655 3903 | Resistor - 82Ω ±1% 1/16W        |                   |
| 305       | 1655 3909 | Resistor 39Ω ±1% 1/16W          |                   |
| 306       | 1655 4029 | Resistor:40.2 Ω:±1%:1/16W:1005  |                   |
| 307       | 1655 4701 | Chip Resistor - 4.7KΩ±1%1/16W   |                   |
| 308       | 1655 4750 | Resistor - 475Ω ±1% 1/16W       |                   |
| 309       | 1655 4992 | Resistor:49.9K Ω:±1%:1/16W:1005 |                   |
| 310       | 1655 4999 | Resistor - 49.9Ω ±1% 1/16W      |                   |
| 311       | 1655 5101 | Resistor - 5.1KΩ ±1% 1/16W      |                   |
| 312       | 1655 5109 | Resistor - 51Ω ±1% 1/16W        |                   |
| 313       | 1655 5499 | Resistor - 54.9Ω ±1% 1/16W      |                   |
| 314       | 1655 5602 | Chip Resistor - 56KΩ±1%1/16W    |                   |
| 315       | 1655 5609 | Resistor - 56Ω ±1% 1/16W        |                   |
| 316       | 1655 6043 | Resistor:604K Ω:±1%:1/16W:1005  |                   |
| 317       | 1655 6800 | Resistor:680 Ω:±1%:1/16W:1005   |                   |
| 318       | 1655 6801 | Resistor - 6.8KΩ ±1% 1/16W      |                   |
| 319       | 1655 6802 | Resistor:68K Ω:±1%:1/16W:1005   |                   |
| 320       | 1655 6809 | Chip Resistor - 68Ω±1%1/16W     |                   |
| 321       | 1655 7509 | Resistor - 75 Ω ±1% 1/16W       |                   |
| 322       | 1655 8069 | Resistor:80.6 Ω:±1%:1/16W:1005  |                   |
| 323       | 1655 8201 | Resistor:8.2K Ω:±1%:1/16W:1005  |                   |
| 324       | 1655 8209 | Resistor - 82Ω ±1% 1/16W        |                   |
| 325       | 1655 8873 | Resistor:887K Ω:±1%:1/16W:1005  |                   |
| 326       | 1655 9101 | Resistor - 9.1K Ω ±1% 1/16W     |                   |
| 327       | 1906 0101 | Flash Memory:S29GL032A90TFIR40  |                   |
| 328       | 1906 0120 | NAND Flash:1G:X8:30NS:3.3V:2KB  |                   |

## 89.Decals and Documents (D014/D015)


|                                                                                                                                                                                                                                                                                           |                                                                                                                        |                                                                                                                        |                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| 1                                                                                                                                                                                                                                                                                         | 2                                                                                                                      |                                                                                                                        | 6                                                                                                           |
|                                                                                                                                                                                                          | <div>用紙は右に突き当ててセットしてください。</div>      |                                                                                                                        |                          |
|                                                                                                                                                                                                                                                                                           | 3                                                                                                                      |                                                                                                                        |                                                                                                             |
|                                                                                                                                                                                                                                                                                           | <div>用紙は左に突き当ててセットしてください。</div>      |                                                                                                                        |                                                                                                             |
| 4                                                                                                                                                                                                                                                                                         |                                                                                                                        | 5                                                                                                                      | 7                                                                                                           |
| <div>CAUTION<br/>VORSICHT</div>  <div>&gt;PS&lt;</div> <div>LASER RADIATION WHEN OPEN,<br/>AVOID EXPOSURE TO BEAM.<br/>LASERSTRAHLUNG WENN<br/>ABDECKUNG GEOFFNET.<br/>NICHT DEM STRAHL AUSSETZEN.</div> |                                                                                                                        |  <div>&gt;PS&lt;</div>              |                          |
| 8                                                                                                                                                                                                                                                                                         | 9                                                                                                                      | 10                                                                                                                     | 11                                                                                                          |
| <div>1</div>  <div>&gt;PS&lt;</div>                                                                                                                                                                    | <div>2</div>  <div>&gt;PS&lt;</div> | <div>3</div>  <div>&gt;PS&lt;</div> |                                                                                                             |
| 13                                                                                                                                                                                                                                                                                        | 14                                                                                                                     |                                                                                                                        | 12                                                                                                          |
| <div>&gt;PS&lt;</div> <div>F</div>                                                                                                                                                                     | <div>&gt;PS&lt;</div>              |                                                                                                                        |  <div>&gt;PS&lt;</div> |

## 89.Decals and Documents (D014/D015)

|                                                                                                              |                                                                                                                |                                                                                                              |
|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <div>15</div> <div></div>   | <div>17</div> <div></div>    | <div>18</div> <div></div> |
| <div>16</div> <div></div>   |                                                                                                                |                                                                                                              |
| <div>19</div> <div></div>   | <div>21</div> <div></div>   |                                                                                                              |
| <div>20</div> <div></div> | <div>22</div> <div></div>   |                                                                                                              |
|                                                                                                              | <div>23</div> <div></div> |                                                                                                              |

## 89.Decals and Documents (D014/D015)


24




25






26




27



28




## 89.Decals and Documents (D014/D015)




## 89.Decals and Documents (D014/D015)


37




38




39




40






41



42



## 89.Decals and Documents (D014/D015)

|                                                                                                                                                                                                         |                                                                                               |                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <p>43</p>                                                                                                              | <p>45</p>  | <p>46</p>  |
| <p>44</p> <div data-bbox="322 817 519 1200"> <p>Face up &gt;ABS&lt;</p> <p>Face haut &gt;ABS&lt;</p> <p>Bild oben &gt;ABS&lt;</p> <p>Faccia in su &gt;ABS&lt;</p> <p>Boca arriba &gt;ABS&lt;</p> </div> | <p>47</p>  |                                                                                               |

**48**

**49**

**50**

| I/F Card Slot |                   |
|---------------|-------------------|
| A             | Tandem            |
| B             | Option            |
| C             | External CTL/GIGA |
| SD Card Slot  |                   |
| 2             | Service Slot      |
| 1             | Option Slot       |

**51**

**52**

**53**

**54**

**55**

**56**

**57**

**58**

**59**


**60**

## 89.Decals and Documents (D014/D015)

| Index No. | Part No.             | Description                                        | Q'ty Per Assembly |
|-----------|----------------------|----------------------------------------------------|-------------------|
| 1         | A029 2984            | Decal - Grip                                       | 1                 |
| 2         | A096 6677            | Decal - Right Paper Set                            | 1                 |
| 3         | A096 6678            | Decal - Left Paper Set                             | 1                 |
| 4         | AA00 0217            | Decal - LD 655                                     | 1                 |
| 5         | AA00 1477            | Decal:ENERGY-STAR                                  | 1                 |
| 6         | AA00 2010            | Decal - Paper Level                                | 1                 |
| 7         | AA00 2246            | Decal - Caution                                    | 1                 |
| 8         | AA00 3211            | Decal:Paper Tray:Display:1                         | 1                 |
| 9         | AA00 3212            | Decal:Paper Tray:Display:2                         | 1                 |
| 10        | AA00 3213            | Decal:Paper Tray:Display:3                         | 1                 |
| 11        | B065 3699            | Decal - Release Lever                              | 1                 |
| 12        | B065 4480            | Decal - Cover                                      | 1                 |
| 13        | B065 4867            | Decal - Guide Plate Lever                          | 1                 |
| 14        | B065 6545            | Decal - Positioning                                | 1                 |
| 15        | B065 6846            | Decal - Paper Set - Left                           | 1                 |
| 16        | B065 6877            | Decal - Paper Set - Right                          | 1                 |
| 17        | B070 1307            | Decal:Paper Set Direction                          | 1                 |
| 18        | B132 1238            | Decal:Caution:Pull Out                             | 1                 |
| 19        | D081 1482            | Decal:Caution Chart:Inkjet:<br>Manual Feed:English | 1                 |
|           | <del>B132 1482</del> | O/O (201110 PCIL)                                  |                   |
| 20        | B132 1548            | Decal - Cleaning:Exposure Glass                    | 1                 |
| 21        | B132 1549            | Decal - Cleaning:Exposure Glass                    | 1                 |
| 22        | B132 1562            | Decal - Inkjet:Paper                               | 1                 |
| 23        | B132 1573            | Decal - Power Source:Off                           | 1                 |
| 24        | D081 1432            | Decal:Caution Chart:Copy:Original:English          | 1                 |
|           | <del>B132 1583</del> | O/O (201110 PCIL)                                  |                   |
| 25        | B132 2709            | Decal:Lever:B4                                     | 1                 |
| 26        | B132 2875            | Decal:Paper Set Direction                          | 1                 |
| 27        | B132 3247            | Decal:Cover:Toner Supply:Black                     | 1                 |
| 28        | B132 3248            | Decal:Cover:Toner Supply:M                         | 1                 |
| 28        | B132 3249            | Decal:Cover:Toner Supply:C                         | 1                 |
| 28        | B132 3250            | Decal:Cover:Toner Supply:Y                         | 1                 |
| 29        | B132 3330            | Decal:Lever:Toner Supply:K                         | 1                 |
| 30        | B132 3331            | Decal:Lever:Toner Supply:M                         | 1                 |

| Index No. | Part No.             | Description                             | Q'ty Per Assembly |
|-----------|----------------------|-----------------------------------------|-------------------|
| 30        | B132 3332            | Decal:Lever:Toner Supply:C              | 1                 |
| 30        | B132 3333            | Decal:Lever:Toner Supply:Y              | 1                 |
| 31        | B132 4796            | Decal:Grip:E3                           | 1                 |
| 32        | B132 4797            | Decal:Warning (High Temperature)        | 1                 |
| 33        | B132 5819            | Decal:Caution:HDD:Fan                   | 1                 |
| 34        | B132 5996            | Decal:Total Counter                     | 1                 |
| 35        | B132 7130            | Decal:LED:E1                            | 1                 |
| 36        | B198 6407            | Decal:Vermont:2                         | 1                 |
| 37        | B234 8510            | Decal:Size Indication:Multi-language:C3 | 1                 |
| 38        | D501 4406            | Decal:Size:Original                     | 1                 |
|           | <del>B652 1807</del> | O/O (201101 PCIL)                       |                   |
| 39        | B652 1811            | Decal:Misfeed Removal:Paper Feed        | 1                 |
| 40        | B652 1812            | Decal:Display Guidance                  | 1                 |
| 41        | B652 1905            | Decal:Misfeed Removal:Exit              | 1                 |
| 42        | B652 1906            | Decal:Misfeed Removal                   | 1                 |
| 43        | B652 2354            | Decal:Base:Original                     | 1                 |
| 44        | B652 2378            | Decal - Display:Original Table          | 1                 |
| 45        | B652 4119            | Decal:Guide Plate:Reverse:Exit          | 1                 |
| 46        | B652 4905            | Decal:Misfeed Removal                   | 1                 |
| 47        | D014 1551            | Decal:Misfeed Removal                   | 1                 |
|           | <del>D014 1550</del> | X/O MB39                                |                   |
| 48        | D014 1560            | Decal:Toner Supply                      | 1                 |
| 49        | D014 1570            | Decal:Caution:Pull Out:Inner Back       | 1                 |
| 50        | D014 5818            | Decal:Caption:Interface                 | 1                 |
| 51        | D014 6786            | Decal:Paper Set Direction               | 1                 |
| 52        | GA00 3016            | Decal - Y Toner Supply                  | 1                 |
| 53        | GA00 3017            | Decal - M Toner Supply                  | 1                 |
| 54        | GA00 3018            | Decal - C Toner Supply                  | 1                 |
| 55        | GA00 3019            | Decal - K Toner Supply                  | 1                 |
| 56        | GA00 3020            | Decal:Development Unit:Display:Y        | 1                 |
| 57        | GA00 3021            | Decal:Development Unit:Display:M        | 1                 |
| 58        | GA00 3022            | Decal:Development Unit:Display:C        | 1                 |
| 59        | GA00 3023            | Decal:Development Unit:Display:K        | 1                 |
| 60        | GA00 3033            | Decal - Shielding Plate K               | 1                 |

## 90.Special Tools (D014/D015)



## 90.Special Tools (D014/D015)

| Index No. | Part No.  | Description                                       | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------------------|-------------------|
| 1         | B645 5010 | SD Card                                           | 1                 |
| 2         | B645 6700 | PCMCIA Card Adapter                               | 1                 |
| 3         | B645 6800 | USB Reader/Writer                                 | 1                 |
| 4         | G021 9350 | Loop Back Connector                               | 1                 |
| 5         | C401 9503 | 20X Magnification Scope                           | 1                 |
| 6         | A257 9300 | Grease Barrierta - S552R                          | 1                 |
| 7         | 5203 9501 | Silicon Grease G-501                              | 1                 |
| 8         | B132 9700 | Lubricant Powder                                  | 1                 |
| 9         | A092 9503 | C4 Color Test Chart (3 pcs/set)                   | 1                 |
| 10        | VSST 9501 | Connection Kit Color Test Chart<br>(3 Sheets/Set) | 1                 |
| 11        | D014 9800 | Grease-KS660B<br>Added MB11                       | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

# Parts Index

## PM Parts Index

| Section Name                         | Part No.                     | Description in Service Manual       | Description in Parts Catalog | Q'ty Per Assembly | Page and Index No. |
|--------------------------------------|------------------------------|-------------------------------------|------------------------------|-------------------|--------------------|
| Exterior 2 (D014/D015)               | B132 6609                    | Waste Toner Bottle                  | Waste Toner Bottle           | 1                 | 21 - 4             |
|                                      | D014 6978                    | Upper Air Filter                    | Dust Filter                  | 1                 | 21 - 23            |
| PCU 2 (D014/D015)                    | D014 2441                    | Drum Charge Roller Ass'y            | Charge Roller Unit           | 3                 | 87 - 1             |
|                                      | D014 2391                    | Drum Charge Wire Ass'y              | Charge Corona Unit           | 1                 | 87 - 3             |
|                                      | D014 2321                    | Drum Lubricant Bar                  | Drum Lubricant Bar           | 4                 | 87 - 11            |
| PCU 3 (D014/D015)                    | D014 2352                    | Drum Cleaning Blade                 | Cleaning Blade               | 4                 | 89 - 11            |
|                                      | D014 2335                    | Drum Lubricant Supply Brush         | Drum Lubricant Supply Brush  | 4                 | 89 - 18            |
|                                      | D014 2465                    | Joint PCU                           | Joint PCU                    | 4                 | 89 - 19            |
|                                      | D014 2286                    | Wastte Toner Collect Gear           | Gear - 23Z                   | 4                 | 89 - 22            |
|                                      | D014 2345                    | Idle Gear 1                         | Idler Gear - 23Z             | 4                 | 89 - 23            |
|                                      | D014 2346                    | Idle Gear 2                         | Idler Gear - 22Z             | 4                 | 89 - 24            |
|                                      | D014 2337                    | Drum Lubricant Supply Brush Gear    | Gear - 27Z                   | 4                 | 89 - 26            |
|                                      | D014 2333                    | Drum Cleaning Brush Gear            | Gear - 17Z                   | 4                 | 89 - 29            |
|                                      | D014 2368                    | Drum Lubricant Supply Blade         | Lubricant Supply Blade       | 4                 | 89 - 34            |
|                                      | Development Unit (D014/D015) | B247 3340                           | Development Filter           | 4                 | 91 - 3             |
|                                      |                              | D014 9640                           | Developer Cartridge Black    | 1                 | 91 - 6             |
|                                      |                              | D014 9660                           | Developer Cartridge Cyan     | 1                 | 91 - 6             |
|                                      |                              | D014 9670                           | Developer Cartridge Magenta  | 1                 | 91 - 6             |
|                                      |                              | D014 9680                           | Developer Cartridge Yellow   | 1                 | 91 - 6             |
|                                      |                              | D014 9510                           | OPC Drum                     | 4                 | 91 - 13            |
| Transfer Belt Unit 1 (D014/D015)     | D081 6050                    | Image Transfer Belt                 | Image Transfer Belt          | 1                 | 93 - 7             |
| Transfer Belt Cleaning 1 (D014/D015) | D014 6507                    | Belt Cleaning Lubricant SupplyBlade | Lubricant Supply Blade       | 1                 | 99 - 5             |
|                                      | D014 6463                    | Belt Cleaning Lubricant SupplyBrush | Lubricant Supply Brush       | 1                 | 99 - 6             |
|                                      | D014 6455                    | Belt Cleaning Blade                 | Belt Cleaning Blade          | 1                 | 99 - 13            |
|                                      | D014 6470                    | Belt Cleaning Lubricant Bar         | Belt Cleaning Lubricant Bar  | 1                 | 99 - 26            |
| Paper Transfer 1 (D014/D015)         | B132 6268                    | Paper Discharge Plate               | Paper Discharge Plate        | 1                 | 111 - 2            |
|                                      | D014 6280                    | Paper Transfer Roller               | Paper Transfer Roller        | 1                 | 111 - 7            |
|                                      | D014 6260                    | PTR Lubricant Bar                   | PTR Lubricant Bar            | 1                 | 111 - 14           |
|                                      | D014 6265                    | PTR Cleaning Blade                  | PTR Cleaning Blade           | 1                 | 111 - 15           |
| Fusing Unit 5 (D014/D015)            | AE03 0049                    | Pressure Roller Bearing             | Ball Bearing -20x32x7        | 2                 | 123 - 15           |
|                                      | D014 4090                    | Fusing Belt                         | Fusing Belt                  | 1                 | 123 - 21           |
|                                      | AE01 0075                    | Hot Roller                          | Hot Roller                   | 1                 | 123 - 22           |
| Fusing Unit 6 (D014/D015)            | AE04 2080                    | Pressure Roller Cleaning Roller     | Cleaning Roller:Ass'y        | 1                 | 125 - 12           |
|                                      | AE04 0042                    | Oil Supply Roller                   | Oil Supply Roller            | 1                 | 125 - 11           |
| Fusing Unit 7 (D014/D015)            | AE02 0165                    | Pressure Roller                     | Pressure Roller              | 1                 | 127 - 3            |

| Section Name                     | Part No.  | Description in Service Manual | Description in Parts Catalog | Q'ty Per Assembly | Page and Index No. |
|----------------------------------|-----------|-------------------------------|------------------------------|-------------------|--------------------|
| Electrical Section 3 (D014/D015) | D014 3586 | Lower Air Filter              | Dust Filter                  | 3                 | 167 - 12           |
|                                  | B132 2435 | Middle Air Filter             | Dust Filter                  | 3                 | 167 - 14           |

## Parts Index

| Part No.             | Description                     | Page and Index No. |
|----------------------|---------------------------------|--------------------|
| D014 1003            | Stay:Intermediate Transfer:Left | 179 - 3            |
| D014 1018            | Bracket:Stay:Duct:Horizontal    | 163 - 17           |
| D014 1020            | Bracket:Connector               | 171 - 21           |
| D014 1127            | Stud:Manual Feed:Rear           | 149 - 26           |
| D014 1150            | Bracket:Knob:Fusing             | 117 - 1            |
| D014 1154            | Guide Plate:Fusing Unit         | 117 - 7            |
| D014 1156            | Shaft:Knob:Fusing               | 117 - 5            |
| D014 1182            | Inner Cover:Left                | 103 - 6            |
| D014 1200            | Inner Cover:Middle              | 103 - 14           |
| D014 1238            | Drum Stay Unit                  | 85 - 12            |
| <del>D014 1242</del> | X/O MB4                         | 85 - 12            |
| D014 1248            | Plate:Lever:Drum Stay:Left      | 85 - 5             |
| D014 1251            | Drum Shaft                      | 151 - 12           |
| D014 1255            | DC Motor:DC24V:9W               | 151 - 4            |
| D014 1261            | Gear:60Z/47T                    | 151 - 16           |
| D014 1265            | Bracket:DC Motor                | 151 - 2            |
| D014 1267            | Holder:Drive Unit               | 151 - 8            |
| D014 1270            | Bracket:Drive Unit              | 151 - 6            |
| D014 1275            | Bracket:Auxiliary:Drive Unit    | 151 - 15           |
| D014 1276            | Bracket:Tightener               | 151 - 18           |
| D014 1279            | Pulley:27T                      | 151 - 7            |
| D014 1280            | Shaft:Drive:Development Unit    | 151 - 14           |
| D014 1285            | Shaft:Drive:Transport Screw     | 151 - 11           |
| D014 1285            | Shaft:Drive:Transport Screw     | 151 - 19           |
| D014 1300            | Drive Unit:Transfer Belt        | 151 - 1            |
| D014 1326            | Shaft:Drive:Transfer            | 157 - 9            |
| D014 1328            | Stud:Bracket                    | 157 - 19           |
| D014 1331            | Shaft:Drive:Cleaning            | 157 - 11           |
| D014 1334            | Bracket:Brushless Motor         | 157 - 7            |
| D014 1338            | Bracket:Plate                   | 157 - 15           |
| D014 1343            | Toner Recycling Unit            | 157 - 17           |
| D014 1344            | Holder:Drive Unit               | 157 - 26           |
| D014 1345            | Shaft:Horizontal                | 157 - 22           |
| D014 1346            | Joint:Universal                 | 157 - 27           |
| D014 1350            | Holder:Toner Recycling Unit     | 157 - 20           |

| Part No.             | Description                       | Page and Index No. |
|----------------------|-----------------------------------|--------------------|
| D014 1351            | Cover:Toner Recycling Unit:Shaft  | 157 - 23           |
| D014 1371            | Gear:80Z/30T                      | 155 - 16           |
| D014 1372            | Gear:86Z                          | 155 - 9            |
| D014 1380            | Bracket:Drive:Fusing Unit         | 155 - 26           |
| D014 1450            | Operation Panel Bracket           | 171 - 15           |
| D014 1453            | Bracket:Harness:Operation Panel   | 171 - 26           |
| D014 1455            | Hinge:Door:Upper                  | 19 - 21            |
| D014 1463            | Bracket:Hinge:Door                | 179 - 14           |
| D014 1466            | Hinge:Door:Lower:Ass'y            | 19 - 12            |
| D014 1500            | Seal:Cover:Rear Middle            | 21 - 25            |
| D014 1501            | Door:Front                        | 19 - 22            |
| D014 1505            | Cover:Right Middle                | 21 - 13            |
| D014 1507            | Cover:Rear Middle                 | 21 - 7             |
| D014 1509            | Cover:Left Lower                  | 21 - 3             |
| D014 1510            | Cover:Rear Lower                  | 21 - 12            |
| D014 1511            | Cover:Filter:Rear Lower           | 21 - 18            |
| D014 1512            | Cover:Cable:AC Power Supply       | 21 - 17            |
| D014 1514            | Cover:Connector:Key Counter       | 171 - 27           |
| D014 1532            | Sheet:Logo:FICIO:C6000            | 19 - 20            |
| D014 1533            | Sheet:Logo:GES:NA:C6000           | 19 - 20            |
| D014 1534            | Sheet:Logo:LAN:NA:LD260C          | 19 - 20            |
| D014 1535            | Sheet:Logo:SVN:C6055              | 19 - 20            |
| D014 1536            | Sheet:Logo:INF:C6000              | 19 - 20            |
| D014 1537            | Sheet:Logo:NSA:C6000              | 19 - 20            |
| D014 1538            | Sheet:Logo:REX:C6000              | 19 - 20            |
| D014 1539            | Sheet:Logo:GES:EU:C6000           | 19 - 20            |
| D014 1541            | Sheet:Logo:INF:C6000SP            | 19 - 20            |
| <del>D014 1550</del> | X/O MB39                          | 245 - 47           |
| <del>D014 1550</del> | X/O MB39                          | 19 - 17            |
| D014 1551            | Decal:Misfeed Removal             | 19 - 17            |
| D014 1551            | Decal:Misfeed Removal             | 245 - 47           |
| D014 1560            | Decal:Toner Supply                | 245 - 48           |
| D014 1560            | Decal:Toner Supply                | 19 - 28            |
| D014 1570            | Decal:Caution:Pull Out:Inner Back | 103 - 17           |
| D014 1570            | Decal:Caution:Pull Out:Inner Back | 245 - 49           |

| Part No.             | Description                     | Page and Index No. |
|----------------------|---------------------------------|--------------------|
| D014 1667            | Frame:Rear                      | 51 - 21            |
| D014 1677            | Cover:SIOB                      | 51 - 20            |
| D014 1681            | Spring Plate:Cover:SIOB         | 55 - 31            |
| D014 1682            | Sheet:Cover:SIOB                | 51 - 22            |
| D014 1703            | Stepper Motor:DC1.98V 7.13W     | 55 - 10            |
| D014 1716            | Cover:Shaft                     | 55 - 12            |
| D014 1722            | Bracket:Tension:Inner Back:Peen | 55 - 36            |
| D014 1731            | Lens Unit                       | 51 - 1             |
| D014 1747            | Gasket:Cover:Shaft              | 55 - 35            |
| D014 1748            | Gasket:Shading Plate            | 55 - 34            |
| D014 1751            | Carriage:No.1                   | 53 - 11            |
| D014 1861            | Bracket:Original Sensor         | 53 - 10            |
| D014 1876            | Filter:Scanner                  | 55 - 28            |
| D014 1888            | Ferrite Core                    | 51 - 19            |
| D014 1899            | Spring Plate:Earth:Scanner Unit | 51 - 23            |
| D014 1950            | Imaging Unit                    | 57 - 1             |
| <del>D014 2157</del> | O/O (201012 PCIL)               | 57 - 6             |
| D014 2196            | Gasket:7x10:50mm                | 181 - 9            |
| D014 2215            | MB7                             | 91 - *             |
| D014 2266            | Entrance Seal                   | 89 - 21            |
| D014 2267            | Tape:Entrance Seal              | 89 - 20            |
| <del>D014 2268</del> | X/O MB29                        | 89 - 15            |
| <del>D014 2268</del> | X/O MB29                        | 89 - 15            |
| D014 2269            | Seal - Discharge Used Toner     | 89 - 13            |
| D014 2270            | Shield - Front Middle Case      | 89 - 31            |
| D014 2271            | Front Seal - Duct               | 89 - 42            |
| D014 2276            | Seal - Toner Recycling          | 89 - 14            |
| D014 2277            | Lever - PCU                     | 89 - 30            |
| D014 2278            | Discharge Lamp:LED Array:25MM   | 89 - 2             |
| D014 2279            | Seal - Front Frame              | 89 - 43            |
| D014 2281            | Transport Screw                 | 89 - 16            |
| D014 2286            | Gear - 23Z                      | 89 - 22            |
| D014 2287            | Seal - Rear Frame               | 89 - 44            |
| D014 2288            | Rear Seal - Frame               | 89 - 39            |
| D014 2297            | Seal - Blade Holder             | 89 - 8             |

| Part No.             | Description                        | Page and Index No. |
|----------------------|------------------------------------|--------------------|
| D014 2299            | Seal - Blade Bracket               | 89 - 3             |
| D014 2300            | Rear Seal - Blade Bracket          | 89 - 5             |
| D014 2301            | Front Seal - Blade Bracket         | 89 - 4             |
| D014 2302            | Bushing:Blade:Rear                 | 89 - 10            |
| D014 2303            | Bushing:Blade:Front                | 89 - 9             |
| D014 2305            | Compression Spring - Blade         | 89 - 7             |
| D014 2306            | Spring Holder                      | 89 - 6             |
| D014 2307            | Spring:Earth:Brush Roller          | 89 - 27            |
| D014 2314            | Stay:PCU:Right:Ass'y               | 87 - 17            |
| D014 2321            | Drum Lubricant Bar                 | 87 - 11            |
| D014 2324            | Arm - Coating Bar                  | 87 - 12            |
| D014 2325            | Tension Spring - Coating Bar (K)   | 87 - 6             |
| D014 2326            | Tension Spring - Coating Bar (YMC) | 87 - 6             |
| D014 2327            | Bracket - Coating Bar              | 87 - 8             |
| D014 2328            | Seal - Coating Bar Bracket         | 87 - 9             |
| D014 2333            | Gear - 17Z                         | 89 - 29            |
| D014 2335            | Drum Lubricant Supply Brush        | 89 - 18            |
| D014 2337            | Gear - 27Z                         | 89 - 26            |
| <del>D014 2338</del> | X/O MB6                            | 89 - 19            |
| <del>D014 2340</del> | X/O MB29                           | 89 - 25            |
| <del>D014 2340</del> | X/O MB29                           | 89 - 25            |
| D014 2345            | Idler Gear - 23Z                   | 89 - 23            |
| D014 2346            | Idler Gear - 22Z                   | 89 - 24            |
| D014 2347            | Ground Plate - Brush Roller        | 89 - 28            |
| D014 2349            | Right Seal - Coating Bar Bracket   | 87 - 10            |
| D014 2352            | Cleaning Blade                     | 89 - 11            |
| D014 2365            | Stay - PCU Rail                    | 89 - 35            |
| D014 2368            | Lubricant Supply Blade             | 89 - 34            |
| D014 2371            | Front Seal - Blade Guide Plate     | 89 - 36            |
| D014 2371            | Front Seal - Blade Guide Plate     | 89 - 47            |
| D014 2374            | Rear Seal - Blade Guide Plate      | 89 - 38            |
| D014 2374            | Rear Seal - Blade Guide Plate      | 89 - 37            |
| D014 2376            | Sheet:Discharge Lamp               | 89 - 1             |
| D014 2377            | Upper Seal - Blade Guide Plate     | 89 - 33            |
| D014 2380            | Compression Spring - Drum          | 87 - 5             |

| Part No.             | Description                                     | Page and Index No. |
|----------------------|-------------------------------------------------|--------------------|
| D014 2391            | Charge Corona Unit                              | 87 - 3             |
| D014 2419            | Gear:11Z                                        | 153 - 6            |
| D014 2420            | Duct:Charge Corona:Ass'y                        | 87 - 2             |
| D014 2422            | Duct - Charge Corona                            | 87 - 13            |
| D014 2425            | Guide Plate - Charge Corona Duct                | 87 - 14            |
| D014 2428            | Duct Seal - Charge Corona                       | 87 - 15            |
| D014 2432            | Right Middle Seal - Bar Bracket                 | 87 - 7             |
| D014 2433            | Seal - Blade Guide Plate                        | 89 - 32            |
| D014 2436            | Seal:Blade:Apply:Front                          | 89 - 45            |
| D014 2437            | Seal:Blade:Apply:Front Middle                   | 89 - 46            |
| D014 2438            | Seal:Blade:Apply:Rear                           | 89 - 40            |
| D014 2439            | Seal:Blade:Apply:Rear Middle                    | 89 - 41            |
| D014 2441            | Charge Roller Unit                              | 87 - 1             |
| D014 2457            | Shield:Case:Rear:Color                          | 89 - 15            |
| D014 2460            | Shield:Case:Rear:K                              | 89 - 15            |
| D014 2461            | Drum Stay:Brush Roller:Color:Ass'y              | 89 - 25            |
| D014 2463            | Drum Stay:Brush Roller:K:Ass'y                  | 89 - 25            |
| D014 2465            | Joint PCU                                       | 89 - 19            |
| D014 2470            | Collection Coil:Ass'y                           | 89 - 17            |
| D014 2479            | Cover:Discharge Lamp                            | 89 - 12            |
| <del>D014 2601</del> | X/O MB37                                        | 105 - 2            |
| D014 2602            | Bracket:Remove Paper Dust                       | 105 - 2            |
| D014 2610            | Registration Guide:Lower                        | 107 - 6            |
| D014 2620            | Bracket:Registration Sensor                     | 105 - 3            |
| D014 2631            | Registration Guide:Upper                        | 105 - 8            |
| D014 2636            | Guide Plate:Connecting:<br>Right Upper:Adhesion | 109 - 7            |
| D014 2637            | Guide Plate:Connecting:LCT                      | 183 - 18           |
| D014 2662            | Guide Plate:LCT:Open And Close                  | 183 - 23           |
| D014 2669            | Side Plate:Open And Close:Rear:Peen             | 105 - 20           |
| D014 2800            | Manual Paper Feed Unit                          | 61 - 1             |
| <del>D014 2810</del> | O/O (201203 PCIL)                               | 59 - 3             |
| D014 2825            | Guide Plate:Separator:Adhesion                  | 61 - 29            |
| D014 2870            | Friction Pad:Side Fence:Front                   | 59 - 13            |
| <del>D014 3005</del> | O/O (201008 PCIL)                               | 91 - 1             |

| Part No.             | Description                                 | Page and Index No. |
|----------------------|---------------------------------------------|--------------------|
| D014 3043            | Front Stay - PCU                            | 91 - 16            |
| D014 3044            | Rear Stay - PCU                             | 91 - 14            |
| D014 3046            | PCU:FC:EXP:New:Ass'y                        | 91 - *             |
| D014 3047            | PCU:K:EXP:Ass'y                             | 91 - *             |
| D014 3048            | MB7                                         | 91 - *             |
| <del>D014 3049</del> | O/O MB23                                    | 91 - *             |
| D014 3130            | Connector Holder - Density Sensor           | 91 - 5             |
| D014 3132            | Plate - Density Sensor                      | 91 - 8             |
| D014 3135            | Joint:Drive:Development Unit                | 19 - 38            |
| D014 3135            | Joint:Drive:Development Unit                | 91 - 15            |
| D014 3136            | Bracket:Plate:Joint                         | 91 - 7             |
| D014 3144            | Adjusting Pin:Development                   | 19 - 16            |
| D014 3240            | Cover:Discharge Used Toner                  | 149 - 3            |
| D014 3241            | Seal:Discharge Used Toner                   | 149 - 4            |
| D014 3242            | Seal:Discharge Used Toner:Lower             | 149 - 5            |
| D014 3261            | Receptacle:Development Unit                 | 153 - 12           |
| <del>D014 3300</del> | X/O MB5                                     | 79 - 1             |
| <del>D014 3301</del> | O/O MB31                                    | 79 - 1             |
| D014 3302            | Toner Supply Unit:Venus-C2:Ass'y            | 79 - 1             |
| D014 3331            | Bracket:CNB                                 | 83 - 13            |
| D014 3340            | Toner Cartridge Unit:Black                  | 79 - 26            |
| D014 3341            | Toner Cartridge Unit:Color                  | 79 - 16            |
| D014 3351            | Cover:Lower:Holder:BK                       | 79 - 27            |
| D014 3352            | Cover:Lower:Holder:M                        | 79 - 20            |
| D014 3353            | Cover:Lower:Holder:C                        | 79 - 21            |
| D014 3354            | Cover:Lower:Holder:Y                        | 79 - 19            |
| D014 3359            | Toner Supply Unit:Ass'y                     | 81 - 13            |
| <del>D014 3360</del> | X/O MB5                                     | 81 - 13            |
| <del>D014 3361</del> | O/O MB30                                    | 81 - 13            |
| D014 3366            | Shaft:Magnetic Clutch:Drive:Transport Screw | 81 - 27            |
| D014 3550            | Connector:1Pole                             | 153 - 9            |
| D014 3553            | Cleaning Drive Unit:Charge                  | 153 - 1            |
| D014 3554            | Housing:Charge Corona                       | 153 - 5            |
| D014 3558            | Shaft:Drive:Cleaner:Charge Corona           | 153 - 2            |
| D014 3559            | Gear:20Z                                    | 153 - 3            |

| Part No.  | Description                      | Page and Index No. |
|-----------|----------------------------------|--------------------|
| D014 3567 | Duct:Horizontal:PCU              | 163 - 15           |
| D014 3575 | Duct:Exhaust:Color               | 163 - 16           |
| D014 3583 | Duct:Exhaust:PCU                 | 167 - 16           |
| D014 3584 | Cover:Duct:Exhaust               | 167 - 10           |
| D014 3585 | Ozone Filter:Black               | 167 - 11           |
| D014 3586 | Dust Filter                      | 167 - 12           |
| D014 3587 | Bracket:Duct:Exhaust             | 167 - 20           |
| D014 3588 | Bracket:Stay:Sirocco             | 167 - 7            |
| D014 3589 | Lever:Cover:Filter               | 167 - 8            |
| D014 3590 | Seal:Duct:Exhaust                | 167 - 15           |
| D014 3591 | Spring Plate:Cover:Filter        | 167 - 9            |
| D014 3592 | Cover:Filter:Black               | 167 - 6            |
| D014 3595 | Cover:Filter:Color               | 167 - 5            |
| D014 3598 | Spring Plate:Duct:Exhaust        | 167 - 22           |
| D014 3601 | Duct:Connecting:Fusing Unit      | 153 - 17           |
| D014 3607 | Sirocco Fan Motor:DC24V 1.44W    | 149 - 15           |
| D014 3610 | Duct:Blower:Charge Corona        | 149 - 17           |
| D014 3611 | Cover:Duct:Blower:Charge Corona  | 149 - 14           |
| D014 3613 | Duct:Stay:Right                  | 149 - 10           |
| D014 3616 | Duct:Charge Corona:Side          | 149 - 12           |
| D014 3624 | Duct:PCU:Side Plate:Main         | 149 - 7            |
| D014 3630 | Duct:Joint:PCU:Color             | 153 - 15           |
| D014 3635 | Humidity Control Unit            | 171 - 13           |
| D014 3643 | Bracket:Sensor:M                 | 181 - 5            |
| D014 3644 | Bracket:Sensor:CYK               | 181 - 1            |
| D014 3646 | DC Solenoid:On-Off               | 181 - 7            |
| D014 3655 | Electric Potential Sensor        | 181 - 4            |
| D014 3656 | Holder:Electric Potential Sensor | 181 - 2            |
| D014 3657 | Shielding Plate                  | 181 - 3            |
| D014 3659 | Duct:Drum Stay:PCU               | 85 - 8             |
| D014 3661 | Relay Duct:Black:PCU             | 163 - 13           |
| D014 3664 | Duct Filter - Charge Corona      | 149 - 13           |
| D014 3670 | Duct:Joint:PCU:M&K:Ass'y         | 153 - 7            |
| D014 3690 | Holder:PCU:VC2                   | 19 - 15            |
| D014 3850 | Paper Transport Belt Unit        | 113 - 1            |

| Part No.             | Description                                        | Page and Index No. |
|----------------------|----------------------------------------------------|--------------------|
| <del>D014 4018</del> | O/O (201003 PCIL)                                  | 119 - *            |
| D014 4019            | Fusing Unit for 120V Model                         | 119 - *            |
| <del>D014 4028</del> | O/O (201004 PCIL)                                  | 119 - *            |
| D014 4029            | Fusing Unit:C2EU:Ass'y                             | 119 - *            |
| D014 4090            | Fusing Belt                                        | 123 - 21           |
| D014 4093            | Front Stay - Fusing Unit                           | 119 - 17           |
| D014 4095            | Rear Stay - Fusing Unit                            | 123 - 6            |
| D014 4103            | Stay - Upper                                       | 123 - 4            |
| D014 4124            | Fusing Unit Cover                                  | 119 - 2            |
| <del>D014 4125</del> | X/O MB3                                            | 119 - 2            |
| D014 4127            | Guide Plate - Paper Exit Unit                      | 121 - 2            |
| D014 4130            | Guide Ring - Heat Roller                           | 123 - 27           |
| D014 4133            | Front Positioning Plate                            | 123 - 35           |
| D014 4134            | Rear Positioning Plate                             | 123 - 18           |
| D014 4136            | Front Heater Holder - Heat Roller                  | 119 - 14           |
| D014 4138            | Rear Heater Holder - Heat Roller                   | 119 - 15           |
| D014 4140            | Front Lever - Heat Roller                          | 123 - 30           |
| D014 4141            | Rear Lever - Heat Roller                           | 123 - 26           |
| <del>D014 4147</del> | O/O (201003 PCIL)                                  | 123 - 5            |
| D014 4148            | Spring Bracket - Separation                        | 121 - 25           |
| D014 4150            | Bracket - Exit Unit                                | 121 - 6            |
| D014 4151            | Front Bracket - Stripper Plate                     | 121 - 12           |
| D014 4154            | Rear Bracket - Stripper Plate                      | 121 - 17           |
| D014 4155            | Front Lever - Paper Exit Unit                      | 121 - 4            |
| D014 4156            | Rear Lever - Paper Exit Unit                       | 121 - 9            |
| D014 4158            | Upper Guide Plate - Fusing Exit                    | 121 - 19           |
| D014 4161            | Supporting Plate:Positioning:<br>Fusing Unit:Rear  | 119 - 7            |
| D014 4163            | Rear Guide Plate - Fusing Unit                     | 123 - 19           |
| D014 4164            | Supporting Plate:Positioning:<br>Fusing Unit:Front | 119 - 16           |
| D014 4167            | Roller Holder - Fusing Exit                        | 121 - 21           |
| D014 4175            | Thermostat:Heat Roller:Welding                     | 119 - 5            |
| D014 4179            | Upper Front Harness - Thermostat                   | 123 - 32           |
| D014 4185            | Pin:Adjusting Pin:Heat Roller:Peen                 | 123 - 40           |

| Part No.             | Description                        | Page and Index No. |
|----------------------|------------------------------------|--------------------|
| D014 4188            | Adjusting Pin:Heat Roller          | 123 - 39           |
| D014 4190            | Stopper - Thermostat               | 119 - 3            |
| D014 4191            | Stopper Pad - Thermostat           | 119 - 4            |
| D014 4194            | Drive Haft                         | 123 - 10           |
| D014 4201            | Side Plate - Lower Front           | 127 - 16           |
| D014 4202            | Side Plate - Lower Rear            | 127 - 20           |
| D014 4203            | Stay - Lower                       | 127 - 17           |
| D014 4204            | Stay - Right Lower                 | 127 - 18           |
| D014 4225            | Lever:Pressure:Lower Rear:Ass'y    | 127 - 22           |
| D014 4233            | Pin:Cam:Lever:Pressure             | 127 - 13           |
| D014 4234            | Entrance Guide Plate - Lower       | 119 - 21           |
| D014 4235            | Housing:Thermostat:Press Fit       | 119 - 6            |
| D014 4236            | Front Heater Holder - Pressure     | 119 - 10           |
| D014 4237            | Rear Heater Holder - Pressure      | 119 - 11           |
| D014 4238            | Bracket - Heat Roller Thermistor   | 119 - 25           |
| D014 4239            | Bracket - Hot Roller Thermistor    | 123 - 3            |
| D014 4240            | Bracket - Thermistor:Pressure      | 119 - 22           |
| D014 4241            | Bracket - Drawer                   | 127 - 23           |
| D014 4243            | Relay Terminal                     | 123 - 33           |
| D014 4247            | Housing - Temperature Sensor       | 119 - 24           |
| D014 4249            | Guide Plate:Shaft:Cam:Rear         | 115 - 21           |
| D014 4250            | Bracket - Cleaning Roller          | 125 - 6            |
| D014 4253            | Front Side Plate - Cleaning Roller | 125 - 13           |
| D014 4254            | Rear Side Plate - Cleaning Roller  | 125 - 8            |
| <del>D014 4255</del> | O/O MB16                           | 125 - 7            |
| <del>D014 4256</del> | X/X MB21                           | 125 - 5            |
| D014 4257            | Guide - Fusing Exit                | 125 - 4            |
| D014 4258            | Bracket - Paper Feed Sensor        | 125 - 3            |
| D014 4259            | Stay:Fusing Unit:Rear:Exit         | 115 - 22           |
| D014 4260            | Feeler                             | 115 - 5            |
| D014 4261            | Shaft                              | 115 - 6            |
| D014 4263            | Bracket:Shaft:Cam                  | 115 - 7            |
| D014 4264            | Bracket:Photointerruptor           | 115 - 2            |
| D014 4265            | Bracket:Motor:On-Off:Press Fit     | 117 - 9            |
| D014 4268            | Shaft:Motor                        | 117 - 11           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| D014 4269 | Front Lock Bracket - Fusing Unit       | 127 - 15           |
| D014 4271 | Rear Lock Bracket - Fusing Unit        | 127 - 21           |
| D014 4274 | Guide:Hook:Lock:Fusing Unit            | 115 - 8            |
| D014 4275 | Guide:Hook:Lock:Fusing Unit:Rear       | 115 - 13           |
| D014 4276 | Hook:Lock:Fusing Unit                  | 115 - 9            |
| D014 4277 | Bracket:Lock:Fusing Unit               | 115 - 11           |
| D014 4280 | Stay:Lock:Fusing Unit                  | 115 - 14           |
| D014 4281 | Upper Front Lever - Pressure           | 127 - 8            |
| D014 4282 | Upper Rear Lever - Pressure            | 127 - 25           |
| D014 4284 | Lever:Pressure:Lower Front:Ass'y       | 127 - 12           |
| D014 4287 | Pin:Lever:Pressure:Control Plate       | 127 - 11           |
| D014 4289 | Lever:Control Plate:Pressure           | 127 - 6            |
| D014 4290 | Hub:Pressure Stand:M5                  | 127 - 10           |
| D014 4291 | Holder:Adjusting Pin:M5                | 127 - 4            |
| D014 4292 | Lever:Control Plate:Pressure:Link:Peen | 127 - 5            |
| D014 4296 | Stepped Screw - M5                     | 127 - 7            |
| D014 4297 | Cam:On-Off:Pressure Roller             | 115 - 4            |
| D014 4298 | AC Harness - Thermostat                | 119 - 20           |
| D014 4300 | Stripper Plate Unit                    | 121 - 15           |
| D014 4305 | Front Positioning Plate - Stripper     | 123 - 34           |
| D014 4306 | Rear Positioning Plate - Stripper      | 123 - 9            |
| D014 4307 | Stay - Bracket                         | 121 - 14           |
| D014 4309 | Spacer:Housing:Thermostat:Front        | 123 - 2            |
| D014 4324 | Front Lever - Stripper Plate           | 121 - 11           |
| D014 4325 | Rear Lever - Stripper Plate            | 121 - 18           |
| D014 4327 | Roller - Fusing Exit                   | 121 - 22           |
| D014 4342 | Spacer:Max                             | 119 - 30           |
| D014 4343 | Spacer:Min                             | 119 - 29           |
| D014 4347 | Guide:Fusing Exit:Middle               | 125 - 18           |
| D014 4350 | Shaft:Gear:Slow Down                   | 117 - 14           |
| D014 4351 | Bracket:Gear:Slow Down:Press Fit       | 117 - 12           |
| D014 4353 | Discharge Brush:Heat Roller:Upper      | 123 - 1            |
| D014 4356 | Guide Plate:Fusing Exit                | 125 - 5            |
| D014 4501 | Duplex Unit                            | 137 - 3            |
| D014 4591 | Rail:Right:Ass'y                       | 185 - 4            |

| Part No.             | Description                         | Page and Index No. |
|----------------------|-------------------------------------|--------------------|
| D014 4740            | DC Solenoid:Gate Pawl               | 145 - 15           |
| D014 4790            | Bracket:Drawer:32PIN                | 145 - 18           |
| D014 4818            | Reverse Roller:Entrance             | 139 - 14           |
| D014 4819            | Guide:Auxiliary:Reverse Roller      | 139 - 30           |
| D014 4874            | Guide Plate:Jogger:Upper            | 137 - 12           |
| D014 4985            | Harness:Sensor:Reverse Unit:3P      | 139 - 26           |
| D014 5133            | PCB:VBCU                            | 175 - 7            |
| D014 5133            | PCB:VBCU                            | 199 - *            |
| D014 5181            | LCDC Board - NA                     | 23 - 13            |
| D014 5182            | PCB:VC2:LCDC:EU:Ass'y               | 23 - 13            |
| <del>D014 5191</del> | X/O (201004 PCIL)                   | 23 - 13            |
| <del>D014 5192</del> | X/O (201005 PCIL)                   | 23 - 13            |
| D014 5200            | Harness:AC:Main:Switch              | 169 - 7            |
| D014 5202            | Harness:PSU:Short Circuit           | 169 - 9            |
| D014 5204            | AC/DC Harness - Fusing Unit 120V    | 127 - 19           |
| D014 5205            | AC Harness 2 - Fusing Unit 230V     | 123 - 20           |
| D014 5209            | AC/DC Harness - Fusing Unit 230V    | 127 - 19           |
| D014 5210            | Harness:DC PSU                      | 169 - 1            |
| D014 5213            | Harness:DRB:VBCU:Power Source       | 175 - 5            |
| D014 5216            | Harness:Large Capacity Tray:DRB     | 165 - 3            |
| D014 5218            | Harness:Manual Feed:Stepper Motor   | 165 - 2            |
| D014 5219            | Harness:TMB                         | 165 - 8            |
| D014 5226            | Harness:Imaging Unit                | 57 - 10            |
| D014 5227            | Harness:Toner Hopper:UNI:Drawer:CNB | 83 - 16            |
| D014 5228            | Harness:CNB:Left                    | 83 - 15            |
| D014 5229            | Harness:Electric Potential Sensor   | 163 - 10           |
| D014 5231            | Harness:Upper Rear                  | 175 - 2            |
| D014 5232            | Harness:Fan                         | 85 - 24            |
| D014 5233            | Harness:Toner Hopper:Fan Motor      | 83 - 17            |
| D014 5237            | Harness:Density Sensor              | 97 - 10            |
| D014 5242            | Harness:Pull Out:UNI:39PIN          | 135 - 19           |
| D014 5244            | Harness:Paper Exit Unit             | 135 - 1            |
| D014 5245            | Harness:Pull Out:UNI:26PIN          | 105 - 5            |
| D014 5246            | Harness:LED:Sensor                  | 107 - 4            |
| D014 5247            | Harness:Sensor                      | 109 - 8            |

| Part No.  | Description                                       | Page and Index No. |
|-----------|---------------------------------------------------|--------------------|
| D014 5248 | Harness:Fan Motor                                 | 113 - 8            |
| D014 5249 | Harness:Manual Paper Feed Unit                    | 61 - 4             |
| D014 5250 | Harness:Paper Feed Unit:LCT:Sensor                | 183 - 25           |
| D014 5252 | Harness:ID                                        | 79 - 30            |
| D014 5253 | Harness:Sensor                                    | 183 - 6            |
| D014 5256 | Harness:ID:Black                                  | 79 - 31            |
| D014 5258 | Harness:DRB:ADF:Power Source                      | 163 - 7            |
| D014 5260 | Harness:Duplex:DRB:Drawer                         | 157 - 21           |
| D014 5261 | Harness:Duplex Unit:32PIN                         | 145 - 19           |
| D014 5262 | Harness:Duplex Unit:12PIN                         | 145 - 21           |
| D014 5263 | Harness:Sensor:Duplex:3P                          | 137 - 18           |
| D014 5264 | Harness:Connecting:Main:Thermistor                | 149 - 1            |
| D014 5265 | Harness:Pull Out:UNI:Dehumidifier                 | 105 - 22           |
| D014 5266 | Harness:Duplex:Fan:Middle                         | 185 - 13           |
| D014 5267 | Harness:Drum:Motor:KMCY                           | 165 - 7            |
| D014 5270 | Harness:PCU:Drawer:Black                          | 153 - 16           |
| D014 5271 | Harness:PCU:Drawer:MCY                            | 153 - 10           |
| D014 5272 | Harness:T:Sensor:Drawer                           | 153 - 8            |
| D014 5277 | Harness:Front:Fan                                 | 103 - 11           |
| D014 5300 | Harness:SIOB:Original Sensor                      | 55 - 23            |
| D014 5301 | Harness:SBU:SCNB                                  | 51 - 2             |
| D014 5302 | Harness:SIOB:Fan:Lamp                             | 55 - 22            |
| D014 5303 | Harness:SBU                                       | 55 - 29            |
| D014 5304 | Harness:SBU:Power Source                          | 55 - 30            |
| D014 5305 | Interface Cable:Scanner:<br>Image Processing Unit | 55 - 33            |
| D014 5305 | Interface Cable:Scanner:<br>Image Processing Unit | 175 - 12           |
| D014 5306 | Harness:SIOB:VBCU                                 | 55 - 21            |
| D014 5306 | Harness:SIOB:VBCU                                 | 175 - 3            |
| D014 5340 | Harness:Development:BM                            | 153 - 13           |
| D014 5342 | Harness:Development:CY                            | 153 - 14           |
| D014 5350 | Harness:High Voltage Supply Cord                  | 165 - 12           |
| D014 5351 | Harness:High Voltage Supply Cord:K                | 93 - 15            |
| D014 5352 | Harness:High Voltage Supply Cord:MCY              | 93 - 1             |

| Part No.             | Description                         | Page and Index No. |
|----------------------|-------------------------------------|--------------------|
| D014 5357            | Harness:Sensor:KM                   | 163 - 12           |
| D014 5358            | Harness:Sensor:CY                   | 163 - 11           |
| D014 5361            | Power Supply Cord - NA              | 169 - 5            |
| D014 5362            | Power Supply Cord - 230V            | 169 - 5            |
| D014 5364            | Power Supply Cord - 230V            | 169 - 5            |
| D014 5366            | Harness:Connecting:LDB:LDD          | 57 - 8             |
| D014 5367            | Cable:LVDS:LDB                      | 57 - 2             |
| D014 5367            | Cable:LVDS:LDB                      | 175 - 13           |
| D014 5371            | Harness:PSU:Fusing:100V             | 155 - 8            |
| D014 5373            | AC/DC Harness - PSU-Fusing 200V     | 155 - 8            |
| D014 5374            | Harness - PSU 230V                  | 155 - 8            |
| D014 5375            | Harness:Upper Front                 | 175 - 1            |
| D014 5376            | Harness:Transfer Belt Unit          | 97 - 14            |
| D014 5377            | Harness:18PIN                       | 97 - 15            |
| D014 5378            | Harness:Positioning Sensor          | 93 - 8             |
| D014 5379            | Harness:Middle                      | 175 - 4            |
| D014 5380            | Harness:Connecting:AC Drive Board   | 169 - 12           |
| D014 5381            | Harness:VBCU:PP1:PFB                | 175 - 6            |
| D014 5383            | Harness:DRB:Safety Switch           | 165 - 4            |
| D014 5384            | Harness:Solenoid                    | 181 - 8            |
| D014 5385            | Harness:Sirocco Fan Motor           | 167 - 18           |
| D014 5385            | Harness:Sirocco Fan Motor           | 149 - 16           |
| D014 5386            | Harness:HDD:Fan Motor               | 175 - 9            |
| D014 5392            | Harness:Bank:Dehumidifier           | 169 - 8            |
| D014 5393            | Harness:Bank                        | 147 - 7            |
| D014 5394            | Harness:Bank                        | 159 - 5            |
| D014 5395            | DC Harness - Bank Front             | 165 - 9            |
| D014 5396            | DC Harness - Bank Rear              | 161 - 2            |
| D014 5397            | Harness:Bank:Tray:Paper Size Sensor | 159 - 18           |
| <del>D014 5422</del> | O/O MB24                            | 175 - 11           |
| <del>D014 5422</del> | O/O MB24                            | 213 - *            |
| D014 5423            | PWB:VE-C2:Image Processing Unit     | 213 - 1            |
| D014 5424            | PCB:IPU                             | 175 - 11           |
| D014 5424            | PCB:IPU                             | 213 - *            |
| D014 5425            | PCB:DTMB                            | 165 - 6            |

| Part No.             | Description                          | Page and Index No. |
|----------------------|--------------------------------------|--------------------|
| D014 5430            | PCB:DRB                              | 165 - 1            |
| D014 5440            | PCB:CNB                              | 83 - 14            |
| D014 5465            | Paper Feed Board                     | 165 - 10           |
| D014 5486            | PCB:SCNB                             | 55 - 32            |
| D014 5494            | PCB:SIOB                             | 55 - 24            |
| D014 5530            | AC Drive Board:100V                  | 169 - 10           |
| D014 5532            | AC Drive Board - 230V                | 169 - 10           |
| <del>D014 5711</del> | X/O MB28                             | 235 - *            |
| <del>D014 5711</del> | X/O MB28                             | 173 - 1            |
| <del>D014 5721</del> | O/O (201105 PCIL)                    | 173 - 6            |
| <del>D014 5731</del> | X/O MB34                             | 235 - *            |
| <del>D014 5731</del> | X/O MB34                             | 173 - 1            |
| <del>D014 5738</del> | O/O (201005 PCIL)                    | 173 - 1            |
| <del>D014 5738</del> | O/O (201005 PCIL)                    | 235 - *            |
| D014 5748            | PBC:Control Board:EX1:V-C2:Sub-Ass'y | 173 - 1            |
| D014 5748            | PBC:Control Board:EX1:V-C2:Sub-Ass'y | 235 - *            |
| D014 5753            | Flash Memory:BIOS:EX1:V-C2           | 235 - 2            |
| D014 5781            | Cable:HDD:Red                        | 173 - 9            |
| D014 5782            | Cable:HDD:Gray                       | 173 - 8            |
| D014 5783            | Cable:HDD:Power                      | 173 - 7            |
| D014 5816            | Cover - C/T Box                      | 173 - 21           |
| D014 5818            | Decal:Caption:Interface              | 245 - 50           |
| D014 5818            | Decal:Caption:Interface              | 177 - 14           |
| D014 5864            | Bracket - DRV                        | 165 - 5            |
| D014 5865            | Bracket:Finisher                     | 167 - 1            |
| D014 5869            | Bracket:C/T Box:Lower                | 169 - 18           |
| D014 5911            | Upper Frame - C/T Box                | 177 - 15           |
| D014 5921            | Right Frame - C/T Box                | 177 - 4            |
| D014 5931            | Left Frame - C/T Box                 | 177 - 12           |
| D014 5951            | Base - C/T Box                       | 177 - 10           |
| D014 5952            | Supporter:Upper                      | 177 - 9            |
| D014 5953            | Supporter:Lower                      | 177 - 8            |
| D014 5955            | Bracket - IPU/VBCU                   | 177 - 5            |
| D014 5971            | Bracket:Control Board                | 173 - 10           |
| D014 5973            | Cover:SD-Card                        | 173 - 11           |

| Part No.             | Description                                                | Page and Index No. |
|----------------------|------------------------------------------------------------|--------------------|
| D014 5974            | Cover:Connector:EFI                                        | 173 - 14           |
| D014 5977            | Cover:Control Board:USB                                    | 173 - 15           |
| D014 5981            | Bracket:AC Drive Board                                     | 169 - 14           |
| D014 5985            | Bracket - Power Pack                                       | 165 - 13           |
| D014 5986            | Bracket:Power Pack:Upper                                   | 169 - 15           |
| D014 6001            | Image Transfer Belt Unit                                   | 93 - *             |
| D014 6014            | Spacer:Opposed:Transfer:Paper                              | 95 - 21            |
| <del>D014 6050</del> | O/O (201001 PCIL)                                          | 93 - 7             |
| D014 6055            | Roller:Drive                                               | 95 - 8             |
| D014 6065            | Roller:Opposed:Density Sensor                              | 95 - 19            |
| D014 6070            | Roller:Intermediate Transfer                               | 93 - 13            |
| D014 6073            | Roller:Opposed:Transfer:Paper                              | 95 - 6             |
| <del>D014 6080</del> | X/O MB18                                                   | 93 - 13            |
| D014 6115            | Bushing:Intermediate Transfer                              | 93 - 10            |
| D014 6116            | Bushing:Intermediate Transfer                              | 93 - 9             |
| D014 6119            | Cam:On-Off                                                 | 95 - 18            |
| D014 6122            | Bracket:Positioning Sensor:<br>Intermediate Transfer:Ass'y | 97 - 12            |
| D014 6123            | Shaft:Cam                                                  | 95 - 9             |
| D014 6135            | Spring:Transfer:Black:Front                                | 93 - 18            |
| D014 6136            | Spring:Transfer:Black:Rear                                 | 93 - 21            |
| D014 6141            | Positioning Sensor                                         | 93 - 6             |
| D014 6144            | Compression Spring                                         | 93 - 11            |
| D014 6145            | Insulating Sheet:Power Pack:<br>Intermediate Transfer      | 97 - 2             |
| D014 6147            | Compression Spring                                         | 93 - 4             |
| D014 6151            | Shielding Plate:Black                                      | 95 - 22            |
| D014 6168            | Plate:Upper:Positioning Sensor                             | 93 - 5             |
| D014 6190            | Roller:Opposed:Belt Cleaning                               | 95 - 5             |
| D014 6250            | Transfer Unit:Ass'y                                        | 111 - *            |
| D014 6260            | PTR Lubricant Bar                                          | 111 - 14           |
| D014 6265            | PTR Cleaning Blade                                         | 111 - 15           |
| D014 6268            | Brush Roller:Apply                                         | 111 - 13           |
| D014 6272            | Bushing:Brush:Rear                                         | 111 - 37           |
| D014 6273            | Gear:16Z                                                   | 111 - 40           |

| Part No.  | Description                     | Page and Index No. |
|-----------|---------------------------------|--------------------|
| D014 6280 | Paper Transfer Roller           | 111 - 7            |
| D014 6310 | Bracket:Contact Point           | 115 - 18           |
| D014 6311 | Bracket:Side Fence              | 115 - 15           |
| D014 6312 | Stay                            | 115 - 17           |
| D014 6315 | Compression Spring:Stay:On-Off  | 115 - 16           |
| D014 6316 | Shaft:Contact Point             | 115 - 19           |
| D014 6318 | Bracket:Motor                   | 117 - 21           |
| D014 6321 | Shaft:Cam                       | 117 - 24           |
| D014 6322 | Feeler                          | 117 - 16           |
| D014 6323 | Gear:15Z/24Z                    | 117 - 22           |
| D014 6324 | Gear:45Z                        | 117 - 23           |
| D014 6325 | Bracket:Sensor                  | 117 - 18           |
| D014 6326 | Cam                             | 117 - 25           |
| D014 6400 | Belt Cleaning Unit              | 99 - *             |
| D014 6455 | Belt Cleaning Blade             | 99 - 13            |
| D014 6458 | Spring:Blade:No.1               | 99 - 11            |
| D014 6460 | Brush:Remove Paper Dust         | 101 - 14           |
| D014 6462 | Scraper:Brush                   | 101 - 17           |
| D014 6463 | Lubricant Supply Brush          | 99 - 6             |
| D014 6466 | Holder:Blade:Belt Cleaning Unit | 99 - 12            |
| D014 6470 | Belt Cleaning Lubricant Bar     | 99 - 26            |
| D014 6476 | Joint:Drive:Brush               | 101 - 22           |
| D014 6478 | Spring:Roller:Pressure          | 99 - 16            |
| D014 6480 | Gear:16Z                        | 101 - 10           |
| D014 6481 | Gear:18Z                        | 99 - 23            |
| D014 6482 | Gear:14Z                        | 101 - 8            |
| D014 6483 | Gear:12Z/21Z                    | 99 - 21            |
| D014 6484 | Gear:9Z                         | 101 - 7            |
| D014 6485 | Gear:19Z                        | 99 - 22            |
| D014 6486 | Holder:Belt Cleaning Unit       | 99 - 4             |
| D014 6489 | Spring:Blade:Apply              | 99 - 3             |
| D014 6490 | Toner Collection Coil           | 101 - 13           |
| D014 6497 | Brush:Agitator                  | 101 - 2            |
| D014 6500 | Ground Plate:Case               | 101 - 25           |
| D014 6501 | Compression Spring:Earth        | 101 - 26           |

| Part No.             | Description                                     | Page and Index No. |
|----------------------|-------------------------------------------------|--------------------|
| D014 6504            | Side Plate:Case                                 | 101 - 20           |
| D014 6505            | Shield:Side Plate:Rear                          | 101 - 24           |
| D014 6506            | Shield:Side Plate:Front                         | 101 - 23           |
| D014 6507            | Lubricant Supply Blade                          | 99 - 5             |
| D014 6510            | Pin:Positioning:Blade                           | 99 - 18            |
| D014 6514            | Entrance Seal:Belt Cleaning                     | 101 - 11           |
| D014 6515            | Dual Faces Tape:Entrance Seal:<br>Belt Cleaning | 101 - 12           |
| D014 6517            | Shield:Holder:Blade:Front Upper                 | 99 - 7             |
| D014 6518            | Shield:Holder:Blade:Front Lower                 | 99 - 8             |
| D014 6519            | Shield:Case:Holder:Rear                         | 101 - 5            |
| D014 6520            | Shield:Case:Holder:Front                        | 101 - 6            |
| D014 6521            | Shield:Case:Brush:Front                         | 99 - 20            |
| D014 6522            | Shield:Holder:Blade:Rear Upper                  | 99 - 9             |
| D014 6523            | Shield:Holder:Blade:Rear Lower                  | 99 - 10            |
| D014 6524            | Seal:Holder:Behind:Belt Cleaning                | 101 - 4            |
| D014 6525            | Seal:Case:Base:Belt Cleaning                    | 101 - 18           |
| D014 6526            | Seal:Toner Recycling Section                    | 101 - 19           |
| D014 6528            | Stay:Roller:Pressure:Front                      | 99 - 25            |
| D014 6529            | Stay:Roller:Pressure:Rear                       | 99 - 14            |
| D014 6530            | Seal:Scraper:Rear:Belt Cleaning                 | 101 - 16           |
| D014 6531            | Seal:Scraper:Front:Belt Cleaning                | 101 - 15           |
| D014 6532            | Bracket:Used Toner Sensor:DC Motor              | 159 - 9            |
| D014 6533            | Shaft:Idler:DC Motor                            | 159 - 11           |
| D014 6552            | Bracket:Used Toner Sensor                       | 159 - 8            |
| <del>D014 6558</del> | O/O (201107 PCIL)                               | 149 - 6            |
| <del>D014 6569</del> | O/O (201102 PCIL)                               | 149 - 11           |
| D014 6671            | Cover - Tandem LCT                              | 63 - 2             |
| D014 6771            | Paper Tray:Universal:DOM:Ass'y                  | 71 - 1             |
| D014 6780            | Tray Bottom Plate:Ass'y                         | 71 - 9             |
| D014 6783            | Arm:End Fence:Lock                              | 71 - 19            |
| D014 6784            | Spring Plate:End Fence                          | 71 - 27            |
| D014 6785            | Spring Plate:Arm:End Fence:Lock                 | 71 - 28            |
| D014 6786            | Decal:Paper Set Direction                       | 245 - 51           |
| D014 6786            | Decal:Paper Set Direction                       | 71 - 17            |

| Part No.  | Description                         | Page and Index No. |
|-----------|-------------------------------------|--------------------|
| D014 6788 | Bracket - Tandem LCT Cover          | 63 - 14            |
| D014 6852 | Bracket:Drive:Exhaust               | 163 - 5            |
| D014 6856 | Sheet:Heat Pipe:Front               | 181 - 10           |
| D014 6857 | Sheet:Heat Pipe:Inner Back          | 181 - 11           |
| D014 6861 | Duct:Exhaust                        | 163 - 6            |
| D014 6871 | Duct:Heat Sink                      | 171 - 12           |
| D014 6876 | Duct:Main:Vacuum                    | 171 - 10           |
| D014 6882 | Heat Pipe                           | 179 - 17           |
| D014 6891 | Sheet - Shielding Plate             | 179 - 18           |
| D014 6892 | Heat Insulation:Heat Pipe:Panel     | 179 - 28           |
| D014 6893 | Duct:Fusing:Exit:Upper              | 179 - 21           |
| D014 6894 | Duct:Fusing:Exit:Upper:Left         | 179 - 22           |
| D014 6898 | Upper Sheet - Stay Left             | 179 - 2            |
| D014 6899 | Lower Sheet - Stay Left             | 179 - 4            |
| D014 6901 | Duct:Development                    | 85 - 7             |
| D014 6904 | Duct:Development:Black              | 85 - 20            |
| D014 6907 | Duct:Development:FC                 | 85 - 23            |
| D014 6910 | Heat Insulation - Toner Supply Unit | 81 - 22            |
| D014 6911 | Duct:Exit:Exhaust                   | 163 - 1            |
| D014 6921 | Duct:Vacuum:Toner Hopper            | 81 - 24            |
| D014 6922 | Cover:Lower:Toner Supply:Color      | 81 - 19            |
| D014 6923 | Duct:Toner Hopper                   | 81 - 11            |
| D014 6924 | Sirocco Fan Motor:DC24V 4.32W       | 81 - 8             |
| D014 6926 | Sirocco Fan Motor:DC24V 4.32W       | 81 - 9             |
| D014 6928 | Sirocco Fan Motor:DC24V 4.32W       | 81 - 10            |
| D014 6930 | Seal:Sirocco Fan Motor              | 85 - 3             |
| D014 6933 | Sirocco Fan Motor:DC24V 4.32W       | 81 - 6             |
| D014 6937 | Duct:Toner Hopper:Lower             | 81 - 7             |
| D014 6938 | Filter:Duct:Toner Hopper:Lower      | 81 - 23            |
| D014 6939 | Filter:Duct:Toner Hopper:Left       | 81 - 21            |
| D014 6942 | Duct:Vacuum Unit                    | 85 - 1             |
| D014 6948 | Filter:Bracket:Vacuum:Belt Cleaning | 85 - 4             |
| D014 6949 | Inner Cover:Drum Stay               | 85 - 21            |
| D014 6951 | Duct:Belt Cleaning:Side:Ass'y       | 99 - 1             |
| D014 6961 | Duct:Door:Front                     | 19 - 30            |

| Part No.             | Description                       | Page and Index No. |
|----------------------|-----------------------------------|--------------------|
| <del>D014 6967</del> | X/O MB4                           | 19 - 31            |
| <del>D014 6968</del> | X/O MB4                           | 19 - 32            |
| D014 6971            | Shield:Duct:Inner Cover           | 85 - 22            |
| D014 6974            | Seal:Duct:Door:Front:Long         | 19 - 32            |
| D014 6975            | Seal:Duct:Door:Front:Short        | 19 - 31            |
| D014 6977            | Duct:Main:Rear                    | 21 - 21            |
| D014 6978            | Dust Filter                       | 21 - 23            |
| D014 6982            | Seal:Cover:Right Middle           | 21 - 16            |
| D014 6983            | Duct:Imaging Unit:Rear:C2:Ass'y   | 171 - 18           |
| D014 6984            | Shield:Duct:Main:Rear             | 21 - 24            |
| D014 6985            | Shield:Duct:Main:Rear             | 21 - 20            |
| D014 6986            | Bracket:Duct:Main:Rear            | 21 - 19            |
| D014 7001            | Paper Exit Unit                   | 129 - *            |
| D014 7005            | Decura:Heat Pipe:DIA15            | 129 - 14           |
| D014 7010            | Guide Plate:Right                 | 129 - 10           |
| D014 7027            | Guide Plate:Middle:Ass'y          | 133 - 25           |
| D014 7081            | Roller:Drive:Connecting:Reverse   | 133 - 24           |
| D014 7082            | Roller:Middle                     | 131 - 2            |
| D014 7131            | Decal:LED:D1                      | 103 - 3            |
| D014 7148            | DC Solenoid                       | 133 - 22           |
| D014 7156            | Roller:Decura                     | 131 - 6            |
| D014 7159            | Gate Pawl:Reverse:Paper Exit Unit | 133 - 7            |
| D014 7201            | Operation Panel - NA              | 23 - *             |
| D014 7202            | Operation Panel - EU              | 23 - *             |
| D014 7221            | Cover:Upper:V-C2:NA               | 23 - 36            |
| D014 7222            | Cover:Upper:V-C2:EU               | 23 - 36            |
| D014 7223            | Lens:Front                        | 23 - 25            |
| D014 7505            | Tandem LCT:Right:EU:Ass'y         | 65 - 1             |
| D014 7506            | Tandem LCT:Right:NA:Ass'y         | 65 - 1             |
| D014 9510            | OPC Drum                          | 91 - 13            |
| D014 9590            | NVRAM                             | 173 - 17           |
| D014 9640            | Developer:Black                   | 91 - 6             |
| D014 9660            | Developer:Cyan                    | 91 - 6             |
| D014 9670            | Developer:Magenta                 | 91 - 6             |
| D014 9680            | Developer:Yellow                  | 91 - 6             |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| D014 9800 | Grease-KS660B            | 247 - 11           |
| D015 1532 | Sheet:Logo:AFICIO:C7500  | 19 - 20            |
| D015 1533 | Sheet:Logo:GES:NA:C7500  | 19 - 20            |
| D015 1534 | Sheet:Logo:LAN:NA:LD275C | 19 - 20            |
| D015 1535 | Sheet:Logo:SVN:C7570     | 19 - 20            |
| D015 1536 | Sheet:Logo:INF:C7500     | 19 - 20            |
| D015 1537 | Sheet:Logo:NSA:C7500     | 19 - 21            |
| D015 1538 | Sheet:Logo:REX:C7500     | 19 - 21            |
| D015 1539 | Sheet:Logo:GES:EU:C7500  | 19 - 21            |
| D015 1541 | Sheet:Logo:INF:C7500SP   | 19 - 20            |
| D015 7652 | Manual:Copy Ref:NA       | 19 - 1             |
| D015 7703 | Manual>About MachineE:NA | 19 - 1             |
| D015 7708 | Manual:Trouble Shoot:NA  | 19 - 1             |

| Part No.             | Description                     | Page and Index No. |
|----------------------|---------------------------------|--------------------|
| A029 2984            | Decal - Grip                    | 77 - 9             |
| A029 2984            | Decal - Grip                    | 245 - 1            |
| <del>A060 2512</del> | O/O (200911 PCIL)               | 103 - 8            |
| A092 9503            | C4 Color Test Chart (3 pcs/set) | 247 - 9            |
| A096 4595            | Duplex Guide                    | 145 - 16           |
| A096 4928            | Guide Plate Band                | 137 - 22           |
| <del>A096 6553</del> | O/O (200906 PCIL)               | 71 - 8             |
| A096 6677            | Decal - Right Paper Set         | 65 - 18            |
| A096 6677            | Decal - Right Paper Set         | 245 - 2            |
| A096 6678            | Decal - Left Paper Set          | 245 - 3            |
| A096 6678            | Decal - Left Paper Set          | 63 - 11            |
| A096 6693            | Paper Guide Sheet               | 185 - 17           |
| A134 1724            | Cushion - Stepper Motor         | 55 - 9             |
| A134 2661            | Feeler Roller                   | 61 - 7             |
| A134 2978            | Spring Plate                    | 71 - 6             |
| A166 4290            | Knob Joint                      | 103 - 4            |
| A176 6695            | Misfeed Removal Guide           | 71 - 23            |
| A176 6695            | Misfeed Removal Guide           | 65 - 13            |
| A193 1384            | Nylon Clamp                     | 21 - 22            |
| A193 1767            | 1st Mirror Holder               | 53 - 17            |
| A222 1193            | Sheet:Duct:Lower                | 185 - 20           |
| A229 4617            | Duplex Discharge Brush          | 139 - 24           |
| A229 4623            | Lower Entrance Guide Plate      | 139 - 6            |
| A229 4727            | Guide Plate Pressure Holder     | 137 - 24           |
| A229 4740            | Drive Joint                     | 139 - 22           |
| A232 6083            | Rear Rack                       | 59 - 10            |
| <del>A247 2800</del> | O/O (201002 PCIL)               | 107 - 7            |
| <del>A247 2800</del> | O/O (201002 PCIL)               | 155 - 7            |
| A248 6103            | Guide Plate - Upper Heat Sink   | 187 - 1            |
| A248 6615            | Coupling Lever - Left           | 63 - 36            |
| A248 6687            | Right Drive Shaft               | 67 - 12            |
| A248 6694            | Wire Ring                       | 67 - 13            |
| A248 6695            | Guide - Pulley                  | 67 - 20            |
| <del>A248 6701</del> | O/O (200905 PCIL)               | 67 - 26            |
| A248 6713            | Hook - Tension Spring           | 67 - 2             |

| Part No.             | Description                  | Page and Index No. |
|----------------------|------------------------------|--------------------|
| A250 1752            | Exposure Glass               | 49 - 12            |
| A257 1165            | Safety Switch Spring         | 171 - 6            |
| A257 1884            | Rubber Bushing               | 51 - 5             |
| A257 3441            | Side Plate Lever             | 85 - 11            |
| A257 6112            | Pulley:Belt Tensioner        | 111 - 34           |
| A257 6112            | Pulley:Belt Tensioner        | 47 - 18            |
| A257 9300            | Grease Barrierta - S552R     | 247 - 6            |
| A267 1820            | Sheet - Photointerrupter     | 51 - 15            |
| A267 2857            | Spring Plate - Side Fence    | 71 - 14            |
| A267 2859            | Side Fence Stopper           | 71 - 13            |
| A267 2860            | Rear Lever Stopper           | 71 - 12            |
| A267 5814            | Compression Spring           | 135 - 29           |
| A293 4611            | Reverse Roller               | 139 - 17           |
| A293 4613            | Front Gate Pawl              | 139 - 16           |
| A293 4614            | Rear Gate Pawl               | 139 - 18           |
| A293 6399            | Torque Limiter - Separator   | 33 - 8             |
| A294 4626            | Lower Duplex Guide Plate     | 145 - 3            |
| A294 6630            | Left Rear Fence              | 63 - 12            |
| A294 6643            | Left Front Fence             | 63 - 7             |
| A294 6645            | Left Side Plate              | 63 - 4             |
| A294 6655            | Front Roller - Slide Rail    | 67 - 28            |
| A294 6666            | Side Plate                   | 65 - 17            |
| A294 6676            | Right Rear Side Plate        | 67 - 9             |
| A294 6690            | Feeler - Paper Height Sensor | 67 - 30            |
| A294 6700            | Torque Limiter - 53mNxm      | 75 - 33            |
| A294 6700            | Torque Limiter - 53mNxm      | 61 - 34            |
| A294 6706            | Sensor Bracket               | 65 - 11            |
| A300 2134            | Guide Roller - B             | 185 - 2            |
| <del>A356 2747</del> | O/O (200907 PCIL)            | 45 - 36            |
| A374 2181            | Spacer                       | 35 - 5             |
| A376 4599            | Side Fence Pad               | 27 - 3             |
| A418 1158            | Spacer - M6.5x1              | 31 - 3             |
| A422 1063            | Seal - 0.7x13x20             | 35 - 8             |
| A422 1063            | Seal - 0.7x13x20             | 39 - 16            |
| A422 1063            | Seal - 0.7x13x20             | 41 - 17            |

| Part No.             | Description                      | Page and Index No. |
|----------------------|----------------------------------|--------------------|
| A458 2251            | Cushion - Bin Solenoid Lever     | 33 - 21            |
| A458 2251            | Cushion - Bin Solenoid Lever     | 41 - 3             |
| A470 1703            | Shift Clutch                     | 131 - 10           |
| A548 2139            | Pulley                           | 43 - 9             |
| A555 1671            | Stepped Screw - M3x26.5          | 159 - 1            |
| A571 7653            | Bushing:Cutter Unit              | 101 - 3            |
| A628 1225            | Bushing - 8mm                    | 31 - 9             |
| A628 1225            | Bushing - 8mm                    | 27 - 14            |
| A680 1621            | Feed-in Unit Stopper             | 31 - 8             |
| A680 1661            | Bushing - 4mm                    | 33 - 10            |
| A680 2262            | Feeler - Pick-up Roller Cam      | 43 - 14            |
| A697 2102            | Damper - Junction Gate Solenoid  | 43 - 32            |
| A697 2102            | Damper - Junction Gate Solenoid  | 37 - 23            |
| A697 2102            | Damper - Junction Gate Solenoid  | 45 - 26            |
| A697 2131            | Antistatic Brush                 | 29 - 21            |
| A806 1135            | Contact Point Shaft              | 47 - 7             |
| A806 1163            | Guide Plate Cushion              | 31 - 6             |
| A806 1292            | Feed Belt Bracket                | 31 - 16            |
| A806 1293            | Feed Belt Drive Roller           | 31 - 10            |
| A806 1294            | Feed Belt Driven Roller          | 31 - 14            |
| A806 1295            | Feed Belt                        | 31 - 12            |
| A806 1298            | Transport Belt Roller Shaft      | 31 - 15            |
| A806 1351            | Original Sensor Feeler           | 27 - 5             |
| A806 2111            | Timing Pulley - T28 S2M          | 39 - 25            |
| A806 2111            | Timing Pulley - T28 S2M          | 35 - 10            |
| A806 2151            | Timing Pulley - T19/Z23 S2M/M0.6 | 31 - 28            |
| <del>A806 2161</del> | X/O (200903 PCIL)                | 45 - 15            |
| A806 2271            | Gear - Z18                       | 31 - 29            |
| <del>A806 2281</del> | X/O (200903 PCIL)                | 27 - 30            |
| <del>A806 2283</del> | X/O (200903 PCIL)                | 45 - 16            |
| <del>A806 2285</del> | X/O (200903 PCIL)                | 45 - 13            |
| <del>A806 2287</del> | X/O (200903 PCIL)                | 45 - 12            |
| A806 4261            | Spring Belt Guide Roller         | 31 - 13            |
| A859 2230            | Ball Bearing - 6x13x5            | 41 - 32            |
| A859 2230            | Ball Bearing - 6x13x5            | 43 - 12            |

| Part No.             | Description                 | Page and Index No. |
|----------------------|-----------------------------|--------------------|
| A859 2230            | Ball Bearing - 6x13x5       | 39 - 21            |
| A859 2230            | Ball Bearing - 6x13x5       | 33 - 14            |
| A859 2241            | Reverse Roller              | 33 - 7             |
| A859 3225            | Discharge Brush             | 35 - 15            |
| A859 3225            | Discharge Brush             | 27 - 25            |
| A859 4836            | Bushing- Exit Driven Roller | 41 - 26            |
| A859 7211            | Stepped Screw               | 25 - 12            |
| B010 1289            | Left Gasket - Front Rear    | 183 - 19           |
| B027 8521            | O/I Holder - Assembly       | 19 - 2             |
| B039 1367            | Rivet - M6                  | 21 - 5             |
| B051 4103            | Knob Screw - 4M             | 119 - 18           |
| B065 1092            | Bracket                     | 185 - 18           |
| <del>B065 1303</del> | O/O (201107 PCIL)           | 21 - 15            |
| B065 1341            | Connector Cap               | 21 - 11            |
| B065 1344            | G4 Cap                      | 21 - 14            |
| B065 1371            | Cloth Holder                | 19 - 3             |
| B065 1374            | Cloth - DF Exposure Glass   | 19 - 4             |
| B065 1772            | Left Scale                  | 49 - 10            |
| B065 1773            | Scale Bracket Seal          | 49 - 6             |
| B065 1782            | Seal                        | 49 - 4             |
| B065 1785            | Right Stay                  | 49 - 17            |
| B065 1787            | Scale Bracket               | 49 - 5             |
| B065 3108            | Plate:Filter                | 91 - 2             |
| B065 3561            | Spring                      | 147 - 23           |
| B065 3587            | Toner Collection Gear       | 147 - 21           |
| B065 3699            | Decal - Release Lever       | 245 - 11           |
| B065 3699            | Decal - Release Lever       | 85 - 17            |
| B065 4121            | Thermostat Terminal         | 119 - 19           |
| B065 4480            | Decal - Cover               | 21 - 1             |
| B065 4480            | Decal - Cover               | 245 - 12           |
| B065 4531            | Guide Plate Lever           | 137 - 26           |
| B065 4632            | Joint Holder                | 139 - 20           |
| B065 4644            | Sensor Bracket              | 139 - 23           |
| B065 4672            | Release Lever Bracket       | 137 - 9            |
| B065 4675            | Duplex Release Bracket      | 137 - 7            |

| Part No.             | Description                      | Page and Index No. |
|----------------------|----------------------------------|--------------------|
| B065 4683            | Spring Plate - Rear Jogger Fence | 141 - 20           |
| B065 4694            | Jogger Guide Rod                 | 143 - 5            |
| B065 4731            | Spring Plate - Driven Roller     | 137 - 20           |
| B065 4733            | Duplex Gate Pawl                 | 145 - 1            |
| B065 4738            | Gate Pawl Cushion                | 145 - 2            |
| B065 4820            | Jogger Bracket                   | 145 - 24           |
| B065 4865            | Spacer                           | 145 - 4            |
| B065 4867            | Decal - Guide Plate Lever        | 245 - 13           |
| B065 4867            | Decal - Guide Plate Lever        | 137 - 27           |
| B065 4933            | Guide Plate Lever Hook           | 137 - 28           |
| B065 6135            | Lock Arm - Tandem Tray           | 187 - 10           |
| B065 6136            | Tray Lock Arm                    | 69 - 16            |
| B065 6172            | Paper Tray Stopper               | 159 - 15           |
| B065 6306            | Reverse Drive Shaft              | 75 - 37            |
| B065 6307            | Reverse Driven Shaft             | 75 - 34            |
| B065 6317            | Relay Shaft                      | 75 - 11            |
| <del>B065 6330</del> | O/O (200903 PCIL)                | 75 - 14            |
| B065 6333            | Reverse Housing                  | 75 - 43            |
| B065 6334            | Heat Sink Base                   | 73 - 26            |
| B065 6336            | Front Side Plate - Paper Feed    | 75 - 9             |
| B065 6337            | Heat Sink                        | 73 - 28            |
| B065 6338            | Heat Sink Sheet                  | 73 - 29            |
| B065 6345            | Paper End Sensor Bracket         | 73 - 20            |
| B065 6346            | Paper Tray Link                  | 75 - 17            |
| B065 6350            | Pick-up Gear Cover               | 73 - 5             |
| B065 6353            | Feed Gear Cover                  | 73 - 32            |
| B065 6357            | Pick-up Arm                      | 73 - 8             |
| B065 6358            | Paper Feed Sensor Bracket        | 73 - 13            |
| B065 6364            | Feed Stay                        | 73 - 15            |
| <del>B065 6366</del> | O/O (200903 PCIL)                | 73 - 31            |
| B065 6371            | Support Guide Plate              | 75 - 10            |
| B065 6375            | Paper Feed Unit Stay             | 73 - 30            |
| B065 6394            | Motor Bracket                    | 75 - 26            |
| B065 6407            | Transport Pressure Plate         | 77 - 17            |
| B065 6415            | Motor Base                       | 75 - 28            |

| Part No.  | Description                         | Page and Index No. |
|-----------|-------------------------------------|--------------------|
| B065 6427 | Release Lever - Vertical Transport  | 77 - 12            |
| B065 6428 | Release Button - Vertical Transport | 77 - 11            |
| B065 6445 | Feed Lever                          | 73 - 11            |
| B065 6452 | Tray Link Guide                     | 75 - 16            |
| B065 6453 | Transport Roller Lever              | 75 - 5             |
| B065 6454 | Driven Release Lever                | 75 - 7             |
| B065 6455 | Driven Pressure Lever               | 75 - 8             |
| B065 6456 | Vertical Transport Link             | 75 - 22            |
| B065 6457 | Driven Pressure Lever               | 73 - 33            |
| B065 6524 | Bottom Plate Lift Shaft             | 71 - 25            |
| B065 6526 | Lift Lever                          | 71 - 26            |
| B065 6538 | Positioning Stopper Lever           | 71 - 5             |
| B065 6545 | Decal - Positioning                 | 245 - 14           |
| B065 6545 | Decal - Positioning                 | 71 - 18            |
| B065 6588 | Right Support Plate                 | 69 - 8             |
| B065 6589 | Left Support Plate                  | 69 - 7             |
| B065 6591 | Paper Tray Holder Base              | 69 - 9             |
| B065 6717 | Paper Volume Shield Plate           | 67 - 40            |
| B065 6769 | Lock Arm                            | 161 - 6            |
| B065 6774 | Slide Bracket                       | 187 - 6            |
| B065 6823 | Timing Belt Cover                   | 63 - 20            |
| B065 6830 | Pulley Bracket                      | 63 - 23            |
| B065 6831 | Sensor Bracket                      | 63 - 34            |
| B065 6846 | Decal - Paper Set - Left            | 245 - 15           |
| B065 6846 | Decal - Paper Set - Left            | 63 - 6             |
| B065 6859 | Right Stopper                       | 65 - 4             |
| B065 6862 | Large Lever                         | 67 - 34            |
| B065 6864 | Small Lever                         | 67 - 31            |
| B065 6870 | Stay - Rightbase                    | 67 - 14            |
| B065 6872 | Oil Damper Bracket                  | 67 - 25            |
| B065 6875 | Protection - Inner Cover            | 65 - 5             |
| B065 6877 | Decal - Paper Set - Right           | 245 - 16           |
| B065 6877 | Decal - Paper Set - Right           | 65 - 6             |
| B065 8490 | Decal - Paper Size                  | 19 - 8             |
| B070 1307 | Decal:Paper Set Direction           | 245 - 17           |

| Part No.             | Description                         | Page and Index No. |
|----------------------|-------------------------------------|--------------------|
| B070 1307            | Decal:Paper Set Direction           | 19 - 11            |
| B070 5473            | DC Harness - Left                   | 63 - 26            |
| B070 6293            | Heat Sink:Heater:Upper:Fiber        | 187 - 3            |
| B070 6516            | Bracket:Cover:Tandem LCT:Ass'y      | 63 - 5             |
| B070 6666            | Left DC Motor Bracket               | 63 - 30            |
| B070 6667            | End Fence Cover Front               | 67 - 15            |
| B070 6668            | Side Plate:Tandem:Right Front       | 67 - 27            |
| B070 6683            | Lever:Release:Front                 | 67 - 17            |
| B070 6684            | Lever:Release:Rear                  | 67 - 35            |
| B070 6877            | Large Drum Stay Ground Plate        | 173 - 19           |
| B070 6877            | Large Drum Stay Ground Plate        | 177 - 11           |
| B098 6639            | Tray Bottom Plate:Left Middle:Ass'y | 63 - 9             |
| B132 1004            | Stay:Machine Or Copier:Right Lower  | 183 - 15           |
| B132 1008            | Bracket:Cover:LCT                   | 183 - 26           |
| B132 1020            | Bracket:Drawer:Paper Feed Unit      | 157 - 3            |
| B132 1112            | Ground Plate:Scanner:Rear           | 51 - 16            |
| B132 1115            | Stay:Machine Or Copier:Left:Peen    | 183 - 1            |
| B132 1118            | Bracket:Fan:Duplex                  | 185 - 15           |
| B132 1159            | Supporting Plate:Pull Out:Front     | 129 - 18           |
| B132 1183            | Bracket:Lock                        | 135 - 33           |
| <del>B132 1184</del> | X/O (201109 PCIL)                   | 103 - 13           |
| B132 1185            | Shaft:Lock:Pull Out                 | 135 - 25           |
| B132 1186            | Supporting Plate:Pull Out           | 111 - 28           |
| B132 1188            | Cover:Drive Sub-unit                | 105 - 21           |
| B132 1189            | Inner Cover:Pull Out:Right          | 103 - 16           |
| B132 1190            | Bracket:Release:Lock                | 135 - 31           |
| B132 1191            | Handle:Pull Out                     | 135 - 24           |
| B132 1192            | Guard:Pull Out                      | 109 - 2            |
| B132 1193            | Bracket:Interlock:Lever             | 135 - 38           |
| B132 1194            | Actuator:Pull Out                   | 135 - 17           |
| B132 1195            | Bracket:Drawer:Pull Out             | 135 - 16           |
| B132 1220            | Cover:Base:Pull Out                 | 135 - 18           |
| B132 1221            | Holder:Spring:Pull Out              | 135 - 30           |
| B132 1222            | Cover:Stay:Left                     | 183 - 2            |
| B132 1224            | Supporting Plate:Bracket:Lock       | 135 - 34           |

| Part No.             | Description               | Page and Index No. |
|----------------------|---------------------------|--------------------|
| B132 1226            | Holder:Stand              | 19 - 7             |
| B132 1228            | Insulating Sheet:Pull Out | 135 - 22           |
| B132 1229            | Cover:Drawer              | 149 - 9            |
| B132 1232            | Cover:Harness:Pull Out    | 107 - 24           |
| B132 1233            | Bracket:Photointerruptor  | 109 - 25           |
| B132 1235            | Collar:DIA18              | 117 - 3            |
| B132 1238            | Decal:Caution:Pull Out    | 103 - 15           |
| B132 1238            | Decal:Caution:Pull Out    | 245 - 18           |
| B132 1307            | Bracket:Sensor            | 157 - 5            |
| B132 1338            | DC Motor:On-Off:Ass'y     | 153 - 19           |
| B132 1339            | Bracket:On-Off:Plate      | 153 - 18           |
| B132 1356            | Bracket:Tightener:Ass'y   | 155 - 18           |
| B132 1360            | Shaft:Drive:Fusing:Ass'y  | 155 - 19           |
| B132 1363            | Shaft:Drive:Reverse:Ass'y | 155 - 25           |
| B132 1367            | Shaft:Drive:Vacuum        | 155 - 10           |
| B132 1370            | Pulley:Idler              | 155 - 20           |
| B132 1463            | Hinge Shaft               | 179 - 16           |
| <del>B132 1464</del> | X/O MB41                  | 19 - 12            |
| B132 1465            | Spring:Hinge:Upper        | 179 - 15           |
| <del>B132 1482</del> | O/O (201110 PCIL)         | 245 - 19           |
| <del>B132 1482</del> | O/O (201110 PCIL)         | 59 - 2             |
| <del>B132 1502</del> | O/O (201110 PCIL)         | 49 - 16            |
| B132 1503            | Cover:Left Upper          | 49 - 1             |
| B132 1504            | Cover:Rear Upper          | 21 - 9             |
| <del>B132 1506</del> | O/O (201003 PCIL)         | 21 - 2             |
| B132 1508            | Cover:Right Lower         | 21 - 10            |
| B132 1511            | Lever:Guide Plate         | 19 - 6             |
| B132 1512            | Cover:Main Switch         | 19 - 23            |
| B132 1513            | Case:Main Switch          | 19 - 24            |
| B132 1514            | Grip:Door:Front           | 19 - 25            |
| B132 1515            | Lever:Micro Switch        | 19 - 26            |
| B132 1516            | Cover:Ozone Filter        | 21 - 6             |
| B132 1526            | Door Catch                | 19 - 27            |
| B132 1528            | Guard:Gap:C/T Box         | 177 - 13           |
| B132 1529            | Sponge:SD-Card:Plate      | 19 - 5             |

| Part No.             | Description                      | Page and Index No. |
|----------------------|----------------------------------|--------------------|
| B132 1531            | Panel:Logo                       | 19 - 19            |
| B132 1548            | Decal - Cleaning:Exposure Glass  | 245 - 20           |
| B132 1548            | Decal - Cleaning:Exposure Glass  | 19 - 34            |
| B132 1549            | Decal - Cleaning:Exposure Glass  | 19 - 40            |
| B132 1549            | Decal - Cleaning:Exposure Glass  | 245 - 21           |
| B132 1551            | Inner Cover:Main Switch          | 171 - 3            |
| B132 1553            | Decal:Main Switch Display:On     | 171 - 1            |
| B132 1555            | Decal - Main Switch Display:Off  | 171 - 2            |
| B132 1558            | Inner Cover:Paper Feed           | 19 - 9             |
| B132 1562            | Decal - Inkjet:Paper             | 23 - 31            |
| B132 1562            | Decal - Inkjet:Paper             | 245 - 22           |
| B132 1573            | Decal - Power Source:Off         | 245 - 23           |
| B132 1573            | Decal - Power Source:Off         | 19 - 36            |
| <del>B132 1583</del> | O/O (201110 PCIL)                | 49 - 15            |
| <del>B132 1583</del> | O/O (201110 PCIL)                | 245 - 24           |
| B132 1666            | Frame:Front                      | 51 - 8             |
| B132 1671            | Bracket:Pulley                   | 55 - 25            |
| <del>B132 1674</del> | X/O (201002 PCIL)                | 51 - 3             |
| B132 1675            | Cover:Polygon Mirror Motor       | 55 - 27            |
| B132 1683            | Mylar:Frame:Front                | 49 - 19            |
| B132 1684            | Mylar:Frame:Middle               | 49 - 20            |
| B132 1685            | Mylar:Frame:Rear                 | 49 - 21            |
| B132 1686            | Scale:Sheet Through:Ass'y (EU)   | 49 - 11            |
| B132 1687            | Scale:Sheet Through (NA)         | 49 - 11            |
| B132 1692            | Scale:Rear:Printing              | 49 - 13            |
| B132 1702            | Bracket:Motor                    | 55 - 7             |
| B132 1710            | Pulley:Tension:Timing Belt:Ass'y | 55 - 6             |
| B132 1714            | Cover:Damper                     | 55 - 11            |
| B132 1719            | Screw:Mechanical Drive Section   | 55 - 20            |
| B132 1720            | Pulley:40T                       | 55 - 18            |
| B132 1723            | Spring:Drive Were                | 55 - 16            |
| B132 1724            | Bracket:Tension                  | 55 - 14            |
| B132 1725            | Bracket:Tension:Fix              | 55 - 15            |
| B132 1729            | Drive Were:Scanner               | 55 - 13            |
| B132 1757            | Mirror:No.1:Ass'y                | 53 - 18            |

| Part No.  | Description                       | Page and Index No. |
|-----------|-----------------------------------|--------------------|
| B132 1758 | Stay:Wire                         | 53 - 15            |
| B132 1766 | Feeler:Home Position Sensor:No.1  | 53 - 13            |
| B132 1767 | Holder:Connector                  | 53 - 14            |
| B132 1801 | Carriage:No.2:Ass'y               | 53 - 1             |
| B132 1815 | Holder:Pulley                     | 53 - 5             |
| B132 1818 | Mirror:No.2                       | 53 - 3             |
| B132 1819 | Mirror:No.3                       | 53 - 4             |
| B132 1851 | Bracket:Invertor                  | 55 - 2             |
| B132 1852 | Bracket:Fan:MM40:Invertor         | 55 - 3             |
| B132 1871 | Bracket:Open And Close:Left       | 51 - 4             |
| B132 1872 | Bracket:Open And Close:Right      | 51 - 12            |
| B132 1874 | Bracket:Positioning:Right         | 51 - 9             |
| B132 1877 | Bracket:Positioning:Left          | 51 - 6             |
| B132 1885 | Bracket:ADF                       | 49 - 14            |
| B132 1888 | Rod:Open And Close:Scanner Unit   | 51 - 18            |
| B132 1889 | Plate:Rod                         | 51 - 17            |
| B132 1896 | Ground Wire:Scanner               | 51 - 13            |
| B132 1898 | Spring Plate:Ground Plate:ADF     | 49 - 18            |
| B132 1971 | Positioning Pin                   | 57 - 7             |
| B132 1972 | Grip:Imaging Unit                 | 57 - 3             |
| B132 2085 | Shield:Shield Glass               | 57 - 11            |
| B132 2093 | Rail:Shield Glass                 | 57 - 14            |
| B132 2094 | Grip:Shield Glass                 | 57 - 12            |
| B132 2172 | Cover:Upper:Sub-ass'y             | 57 - 9             |
| B132 2185 | Cover:Polygon Motor:Ass'y         | 57 - 5             |
| B132 2361 | Positioning Plate:PCU             | 87 - 4             |
| B132 2366 | Lever:Drum Stay:Left              | 85 - 6             |
| B132 2391 | MB19                              | 19 - 15            |
| B132 2393 | Tray:Holder:PCU                   | 19 - 13            |
| B132 2417 | Seal:Drum Stay:Lower              | 85 - 18            |
| B132 2433 | Bracket:Stay:Duct:Right           | 163 - 14           |
| B132 2435 | Dust Filter                       | 167 - 14           |
| B132 2436 | Ozone Filter                      | 167 - 13           |
| B132 2442 | Duct:Drum Stay                    | 85 - 9             |
| B132 2450 | Shield:Duct:Intermediate Transfer | 85 - 10            |

| Part No.  | Description                        | Page and Index No. |
|-----------|------------------------------------|--------------------|
| B132 2454 | Duct:Intermediate Transfer         | 85 - 26            |
| B132 2458 | Duct:Development:Front             | 81 - 2             |
| B132 2465 | Seal:Fan:Humidity Control          | 171 - 14           |
| B132 2466 | Filter:Duct:Intermediate Transfer  | 85 - 27            |
| B132 2468 | Filter                             | 171 - 16           |
| B132 2470 | Duct:Humidity Control:Ass'y        | 179 - 12           |
| B132 2474 | Shield:Duct                        | 81 - 5             |
| B132 2475 | Filter:Duct                        | 83 - 4             |
| B132 2476 | Shield:Duct:Left                   | 81 - 20            |
| B132 2485 | Seal:Fan Motor                     | 81 - 3             |
| B132 2496 | Seal:Duct:Toner Hopper:Lower       | 81 - 12            |
| B132 2594 | DC Solenoid:24V:16.5W:Ass'y        | 109 - 11           |
| B132 2605 | Case:Remove Paper Dust             | 105 - 1            |
| B132 2617 | Registration Roller:Lower          | 107 - 2            |
| B132 2624 | Bracket:Optics Sensor              | 107 - 5            |
| B132 2629 | Registration Roller:Upper          | 107 - 1            |
| B132 2639 | Transport Roller:Driven            | 109 - 5            |
| B132 2644 | Lever:Knob:Release                 | 105 - 15           |
| B132 2649 | Arm:Guide                          | 109 - 12           |
| B132 2650 | Arm:Perpendicular                  | 109 - 13           |
| B132 2651 | Knob:Release                       | 105 - 18           |
| B132 2654 | Bracket:Sensor:Large Capacity Tray | 183 - 24           |
| B132 2658 | Roller:Connecting:Drive            | 107 - 16           |
| B132 2661 | Bracket:Solenoid                   | 109 - 15           |
| B132 2667 | Rail:Solenoid:Release              | 109 - 16           |
| B132 2670 | Shaft:Lock                         | 105 - 14           |
| B132 2671 | Lever:Un Lock                      | 105 - 9            |
| B132 2674 | Side Plate:Open And Close:Front    | 105 - 13           |
| B132 2675 | Transport Roller:Driven:Duplex     | 107 - 20           |
| B132 2679 | Bracket:Gear:Swivel                | 155 - 29           |
| B132 2680 | Registration Guide:Connecting      | 105 - 19           |
| B132 2681 | Shaft:Contact Point:Lever          | 105 - 17           |
| B132 2682 | Registration Guide:Upper           | 105 - 16           |
| B132 2691 | Shaft:Lock                         | 107 - 12           |
| B132 2692 | Pawl:Lock:Rear                     | 107 - 13           |

| Part No.  | Description                         | Page and Index No. |
|-----------|-------------------------------------|--------------------|
| B132 2699 | Spacer:MM12                         | 155 - 30           |
| B132 2703 | Stud:Contact Point                  | 105 - 7            |
| B132 2708 | Pawl:Lock:Front                     | 107 - 10           |
| B132 2709 | Decal:Lever:B4                      | 245 - 25           |
| B132 2709 | Decal:Lever:B4                      | 103 - 12           |
| B132 2710 | Tension Spring                      | 109 - 20           |
| B132 2711 | Bracket:Stepper Motor               | 109 - 21           |
| B132 2716 | Lever:Release                       | 103 - 7            |
| B132 2718 | Guide:Registration:Open And Close   | 183 - 13           |
| B132 2720 | Bracket:Tightener                   | 109 - 19           |
| B132 2722 | Stepper Motor:Registration:Ass'y    | 109 - 23           |
| B132 2723 | Cover:Motor:Registration            | 109 - 17           |
| B132 2724 | Bushing:Registration:Front          | 107 - 21           |
| B132 2725 | Bushing:Registration:Rear           | 107 - 25           |
| B132 2753 | Support Stay:Solenoid               | 109 - 14           |
| B132 2760 | Bracket:Drive:Paper Feed Sub-Unit   | 155 - 3            |
| B132 2762 | Shaft:Drive:Paper Feed              | 155 - 31           |
| B132 2767 | Guide Plate:Paper Bank:Ass'y        | 109 - 3            |
| B132 2815 | Bracket:Fix:Manual Feed             | 183 - 20           |
| B132 2816 | Cover:Manual Feed:Machine Or Copier | 59 - 1             |
| B132 2819 | Holder:Manual Feed Table:Front      | 61 - 3             |
| B132 2823 | Holder:Manual Feed Table:Rear       | 61 - 17            |
| B132 2835 | Arm:Pickup:Manual Feed              | 61 - 25            |
| B132 2837 | Guide Plate:Feed                    | 61 - 23            |
| B132 2839 | DC Solenoid:Pickup:Ass'y            | 61 - 11            |
| B132 2845 | Feeler:Paper End Sensor             | 61 - 5             |
| B132 2846 | Ground Plate:Manual Feed            | 61 - 24            |
| B132 2848 | Bracket:Sensor:Manual Feed          | 61 - 8             |
| B132 2849 | Shaft:Separator:Drive:Ass'y         | 61 - 31            |
| B132 2851 | Shaft:Separator:Driven:Ass'y        | 61 - 35            |
| B132 2853 | Lever:Pressure:Separator            | 61 - 38            |
| B132 2856 | Roller:Manual Feed Unit:Drive       | 61 - 14            |
| B132 2857 | Stopper:Magnetic Clutch             | 61 - 16            |
| B132 2859 | Cover:Manual Feed Unit              | 61 - 2             |
| B132 2861 | X/O (201009 PCIL)                   | 59 - 6             |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| B132 2863 | Side Fence:Auxiliary:Front     | 59 - 4             |
| B132 2864 | Side Fence:Rear:Ass'y          | 59 - 7             |
| B132 2866 | Side Fence:Auxiliary:Rear      | 59 - 5             |
| B132 2868 | Guide:Manual Feed Table        | 59 - 9             |
| B132 2872 | Paper Size Sensor              | 59 - 12            |
| B132 2875 | Decal:Paper Set Direction      | 59 - 8             |
| B132 2875 | Decal:Paper Set Direction      | 245 - 26           |
| B132 3084 | Holder:Cap:Receiving Sub-unit  | 19 - 29            |
| B132 3159 | Adjusting Pin:Magnetic Roller  | 91 - 17            |
| B132 3179 | Cap:Toner Supply:Upper         | 91 - 4             |
| B132 3216 | Shaft:Lever:Stand              | 79 - 5             |
| B132 3217 | Supporting Plate:Side Plate    | 83 - 1             |
| B132 3218 | Bracket:Fix:Right              | 83 - 3             |
| B132 3222 | Shaft:Drive                    | 83 - 7             |
| B132 3223 | Gear:21/32Z                    | 83 - 8             |
| B132 3224 | Gear:75Z                       | 83 - 6             |
| B132 3227 | Shield:Cover:Duct:Lower        | 81 - 1             |
| B132 3229 | Cover:Lower:Black              | 83 - 5             |
| B132 3232 | Cover:Black                    | 79 - 17            |
| B132 3233 | Cover:Color                    | 79 - 22            |
| B132 3235 | Inner Cover:Right              | 79 - 18            |
| B132 3236 | Inner Cover:Left               | 79 - 8             |
| B132 3237 | Stand:Left                     | 79 - 9             |
| B132 3238 | Guide:Stand                    | 79 - 10            |
| B132 3239 | Lever:Stand                    | 79 - 4             |
| B132 3240 | Spring Plate:Stand             | 79 - 3             |
| B132 3241 | Guide Plate:Lever:Stand        | 79 - 7             |
| B132 3242 | Spring Plate:Lever:Stand       | 79 - 6             |
| B132 3245 | Sheet                          | 79 - 28            |
| B132 3247 | Decal:Cover:Toner Supply:Black | 245 - 27           |
| B132 3247 | Decal:Cover:Toner Supply:Black | 79 - 29            |
| B132 3248 | Decal:Cover:Toner Supply:M     | 79 - 23            |
| B132 3248 | Decal:Cover:Toner Supply:M     | 245 - 28           |
| B132 3249 | Decal:Cover:Toner Supply:C     | 79 - 23            |
| B132 3249 | Decal:Cover:Toner Supply:C     | 245 - 28           |

| Part No.  | Description                        | Page and Index No. |
|-----------|------------------------------------|--------------------|
| B132 3250 | Decal:Cover:Toner Supply:Y         | 79 - 23            |
| B132 3250 | Decal:Cover:Toner Supply:Y         | 245 - 28           |
| B132 3314 | Bracket:Stopper:Holder:Right:Ass'y | 79 - 14            |
| B132 3316 | Bracket:Stopper:Holder:Left:Ass'y  | 79 - 13            |
| B132 3321 | Arm:Stopper:Holder:Black           | 79 - 24            |
| B132 3322 | Arm:Stopper:Holder:Color           | 79 - 12            |
| B132 3323 | Guide:Arm:Stopper:Holder           | 79 - 11            |
| B132 3330 | Decal:Lever:Toner Supply:K         | 79 - 25            |
| B132 3330 | Decal:Lever:Toner Supply:K         | 245 - 29           |
| B132 3331 | Decal:Lever:Toner Supply:M         | 245 - 30           |
| B132 3331 | Decal:Lever:Toner Supply:M         | 79 - 15            |
| B132 3332 | Decal:Lever:Toner Supply:C         | 79 - 15            |
| B132 3332 | Decal:Lever:Toner Supply:C         | 245 - 30           |
| B132 3333 | Decal:Lever:Toner Supply:Y         | 245 - 30           |
| B132 3333 | Decal:Lever:Toner Supply:Y         | 79 - 15            |
| B132 3349 | Gear:Drive:Toner Supply Unit       | 81 - 25            |
| B132 3428 | Stay                               | 79 - 2             |
| B132 3434 | Bracket:Drawer                     | 83 - 12            |
| B132 3435 | Cover:Drawer                       | 83 - 11            |
| B132 3436 | Tube:Black                         | 81 - 18            |
| B132 3437 | Tube:Color                         | 81 - 16            |
| B132 3438 | Coil:Guard:Tube:Black              | 81 - 17            |
| B132 3439 | Coil:Guard:Tube:COLOR              | 81 - 15            |
| B132 3486 | Stay:Slide Rail:Toner Supply       | 183 - 12           |
| B132 3489 | Bracket:Drawer:Toner Supply        | 171 - 22           |
| B132 3491 | Cover:Drawer                       | 171 - 23           |
| B132 3493 | Bracket:Fix:Toner Supply           | 171 - 24           |
| B132 3851 | Transport Roller:Drive             | 113 - 5            |
| B132 3862 | Supporting Plate:Vacuum            | 113 - 6            |
| B132 4125 | Collar:Shaft:Drive                 | 123 - 36           |
| B132 4127 | Bracket:Torsion Spring:Peen        | 121 - 24           |
| B132 4138 | Roller:Coupling:Knob:Fusing        | 123 - 37           |
| B132 4148 | Housing:Thermostat                 | 119 - 8            |
| B132 4163 | Shaft:Oil Application Unit         | 121 - 7            |
| B132 4167 | Grip:Oil Application Unit:Fiber    | 121 - 3            |

| Part No.             | Description                         | Page and Index No. |
|----------------------|-------------------------------------|--------------------|
| B132 4196            | Spring:Pick-off Pawl                | 125 - 15           |
| B132 4197            | Torsion Spring:Lever                | 121 - 8            |
| B132 4265            | Roller:Pick-off Pawl                | 125 - 16           |
| B132 4268            | Holder:Roller:Pick-off Pawl         | 125 - 17           |
| B132 4326            | Heat Insulation:Drum Stay           | 85 - 19            |
| B132 4525            | Inner Cover:Duplex Unit:Ass'y       | 137 - 1            |
| <del>B132 4594</del> | O/O MB8                             | 185 - 4            |
| B132 4619            | Bracket:Support:Positioning Pin     | 145 - 17           |
| <del>B132 4620</del> | O/O (201008 PCIL)                   | 139 - 19           |
| <del>B132 4627</del> | O/O (201008 PCIL)                   | 139 - 12           |
| B132 4640            | Guide Plate:Entrance:Upper:Ass'y    | 139 - 27           |
| B132 4643            | Spacer:Gate Pawl                    | 139 - 15           |
| B132 4647            | Lever:Open And Close:Reverse Unit   | 139 - 4            |
| B132 4650            | Stepper Motor:Jogger:Ass'y          | 141 - 6            |
| B132 4655            | Bracket:Reversal:Driven:Ass'y       | 141 - 28           |
| B132 4661            | Arm:Roller:Reversal:Driven          | 141 - 23           |
| B132 4663            | Lever:Roller:Driven:Reversal        | 141 - 12           |
| B132 4665            | Stay:Bearing:Reversal               | 141 - 15           |
| B132 4671            | Arm:Lock:Duplex                     | 137 - 6            |
| <del>B132 4674</del> | O/O (200904 PCIL)                   | 137 - 4            |
| B132 4681            | Jogger Fence:Front                  | 141 - 18           |
| B132 4682            | Jogger Fence:Rear                   | 141 - 19           |
| B132 4689            | Stay:Timing Belt                    | 145 - 5            |
| B132 4692            | Slider:Jogger Fence:Front           | 145 - 7            |
| B132 4693            | Slider:Jogger Fence:Rear            | 145 - 8            |
| B132 4696            | Bracket:Stepper Motor:Jogger        | 141 - 7            |
| B132 4699            | Bracket:Home Position Sensor:Jogger | 145 - 26           |
| B132 4710            | Guide Plate:Transport:Upper:Ass'y   | 145 - 13           |
| B132 4715            | Bracket:Sensor:Reverse:Exit         | 145 - 11           |
| B132 4720            | Table:Duplex:Left                   | 141 - 22           |
| B132 4727            | Bracket:Sensor:Right                | 137 - 16           |
| B132 4730            | Guide Plate:Transport:Lower         | 137 - 19           |
| B132 4745            | DC Solenoid:Reversal:Ass'y          | 141 - 5            |
| B132 4780            | Stepper Motor:Reverse:Ass'y         | 141 - 1            |
| B132 4785            | Stepper Motor:Transport:Ass'y       | 141 - 8            |

| Part No.             | Description                               | Page and Index No. |
|----------------------|-------------------------------------------|--------------------|
| B132 4789            | Bracket:Stepper Motor:Transport           | 141 - 9            |
| B132 4791            | Bracket:Drawer:12PIN:Duplex               | 145 - 20           |
| B132 4796            | Decal:Grip:E3                             | 139 - 3            |
| B132 4796            | Decal:Grip:E3                             | 245 - 31           |
| B132 4797            | Decal:Warning (High Temperature)          | 245 - 32           |
| B132 4797            | Decal:Warning (High Temperature)          | 137 - 2            |
| B132 4810            | Bracket:Motor:Reverse:Ass'y               | 141 - 2            |
| B132 4830            | Bracket:Holder:Ass'y                      | 185 - 19           |
| B132 4835            | Rail:Left:Ass'y                           | 185 - 3            |
| B132 4868            | Guide:Duplex:Upper Right                  | 109 - 26           |
| B132 4869            | Guide Plate:Duplex:Exit                   | 137 - 13           |
| B132 4987            | Stay:Duplex Unit:Upper                    | 137 - 11           |
| B132 5304            | Harness:Connecting:Scanner:Lamp           | 53 - 9             |
| <del>B132 5356</del> | X/O (201005 PCIL)                         | 135 - 20           |
| B132 5415            | Base:Electric Potential Sensor            | 163 - 8            |
| B132 5794            | Hook:Heat Sinker:MCH                      | 235 - 1            |
| B132 5807            | Ground Plate:Base:Control Board           | 177 - 7            |
| B132 5809            | Seal:C/T Box:Cover:Middle                 | 173 - 3            |
| B132 5812            | Seal:C/T Box:Cover:Side                   | 173 - 4            |
| B132 5813            | Seal:C/T Box:Upper:Side                   | 177 - 16           |
| B132 5819            | Decal:Caution:HDD:Fan                     | 245 - 33           |
| B132 5819            | Decal:Caution:HDD:Fan                     | 173 - 2            |
| B132 5827            | Bracket:Earth:Power Supply Unit:Rear:Peen | 159 - 20           |
| B132 5831            | Gasket:Cover:C/T Box                      | 173 - 20           |
| B132 5832            | Sheet:Cover:C/T Box                       | 173 - 5            |
| B132 5835            | Panel - Interface                         | 173 - 13           |
| B132 5851            | Bracket:Main Switch                       | 171 - 8            |
| B132 5852            | Screw:Micro Switch                        | 171 - 9            |
| B132 5853            | Lever:Micro Switch                        | 171 - 5            |
| B132 5855            | Shaft:Micro Switch:Front                  | 171 - 4            |
| B132 5866            | Bracket:LCT                               | 167 - 17           |
| B132 5868            | Screw:Micro Switch                        | 77 - 5             |
| B132 5869            | Torsion Spring                            | 77 - 4             |
| B132 5911            | Bracket:Fix:C/T Box:Lower                 | 169 - 17           |
| B132 5930            | Hinge:C/T Box:Lower                       | 177 - 2            |

| Part No.  | Description                         | Page and Index No. |
|-----------|-------------------------------------|--------------------|
| B132 5933 | Hinge:C/T Box:Upper                 | 177 - 1            |
| B132 5940 | Bracket:C/T Box:Upper               | 177 - 20           |
| B132 5944 | Bracket:Fan Motor                   | 175 - 10           |
| B132 5947 | Arm:Hinge:C/T Box                   | 177 - 3            |
| B132 5951 | Lower Frame - C/T Box               | 177 - 6            |
| B132 5971 | Bracket:Micro Switch:Paper Bank     | 77 - 3             |
| B132 5976 | Bracket:Total Counter               | 69 - 12            |
| B132 5977 | Bracket:Power Supply Unit:Right     | 159 - 19           |
| B132 5978 | Bracket:Power Supply Unit:Fix:Left  | 169 - 3            |
| B132 5981 | Bracket:Power Pack:Fix:Lower        | 169 - 16           |
| B132 5981 | Bracket:Power Pack:Fix:Lower        | 169 - 11           |
| B132 5985 | Bracket:Leak Breaker                | 169 - 13           |
| B132 5989 | Stopper:C/T Box:Upper               | 177 - 18           |
| B132 5994 | Bracket:Power Supply Cord:EXP       | 169 - 6            |
| B132 5995 | Stopper:Power Supply Cord           | 169 - 4            |
| B132 5996 | Decal:Total Counter                 | 69 - 13            |
| B132 5996 | Decal:Total Counter                 | 245 - 34           |
| B132 5997 | Bracket:Power Supply Unit:Right:EXP | 159 - 21           |
| B132 5999 | Sheet:Micro Switch:12mm             | 77 - 2             |
| B132 6061 | Roller:Driven                       | 93 - 12            |
| B132 6069 | Roller:Transfer:Front               | 95 - 7             |
| B132 6076 | Bracket:On-Off:Black                | 93 - 19            |
| B132 6077 | Bracket:Collar                      | 93 - 14            |
| B132 6094 | Shaft:Positioning                   | 95 - 4             |
| B132 6098 | Shaft:Contact Point:Collar          | 93 - 17            |
| B132 6111 | Cam:On-Off                          | 95 - 2             |
| B132 6112 | Shaft:Cam:Color                     | 95 - 3             |
| B132 6114 | Cam:On-Off:Black                    | 95 - 10            |
| B132 6120 | Seal:Upper:Belt Cleaning            | 101 - 1            |
| B132 6121 | Duct                                | 97 - 9             |
| B132 6124 | Spring Plate:Cam                    | 97 - 7             |
| B132 6130 | Gear:16Z                            | 95 - 11            |
| B132 6132 | Grip:On-Off                         | 95 - 15            |
| B132 6134 | Plate:Intermediate Transfer:Front   | 95 - 13            |
| B132 6136 | Compression Spring:Plate:           |                    |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
|           | Intermediate Transfer                   | 95 - 17            |
| B132 6137 | Terminal:Black                          | 93 - 16            |
| B132 6140 | Terminal:Collar                         | 93 - 2             |
| B132 6143 | Holder:Opposed:Transfer:Front           | 95 - 14            |
| B132 6149 | Terminal:Yellow                         | 93 - 3             |
| B132 6150 | Holder:Opposed:Rear:Ass'y               | 95 - 12            |
| B132 6156 | Stand                                   | 97 - 13            |
| B132 6157 | Stopper:On-Off                          | 97 - 8             |
| B132 6165 | Plate:Bracket                           | 97 - 17            |
| B132 6170 | Guard:Right                             | 97 - 3             |
| B132 6171 | Guard:Left                              | 97 - 4             |
| B132 6172 | Guard:Rear                              | 97 - 5             |
| B132 6175 | Joint:Intermediate Transfer:Front:Ass'y | 95 - 16            |
| B132 6253 | Stay:Brush Roller:Ass'y                 | 111 - 4            |
| B132 6255 | PTR Cleaning Brush                      | 111 - 10           |
| B132 6257 | Tray:Toner Catchpan:Ass'y               | 113 - 10           |
| B132 6260 | Collection Coil:Toner:Ass'y             | 113 - 9            |
| B132 6268 | Paper Discharge Plate                   | 111 - 2            |
| B132 6269 | Holder:Blade                            | 111 - 16           |
| B132 6274 | Stay:Transfer Unit                      | 111 - 5            |
| B132 6284 | Joint:Transfer:Drive                    | 111 - 19           |
| B132 6285 | Toner Catchpan                          | 135 - 28           |
| B132 6286 | Stopper:Transfer/Separation Unit        | 113 - 15           |
| B132 6287 | Shaft:Contact Point                     | 111 - 6            |
| B132 6288 | Spring:Pressure                         | 111 - 23           |
| B132 6295 | Guide Plate:Entrance:Ass'y              | 111 - 12           |
| B132 6299 | Spring:Blade                            | 111 - 17           |
| B132 6301 | Gear:40Z                                | 111 - 18           |
| B132 6302 | Gear:40Z                                | 111 - 20           |
| B132 6303 | Gear:40Z                                | 111 - 8            |
| B132 6304 | Stay:Pull Out                           | 113 - 11           |
| B132 6305 | Cam:Transfer Roller                     | 135 - 27           |
| B132 6306 | Spring:Pressure                         | 111 - 9            |
| B132 6307 | Base:Transfer Roller:Rear:Ass'y         | 111 - 22           |
| B132 6311 | Bracket:Gear:Idler                      | 111 - 21           |

| Part No.             | Description                                                | Page and Index No.  |
|----------------------|------------------------------------------------------------|---------------------|
| B132 6314            | Base Front                                                 | 111 - 31            |
| B132 6325            | Seal:Side Plate:Front                                      | 111 - 39            |
| B132 6326            | Seal:Side Plate:Rear                                       | 111 - 38            |
| B132 6328            | Seal:Tray:Toner Recycling Unit                             | 113 - 22            |
| B132 6331            | Tightener:Transfer:Transport Screw:Ass'y                   | 111 - 35            |
| B132 6334            | Side Plate:Positioning:Transfer:Front:Ass'y                | 111 - 36            |
| B132 6337            | Spring:Tightener:Transport Screw                           | 111 - 33            |
| B132 6459            | Holder:Spring:Roller:Pressure                              | 99 - 15             |
| B132 6460            | Case:Spring:Roller:Pressure                                | 99 - 17             |
| B132 6469            | Roller:Pressure                                            | 99 - 2              |
| B132 6506            | Heat Sink:Heater:Toner                                     | 113 - 19            |
| B132 6507            | Holder:Heater                                              | 113 - 18            |
| B132 6511            | DC Motor:Agitate:Ass'y                                     | 159 - 12            |
| B132 6511            | DC Motor:Agitate:Ass'y                                     | 117 - 20            |
| B132 6512            | Base:Toner Outlet Sub-unit:Ass'y                           | 147 - 9             |
| B132 6514            | Bracket:Toner Outlet Sub-unit:Drive                        | 147 - 10            |
| B132 6518            | Case:Toner Outlet Sub-unit                                 | 147 - 3             |
| B132 6519            | Case:Toner Outlet Sub-unit:Cover                           | 147 - 2             |
| B132 6520            | Transport Screw:Upper:Ass'y                                | 147 - 6             |
| B132 6526            | Guide:Spring:Discharge Used Toner                          | 147 - 24            |
| B132 6527            | Shaft:Toner Outlet Sub-unit                                | 147 - 13            |
| <del>B132 6528</del> | <del>O/O (201110 PCIL)</del>                               | <del>149 - 18</del> |
| B132 6531            | Pipe:Toner Recycling Section:<br>Around The Photoconductor | 149 - 19            |
| B132 6536            | Bushing:Transport Screw                                    | 147 - 20            |
| B132 6537            | Cover:DC Motor                                             | 147 - 17            |
| B132 6539            | Toner Catchpan:Tank:Entrance                               | 147 - 4             |
| B132 6540            | Case:Drive:Ass'y                                           | 149 - 22            |
| B132 6542            | Tension Spring                                             | 147 - 11            |
| B132 6545            | Shaft:Drive:Short:Ass'y                                    | 149 - 21            |
| B132 6547            | Bracket:Used Toner Sensor:Install                          | 159 - 3             |
| B132 6548            | Shaft:Drive:Long:Ass'y                                     | 147 - 14            |
| B132 6550            | Compression Spring                                         | 159 - 2             |
| B132 6561            | Transport Screw:Lengthwise                                 | 149 - 20            |
| B132 6566            | Compression Spring                                         | 159 - 6             |

| Part No.             | Description                                 | Page and Index No. |
|----------------------|---------------------------------------------|--------------------|
| B132 6578            | Shield:Joint:PCU                            | 147 - 1            |
| B132 6579            | Cover:Temperature/Humidity Sensor           | 185 - 8            |
| B132 6599            | Toner Catchpan:K                            | 149 - 8            |
| B132 6609            | Waste Toner Bottle                          | 21 - 4             |
| <del>B132 6621</del> | <del>X/O (201102 PCIL)</del>                | <del>73 - 1</del>  |
| B132 6630            | Bracket:Holder:Ass'y                        | 187 - 15           |
| B132 6653            | Stay:Holder:Paper Tray:Ass'y                | 69 - 10            |
| B132 6655            | Stepper Motor:Paper Feed Unit:Ass'y         | 155 - 1            |
| B132 6655            | Stepper Motor:Paper Feed Unit:Ass'y         | 77 - 27            |
| B132 6655            | Stepper Motor:Paper Feed Unit:Ass'y         | 75 - 25            |
| B132 6659            | DC Solenoid:Pickup:Ass'y                    | 73 - 18            |
| B132 6669            | Supporting Plate:Stay                       | 187 - 4            |
| B132 6670            | DC Solenoid:Reverse:Ass'y                   | 75 - 42            |
| B132 6689            | Side Plate:Front:Paper Bank                 | 187 - 12           |
| B132 6692            | Slide Rail:Left:Sub-ass'y                   | 69 - 4             |
| B132 6693            | Slide Rail:Right:Ass'y                      | 69 - 1             |
| B132 6696            | Stay:Tandem LCT                             | 187 - 7            |
| B132 6726            | Bracket:Arm:Ass'y                           | 161 - 4            |
| B132 6737            | Bracket:Paper Size Sensor:No.1              | 159 - 16           |
| B132 6742            | Left Rail Bracket                           | 187 - 9            |
| B132 6752            | Pressure Plate:Transport Roller:Driven:No.1 | 77 - 16            |
| B132 6753            | Side Plate:Front:Vertical Transport         | 77 - 14            |
| B132 6754            | Side Plate:Rear:Vertical Transport          | 77 - 15            |
| B132 6758            | Guide:Relay:Paper Feed Unit                 | 77 - 1             |
| B132 6759            | DC Motor:Rise:Tandem LCT:Ass'y              | 161 - 8            |
| B132 6761            | Inner Cover:Paper Feed                      | 19 - 10            |
| B132 6762            | DC Solenoid:Coupling:Ass'y                  | 161 - 10           |
| B132 6763            | Bracket:Connector:Left                      | 161 - 5            |
| B132 6764            | Bracket:Connector:Right                     | 161 - 1            |
| B132 6765            | DC Solenoid:Lock:Ass'y                      | 161 - 11           |
| B132 6771            | Transport Unit:Vertical Transport:Ass'y     | 77 - 6             |
| B132 6791            | Plate:Side Fence                            | 71 - 7             |
| B132 6793            | Side Fence:Front:Ass'y                      | 71 - 4             |
| <del>B132 6795</del> | <del>O/O MB2</del>                          | <del>71 - 11</del> |
| B132 6797            | Side Fence:Rear:Auxiliary                   | 71 - 21            |

| Part No.             | Description                      | Page and Index No. |
|----------------------|----------------------------------|--------------------|
| B132 6798            | Spring Plate:Paper Tray:Earth    | 71 - 16            |
| B132 6851            | Duct:Vacuum:Ass'y                | 171 - 17           |
| B132 6855            | Duct:Vacuum:Entrance             | 171 - 25           |
| B132 6867            | Bracket:Exhaust:Harness          | 179 - 13           |
| B132 6908            | Duct:Exit:Upper:Left:Ass'y       | 179 - 23           |
| B132 6912            | Duct:Exit:Upper                  | 179 - 20           |
| B132 6921            | Duct:Imaging Unit:Front:Ass'y    | 171 - 19           |
| B132 6940            | Fan Motor:Unit:DC24V 2.4W        | 103 - 10           |
| B132 6950            | Bracket:Duplex:Exhaust:Front     | 167 - 3            |
| B132 6951            | Fan Motor:Lower:Unit:DC24V 2.64W | 167 - 4            |
| B132 6954            | Fan Motor:Upper:DC24V 2.4W       | 167 - 2            |
| B132 6958            | Duct:Imaging Unit:Exhaust:Ass'y  | 179 - 5            |
| B132 6965            | Duct:Imaging Unit:Exhaust:Ass'y  | 179 - 8            |
| B132 6966            | Shield:Sirocco                   | 163 - 3            |
| B132 6971            | Duct:Imaging Unit:1st:Ass'y      | 179 - 7            |
| B132 6973            | Duct:Imaging Unit:23st:Ass'y     | 179 - 10           |
| B132 6975            | Duct:Imaging Unit:4st:Ass'y      | 179 - 11           |
| B132 6978            | Duct:Imaging Unit:Sub-ass'y      | 179 - 6            |
| B132 6980            | Cover:Duct:Imaging Unit:Ass'y    | 179 - 9            |
| B132 7002            | Gear:28Z                         | 129 - 20           |
| B132 7004            | Guide Plate:Middle:Transport     | 133 - 8            |
| <del>B132 7005</del> | O/O (200904 PCIL)                | 129 - 14           |
| B132 7008            | Knob:Front                       | 103 - 1            |
| B132 7011            | Holder:Bearing:Front             | 129 - 22           |
| B132 7013            | Spring Plate:Upper:Right         | 129 - 7            |
| B132 7015            | Grip:Guide Plate:Left            | 133 - 3            |
| B132 7016            | Guide Plate:Transport:Upper:Left | 129 - 6            |
| B132 7017            | Guide Plate:Middle:Right         | 133 - 14           |
| B132 7018            | Stay:Exit:Ass'y                  | 135 - 6            |
| B132 7020            | Spring Plate:Middle              | 133 - 16           |
| B132 7023            | Cover:Exhaust                    | 135 - 4            |
| B132 7025            | Roller:Tightener                 | 131 - 16           |
| B132 7028            | Pulley:15T                       | 131 - 19           |
| B132 7029            | Shaft:Release:Guide Plate        | 133 - 11           |
| B132 7030            | Gear:Z27                         | 131 - 28           |

| Part No.  | Description                     | Page and Index No. |
|-----------|---------------------------------|--------------------|
| B132 7031 | Roller:Middle                   | 133 - 15           |
| B132 7033 | Roller:MM14                     | 129 - 8            |
| B132 7033 | Roller:MM14                     | 133 - 2            |
| B132 7036 | Pulley:15T                      | 131 - 18           |
| B132 7038 | Stopper:Pressure                | 183 - 10           |
| B132 7039 | Bracket:Bearing:Front           | 129 - 23           |
| B132 7041 | Lever:Stopper                   | 135 - 11           |
| B132 7042 | Lever:Open And Close            | 135 - 13           |
| B132 7043 | Bracket:Fix:Front               | 135 - 15           |
| B132 7044 | Pawl:Guide Plate:Fix            | 129 - 2            |
| B132 7045 | Arm:Pressure                    | 133 - 10           |
| B132 7046 | Lever:Release:Guide Plate:Lower | 133 - 20           |
| B132 7048 | Pulley:13T                      | 131 - 15           |
| B132 7049 | Bracket:Sensor                  | 135 - 2            |
| B132 7050 | Bracket:Fix:Rear                | 135 - 35           |
| B132 7051 | Pulley:19Z                      | 131 - 11           |
| B132 7052 | Shaft:Release:Guide Plate:Upper | 129 - 3            |
| B132 7055 | Gear:22Z                        | 131 - 30           |
| B132 7056 | Grip:Guide Plate:Upper          | 129 - 1            |
| B132 7059 | Roller:Tightener                | 131 - 21           |
| B132 7060 | Gear:29Z                        | 131 - 29           |
| B132 7069 | Bracket:Connector               | 131 - 17           |
| B132 7070 | Holder:Shaft                    | 135 - 37           |
| B132 7080 | Pulley:37T                      | 131 - 23           |
| B132 7085 | Roller:Decura:Exit              | 131 - 7            |
| B132 7086 | Exit Roller:Exit:Drive          | 131 - 1            |
| B132 7088 | Roller:Middle:Duplex Sub-Unit   | 133 - 23           |
| B132 7096 | Shaft:Stopper                   | 135 - 36           |
| B132 7097 | Stay:Shaft:Ass'y                | 133 - 19           |
| B132 7098 | Lever:Release                   | 133 - 13           |
| B132 7101 | Bracket:Sensor:Entrance         | 183 - 4            |
| B132 7103 | Guide:Entrance:Right Rear       | 133 - 18           |
| B132 7105 | Stopper:Pipe                    | 129 - 5            |
| B132 7107 | Bracket:Spring Plate:Ass'y      | 157 - 24           |
| B132 7110 | Guide Plat:Left Lower:Ass'y     | 133 - 4            |

| Part No.             | Description                       | Page and Index No. |
|----------------------|-----------------------------------|--------------------|
| B132 7112            | Tightener:Front Upper:Ass'y       | 131 - 13           |
| <del>B132 7114</del> | O/O (200910 PCIL)                 | 183 - 8            |
| B132 7115            | Guide Plate:Left Upper:Ass'y      | 133 - 1            |
| B132 7116            | Timing Belt:T198                  | 131 - 12           |
| B132 7117            | Timing Belt:T213                  | 131 - 20           |
| B132 7119            | Bracket:Stay:Left                 | 135 - 14           |
| B132 7123            | Shaft:Lever:Left Inner Rear       | 135 - 10           |
| B132 7124            | Sound Proofing Material           | 129 - 11           |
| B132 7129            | Guide Plate:Entrance:Upper        | 129 - 12           |
| B132 7130            | Decal:LED:E1                      | 103 - 2            |
| B132 7130            | Decal:LED:E1                      | 245 - 35           |
| B132 7133            | Bracket:Positioning Plate:Rear    | 129 - 15           |
| B132 7138            | Gear:Z20                          | 131 - 25           |
| B132 7141            | Shaft:Base:Tightener              | 131 - 22           |
| B132 7143            | Spring:Tightener                  | 131 - 24           |
| B132 7144            | Gear:Z28                          | 131 - 26           |
| B132 7147            | Exit Roller:Driven:Upper          | 135 - 9            |
| B132 7151            | Guide Plate:Shaft:Ass'y           | 131 - 3            |
| B132 7155            | Stopper:Guide                     | 131 - 31           |
| B132 7160            | Stay:Supporting Plate             | 133 - 17           |
| B132 7162            | Pulley:Z13                        | 131 - 27           |
| B132 7164            | Guide:Entrance:Right Front        | 129 - 13           |
| B132 7165            | Spacer:DIA21                      | 131 - 5            |
| B132 7166            | Bracket:LED:Left                  | 103 - 9            |
| B132 7169            | Plate:Transport Roller            | 133 - 12           |
| <del>B132 7453</del> | X/O MB43                          | 25 - 1             |
| B132 7454            | ADF Unit                          | 25 - 1             |
| B132 7540            | Tray Bottom Plate:Left Front      | 63 - 8             |
| B132 7541            | Tray Bottom Plate:Left Rear       | 63 - 10            |
| B132 7543            | Base:Tandem LCT:Right             | 65 - 9             |
| B132 7545            | Base:Tandem LCT:Right:Welding     | 67 - 5             |
| B132 7547            | DC Solenoid:End Fence:Front:Ass'y | 67 - 1             |
| B132 7550            | Cover:Pulley:Drive Were           | 67 - 22            |
| B132 7561            | Back Fence:Left                   | 63 - 21            |
| B132 7564            | Slider:Back Fence:Left            | 63 - 19            |

| Part No.             | Description                                | Page and Index No. |
|----------------------|--------------------------------------------|--------------------|
| B132 7571            | DC Solenoid:End Fence:Rear:Ass'y           | 67 - 8             |
| B132 7575            | Bracket:Connector:Tandem LCT               | 67 - 38            |
| B132 7576            | Side Fence:Tandem LCT:Right                | 65 - 16            |
| <del>B132 7580</del> | O/O (200903 PCIL)                          | 73 - 22            |
| <del>B132 7581</del> | O/O (200903 PCIL)                          | 73 - 16            |
| B132 7583            | Harness - Joint Unit                       | 77 - 28            |
| B132 7586            | Inner Cover:Tandem LCT                     | 65 - 2             |
| B132 7590            | Rail:Tandem LCT:Left:Ass'y                 | 187 - 8            |
| B132 7591            | Rail:Paper Tray:Ass'y                      | 187 - 13           |
| B132 9700            | Lubricant Powder                           | 247 - 8            |
| B140 6225            | Heat Sink:Heater:Lower:NA:Ass'y            | 185 - 7            |
| B140 6226            | Heat Sink:Heater:Lower:EU:Ass'y            | 185 - 7            |
| B140 6339            | Paper Feed Guide Plate                     | 73 - 23            |
| B140 6377            | Ground Plate:Reverse:Paper Feed Unit       | 75 - 41            |
| B140 6378            | Ground Plate:Stepper Motor:Paper Feed Unit | 75 - 24            |
| B140 6472            | Joint Unit Guide Plate Ass'y               | 77 - 26            |
| B181 2641            | Guide Plate:Open And Close:Middle          | 107 - 27           |
| B181 2773            | Bracket:Sensor:Connecting                  | 109 - 10           |
| B181 2790            | Guide Plate:Entrance:Lower Left:Peen       | 107 - 17           |
| B181 4725            | Table:Duplex:Right                         | 137 - 15           |
| B181 6502            | Cover:Heater                               | 113 - 21           |
| B181 6577            | Guide:Tank:Discharge Used Toner            | 185 - 9            |
| B181 6640            | Guide Plate:Swivel:Adhesion                | 75 - 1             |
| B181 6780            | Link:End Fence:Paper Size Sensor:Ass'y     | 71 - 3             |
| B181 6789            | Link:Side Fence:Paper Size Sensor          | 71 - 2             |
| B181 7007            | Bracket:Lever                              | 129 - 21           |
| B181 7037            | Shaft:Knob                                 | 129 - 19           |
| B198 6407            | Decal:Vermont:2                            | 21 - 26            |
| B198 6407            | Decal:Vermont:2                            | 245 - 36           |
| B223 1475            | PCB OP-L                                   | 23 - 22            |
| B223 1518            | Keytop - Blank FB                          | 23 - 28            |
| B223 1520            | Keytop - Clear/Stop                        | 23 - 10            |
| <del>B223 1521</del> | X/O (201107 PCIL)                          | 23 - 11            |
| B223 1528            | Keytop - Copy NA                           | 23 - 30            |
| B223 1529            | Keytop - DOC NA                            | 23 - 29            |

| Part No.             | Description                             | Page and Index No. |
|----------------------|-----------------------------------------|--------------------|
| B223 1534            | Keytop:Copy:EU                          | 23 - 30            |
| B223 1535            | Keytop:DOC:EU                           | 23 - 29            |
| B223 1537            | Keytop:Printer:EU                       | 23 - 33            |
| B223 1538            | Keytop:Scanner:EU                       | 23 - 32            |
| <del>B223 1540</del> | O/O (201111 PCIL)                       | 23 - 11            |
| B234 2624            | Ball Bearing - 8x12x5                   | 107 - 7            |
| B234 2624            | Ball Bearing - 8x12x5                   | 155 - 7            |
| B234 2864            | Pad:Cleaner                             | 71 - 8             |
| B234 5673            | Harness - Tandem LCT Right              | 67 - 39            |
| B234 6490            | Side Fence:Rear:Ass'y                   | 71 - 11            |
| B234 6612            | End Fence - Front                       | 67 - 4             |
| B234 6616            | Tandem LCT Unit - Left                  | 63 - 3             |
| B234 6620            | On Off Detector Bracket - Front         | 67 - 18            |
| B234 6621            | On Off Detector Bracket - Rear          | 67 - 10            |
| B234 6625            | End Fence - Rear                        | 67 - 6             |
| B234 6630            | Guide Plate - End Fence                 | 67 - 7             |
| B234 6686            | Side Fence - Right Front                | 65 - 7             |
| B234 6690            | Plate:Paper:Ass'y                       | 65 - 8             |
| B234 8510            | Decal:Size Indication:Multi-language:C3 | 19 - 41            |
| B234 8510            | Decal:Size Indication:Multi-language:C3 | 245 - 37           |
| B237 1544            | Sheet:Data:Display:Plain                | 19 - 37            |
| B238 1504            | Keytop - Start                          | 23 - 7             |
| B238 1506            | Keytop - Try Print                      | 23 - 8             |
| B238 1509            | Keytop - Interrupt                      | 23 - 9             |
| B238 1511            | Keytop - Counter                        | 23 - 27            |
| B238 1534            | LCD Spacer A                            | 23 - 20            |
| B238 1535            | LCD Spacer B                            | 23 - 19            |
| B238 1539            | Sheet:Power Source:Display:NA           | 23 - 35            |
| B238 1547            | Spacer - Keytop                         | 23 - 26            |
| B238 1549            | Keytop - Power Source                   | 23 - 6             |
| B238 1550            | Keytop - Login                          | 23 - 5             |
| B238 1552            | Keytop - KANTAN                         | 23 - 4             |
| B238 1583            | Keytop - Clear Modes                    | 23 - 12            |
| B238 5503            | PWB:VBCU                                | 199 - 1            |
| B247 3340            | Filter:Development                      | 91 - 3             |

| Part No.  | Description                           | Page and Index No. |
|-----------|---------------------------------------|--------------------|
| B247 4455 | Compression Spring                    | 135 - 7            |
| B247 4456 | Spring - Lower Exit Roller            | 131 - 9            |
| B247 4624 | Roller:Driven:Duplex                  | 139 - 9            |
| B247 4673 | Shaft:Lever:Release                   | 137 - 5            |
| B247 4675 | Grip:Release:Duplex Unit:Ass'y        | 137 - 4            |
| B247 4812 | Roller:Transport:Driven:Left:Right    | 143 - 2            |
| B247 4813 | Roller:Reversal:Drive                 | 143 - 3            |
| B247 4815 | Compression Spring                    | 139 - 21           |
| B247 4817 | Compression Spring                    | 139 - 7            |
| B247 4825 | Roller:Drive:Left                     | 143 - 4            |
| B247 6174 | Bracket:Positioning:Paper Tray:Ass'y  | 159 - 14           |
| B247 6335 | Side Plate:Rear:Paper Feed Unit:Ass'y | 75 - 14            |
| B247 6366 | Bracket:Drive                         | 73 - 31            |
| B247 6426 | Lever:Release:Vertical Transport      | 77 - 10            |
| B247 6430 | Cover:Release:Vertical Transport      | 77 - 8             |
| B247 6487 | Harness - Paper Feed Unit Lower       | 73 - 22            |
| B247 6488 | Harness:Paper Feed Unit:Upper:Ass'y   | 73 - 16            |
| B247 6632 | Paper Tray Cover - Long               | 69 - 5             |
| B247 6633 | Paper Tray Cover - Short              | 69 - 6             |
| B247 6634 | Grip - Paper Tray Cover               | 69 - 18            |
| B247 6634 | Grip - Paper Tray Cover               | 63 - 37            |
| B247 6672 | Guide:Interlock:Tandem LCT            | 65 - 19            |
| B247 6753 | Lock Spring - Large                   | 161 - 7            |
| B247 6754 | Lock Spring - Small                   | 161 - 9            |
| B247 6781 | Base:Slide Rail:No.2:Peen             | 69 - 14            |
| B247 6783 | Base:Slide Rail:No.3:Peen             | 69 - 17            |
| B247 6901 | Oil Damper:Fall                       | 67 - 26            |
| B247 6950 | Shaft:Slider:Back Fence               | 63 - 18            |
| B247 6951 | Bracket:Pulley:Driven:Ass'y           | 63 - 16            |
| B247 6970 | Base:Tandem LCT:Left:Ass'y            | 63 - 33            |
| B247 6982 | Stepped Screw - M5                    | 77 - 18            |
| B259 1131 | Screw:PCU                             | 153 - 11           |
| B286 1479 | Sheet:Power Source:N-C2:EU            | 23 - 35            |
| B301 1155 | Separation Support Pad                | 33 - 4             |
| B301 1286 | Bushing - 6x10x6                      | 31 - 2             |

| Part No.             | Description                  | Page and Index No. |
|----------------------|------------------------------|--------------------|
| B301 2141            | Pulley - 39Z                 | 43 - 24            |
| B351 3752            | Pressure Roller - Reverse    | 27 - 19            |
| B352 2650            | Magnet Catch - 5N            | 25 - 10            |
| B475 6855            | Shield:Tandem LCT:Rear Right | 65 - 14            |
| <del>B477 1152</del> | O/O (201108 PCIL)            | 47 - 2             |
| B477 1161            | Right Frame Stay             | 47 - 8             |
| B477 1171            | Arm Shaft                    | 47 - 3             |
| B477 1181            | Sensor Bracket               | 47 - 12            |
| B477 1185            | Sensor Feeler                | 47 - 11            |
| B477 1191            | Front Left Stopper           | 47 - 21            |
| B477 1791            | Paper Feed Cover             | 29 - 15            |
| B477 1821            | Paper Feed Cover Grip        | 29 - 5             |
| B477 1825            | Paper Feed Release Lever     | 29 - 6             |
| B477 1831            | Grip Shaft                   | 29 - 8             |
| B477 1841            | Front Cover Bracket          | 29 - 13            |
| B477 1851            | Rear Cover Bracket           | 29 - 12            |
| B477 2121            | Drive Relay Roller           | 35 - 16            |
| B477 2145            | Guide Bracket                | 39 - 27            |
| B477 2151            | Separation Cap               | 33 - 2             |
| B477 2172            | Front Entrance Guide         | 31 - 7             |
| B477 2182            | Rear Entrance Guide          | 31 - 17            |
| B477 2191            | Separation Shaft             | 31 - 11            |
| B477 2222            | Pick-up Roller Bracket       | 31 - 27            |
| B477 2225            | Pick-Up Roller               | 31 - 22            |
| B477 2227            | Pickup Roller:Coupling       | 31 - 21            |
| B477 2231            | Pick-up Roller Lever         | 31 - 18            |
| B477 2244            | Stopper:Shaft:Separation     | 43 - 10            |
| B477 2263            | Cushion:Base:Behind          | 27 - 35            |
| B477 2264            | Sheet:Cushion:Base           | 27 - 36            |
| B477 2272            | Table Side Fence             | 27 - 2             |
| B477 2281            | Original Sensor Bracket      | 27 - 11            |
| B477 2286            | Original Sensor Feeler Stud  | 27 - 4             |
| <del>B477 2342</del> | X/O MB42                     | 29 - 1             |
| <del>B477 2343</del> | X/O (200905 PCIL)            | 29 - 1             |
| <del>B477 2344</del> | O/O (201005 PCIL)            | 29 - 1             |

| Part No.             | Description                     | Page and Index No. |
|----------------------|---------------------------------|--------------------|
| B477 2347            | Guide:Paper Feed:Upper          | 29 - 1             |
| B477 2351            | Driven Pull Out Roller          | 29 - 20            |
| B477 2372            | Driven Paper Feed Roller        | 29 - 31            |
| B477 2373            | Relay Roller Arm                | 29 - 29            |
| B477 2495            | Paper Feed Sensor Bracket       | 39 - 11            |
| B477 2561            | Entrance Scanning Base          | 35 - 9             |
| B477 2574            | Arm:Roller:Scanning:Entrance    | 35 - 7             |
| B477 2575            | Entrance Scanning Roller Shaft  | 35 - 6             |
| B477 2577            | Driven Entrance Scanning Roller | 35 - 3             |
| B477 2581            | Entrance Scanning Guide         | 35 - 1             |
| B477 2621            | Anti-static Brush               | 47 - 15            |
| B477 2621            | Anti-static Brush               | 41 - 18            |
| B477 2621            | Anti-static Brush               | 37 - 10            |
| B477 2636            | Driven Exit Scanning Roller     | 41 - 13            |
| B477 2637            | Driven Exit Arm                 | 41 - 6             |
| B477 2641            | Long Arm Shaft                  | 41 - 11            |
| B477 2645            | Short Arm Shaft                 | 41 - 10            |
| B477 2665            | Registration Sensor Bracket     | 35 - 13            |
| B477 2715            | Pressure Plate Tape             | 25 - 7             |
| B477 2715            | Pressure Plate Tape             | 41 - 34            |
| B477 2861            | Driven Exit Roller              | 41 - 27            |
| B477 3111            | Paper Feed Motor Bracket        | 43 - 3             |
| B477 3115            | Paper Feed Motor Stay           | 43 - 2             |
| B477 3123            | Gear - 24Z                      | 43 - 11            |
| B477 3124            | Shaft:Separation:Drive          | 43 - 13            |
| B477 3131            | Reverse Roller Shaft            | 33 - 13            |
| <del>B477 3141</del> | X/O (200905 PCIL)               | 43 - 20            |
| <del>B477 3142</del> | O/O (200905 PCIL)               | 43 - 20            |
| B477 3143            | Gear - 20Z                      | 43 - 18            |
| B477 3145            | Pulley                          | 43 - 26            |
| B477 3147            | Gear:Z23:Input:Front            | 43 - 20            |
| B477 3151            | Gear - 31Z                      | 43 - 7             |
| <del>B477 3161</del> | O/O (201201 PCIL)               | 43 - 6             |
| <del>B477 3164</del> | Gear:Z50:Reverse Roller:Rear    | 43 - 6             |
| B477 3171            | Pulley                          | 43 - 28            |

| Part No.             | Description                       | Page and Index No. |
|----------------------|-----------------------------------|--------------------|
| B477 3173            | Pulley                            | 43 - 31            |
| B477 3175            | Pulley                            | 45 - 31            |
| B477 3177            | Pulley                            | 43 - 21            |
| B477 3181            | Paper Feed Drive Bracket          | 43 - 27            |
| B477 3217            | Pulley                            | 45 - 29            |
| B477 3251            | Pick-up Roller Cam                | 43 - 16            |
| B477 3711            | Paper Feed Motor - DC 7.4W        | 43 - 1             |
| B477 3721            | Scanning Motor - DC 7.4W          | 45 - 19            |
| B477 4111            | Spring                            | 29 - 19            |
| B477 4115            | Spring                            | 35 - 2             |
| B477 4117            | Spring                            | 29 - 7             |
| B477 4127            | Exit Arm Spring                   | 41 - 7             |
| B477 5611            | Detection Sensor Harness          | 47 - 13            |
| B477 5691            | Paper Feed Motor Harness          | 45 - 7             |
| B477 5751            | Interface Harness                 | 45 - 1             |
| B645 5010            | SD Card                           | 247 - 1            |
| B645 6700            | PCMCIA Card Adapter               | 247 - 2            |
| B645 6800            | USB Reader/Writer                 | 247 - 3            |
| B652 0331            | Transport Belt Unit:Ass'y         | 37 - 24            |
| B652 1131            | Bracket:Pressure:Transport Belt   | 47 - 16            |
| B652 1132            | Tension Spring                    | 47 - 17            |
| B652 1133            | Shaft:Slider                      | 43 - 34            |
| B652 1134            | Compression Spring                | 43 - 33            |
| B652 1135            | Sheet:Exit:Lower                  | 47 - 9             |
| B652 1136            | Compression Spring                | 47 - 5             |
| B652 1141            | Adjusting Pin:Transport Belt Unit | 47 - 22            |
| B652 1152            | Stay:Frame:Left                   | 47 - 2             |
| <del>B652 1210</del> | O/O (201005 PCIL)                 | 47 - 6             |
| <del>B652 1220</del> | O/O (201005 PCIL)                 | 47 - 10            |
| B652 1240            | Hinge:Left:Ass'y                  | 47 - 6             |
| B652 1250            | Hinge:Right:Ass'y                 | 47 - 10            |
| B652 1613            | Timing Belt:B60S2M212             | 43 - 25            |
| B652 1633            | Spacer:Reverse Roller:Rear        | 43 - 5             |
| B652 1643            | Timing Belt:B40S3M186             | 43 - 19            |
| B652 1673            | Timing Belt:B40S3M180             | 43 - 30            |

| Part No.             | Description                        | Page and Index No. |
|----------------------|------------------------------------|--------------------|
| B652 1674            | Timing Belt:B40S2M170              | 43 - 29            |
| B652 1721            | Timing Belt:B60S2M280              | 45 - 23            |
| B652 1773            | Timing Belt:B40S2M178              | 43 - 23            |
| B652 1781            | Bracket:Shaft:Scanning:Ass'y       | 45 - 28            |
| B652 1783            | Timing Belt:B80S3M417              | 35 - 20            |
| <del>B652 1807</del> | O/O (201101 PCIL)                  | 29 - 4             |
| <del>B652 1807</del> | O/O (201101 PCIL)                  | 245 - 38           |
| B652 1811            | Decal:Misfeed Removal:Paper Feed   | 29 - 2             |
| B652 1811            | Decal:Misfeed Removal:Paper Feed   | 245 - 39           |
| B652 1812            | Decal:Display Guidance             | 245 - 40           |
| B652 1812            | Decal:Display Guidance             | 29 - 3             |
| B652 1816            | Link:Stopper:Cover:Paper Feed      | 29 - 32            |
| B652 1817            | Bracket:Link:Cover:Paper Feed:Peen | 35 - 22            |
| B652 1822            | Bracket:Pressure:Pickup            | 29 - 9             |
| B652 1823            | Pressure Plate:Pickup              | 29 - 11            |
| B652 1824            | Compression Spring                 | 29 - 10            |
| B652 1852            | Cover:Exit                         | 41 - 28            |
| B652 1853            | Compression Spring                 | 41 - 25            |
| B652 1854            | Cover:Sensor:Reverse:Lower         | 41 - 31            |
| B652 1902            | Cover:Front                        | 25 - 2             |
| B652 1905            | Decal:Misfeed Removal:Exit         | 245 - 41           |
| B652 1905            | Decal:Misfeed Removal:Exit         | 25 - 14            |
| B652 1906            | Decal:Misfeed Removal              | 25 - 13            |
| B652 1906            | Decal:Misfeed Removal              | 245 - 42           |
| B652 1952            | Cover:Rear                         | 25 - 4             |
| B652 2112            | Roller:Pull Out:Drive              | 35 - 18            |
| B652 2122            | Stay:Reverse Roller:Ass'y          | 33 - 16            |
| B652 2126            | Guide:Stay:Reverse Roller          | 33 - 17            |
| B652 2127            | Bracket:Guide Plate:Lower          | 33 - 12            |
| B652 2128            | Cushion:Guide Plate:Reverse:Exit   | 33 - 15            |
| B652 2143            | Guide Plate:Paper Feed:Lower       | 33 - 1             |
| B652 2146            | Holder:Separation Pad              | 33 - 5             |
| B652 2152            | Guide Plate:Lower:Pull Out         | 39 - 2             |
| B652 2212            | Timing Pulley:21T                  | 31 - 25            |
| B652 2213            | Timing Belt:B40S2M142              | 31 - 24            |

| Part No.             | Description                     | Page and Index No. |
|----------------------|---------------------------------|--------------------|
| B652 2215            | Guide:Paper Feed Belt:Front     | 31 - 26            |
| B652 2322            | Guide Plate:Reverse:Upper       | 27 - 28            |
| B652 2323            | Ground Plate:Shaft:Base         | 27 - 22            |
| B652 2333            | Shaft:Rise:Base                 | 27 - 13            |
| B652 2334            | Lever:Rise:Base                 | 27 - 15            |
| B652 2335            | Bracket:Lever:Rise:Base         | 27 - 16            |
| B652 2343            | Bracket:Motor:Base:Ass'y        | 45 - 10            |
| B652 2351            | Base:Original Table:Ass'y       | 27 - 7             |
| B652 2354            | Decal:Base:Original             | 245 - 43           |
| B652 2354            | Decal:Base:Original             | 27 - 8             |
| B652 2362            | Bracket:Pressure:Pull Out:Ass'y | 29 - 16            |
| B652 2363            | Shaft:Base:Rear:Ass'y           | 27 - 17            |
| <del>B652 2372</del> | O/O MB3 (B652)                  | 27 - 32            |
| B652 2375            | Bushing:Original Table          | 27 - 23            |
| B652 2376            | Original Table:Face Front       | 27 - 32            |
| B652 2378            | Decal - Display:Original Table  | 245 - 44           |
| B652 2378            | Decal - Display:Original Table  | 19 - 33            |
| B652 2379            | Decal:Caution:Original:5-Lang   | 19 - 35            |
| B652 2383            | Original Table:Behind           | 27 - 33            |
| B652 2392            | Stopper:Original Table          | 27 - 26            |
| B652 2393            | Compression Spring              | 27 - 27            |
| B652 2403            | Arm:Roller:Reverse:Upper        | 27 - 18            |
| B652 2404            | Compression Spring:3.1N         | 27 - 20            |
| B652 2411            | Roller:Scanning:Entrance:Drive  | 35 - 17            |
| B652 2421            | Roller:Scanning:Exit:Drive      | 35 - 19            |
| B652 2433            | Guide Plate:Original Table      | 33 - 18            |
| B652 2505            | Compression Spring              | 29 - 30            |
| B652 2516            | Discharge Brush:Exit:L45        | 29 - 17            |
| B652 2523            | Bracket:Paper Size Sensor       | 29 - 22            |
| B652 2911            | Stepper Motor:Base:Rise:Ass'y   | 45 - 9             |
| B652 3112            | Roller:Transport Belt:Drive     | 37 - 5             |
| B652 3113            | Roller:Pressure                 | 37 - 16            |
| B652 3116            | Guide:Transport Belt:Front      | 37 - 11            |
| B652 3117            | Guide:Transport Belt:Rear       | 37 - 14            |
| B652 3119            | Stopper:Roller:Drive            | 37 - 6             |

| Part No.             | Description                          | Page and Index No. |
|----------------------|--------------------------------------|--------------------|
| B652 3120            | Housing:Transport Belt Unit          | 37 - 12            |
| B652 3121            | Transport Belt                       | 37 - 4             |
| <del>B652 3123</del> | X/O (201006 PCIL)                    | 37 - 17            |
| <del>B652 3124</del> | O/O (201009 PCIL)                    | 37 - 18            |
| B652 3125            | Compression Spring                   | 37 - 13            |
| B652 3129            | Bracket:Roller:Driven:Transport Belt | 37 - 17            |
| B652 3135            | Timing Belt:B60S2M172                | 35 - 21            |
| B652 3136            | Cover:Roller:Scanning:Peen           | 47 - 19            |
| B652 3145            | Tension Spring:Lock:Lever            | 37 - 1             |
| B652 3146            | Shaft:Lever:Misfeed Removal:Ass'y    | 37 - 3             |
| B652 3148            | Hook:Lock:Image Reading Unit:Front   | 37 - 2             |
| B652 3156            | Spacer:Transport Belt                | 37 - 15            |
| B652 3157            | Discharge Brush:Long                 | 37 - 8             |
| B652 3158            | Discharge Brush:Short                | 37 - 7             |
| B652 3159            | Discharge Brush:Middle               | 37 - 9             |
| B652 3174            | Tension Spring                       | 45 - 32            |
| B652 3181            | Driven Roller:Scanning               | 37 - 18            |
| B652 3211            | Bracket:Stepper Motor                | 45 - 20            |
| B652 3215            | Guide Plate:Stepper Motor            | 45 - 22            |
| B652 3231            | Belt Tensioner:Ass'y                 | 45 - 34            |
| B652 3251            | Guide Plate:Entrance:Upper:Ass'y     | 35 - 14            |
| B652 4103            | Guide Plate:Reverse:Entrance         | 39 - 8             |
| B652 4114            | Guide Plate:Reverse:Exit:Upper       | 39 - 4             |
| B652 4115            | Guide Plate:Reverse:Middle:Upper     | 39 - 7             |
| B652 4116            | Guide:Reverse:Exit                   | 39 - 5             |
| B652 4117            | Guide:Reverse:Exit:Middle            | 39 - 6             |
| B652 4119            | Decal:Guide Plate:Reverse:Exit       | 39 - 3             |
| B652 4119            | Decal:Guide Plate:Reverse:Exit       | 245 - 45           |
| B652 4122            | Guide Plate:Reverse:Middle:Upper     | 33 - 27            |
| B652 4133            | Bracket:Sensor:Reverse:Middle        | 33 - 25            |
| B652 4152            | Reverse Roller:Exit:Drive            | 39 - 9             |
| B652 4153            | Timing Belt:B40S2M230                | 35 - 25            |
| B652 4153            | Timing Belt:B40S2M230                | 45 - 24            |
| B652 4155            | Roller:Driven:Reverse:Middle         | 33 - 11            |
| B652 4156            | Compression Spring:0.5N              | 33 - 9             |

| Part No.             | Description                       | Page and Index No. |
|----------------------|-----------------------------------|--------------------|
| B652 4203            | Gate Pawl:Reverse:Upper           | 33 - 20            |
| B652 4205            | Bracket:Discharge Brush:Ass'y     | 33 - 22            |
| B652 4207            | Discharge Brush                   | 33 - 23            |
| B652 4212            | Hook:Solenoid:Reverse:Upper       | 33 - 29            |
| B652 4213            | Tension Spring:Hook:Gate Pawl     | 33 - 30            |
| B652 4222            | DC Solenoid:Ass'y                 | 45 - 27            |
| B652 4223            | Bracket:Solenoid:Reverse:Upper    | 45 - 25            |
| B652 4501            | Guide:Scanning:Exit:Exit          | 39 - 17            |
| B652 4503            | Discharge Brush:Exit:L37          | 39 - 18            |
| B652 4504            | Discharge Brush:Exit:L16          | 39 - 19            |
| B652 4506            | Guide:Scanning:Exit:Long          | 39 - 14            |
| B652 4507            | Guide:Scanning:Exit:Short         | 39 - 15            |
| <del>B652 4517</del> | X/X (201101 PCIL)                 | 41 - 14            |
| <del>B652 4518</del> | X/X (201101 PCIL)                 | 41 - 15            |
| B652 4519            | Roller:Scanning:Exit:Driven       | 41 - 5             |
| B652 4520            | Bushing:Reverse:Lower:Gate Pawl   | 41 - 4             |
| B652 4521            | Guide Plate:Reverse:Lower         | 41 - 8             |
| B652 4522            | Bracket:Reverse:Lower             | 41 - 19            |
| <del>B652 4527</del> | O/O (201105 PCIL)                 | 41 - 1             |
| B652 4528            | Gate Pawl:Reverse:Lower:Right     | 41 - 2             |
| B652 4529            | Lever:Reverse:Lower               | 41 - 12            |
| B652 4530            | Tension Spring                    | 41 - 16            |
| B652 4532            | Lever:Reverse:Lower:DC Solenoid   | 37 - 21            |
| B652 4533            | Bracket:Reverse:Lower:DC Solenoid | 37 - 22            |
| B652 4602            | Guide Plate:Reverse:Lower:Fix     | 41 - 24            |
| B652 4726            | Exit Roller                       | 33 - 24            |
| B652 4726            | Exit Roller                       | 41 - 23            |
| B652 4726            | Exit Roller                       | 39 - 10            |
| B652 4727            | Timing Pulley:44T                 | 33 - 31            |
| B652 4727            | Timing Pulley:44T                 | 39 - 22            |
| B652 4727            | Timing Pulley:44T                 | 41 - 33            |
| B652 4728            | Timing Belt:B40S2M138             | 45 - 18            |
| B652 4741            | Pressure Plate:Ass'y              | 25 - 8             |
| B652 4766            | DC Solenoid:Reverse:Lower:Ass'y   | 37 - 20            |
| B652 4772            | DC Stepper Motor:Exit:2.1W        | 45 - 17            |

| Part No.             | Description                                     | Page and Index No. |
|----------------------|-------------------------------------------------|--------------------|
| B652 4902            | Guide Plate:Pressure Plate                      | 25 - 9             |
| B652 4903            | Stopper:Guide Plate:Pressure Plate              | 25 - 6             |
| B652 4904            | Bracket:Magnet Catch:Pressure Plate             | 47 - 20            |
| B652 4905            | Decal:Misfeed Removal                           | 25 - 11            |
| B652 4905            | Decal:Misfeed Removal                           | 245 - 46           |
| B652 5401            | Harness:Original Sensor                         | 45 - 5             |
| B652 5406            | Harness:Paper Size Sensor                       | 45 - 4             |
| B652 5412            | Harness:Sensor:Connecting:<br>Paper Size Sensor | 29 - 25            |
| B652 5418            | Harness:Sensor:Connecting:Stopper Guide         | 29 - 28            |
| B652 5422            | Harness:Motor:Exit                              | 45 - 2             |
| B652 5426            | Harness:Solenoid:Reverse                        | 45 - 3             |
| B652 5431            | Harness:Registration Sensor                     | 35 - 12            |
| B652 5436            | Harness:Sensor:Original Table                   | 27 - 34            |
| B652 5441            | Harness:Motor:Pick Up                           | 45 - 6             |
| B652 5446            | Harness:Sensor:Reverse:Upper                    | 47 - 14            |
| B652 5451            | Harness:Original Sensor                         | 27 - 9             |
| B652 5456            | Harness:Sensor:Reverse:Lower                    | 41 - 30            |
| B652 5461            | Harness:Sensor:Exit                             | 39 - 13            |
| <del>B652 5505</del> | X/O (200905 PCIL)                               | 45 - 8             |
| <del>B652 5506</del> | X/O (200912 PCIL)                               | 45 - 8             |
| <del>B652 5507</del> | X/O (201007 PCIL)                               | 45 - 8             |
| B652 5508            | PCB:Main Control:Ass'y                          | 45 - 8             |
| B700 4428            | Timing Belt:B40S2M158                           | 45 - 11            |
| B712 5605            | Grip:Application                                | 51 - 10            |
| B712 5605            | Grip:Application                                | 177 - 17           |
| B712 5605            | Grip:Application                                | 97 - 16            |
| B714 4151            | Rail:Side Fence                                 | 27 - 1             |
| C101 2360            | Snap Ring                                       | 27 - 29            |
| C105 1866            | Pin                                             | 39 - 26            |
| C401 9503            | 20X Magnification Scope                         | 247 - 5            |
| D009 1470            | PCB:OP-R                                        | 23 - 1             |
| D009 1480            | Harness:OP-R:10                                 | 23 - 24            |
| D009 1481            | Harness:OP-R:13                                 | 23 - 23            |
| D009 1482            | Harness:OP-L:12                                 | 23 - 2             |

| Part No.             | Description                                | Page and Index No. |
|----------------------|--------------------------------------------|--------------------|
| D009 1483            | Harness:OP-L:13                            | 23 - 3             |
| D009 1484            | Harness:Invertor                           | 23 - 15            |
| D009 1486            | Invertor:TFT                               | 23 - 16            |
| D009 1487            | Cable:FFC:TFT:LCD                          | 23 - 14            |
| D009 1488            | Touch Panel:W-VGA:MA                       | 23 - 18            |
| <del>D009 1489</del> | O/O (201112 PCIL)                          | 23 - 21            |
| D009 1504            | Shadeing Plate:Touch Panel                 | 23 - 17            |
| D009 1556            | Panel:Upper:NA                             | 23 - 34            |
| D009 1557            | Panel:Upper:EU                             | 23 - 34            |
| D062 1303            | Cover:Large Capacity Tray                  | 21 - 15            |
| D062 6641            | Paper Feed Unit:Paper Bank:Ass'y           | 73 - 1             |
| D081 1184            | Lever:Pull Out:Printing                    | 103 - 13           |
| D081 1432            | Decal:Caution Chart:Copy:Original:English  | 49 - 15            |
| D081 1432            | Decal:Caution Chart:Copy:Original:English  | 245 - 24           |
| D081 1482            | Decal:Caution Chart:Inkjet:                |                    |
|                      | Manual Feed:English                        | 245 - 19           |
| D081 1482            | Decal:Caution Chart:Inkjet:                |                    |
|                      | Manual Feed:English                        | 59 - 2             |
| D081 1506            | Cover:Left Middle                          | 21 - 2             |
| D081 1674            | Cover:Optics Section                       | 51 - 3             |
| D081 2157            | Polygon Scanner                            | 57 - 6             |
| <u>D081 2810</u>     | <u>Manual Feed Table:Ass'y</u>             | 59 - 3             |
| D081 2861            | Side Fence:Front:Ass'y                     | 59 - 6             |
| D081 3005            | Development Unit:Ass'y                     | 91 - 1             |
| D081 4147            | Fusing Entrance Guide Plate:Upper          | 123 - 5            |
| D081 4620            | Side Plate:Rear:Reverse Unit:Ass'y         | 139 - 19           |
| D081 4627            | Side Plate:Front:Reverse Unit              | 139 - 12           |
| D081 5356            | Harness:Separation:                        |                    |
|                      | High Voltage Supply Cord                   | 135 - 20           |
| D081 5799            | HDD:Ass'y                                  | 173 - 6            |
| D081 6050            | Image Transfer Belt                        | 93 - 7             |
| D081 6528            | Toner Outlet Sub-Unit:PCU:Lengthwise:Ass'y | 149 - 18           |
| D081 6558            | Toner Outlet Sub-unit:PCU:Side:Ass'y       | 149 - 6            |
| D081 6569            | Toner Outlet Sub-Unit:Transfer:            |                    |
|                      | Diagonal Slanted:Ass'y                     | 149 - 11           |

| Part No.         | Description                             | Page and Index No. |
|------------------|-----------------------------------------|--------------------|
| D081 7114        | Guide Plate:Left Lower:Ass'y            | 183 - 8            |
| D082 1502        | Cover:Right Upper                       | 49 - 16            |
| <u>D089 1498</u> | <u>LCD:TFT:W-VGA:SH</u>                 | 23 - 21            |
| D376 5017        | SD-Card - P/S Unit                      | 173 - 22           |
| D376 6515        | CD-ROM:SCN:EXP:GEN:Ass'y                | 19 - 42            |
| D376 6526        | CD-ROM:PRN:EU:INF:Ass'y                 | 19 - 42            |
| D376 7900        | Sheet:EULA:18Languages                  | 19 - 43            |
| D376 7901        | Seal:Caution:18Languages                | 19 - 44            |
| D412 2345        | Gear:Z47:M0.8                           | 27 - 30            |
| D412 2346        | Gear:Z20/Z47:M0.8:Right:Front           | 45 - 13            |
| D412 2347        | Gear:Z20/Z47:M0.8:Left:Rear             | 45 - 16            |
| D412 2348        | Gear:Z20/Z47:M0.8:Right:Rear            | 45 - 12            |
| D412 2349        | Timing Pulley:T30/Z20:S2M/M0.8          | 45 - 15            |
| D501 4406        | Decal:Size:Original                     | 29 - 4             |
| D501 4406        | Decal:Size:Original                     | 245 - 38           |
| D522 4517        | Arm:Pressure:Reverse:Lower              | 41 - 14            |
| D522 4518        | Compression Spring:Reverse Roller:Lower | 41 - 15            |
| D522 4527        | Gate Pawl:Reverse:Lower:Left            | 41 - 1             |
| G011 1058        | Snap Ring                               | 101 - 9            |
| G011 1058        | Snap Ring                               | 99 - 24            |
| G011 3305        | Gear - 16Z                              | 59 - 11            |
| G014 3291        | Snap Ring - Pick Up                     | 93 - 20            |
| G021 9350        | Loop Back Connector                     | 247 - 4            |
| G029 4150        | Pressure Spring                         | 55 - 8             |
| G047 3472        | Bushing:Back Up:Master Belt             | 115 - 20           |
| G060 1908        | Thermistor Plate                        | 57 - 15            |
| G070 3088        | Pulley Spacer                           | 45 - 36            |
| G104 5139        | Knob Screw:HDD Unit                     | 183 - 16           |
| G178 3186        | Magnetic Clutch:Toner Supply Unit:Ass'y | 81 - 28            |
| G178 6001        | PWB:CONT:EX1                            | 235 - 3            |
| G178 6016        | Heat Sink:EX1:PEN                       | 235 - 4            |
| G178 6017        | Heat Sink:EX1:GMCH                      | 235 - 5            |
| G178 6062        | PCB:PC4200:RAWCARD-C:512MB              | 173 - 18           |
| G178 6072        | PCB:PC4200:RAWCARD-A:1GB                | 173 - 16           |
| G404 2810        | Spring Plate - 2nd Mirror               | 53 - 2             |

| Part No.             | Description                       | Page and Index No. |
|----------------------|-----------------------------------|--------------------|
| <del>G564 4154</del> | O/O (201104 PCIL)                 | 27 - 1             |
| G570 2731            | Grip                              | 53 - 12            |
| G570 2834            | Pulley - High Voltage Supply Cord | 53 - 6             |
| H020 2318            | NRP345                            | 133 - 9            |
| H053 1174            | Washer M6 - Scanner Unit          | 131 - 8            |
| R724 1521            | Keytop:10key:Service              | 23 - 11            |
| R724 1540            | Keytop:10key:Service:NA           | 23 - 11            |

| Part No.             | Description                     | Page and Index No. |
|----------------------|---------------------------------|--------------------|
| AA00 0217            | Decal - LD 655                  | 57 - 4             |
| AA00 0217            | Decal - LD 655                  | 245 - 4            |
| AA00 0239            | Decal:Color:μFP                 | 19 - 18            |
| AA00 1477            | Decal:ENERGY-STAR               | 19 - 39            |
| AA00 1477            | Decal:ENERGY-STAR               | 245 - 5            |
| AA00 2010            | Decal - Paper Level             | 63 - 13            |
| AA00 2010            | Decal - Paper Level             | 65 - 15            |
| AA00 2010            | Decal - Paper Level             | 245 - 6            |
| AA00 2010            | Decal - Paper Level             | 71 - 15            |
| AA00 2246            | Decal - Caution                 | 245 - 7            |
| AA00 2246            | Decal - Caution                 | 65 - 3             |
| AA00 3211            | Decal:Paper Tray:Display:1      | 63 - 1             |
| AA00 3211            | Decal:Paper Tray:Display:1      | 245 - 8            |
| AA00 3212            | Decal:Paper Tray:Display:2      | 245 - 9            |
| AA00 3212            | Decal:Paper Tray:Display:2      | 69 - 3             |
| AA00 3213            | Decal:Paper Tray:Display:3      | 245 - 10           |
| AA00 3213            | Decal:Paper Tray:Display:3      | 69 - 2             |
| AA02 1034            | Magnetic                        | 141 - 16           |
| AA04 0033            | Transport Belt                  | 113 - 2            |
| AA04 3271            | Timing Belt S3M 196T            | 63 - 22            |
| AA04 3291            | Timing Belt                     | 141 - 4            |
| <del>AA04 3294</del> | O/O (201007 PCIL)               | 145 - 6            |
| AA04 3309            | Timing Belt:40S2M360G           | 141 - 10           |
| AA04 3310            | Timing Belt:40S2M278G           | 143 - 9            |
| AA04 3311            | Timing Belt:40S2M302G           | 143 - 10           |
| AA04 3312            | Timing Belt:60S2M138            | 109 - 22           |
| AA04 3313            | Timing Belt:40S2M150            | 155 - 5            |
| AA04 3314            | Timing Belt:100S2M266           | 55 - 17            |
| AA04 3435            | Timing Belt:40S2M810            | 145 - 6            |
| <del>AA04 3575</del> | O/O (201011 PCIL)               | 75 - 21            |
| <del>AA04 3575</del> | O/O (201011 PCIL)               | 77 - 25            |
| <del>AA04 3576</del> | O/O (201011 PCIL)               | 75 - 30            |
| AA04 3578            | Timing Belt:S2M208              | 113 - 13           |
| AA04 3587            | Timing Belt:S2M170              | 111 - 26           |
| AA04 3675            | Synchronous Belt:Reverse:S2M118 | 75 - 21            |

| Part No.             | Description                         | Page and Index No. |
|----------------------|-------------------------------------|--------------------|
| AA04 3675            | Synchronous Belt:Reverse:S2M118     | 77 - 25            |
| AA04 3676            | Synchronous Belt:Connecting:        |                    |
|                      | DC Stepper Motor                    | 75 - 30            |
| AA04 3964            | Timing Belt:60S3M741                | 155 - 22           |
| AA04 3965            | Timing Belt:40S3M471                | 155 - 21           |
| AA04 3978            | Timing Belt:40DS2M300               | 151 - 9            |
| AA06 0534            | Tray Lock Spring - 19mm             | 69 - 15            |
| AA06 0695            | Tension Spring                      | 131 - 14           |
| AA06 0757            | Tension Spring - Long               | 67 - 3             |
| AA06 0758            | Tension Spring - Short              | 67 - 16            |
| AA06 0761            | Spring                              | 187 - 11           |
| AA06 0842            | Tension Spring                      | 43 - 4             |
| AA06 0896            | Spring                              | 73 - 34            |
| AA06 0897            | Spring                              | 73 - 12            |
| AA06 0898            | Spring                              | 73 - 9             |
| <del>AA06 0899</del> | X/O (201101 PCIL)                   | 73 - 17            |
| AA06 0900            | Spring                              | 75 - 19            |
| AA06 0901            | Spring                              | 75 - 23            |
| AA06 0904            | Spring                              | 75 - 27            |
| AA06 0950            | Tension Spring                      | 151 - 17           |
| AA06 0951            | Pressure Spring                     | 155 - 17           |
| AA06 0952            | Tension Spring                      | 61 - 10            |
| AA06 0954            | Tension Spring                      | 61 - 37            |
| AA06 0958            | Tension Spring                      | 155 - 2            |
| AA06 0960            | Tension Spring                      | 183 - 22           |
| AA06 0961            | Tension Spring:Side Fence:Rear      | 71 - 24            |
| AA06 0984            | Tension Spring                      | 145 - 14           |
| AA06 0987            | Tension Spring:Timing Belt:10N      | 63 - 17            |
| AA06 0991            | Tension Spring:Tension:Transport    | 45 - 21            |
| AA06 1018            | Tension Spring                      | 121 - 20           |
| AA06 1019            | Tension Spring - Stripper Plate     | 121 - 10           |
| AA06 1025            | Tension Spring:Open And Close       | 105 - 11           |
| AA06 1033            | Tension Spring:Registration         | 105 - 12           |
| AA06 1076            | Coil Spring:Pressure Release:Pickup | 73 - 17            |
| AA06 2318            | Spring                              | 145 - 23           |

| Part No.  | Description                         | Page and Index No. |
|-----------|-------------------------------------|--------------------|
| AA06 2318 | Spring                              | 139 - 2            |
| AA06 2319 | Spring                              | 135 - 12           |
| AA06 2320 | Spring                              | 137 - 8            |
| AA06 2327 | Tension Spring                      | 141 - 13           |
| AA06 2328 | Tension Spring:Black                | 139 - 13           |
| AA06 2329 | Spring:Registration:20N             | 107 - 22           |
| AA06 2330 | Tension Spring                      | 133 - 21           |
| AA06 2351 | Tension Spring - Heat Roller        | 123 - 29           |
| AA06 3254 | Driven Roller Spring                | 109 - 6            |
| AA06 3268 | Connector Spring                    | 161 - 3            |
| AA06 3433 | Exit Roller Spring                  | 107 - 18           |
| AA06 3435 | Compression Spring:Paper Feed:Joint | 31 - 4             |
| AA06 3450 | Compression Spring - Pressure       | 127 - 9            |
| AA06 3487 | Spring - 10mm                       | 77 - 7             |
| AA06 3581 | Compression Spring                  | 137 - 23           |
| AA06 3592 | Compression Spring                  | 141 - 24           |
| AA06 3670 | Spring Connector:9.8N               | 157 - 2            |
| AA06 3878 | Spring                              | 77 - 21            |
| AA06 3889 | Heat Sink Spring                    | 73 - 27            |
| AA06 3902 | Spring:Connector:Tandem LCT         | 161 - 12           |
| AA06 3906 | Compression Spring                  | 129 - 17           |
| AA06 3907 | Compression Spring                  | 183 - 9            |
| AA06 3908 | Spring:Tightener                    | 133 - 6            |
| AA06 3908 | MB32                                | 129 - 4            |
| AA06 3909 | Spring:Guide Plate:Open And Close   | 129 - 4            |
| AA06 3909 | MB32 Correct                        | 133 - 6            |
| AA06 3951 | Compression Spring                  | 135 - 26           |
| AA06 3991 | Spring - Oil Supply Roller          | 125 - 9            |
| AA06 6372 | Spring                              | 107 - 14           |
| AA06 6382 | Front Torsion Spring - Stripper     | 121 - 13           |
| AA06 6383 | Rear Torsion Spring - Stripper      | 121 - 16           |
| AA06 6682 | Torsion Spring - Front              | 121 - 23           |
| AA06 6683 | Torsion Spring - Rear               | 121 - 26           |
| AA06 6684 | Torsion Spring:Front:2N             | 115 - 10           |
| AA06 6685 | Torsion Spring:Rear:2N              | 115 - 12           |

| Part No.  | Description                   | Page and Index No. |
|-----------|-------------------------------|--------------------|
| AA07 0064 | Slide Rail:Toner Supply:Ass'y | 179 - 1            |
| AA07 0064 | Slide Rail:Toner Supply:Ass'y | 183 - 11           |
| AA07 0066 | Slide Rail:Pull Out:Left      | 183 - 3            |
| AA07 0067 | Slide Rail:Pull Out:Right     | 183 - 14           |
| AA07 0072 | Slide Rail:Tandem LCT         | 187 - 5            |
| AA08 0034 | Bushing - 4x5x7               | 139 - 8            |
| AA08 0034 | Bushing - 4x5x7               | 107 - 19           |
| AA08 0037 | Bushing - 6mm                 | 29 - 18            |
| AA08 0154 | Rear Bushing                  | 111 - 32           |
| AA08 0203 | Bushing - 6mm                 | 109 - 4            |
| AA08 0213 | Bushing:DIA6                  | 129 - 9            |
| AA08 0240 | Bushing - MM5                 | 129 - 16           |
| AA08 0241 | Bushing - M4                  | 77 - 20            |
| AA08 0265 | Bushing:6x8x5                 | 183 - 21           |
| AA08 0327 | Bushing - M4                  | 75 - 3             |
| AA08 2063 | Bushing - 8x10x5              | 157 - 18           |
| AA08 2063 | Bushing - 8x10x5              | 141 - 26           |
| AA08 2101 | Bushing - 6x10x6              | 113 - 4            |
| AA08 2101 | Bushing:6x10x6                | 81 - 26            |
| AA08 2101 | Bushing - 6x10x6              | 121 - 5            |
| AA08 2101 | Bushing - 6x10x6              | 117 - 17           |
| AA08 2104 | Bushing - 8x12x7              | 95 - 1             |
| AA08 2116 | Bushing - M8                  | 61 - 20            |
| AA08 2116 | Bushing - M8                  | 139 - 11           |
| AA08 2116 | Bushing - M8                  | 107 - 15           |
| AA08 2118 | Bushing - M6                  | 61 - 15            |
| AA08 2118 | Bushing - M6                  | 143 - 8            |
| AA08 2118 | Bushing - M6                  | 75 - 12            |
| AA08 2118 | Bushing - M6                  | 129 - 25           |
| AA08 2118 | Bushing - M6                  | 141 - 14           |
| AA08 2118 | Bushing - M6                  | 73 - 7             |
| AA08 2118 | Bushing - M6                  | 139 - 10           |
| AA08 2137 | Bushing:6x10x6                | 111 - 11           |
| AA08 2139 | Guide:Shaft:Drive             | 83 - 9             |
| AA08 2140 | Bushing:Drive:Supply:MM6      | 81 - 29            |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| AA08 2141 | Bushing - 16x18x5            | 35 - 23            |
| AA08 3013 | Bushing - 8x18x11            | 61 - 27            |
| AA08 3014 | One-way Clutch               | 61 - 12            |
| AA08 3022 | Bushing:DIA6:DIA8            | 99 - 19            |
| AA08 3022 | Bushing:DIA6:DIA8            | 101 - 21           |
| AA08 4053 | Ball Bearing:Driven:MM4      | 135 - 8            |
| AA10 0011 | Retaining Ring:Silencer:MM7  | 95 - 20            |
| AA11 3037 | Terminal:4P:187              | 127 - 24           |
| AA12 0084 | Discharge Brush              | 135 - 5            |
| AA13 2013 | Spacer                       | 31 - 5             |
| AA13 2025 | Spacer - 1x8x12              | 107 - 8            |
| AA13 2025 | Spacer - 1x8x12              | 155 - 6            |
| AA13 2152 | Spacer - 8x20x1              | 45 - 14            |
| AA13 2171 | Spacer - 6x20x1              | 31 - 23            |
| AA13 2203 | Spacer - 6mm                 | 67 - 33            |
| AA13 2203 | Spacer - 6mm                 | 161 - 13           |
| AA13 2204 | Collar                       | 123 - 17           |
| AA13 2208 | Spacer - M6                  | 147 - 22           |
| AA13 2300 | Roller:Lock:Pull Out         | 135 - 32           |
| AA14 0686 | Shaft - Timing Pulley        | 63 - 27            |
| AA14 0761 | Shaft:Feed Roller            | 61 - 26            |
| AA14 0828 | Feed Roller Shaft            | 73 - 10            |
| AA14 0829 | Driven Shaft                 | 75 - 4             |
| AA14 1008 | Panel Knob Screw             | 173 - 12           |
| AA14 3129 | Shoulder Screw - Front Cover | 139 - 1            |
| AA14 3183 | Stepped Screw                | 141 - 17           |
| AA14 3301 | Stepped Screw - M3x4         | 155 - 13           |
| AA14 3394 | Stepped Screw - M3x10        | 113 - 23           |
| AA14 3421 | Stud:Guide Pin               | 183 - 7            |
| AA14 3424 | Knob Screw - M4x8            | 115 - 24           |
| AA14 3426 | Stopped Screw - M4x17        | 139 - 28           |
| AA14 3517 | Guide Plate Screw            | 123 - 31           |
| AA14 3520 | Shoulder Screw - M3          | 49 - 9             |
| AA14 3559 | Screw:M4:DIA5                | 49 - 2             |
| AA14 3560 | Stepped Screw - M4           | 77 - 13            |

| Part No.  | Description                        | Page and Index No. |
|-----------|------------------------------------|--------------------|
| AA14 3718 | Stepped Screw - M4                 | 73 - 35            |
| AA14 3718 | Stepped Screw - M4                 | 177 - 19           |
| AA14 3788 | Pin:Guide Plate:Paper Feed         | 41 - 22            |
| AA14 3788 | Pin:Guide Plate:Paper Feed         | 39 - 23            |
| AA14 3788 | Pin:Guide Plate:Paper Feed         | 29 - 14            |
| AA14 3788 | Pin:Guide Plate:Paper Feed         | 25 - 3             |
| AA14 3788 | Pin:Guide Plate:Paper Feed         | 33 - 28            |
| AA14 3788 | Pin:Guide Plate:Paper Feed         | 37 - 19            |
| AA14 3789 | Shaft:Cleaner                      | 27 - 31            |
| AA14 3789 | Shaft:Cleaner                      | 31 - 1             |
| AA14 3790 | Screw:Contact Point                | 33 - 3             |
| AA14 3790 | Screw:Contact Point                | 47 - 23            |
| AA14 3791 | Screw:Safety                       | 35 - 24            |
| AA14 3791 | Screw:Safety                       | 179 - 19           |
| AA14 3791 | Screw:Safety                       | 45 - 30            |
| AA14 3792 | Screw:Drawer                       | 105 - 23           |
| AA14 3794 | Screw:Spring:Drawer                | 157 - 1            |
| AA14 3797 | Connector Guide Pin                | 157 - 25           |
| AA14 3798 | Hexagonal Bolt:M12x35              | 185 - 6            |
| AA14 3801 | Screw:M4:Exterior                  | 21 - 8             |
| AA14 3802 | Screw:6x1.7                        | 55 - 5             |
| AA14 3803 | Flanged Hexagonal Head Bolt:Caster | 185 - 12           |
| AA14 3811 | Stepped Screw - M3x4               | 141 - 21           |
| AA14 3811 | Stepped Screw - M3x4               | 137 - 14           |
| AA14 3812 | Screw - Scale                      | 75 - 6             |
| AA14 3842 | Screw:DIA6:14.5:M4                 | 47 - 4             |
| AA14 3843 | Screw:DIA6                         | 41 - 9             |
| AA14 3846 | Tapping Screw:M3x6                 | 29 - 33            |
| AA14 3870 | Stepped Screw                      | 111 - 3            |
| AA14 8692 | Shaft:Roller:Reversal              | 141 - 27           |
| AA15 0406 | Seal - Misfeed Removal             | 187 - 14           |
| AA16 1104 | Cushion - Motor                    | 185 - 16           |
| AA16 1104 | Cushion - Motor                    | 51 - 7             |
| AA16 1129 | Cushion - Large                    | 67 - 36            |
| AA16 1130 | Cushion - Small                    | 67 - 29            |

| Part No.  | Description       | Page and Index No. |
|-----------|-------------------|--------------------|
| AA16 1137 | Cushion - 0.5     | 49 - 7             |
| AB01 0142 | Gear:93Z          | 151 - 21           |
| AB01 0143 | Gear:81Z          | 151 - 20           |
| AB01 0144 | Gear:64Z          | 157 - 10           |
| AB01 0145 | Gear:96Z          | 157 - 8            |
| AB01 1029 | Gear:31/44Z       | 147 - 12           |
| AB01 1124 | Gear:21Z          | 111 - 24           |
| AB01 1125 | Gear:20/29Z       | 111 - 29           |
| AB01 1126 | Gear:20Z          | 111 - 30           |
| AB01 1247 | Gear:32Z          | 147 - 19           |
| AB01 1248 | Gear:14/30Z       | 147 - 18           |
| AB01 1250 | Gear:22Z          | 155 - 11           |
| AB01 1273 | Gear:24Z          | 157 - 16           |
| AB01 1274 | Gear:25Z          | 157 - 14           |
| AB01 1275 | Gear - 17Z        | 91 - 11            |
| AB01 1276 | Joint Gear - 180Z | 91 - 9             |
| AB01 1277 | Idle Gear - 21Z   | 91 - 10            |
| AB01 1279 | Idle Gear - 18Z   | 91 - 12            |
| AB01 1300 | Gear:50Z          | 107 - 26           |
| AB01 1301 | Gear:32Z          | 109 - 1            |
| AB01 1302 | Gear:30Z          | 155 - 28           |
| AB01 1303 | Gear:33Z          | 155 - 32           |
| AB01 1304 | Gear:40Z          | 155 - 27           |
| AB01 1305 | Gear:21Z          | 61 - 36            |
| AB01 1306 | Gear:24Z          | 61 - 32            |
| AB01 1307 | Gear:42Z          | 61 - 13            |
| AB01 1465 | Idler Gear        | 73 - 6             |
| AB01 1466 | Gear - 35Z        | 77 - 24            |
| AB01 1466 | Gear - 35Z        | 73 - 25            |
| AB01 1469 | Gear - 19Z        | 75 - 13            |
| AB01 1470 | Gear - 18Z        | 75 - 15            |
| AB01 1471 | Reverse Gear      | 75 - 36            |
| AB01 1490 | Gear - 38Z        | 75 - 39            |
| AB01 1491 | Gear - 21Z        | 75 - 38            |
| AB01 1496 | Gear - 32Z        | 143 - 15           |

| Part No.             | Description                 | Page and Index No. |
|----------------------|-----------------------------|--------------------|
| AB01 1497            | Gear:45Z                    | 143 - 11           |
| AB01 1498            | Gear:22Z                    | 143 - 13           |
| AB01 1591            | Gear:Reverse                | 75 - 35            |
| AB01 2327            | Gear:16Z                    | 71 - 22            |
| AB01 3122            | Gear:26Z                    | 149 - 23           |
| AB01 3189            | Gear:30Z                    | 149 - 24           |
| AB01 3299            | Gear:18Z                    | 147 - 15           |
| AB01 3309            | Gear:18Z                    | 117 - 2            |
| AB01 3363            | Gear - 16Z                  | 117 - 6            |
| AB01 3467            | Gear - 30Z                  | 159 - 7            |
| AB01 3703            | Gear - 24Z                  | 123 - 38           |
| AB01 3781            | Gear - 30Z                  | 67 - 23            |
| AB01 3798            | Gear - Z18                  | 63 - 29            |
| <del>AB01 4290</del> | X/O (200909 PCIL)           | 123 - 16           |
| AB01 4291            | Gear - 32Z                  | 127 - 1            |
| AB01 4294            | Gear - 30Z/23Z              | 123 - 7            |
| AB01 4295            | Gear - 20Z                  | 123 - 8            |
| AB01 4298            | Drive Gear - 23Z            | 123 - 12           |
| AB01 4309            | Gear:Shaft:Cam              | 115 - 3            |
| AB01 4310            | Gear:Motor:On-Off           | 117 - 10           |
| AB01 4311            | Gear:Coupling:Slow Down:21Z | 117 - 13           |
| AB01 4312            | Gear:Motor:Drive:15Z        | 117 - 15           |
| AB01 4322            | Idle Gear - 27Z             | 127 - 26           |
| AB01 4323            | Gear:Idler:Drive            | 123 - 13           |
| AB01 4324            | Gear:Idler:Hot Roller       | 123 - 14           |
| AB01 4325            | Gear - 34Z                  | 123 - 16           |
| AB01 7000            | Gear:17/51Z                 | 159 - 10           |
| AB01 7338            | Gear:30T                    | 113 - 12           |
| AB01 7614            | Pulley                      | 143 - 12           |
| AB01 7615            | Gear - 30Z/45Z              | 145 - 12           |
| AB01 7617            | Gear - 21Z/38Z              | 73 - 19            |
| AB01 7619            | Gear - 24Z/40Z              | 77 - 23            |
| AB01 7687            | Gear:22/24Z                 | 141 - 3            |
| AB01 7688            | Gear:13/20Z                 | 117 - 4            |
| AB01 7690            | Pulley:Idler:30T/24Z        | 75 - 20            |

| Part No.             | Description            | Page and Index No. |
|----------------------|------------------------|--------------------|
| AB01 7746            | Gear:46Z/25Z           | 157 - 12           |
| AB01 7747            | Gear:25Z/25Z           | 157 - 13           |
| AB01 9475            | Gear - 48T             | 63 - 24            |
| AB03 0275            | Pulley:31T             | 113 - 14           |
| AB03 0301            | Timing Pulley:35T      | 155 - 4            |
| AB03 0302            | Timing Pulley:35T      | 107 - 9            |
| AB03 0583            | Timing Pulley - 24Z    | 143 - 7            |
| AB03 0731            | Pulley - 29Z           | 143 - 16           |
| AB03 0732            | Jogger Pulley          | 145 - 22           |
| AB03 0733            | Pulley - 20T           | 75 - 29            |
| AB03 0734            | Pulley - 30Z           | 75 - 40            |
| AB03 0748            | Pulley:40T             | 113 - 17           |
| AB03 0749            | Pulley:23T             | 111 - 27           |
| AB03 0766            | Timing Pulley:37T      | 151 - 13           |
| AB03 0768            | Timing Pulley:47T      | 155 - 15           |
| AB03 0770            | Timing Pulley:47T      | 155 - 14           |
| AB03 0771            | Timing Pulley:44T      | 155 - 23           |
| AB03 0772            | Timing Pulley:44T      | 155 - 24           |
| AB03 0819            | Timing Pulley:23T      | 151 - 10           |
| AB03 2058            | Wire Pulley - M10      | 67 - 19            |
| AB03 2069            | Pulley                 | 55 - 26            |
| AB03 2070            | Pulley                 | 55 - 19            |
| AB03 2719            | Pulley - M10           | 67 - 21            |
| AB03 3084            | Timing Pulley - 15T    | 63 - 25            |
| AB03 3085            | Timing Pulley - 15T    | 63 - 15            |
| AC01 5041            | Shield Glass           | 57 - 13            |
| AE01 0056            | Core:Hot Roller        | 123 - 11           |
| <del>AE01 0065</del> | O/O MB17               | 123 - 22           |
| AE01 0075            | Hot Roller             | 123 - 22           |
| AE01 2032            | Heat Roller            | 123 - 28           |
| AE02 0165            | Pressure Roller        | 127 - 3            |
| AE03 0039            | Ball Bearing           | 123 - 25           |
| AE03 0049            | Ball Bearing - 20x32x7 | 127 - 2            |
| AE03 0049            | Ball Bearing -20x32x7  | 123 - 15           |
| AE03 0056            | Ball Bearing - 8x16x5  | 127 - 14           |

| Part No.             | Description                        | Page and Index No. |
|----------------------|------------------------------------|--------------------|
| AE03 1068            | Front Bushing - Cleaning Roller    | 125 - 14           |
| AE03 1069            | Rear Bushing - Cleaning Roller     | 125 - 10           |
| AE03 2031            | Thermal Insulating Bushing - 30MM  | 123 - 24           |
| AE04 0042            | Oil Supply Roller                  | 125 - 11           |
| AE04 2080            | Cleaning Roller:Ass'y              | 125 - 12           |
| AE04 4064            | Pick-off Pawl Pressure Roller      | 125 - 7            |
| AF01 3005            | Bottom Plate Pad                   | 71 - 10            |
| AF01 3016            | Bottom Plate Pad                   | 61 - 30            |
| AF01 7033            | End Fence                          | 71 - 20            |
| AF02 0295            | Vertical Driven Roller             | 77 - 19            |
| <del>AF02 0562</del> | O/O MB1                            | 77 - 22            |
| <del>AF02 0562</del> | O/O MB1                            | 73 - 24            |
| AF02 0690            | Roller:Reversal:Driven             | 141 - 25           |
| AF02 0726            | Transfer Roller                    | 77 - 22            |
| AF02 0726            | Transfer Roller                    | 73 - 24            |
| AF02 1075            | Duplex Turn Roller                 | 143 - 1            |
| AF02 1079            | Right Drive Roller                 | 143 - 6            |
| AF02 2064            | Transport Roller:Driven            | 113 - 3            |
| AF02 2067            | Guide Stopper Roller               | 137 - 25           |
| AF02 2077            | Driven Roller                      | 137 - 21           |
| AF02 2105            | Roller - Slide Rail                | 67 - 32            |
| AF02 2149            | Transport Roller                   | 75 - 2             |
| AF03 0080            | Paper Feed Roller:Pickup           | 61 - 22            |
| AF03 0081            | Paper Feed Roller:Pickup           | 73 - 3             |
| AF03 1081            | Paper Feed Roller:Feed:Manual Feed | 61 - 19            |
| AF03 1082            | Paper Feed Roller:Feed             | 73 - 4             |
| AF03 2080            | Paper Feed Roller:Separate         | 61 - 33            |
| AF03 2080            | Paper Feed Roller:Separate         | 75 - 32            |
| AG05 0102            | Registration Roller Knob           | 103 - 8            |
| AG05 1141            | Release Lever                      | 139 - 5            |
| AG05 1147            | Knob:Fusing                        | 103 - 5            |
| AG07 1012            | Magnet Catch:Ass'y                 | 171 - 7            |
| AG07 1012            | Magnet Catch:Ass'y                 | 19 - 14            |
| AH01 2031            | Caster:1470N                       | 185 - 11           |
| <del>AW00 0011</del> | O/O (201112 PCIL)                  | 105 - 6            |

| Part No.             | Description                            | Page and Index No. |
|----------------------|----------------------------------------|--------------------|
| <u>AW00 0012</u>     | <u>Optics Sensor:Photo</u>             | 105 - 6            |
| AW01 0107            | Paper Feed Sensor                      | 183 - 5            |
| AW01 0107            | Paper Feed Sensor                      | 105 - 4            |
| AW01 0107            | Paper Feed Sensor                      | 29 - 26            |
| <del>AW01 0107</del> | O/O (201010 PCIL)                      | 73 - 14            |
| AW01 0107            | Paper Feed Sensor                      | 61 - 9             |
| AW01 0107            | Paper Feed Sensor                      | 109 - 9            |
| AW01 0107            | Paper Feed Sensor                      | 135 - 3            |
| AW01 0112            | Photo Reflection Sensor:Original Table | 27 - 12            |
| AW01 0113            | Sensor                                 | 67 - 37            |
| AW01 0115            | Original Sensor:H=81.5                 | 53 - 8             |
| AW01 0117            | Paper Feed Sensor                      | 29 - 27            |
| AW01 0117            | Paper Feed Sensor                      | 33 - 26            |
| AW01 0117            | Paper Feed Sensor                      | 35 - 11            |
| AW01 0117            | Paper Feed Sensor                      | 39 - 12            |
| AW01 0117            | Paper Feed Sensor                      | 41 - 29            |
| AW01 0118            | Paper Feed Sensor                      | 125 - 1            |
| AW01 0119            | Paper Feed Sensor                      | 139 - 25           |
| AW01 0133            | Original Sensor - 66mm                 | 53 - 7             |
| AW01 0141            | Positioning Sensor                     | 97 - 11            |
| AW01 0149            | Photo Reflection Sensor:PS122TL8-A     | 73 - 14            |
| AW02 0141            | Photointerruptor                       | 47 - 1             |
| AW02 0141            | Photointerruptor                       | 43 - 22            |
| AW02 0141            | Photointerruptor                       | 27 - 10            |
| AW02 0145            | Photointerruptor:Flat                  | 67 - 11            |
| AW02 0145            | Photointerruptor:Flat                  | 97 - 6             |
| AW02 0145            | Photointerruptor:Flat                  | 65 - 12            |
| AW02 0145            | Photointerruptor:Flat                  | 109 - 24           |
| AW02 0145            | Photointerruptor:Flat                  | 157 - 6            |
| AW02 0145            | Photointerruptor:Flat                  | 63 - 35            |
| AW02 0145            | Photointerruptor:Flat                  | 115 - 1            |
| AW02 0145            | Photointerruptor:Flat                  | 117 - 19           |
| AW02 0145            | Photointerruptor:Flat                  | 51 - 14            |
| AW02 0145            | Photointerruptor:Flat                  | 145 - 25           |
| AW02 0147            | Photointerruptor:Feeler:Square         | 147 - 8            |

| Part No.             | Description                           | Page and Index No. |
|----------------------|---------------------------------------|--------------------|
| AW02 0148            | Paper Feed Sensor                     | 145 - 9            |
| AW02 0149            | Paper Feed Sensor                     | 145 - 10           |
| AW02 0149            | Paper Feed Sensor                     | 137 - 17           |
| AW02 0154            | Photointerruptor:Entrance             | 29 - 24            |
| AW02 0155            | Photointerruptor:Paper Size Sensor    | 29 - 23            |
| AW02 0160            | Paper Feed Sensor                     | 61 - 6             |
| AW02 0160            | Paper Feed Sensor                     | 73 - 21            |
| AW02 0163            | Paper Feed Sensor                     | 63 - 32            |
| AW02 0164            | Oil End Sensor                        | 159 - 4            |
| AW10 0100            | Thermistor:Imaging Unit               | 57 - 16            |
| AW10 0107            | Thermistor                            | 149 - 2            |
| AW10 0110            | Thermistor                            | 119 - 23           |
| AW10 0114            | Temperature Sensor:Upper              | 119 - 26           |
| AW11 0044            | Thermostat:150C:250V/17A              | 119 - 27           |
| AW11 0045            | Thermostat:149C:250V/17A              | 119 - 28           |
| AW14 0015            | Temperature & Humidity Sensor         | 185 - 10           |
| AW14 0015            | Temperature & Humidity Sensor         | 181 - 6            |
| AW23 0024            | Toner End Sensor                      | 81 - 14            |
| AW50 0010            | Push Switch                           | 159 - 17           |
| AW50 0023            | Push Switch                           | 147 - 5            |
| AX04 0139            | Stepper Motor:MM42:0.95A:9.5V         | 43 - 17            |
| <del>AX04 0144</del> | O/O (201005 PCIL)                     | 159 - 13           |
| AX04 0145            | DC Motor:Tandem LCT                   | 63 - 31            |
| AX04 0167            | Motor:DC5V 0.71W                      | 153 - 4            |
| <del>AX04 0252</del> | O/O (201011 PCIL)                     | 159 - 13           |
| AX04 0254            | DC Motor:Rising Tray:Ass'y            | 159 - 13           |
| AX05 0293            | DC Motor:DC24V:6W                     | 151 - 3            |
| AX05 0501            | Drive Sub-unit:On-Off:Pressuer Roller | 117 - 8            |
| AX06 0302            | Brushless Motor DC24V 2.4W            | 147 - 16           |
| AX06 0356            | Brushless Motor:DC24V 18W             | 83 - 2             |
| <del>AX06 0357</del> | O/O (201101 PCIL)                     | 117 - 8            |
| AX06 0359            | DC Motor:DC24V:21W                    | 151 - 5            |
| AX06 0360            | DC Motor:MM56:DC24V:12W               | 151 - 22           |
| AX06 0361            | Motor:DC24V 17W                       | 157 - 4            |
| AX06 0362            | Motor:DC24V 48W                       | 155 - 12           |

| Part No.             | Description                        | Page and Index No. |
|----------------------|------------------------------------|--------------------|
| AX20 0277            | Magnetic Clutch:0.53N M:36Z        | 61 - 28            |
| AX31 0045            | Total Counter:7FIG:24V             | 69 - 11            |
| <del>AX31 0047</del> | O/O (201007 PCIL)                  | 69 - 11            |
| AX40 0122            | Anticondensation Heater - 120V 9W  | 53 - 19            |
| AX40 0123            | Anticondensation Heater - 230V 10W | 53 - 19            |
| AX40 0176            | Heater:115V:18W:Upper              | 113 - 20           |
| AX40 0176            | Heater:115V:18W:Upper              | 187 - 2            |
| AX40 0178            | Heater:240V:18W:Upper              | 113 - 20           |
| AX40 0178            | Heater:240V:18W:Upper              | 187 - 2            |
| AX43 0186            | Heater - 117V 400W                 | 119 - 9            |
| AX43 0188            | Heater - 117V 250W                 | 119 - 13           |
| AX43 0190            | Heater - 227V 400W                 | 119 - 13           |
| AX44 0267            | Heater - 227V 600W                 | 119 - 9            |
| AX44 0269            | Heater - 117V 700W                 | 119 - 12           |
| AX44 0271            | Heater - 227V 700W                 | 119 - 12           |
| AX50 0101            | Xenon Lamp:50000LX                 | 53 - 16            |
| AX56 0011            | LED                                | 107 - 3            |
| AX64 0149            | Fan Motor:MM40:15mm                | 55 - 4             |
| AX64 0149            | Fan Motor:MM40:15mm                | 81 - 4             |
| AX64 0149            | Fan Motor:MM40:15mm                | 85 - 25            |
| AX64 0150            | Fan Motor:MM60:25mm:DC24V 4.8W     | 171 - 11           |
| AX64 0150            | Fan Motor:MM60:25mm:DC24V 4.8W     | 163 - 4            |
| AX64 0151            | Fan Motor:MM60                     | 51 - 11            |
| AX64 0158            | Fan Motor MM60/15mm:24V            | 113 - 7            |
| AX64 0159            | Fan Motor MM80                     | 175 - 8            |
| AX64 0163            | Fan Motor:MM80                     | 185 - 14           |
| AX64 0164            | Fan Motor:15mm:24V                 | 171 - 20           |
| AX64 0193            | Sirocco Fan Motor:DC24V 4.32W      | 85 - 2             |
| AX65 0036            | Sirocco Fan Motor:DC24V 7.92W      | 167 - 21           |
| AX65 0041            | Fan Motor:Sirocco                  | 167 - 19           |
| AX65 0042            | Fan:Sirocco:DC24V:2Speed           | 163 - 2            |
| AZ26 0005            | Power Supply Unit                  | 169 - 2            |
| AZ31 0029            | Power Pack:D                       | 135 - 21           |
| AZ32 0168            | Power Pack:C                       | 165 - 11           |
| AZ32 0169            | Power Pack:C/G/B                   | 163 - 9            |

| Part No.  | Description                      | Page and Index No. |
|-----------|----------------------------------|--------------------|
| AZ32 0170 | Power Pack:T1/T2                 | 97 - 1             |
| AZ50 0075 | Stabilizer                       | 55 - 1             |
| BC01 2008 | Exposure Glass                   | 49 - 3             |
| GA00 3016 | Decal - Y Toner Supply           | 179 - 24           |
| GA00 3016 | Decal - Y Toner Supply           | 245 - 52           |
| GA00 3017 | Decal - M Toner Supply           | 245 - 53           |
| GA00 3017 | Decal - M Toner Supply           | 179 - 26           |
| GA00 3018 | Decal - C Toner Supply           | 179 - 25           |
| GA00 3018 | Decal - C Toner Supply           | 245 - 54           |
| GA00 3019 | Decal - K Toner Supply           | 179 - 27           |
| GA00 3019 | Decal - K Toner Supply           | 245 - 55           |
| GA00 3020 | Decal:Development Unit:Display:Y | 245 - 56           |
| GA00 3020 | Decal:Development Unit:Display:Y | 85 - 13            |
| GA00 3021 | Decal:Development Unit:Display:M | 245 - 57           |
| GA00 3021 | Decal:Development Unit:Display:M | 85 - 15            |
| GA00 3022 | Decal:Development Unit:Display:C | 85 - 14            |
| GA00 3022 | Decal:Development Unit:Display:C | 245 - 58           |
| GA00 3023 | Decal:Development Unit:Display:K | 85 - 16            |
| GA00 3023 | Decal:Development Unit:Display:K | 245 - 59           |
| GA00 3033 | Decal - Shielding Plate K        | 87 - 16            |
| GA00 3033 | Decal - Shielding Plate K        | 245 - 60           |

| Part No.  | Description                                       | Page and Index No. |
|-----------|---------------------------------------------------|--------------------|
| VSST 9501 | Connection Kit Color Test Chart<br>(3 Sheets/Set) | 247 - 10           |

| Part No.   | Description                   | Page and Index No. |
|------------|-------------------------------|--------------------|
| 0313 0040N | Screw:M3x4                    | 151 -104           |
| 0313 0050N | Philips Pan Head Screw - M3x5 | 53 - 102           |
| 0313 0060N | Screw - M3x6                  | 185 -102           |
| 0313 0080N | Pan Head Screw:M3x8           | 63 - 107           |
| 0313 0080N | Pan Head Screw:M3x8           | 67 - 109           |
| 0313 0120N | Pan Head Screw:M3x12          | 67 - 108           |
| 0314 0040N | Pan Head Screw - M4x4         | 187 -102           |
| 0314 0120N | Screw - M4x12                 | 55 - 106           |
| 0314 0180N | Pan Head Screw:M4x18          | 135 -113           |
| 0353 0030N | Screw:M3x3                    | 159 -103           |
| 0353 0030N | Screw:M3x3                    | 117 -104           |
| 0353 0040N | Screw - M3x4                  | 75 - 104           |
| 0353 0040N | Screw - M3x4                  | 77 - 106           |
| 0353 0040N | Screw - M3x4                  | 45 - 105           |
| 0353 0040N | Screw - M3x4                  | 109 -104           |
| 0353 0040N | Screw - M3x4                  | 37 - 102           |
| 0353 0040N | Screw - M3x4                  | 73 - 102           |
| 0353 0040N | Screw - M3x4                  | 49 - 102           |
| 0353 0040N | Screw - M3x4                  | 181 -101           |
| 0353 0050N | Screw-M3x5                    | 141 -107           |
| 0353 0050N | Screw-M3x5                    | 45 - 103           |
| 0353 0050N | Screw-M3x5                    | 139 -102           |
| 0353 0060N | Bind Screw - M3x6             | 133 -106           |
| 0353 0060N | Bind Screw - M3x6             | 121 -102           |
| 0353 0060N | Bind Screw - M3x6             | 115 -103           |
| 0353 0060N | Bind Screw - M3x6             | 119 -104           |
| 0353 0060N | Bind Screw - M3x6             | 133 -103           |
| 0353 0060N | Bind Screw - M3x6             | 123 -101           |
| 0353 0060N | Bind Screw - M3x6             | 81 - 109           |
| 0353 0060N | Bind Screw - M3x6             | 125 -102           |
| 0353 0060N | Bind Screw - M3x6             | 127 -106           |
| 0353 0060N | Bind Screw - M3x6             | 149 -103           |
| 0353 0060N | Bind Screw - M3x6             | 135 -104           |
| 0353 0060N | Bind Screw - M3x6             | 23 - 102           |
| 0353 0060N | Bind Screw - M3x6             | 105 -104           |

| Part No.   | Description       | Page and Index No. |
|------------|-------------------|--------------------|
| 0353 0060N | Bind Screw - M3x6 | 57 - 103           |
| 0353 0060N | Bind Screw - M3x6 | 155 -102           |
| 0353 0060N | Bind Screw - M3x6 | 109 -103           |
| 0353 0080N | Screw:M3x8        | 147 -103           |
| 0353 0080N | Screw:M3x8        | 145 -110           |
| 0353 0250N | Screw:M3x25       | 117 -105           |
| 0354 0040N | Screw-M4x4        | 65 - 107           |
| 0354 0040N | Screw-M4x4        | 63 - 110           |
| 0354 0060N | Screw-M4x6        | 135 -107           |
| 0354 0060N | Screw-M4x6        | 183 -104           |
| 0354 0060N | Screw-M4x6        | 139 -101           |
| 0354 0060N | Screw-M4x6        | 179 -102           |
| 0354 0060N | Screw-M4x6        | 103 -104           |
| 0354 0080N | Screw:M4x8        | 79 - 102           |
| 0354 0080N | Screw:M4x8        | 103 -103           |
| 0354 0080N | Screw:M4x8        | 85 - 104           |
| 0354 0080N | Screw:M4x8        | 51 - 106           |
| 0354 0080N | Screw:M4x8        | 179 -103           |
| 0354 0080N | Screw:M4x8        | 83 - 109           |
| 0354 0080N | Screw:M4x8        | 111 -103           |
| 0354 0080N | Screw:M4x8        | 57 - 102           |
| 0354 0080N | Screw:M4x8        | 159 -102           |
| 0354 0120N | Screw M4x12       | 127 -109           |
| 0354 0200N | Screw:M4x20       | 185 -105           |
| 0354 0200N | Screw:M4x20       | 57 - 101           |
| 0354 0400N | Screw:M4x40       | 163 -102           |
| 0354 0400N | Screw:M4x40       | 167 -104           |
| 0360 3005N | Screw - M3x5      | 151 -102           |
| 0360 3006N | Screw - M3x6      | 117 -103           |
| 0360 3006N | Screw - M3x6      | 181 -102           |
| 0360 3006N | Screw - M3x6      | 99 - 101           |
| 0360 3006N | Screw - M3x6      | 97 - 101           |
| 0360 3006N | Screw - M3x6      | 95 - 101           |
| 0360 3006N | Screw - M3x6      | 93 - 102           |
| 0360 3006N | Screw - M3x6      | 89 - 101           |

| Part No.   | Description                 | Page and Index No. |
|------------|-----------------------------|--------------------|
| 0360 3006N | Screw - M3x6                | 87 - 101           |
| 0360 3006N | Screw - M3x6                | 111 - 101          |
| 0360 3006N | Screw - M3x6                | 165 - 101          |
| 0360 3006N | Screw - M3x6                | 163 - 105          |
| 0360 3006N | Screw - M3x6                | 157 - 102          |
| 0360 3006N | Screw - M3x6                | 101 - 101          |
| 0360 3008N | Screw:M3x8                  | 87 - 102           |
| 0360 3008N | Screw:M3x8                  | 89 - 103           |
| 0360 3014N | Screw - M3x14               | 151 - 107          |
| 0360 4006N | Screw - M4x6                | 151 - 101          |
| 0360 4006N | Screw - M4x6                | 157 - 101          |
| 0360 4006N | Screw - M4x6                | 155 - 106          |
| 0360 4006N | Screw - M4x6                | 153 - 104          |
| 0360 4008N | Screw - M4x8                | 71 - 102           |
| 0360 4008N | Screw - M4x8                | 171 - 108          |
| 0360 4008N | Screw - M4x8                | 149 - 106          |
| 0360 4010N | Screw:M4x10                 | 151 - 105          |
| 0434 0060N | Pan Self-Tapping Screw:M4x6 | 63 - 111           |
| 0434 0080N | Pan Self Tapping Screw:M4x8 | 185 - 103          |
| 0450 3006N | Tapping Screw - M3x6        | 133 - 102          |
| 0450 3006N | Tapping Screw - M3x6        | 141 - 103          |
| 0450 3006P | Tapping Screw - M3x6        | 91 - 101           |
| 0450 3008N | Tapping Screw - M3x8        | 45 - 102           |
| 0450 3008N | Tapping Screw - M3x8        | 99 - 102           |
| 0450 3008N | Tapping Screw - M3x8        | 29 - 102           |
| 0450 3008N | Tapping Screw - M3x8        | 81 - 103           |
| 0450 3008N | Tapping Screw - M3x8        | 41 - 102           |
| 0450 3008N | Tapping Screw - M3x8        | 133 - 107          |
| 0450 3008N | Tapping Screw - M3x8        | 141 - 109          |
| 0450 3008N | Tapping Screw - M3x8        | 93 - 101           |
| 0450 3008N | Tapping Screw - M3x8        | 129 - 103          |
| 0450 3008N | Tapping Screw - M3x8        | 27 - 102           |
| 0450 3008N | Tapping Screw - M3x8        | 35 - 105           |
| 0450 3008N | Tapping Screw - M3x8        | 137 - 107          |
| 0450 3008N | Tapping Screw - M3x8        | 89 - 102           |

| Part No.   | Description           | Page and Index No. |
|------------|-----------------------|--------------------|
| 0450 3008N | Tapping Screw - M3x8  | 59 - 104           |
| 0450 3008N | Tapping Screw - M3x8  | 91 - 102           |
| 0450 3008N | Tapping Screw - M3x8  | 167 - 103          |
| 0450 3008N | Tapping Screw - M3x8  | 63 - 106           |
| 0450 3010N | Tapping Screw - M3x10 | 59 - 102           |
| 0450 3010N | Tapping Screw - M3x10 | 61 - 101           |
| 0450 3010N | Tapping Screw - M3x10 | 23 - 101           |
| 0450 3010N | Tapping Screw - M3x10 | 113 - 107          |
| 0450 3020N | Tapping Screw:M3x20   | 85 - 105           |
| 0450 4008N | Tapping Screw - M4x8  | 75 - 102           |
| 0450 4008N | Tapping Screw - M4x8  | 63 - 104           |
| 0450 4008N | Tapping Screw - M4x8  | 41 - 101           |
| 0450 4008N | Tapping Screw - M4x8  | 145 - 102          |
| 0450 4008N | Tapping Screw - M4x8  | 65 - 103           |
| 0450 4008N | Tapping Screw - M4x8  | 71 - 101           |
| 0450 4008N | Tapping Screw - M4x8  | 69 - 106           |
| 0450 4008N | Tapping Screw - M4x8  | 137 - 102          |
| 0450 4008N | Tapping Screw - M4x8  | 113 - 103          |
| 0450 4010N | Tapping Screw:M4x10   | 63 - 105           |
| 0450 4010N | Tapping Screw:M4x10   | 137 - 103          |
| 0450 4010N | Tapping Screw:M4x10   | 139 - 103          |
| 0450 4010N | Tapping Screw:M4x10   | 19 - 102           |
| 0450 4012N | Tapping Screw:4x12    | 19 - 101           |
| 0450 4014N | Tapping Screw:4x14    | 167 - 105          |
| 0451 3006N | Tapping Screw - 3x6   | 35 - 101           |
| 0451 3006N | Tapping Screw - 3x6   | 133 - 101          |
| 0451 3006N | Tapping Screw - 3x6   | 25 - 101           |
| 0451 3006N | Tapping Screw - 3x6   | 115 - 101          |
| 0451 3006N | Tapping Screw - 3x6   | 183 - 103          |
| 0451 3006N | Tapping Screw - 3x6   | 153 - 102          |
| 0451 3006N | Tapping Screw - 3x6   | 151 - 103          |
| 0451 3006N | Tapping Screw - 3x6   | 37 - 101           |
| 0451 3006N | Tapping Screw - 3x6   | 169 - 102          |
| 0451 3006N | Tapping Screw - 3x6   | 29 - 101           |
| 0451 3006N | Tapping Screw - 3x6   | 103 - 102          |

| Part No.   | Description          | Page and Index No. |
|------------|----------------------|--------------------|
| 0451 3006N | Tapping Screw - 3x6  | 141 - 102          |
| 0451 3006N | Tapping Screw - 3x6  | 139 - 104          |
| 0451 3006N | Tapping Screw - 3x6  | 27 - 101           |
| 0451 3006N | Tapping Screw - 3x6  | 113 - 106          |
| 0451 3006N | Tapping Screw - 3x6  | 107 - 101          |
| 0451 3006N | Tapping Screw - 3x6  | 131 - 101          |
| 0451 3006N | Tapping Screw - 3x6  | 55 - 101           |
| 0451 3006N | Tapping Screw - 3x6  | 39 - 101           |
| 0451 3006N | Tapping Screw - 3x6  | 99 - 105           |
| 0451 3006N | Tapping Screw - 3x6  | 69 - 103           |
| 0451 3006N | Tapping Screw - 3x6  | 117 - 102          |
| 0451 3006N | Tapping Screw - 3x6  | 157 - 103          |
| 0451 3006N | Tapping Screw - 3x6  | 83 - 103           |
| 0451 3006N | Tapping Screw - 3x6  | 61 - 103           |
| 0451 3006N | Tapping Screw - 3x6  | 45 - 101           |
| 0451 3006N | Tapping Screw - 3x6  | 135 - 101          |
| 0451 3006N | Tapping Screw - 3x6  | 165 - 102          |
| 0451 3006N | Tapping Screw - 3x6  | 85 - 102           |
| 0451 3006N | Tapping Screw - 3x6  | 43 - 101           |
| 0451 3006N | Tapping Screw - 3x6  | 155 - 101          |
| 0451 3006N | Tapping Screw - 3x6  | 109 - 102          |
| 0451 3006N | Tapping Screw - 3x6  | 41 - 106           |
| 0451 3006N | Tapping Screw - 3x6  | 105 - 101          |
| 0451 3006N | Tapping Screw - 3x6  | 51 - 103           |
| 0451 3006N | Tapping Screw - 3x6  | 129 - 102          |
| 0451 3006N | Tapping Screw - 3x6  | 33 - 101           |
| 0451 3006N | Tapping Screw - 3x6  | 47 - 101           |
| 0451 3008N | Tapping Screw - M3x8 | 147 - 102          |
| 0451 3008N | Tapping Screw - M3x8 | 69 - 102           |
| 0451 3008N | Tapping Screw - M3x8 | 159 - 104          |
| 0451 3008N | Tapping Screw - M3x8 | 29 - 107           |
| 0451 3008N | Tapping Screw - M3x8 | 37 - 109           |
| 0451 3008N | Tapping Screw - M3x8 | 167 - 102          |
| 0451 3008N | Tapping Screw - M3x8 | 175 - 103          |
| 0451 3010N | Tapping Screw:3x10   | 39 - 103           |

| Part No.   | Description         | Page and Index No. |
|------------|---------------------|--------------------|
| 0451 3010N | Tapping Screw:3x10  | 33 - 103           |
| 0451 3020N | Tapping Screw:3x20  | 55 - 104           |
| 0451 3020N | Tapping Screw:3x20  | 113 - 102          |
| 0451 3025N | Tapping Screw:M3x25 | 171 - 102          |
| 0451 3030N | Tapping Screw:3x30  | 85 - 101           |
| 0451 3030N | Tapping Screw:3x30  | 81 - 107           |
| 0451 4006N | Tapping Screw - 4x6 | 145 - 101          |
| 0451 4006N | Tapping Screw - 4x6 | 129 - 104          |
| 0451 4006N | Tapping Screw - 4x6 | 181 - 103          |
| 0451 4006N | Tapping Screw - 4x6 | 141 - 101          |
| 0451 4006N | Tapping Screw - 4x6 | 43 - 102           |
| 0451 4006N | Tapping Screw - 4x6 | 45 - 104           |
| 0451 4006N | Tapping Screw - 4x6 | 57 - 104           |
| 0451 4006N | Tapping Screw - 4x6 | 65 - 102           |
| 0451 4006N | Tapping Screw - 4x6 | 137 - 101          |
| 0451 4006N | Tapping Screw - 4x6 | 149 - 101          |
| 0451 4006N | Tapping Screw - 4x6 | 135 - 102          |
| 0451 4006N | Tapping Screw - 4x6 | 63 - 102           |
| 0451 4008N | Tapping Screw:4x8   | 179 - 101          |
| 0451 4008N | Tapping Screw:4x8   | 65 - 104           |
| 0451 4008N | Tapping Screw:4x8   | 81 - 101           |
| 0451 4008N | Tapping Screw:4x8   | 73 - 101           |
| 0451 4008N | Tapping Screw:4x8   | 167 - 101          |
| 0451 4008N | Tapping Screw:4x8   | 163 - 101          |
| 0451 4008N | Tapping Screw:4x8   | 135 - 103          |
| 0451 4008N | Tapping Screw:4x8   | 149 - 102          |
| 0451 4008N | Tapping Screw:4x8   | 153 - 101          |
| 0451 4008N | Tapping Screw:4x8   | 83 - 101           |
| 0451 4008N | Tapping Screw:4x8   | 63 - 101           |
| 0451 4008N | Tapping Screw:4x8   | 51 - 101           |
| 0451 4008N | Tapping Screw:4x8   | 177 - 102          |
| 0451 4008N | Tapping Screw:4x8   | 49 - 103           |
| 0451 4008N | Tapping Screw:4x8   | 59 - 101           |
| 0451 4008N | Tapping Screw:4x8   | 85 - 103           |
| 0451 4008N | Tapping Screw:4x8   | 109 - 101          |

| Part No.   | Description                    | Page and Index No. |
|------------|--------------------------------|--------------------|
| 0451 4008N | Tapping Screw:4x8              | 165 -103           |
| 0451 4008N | Tapping Screw:4x8              | 19 - 103           |
| 0451 4008N | Tapping Screw:4x8              | 107 -102           |
| 0451 4008N | Tapping Screw:4x8              | 113 -101           |
| 0451 4008N | Tapping Screw:4x8              | 115 -102           |
| 0451 4008N | Tapping Screw:4x8              | 117 -101           |
| 0451 4008N | Tapping Screw:4x8              | 55 - 105           |
| 0451 4008N | Tapping Screw:4x8              | 169 -101           |
| 0451 4008N | Tapping Screw:4x8              | 157 -107           |
| 0451 4008N | Tapping Screw:4x8              | 159 -101           |
| 0451 4008N | Tapping Screw:4x8              | 105 -103           |
| 0451 4008N | Tapping Screw:4x8              | 75 - 101           |
| 0451 4008N | Tapping Screw:4x8              | 69 - 101           |
| 0451 4008N | Tapping Screw:4x8              | 137 -108           |
| 0451 4008N | Tapping Screw:4x8              | 103 -101           |
| 0451 4008N | Tapping Screw:4x8              | 79 - 101           |
| 0451 4008N | Tapping Screw:4x8              | 67 - 101           |
| 0451 4008N | Tapping Screw:4x8              | 185 -101           |
| 0451 4008N | Tapping Screw:4x8              | 111 -108           |
| 0451 4008N | Tapping Screw:4x8              | 183 -101           |
| 0451 4008N | Tapping Screw:4x8              | 77 - 101           |
| 0451 4008N | Tapping Screw:4x8              | 161 -101           |
| 0451 4008N | Tapping Screw:4x8              | 147 -101           |
| 0451 4008N | Tapping Screw:4x8              | 187 -101           |
| 0451 4008N | Tapping Screw:4x8              | 171 -101           |
| 0451 4010N | Tapping Screw:4x10             | 21 - 101           |
| 0451 4010N | Tapping Screw:4x10             | 183 -108           |
| 0451 4012N | Tapping Screw:4x12             | 183 -102           |
| 0451 4014N | Tapping Screw:M4x14            | 111 -102           |
| 0451 4025N | Tapping Screw:M4x25            | 51 - 104           |
| 0451 4030N | Tapping Screw:M4x30            | 175 -102           |
| 0451 4030N | Tapping Screw:M4x30            | 163 -103           |
| 0451 4035N | Tapping Screw:4x35             | 171 -103           |
| 0451 4035N | Tapping Screw:4x35             | 163 -104           |
| 0452 3006N | Binding Self-Tapping Screw:3x6 | 67 - 112           |

| Part No.   | Description                       | Page and Index No. |
|------------|-----------------------------------|--------------------|
| 0452 3008N | Tapping Screw - M3x8              | 59 - 103           |
| 0452 3008N | Tapping Screw - M3x8              | 153 -103           |
| 0452 4010N | Binding Self-tapping Screw:4x10   | 161 -104           |
| 0453 3006N | Tapping Screw - M3x6              | 33 - 102           |
| 0453 3006N | Tapping Screw - M3x6              | 35 - 106           |
| 0453 3006N | Tapping Screw - M3x6              | 69 - 104           |
| 0453 3006N | Tapping Screw - M3x6              | 37 - 103           |
| 0453 3006N | Tapping Screw - M3x6              | 81 - 102           |
| 0453 4006N | Binding Self Tapping Screw:4x6    | 63 - 112           |
| 0454 3006Q | Tapping Screw - M3x6              | 53 - 101           |
| 0454 3006Q | Tapping Screw - M3x6              | 163 -106           |
| 0454 3006Q | Tapping Screw - M3x6              | 39 - 102           |
| 0454 3006Q | Tapping Screw - M3x6              | 35 - 109           |
| 0454 3006Q | Tapping Screw - M3x6              | 47 - 102           |
| 0454 3006Q | Tapping Screw - M3x6              | 55 - 103           |
| 0454 3006Q | Tapping Screw - M3x6              | 175 -101           |
| 0454 3006Q | Tapping Screw - M3x6              | 49 - 101           |
| 0454 3006Q | Tapping Screw - M3x6              | 173 -101           |
| 0454 3006Q | Tapping Screw - M3x6              | 51 - 102           |
| 0454 3006Q | Tapping Screw - M3x6              | 177 -103           |
| 0454 4008Q | Tapping Screw - M4x8              | 173 -102           |
| 0454 4008Q | Tapping Screw - M4x8              | 65 - 101           |
| 0454 4008Q | Tapping Screw - M4x8              | 67 - 113           |
| 0454 4008Q | Tapping Screw - M4x8              | 171 -115           |
| 0454 4008Q | Tapping Screw - M4x8              | 103 -106           |
| 0454 4008Q | Tapping Screw - M4x8              | 177 -101           |
| 0454 4008Q | Tapping Screw - M4x8              | 129 -101           |
| 0573 0030E | Hexagon Headless Set Screw - M3x3 | 75 - 108           |
| 0585 0201N | Hexagonal Head Bolt:M5x20         | 127 -105           |
| 0632 0100G | Pin - 2x10mm                      | 131 -104           |
| 0632 0120G | Parallel Pin - 2x12               | 43 - 107           |
| 0632 0120G | Parallel Pin - 2x12               | 33 - 105           |
| 0632 0120G | Parallel Pin - 2x12               | 41 - 105           |
| 0632 0120G | Parallel Pin - 2x12               | 39 - 105           |
| 0632 0120G | Parallel Pin - 2x12               | 35 - 107           |

| Part No.   | Description           | Page and Index No. |
|------------|-----------------------|--------------------|
| 0632 0140G | Parallel Pin          | 27 - 104           |
| 0632 0160G | Parallel Pin-M2x16    | 117 -111           |
| 0633 0120G | Parallel Pin - 3x12   | 123 -105           |
| 0633 0120G | Parallel Pin - 3x12   | 111 -105           |
| 0633 0140G | Parallel Pin - 3x14   | 155 -111           |
| 0633 0160G | Parallel Pin - 3x16MM | 107 -107           |
| 0633 0160G | Parallel Pin - 3x16MM | 155 -115           |
| 0633 0200G | Pin - M3x20           | 67 - 104           |
| 0701 0060N | Washer DIA6           | 127 -104           |
| 0701 0060N | Washer DIA6           | 111 -107           |
| 0707 4050N | Bushing - 4x5         | 51 - 107           |
| 0707 4050N | Bushing - 4x5         | 185 -106           |
| 0707 4060N | Bushing:DIA4x6        | 43 - 109           |
| 0720 0025E | Retaining Ring - M2.5 | 153 -105           |
| 0720 0025E | Retaining Ring - M2.5 | 109 -106           |
| 0720 0025E | Retaining Ring - M2.5 | 105 -111           |
| 0720 0025E | Retaining Ring - M2.5 | 107 -105           |
| 0720 0030E | Retaining Ring - M3   | 31 - 103           |
| 0720 0030E | Retaining Ring - M3   | 115 -107           |
| 0720 0030E | Retaining Ring - M3   | 129 -108           |
| 0720 0030E | Retaining Ring - M3   | 117 -107           |
| 0720 0030E | Retaining Ring - M3   | 141 -105           |
| 0720 0030E | Retaining Ring - M3   | 127 -103           |
| 0720 0030E | Retaining Ring - M3   | 159 -111           |
| 0720 0030E | Retaining Ring - M3   | 43 - 108           |
| 0720 0030E | Retaining Ring - M3   | 111 -110           |
| 0720 0030E | Retaining Ring - M3   | 41 - 104           |
| 0720 0030E | Retaining Ring - M3   | 47 - 104           |
| 0720 0030E | Retaining Ring - M3   | 135 -115           |
| 0720 0040E | Retaining Ring - M4   | 73 - 104           |
| 0720 0040E | Retaining Ring - M4   | 37 - 104           |
| 0720 0040E | Retaining Ring - M4   | 43 - 103           |
| 0720 0040E | Retaining Ring - M4   | 115 -106           |
| 0720 0040E | Retaining Ring - M4   | 179 -104           |
| 0720 0040E | Retaining Ring - M4   | 69 - 105           |

| Part No.   | Description         | Page and Index No. |
|------------|---------------------|--------------------|
| 0720 0040E | Retaining Ring - M4 | 81 - 110           |
| 0720 0040E | Retaining Ring - M4 | 157 -104           |
| 0720 0040E | Retaining Ring - M4 | 75 - 103           |
| 0720 0040E | Retaining Ring - M4 | 141 -104           |
| 0720 0040E | Retaining Ring - M4 | 171 -104           |
| 0720 0040E | Retaining Ring - M4 | 117 -108           |
| 0720 0040E | Retaining Ring - M4 | 99 - 103           |
| 0720 0040E | Retaining Ring - M4 | 139 -105           |
| 0720 0040E | Retaining Ring - M4 | 39 - 104           |
| 0720 0040E | Retaining Ring - M4 | 123 -103           |
| 0720 0040E | Retaining Ring - M4 | 119 -103           |
| 0720 0040E | Retaining Ring - M4 | 79 - 103           |
| 0720 0040E | Retaining Ring - M4 | 161 -103           |
| 0720 0040E | Retaining Ring - M4 | 121 -103           |
| 0720 0040E | Retaining Ring - M4 | 41 - 103           |
| 0720 0040E | Retaining Ring - M4 | 63 - 103           |
| 0720 0040E | Retaining Ring - M4 | 47 - 103           |
| 0720 0040E | Retaining Ring - M4 | 133 -104           |
| 0720 0040E | Retaining Ring - M4 | 93 - 103           |
| 0720 0040E | Retaining Ring - M4 | 107 -104           |
| 0720 0040E | Retaining Ring - M4 | 45 - 107           |
| 0720 0040E | Retaining Ring - M4 | 29 - 103           |
| 0720 0040E | Retaining Ring - M4 | 61 - 104           |
| 0720 0040E | Retaining Ring - M4 | 131 -102           |
| 0720 0040E | Retaining Ring - M4 | 185 -104           |
| 0720 0040E | Retaining Ring - M4 | 31 - 101           |
| 0720 0040E | Retaining Ring - M4 | 109 -105           |
| 0720 0040E | Retaining Ring - M4 | 129 -106           |
| 0720 0040E | Retaining Ring - M4 | 143 -102           |
| 0720 0040E | Retaining Ring - M4 | 95 - 104           |
| 0720 0040E | Retaining Ring - M4 | 155 -108           |
| 0720 0040E | Retaining Ring - M4 | 33 - 104           |
| 0720 0040E | Retaining Ring - M4 | 135 -105           |
| 0720 0040E | Retaining Ring - M4 | 145 -103           |
| 0720 0040E | Retaining Ring - M4 | 137 -104           |

| Part No.   | Description         | Page and Index No. |
|------------|---------------------|--------------------|
| 0720 0040E | Retaining Ring - M4 | 187 -103           |
| 0720 0040E | Retaining Ring - M4 | 101 -103           |
| 0720 0040E | Retaining Ring - M4 | 91 - 103           |
| 0720 0040E | Retaining Ring - M4 | 67 - 102           |
| 0720 0040E | Retaining Ring - M4 | 111 -109           |
| 0720 0040E | Retaining Ring - M4 | 35 - 102           |
| 0720 0040E | Retaining Ring - M4 | 89 - 104           |
| 0720 0040E | Retaining Ring - M4 | 113 -104           |
| 0720 0060E | Retaining Ring - M6 | 45 - 106           |
| 0720 0060E | Retaining Ring - M6 | 127 -102           |
| 0720 0060E | Retaining Ring - M6 | 95 - 103           |
| 0720 0060E | Retaining Ring - M6 | 123 -104           |
| 0720 0060E | Retaining Ring - M6 | 83 - 105           |
| 0720 0060E | Retaining Ring - M6 | 43 - 104           |
| 0720 0060E | Retaining Ring - M6 | 143 -101           |
| 0720 0060E | Retaining Ring - M6 | 115 -104           |
| 0720 0060E | Retaining Ring - M6 | 27 - 103           |
| 0720 0060E | Retaining Ring - M6 | 107 -103           |
| 0720 0060E | Retaining Ring - M6 | 61 - 105           |
| 0720 0060E | Retaining Ring - M6 | 29 - 108           |
| 0720 0060E | Retaining Ring - M6 | 31 - 102           |
| 0720 0060E | Retaining Ring - M6 | 155 -107           |
| 0720 0060E | Retaining Ring - M6 | 111 -104           |
| 0720 0060E | Retaining Ring - M6 | 135 -106           |
| 0720 0060E | Retaining Ring - M6 | 67 - 105           |
| 0720 0060E | Retaining Ring - M6 | 35 - 103           |
| 0720 0060E | Retaining Ring - M6 | 71 - 103           |
| 0720 0060E | Retaining Ring - M6 | 113 -109           |
| 0720 0060E | Retaining Ring - M6 | 73 - 103           |
| 0720 0060E | Retaining Ring - M6 | 77 - 105           |
| 0720 0060E | Retaining Ring - M6 | 139 -106           |
| 0720 0060E | Retaining Ring - M6 | 37 - 105           |
| 0720 0060E | Retaining Ring - M6 | 75 - 107           |
| 0720 0060E | Retaining Ring - M6 | 117 -106           |
| 0720 0080E | Retaining Ring - M8 | 95 - 105           |

| Part No.             | Description                  | Page and Index No. |
|----------------------|------------------------------|--------------------|
| 0725 0200E           | Retaining Ring C - M20       | 127 -101           |
| 0725 0200E           | Retaining Ring C - M20       | 123 -108           |
| 0725 0300E           | Retaining Ring C - M30       | 123 -106           |
| 0740 3008            | Ball Bearing:DIA8xDIA22x7    | 115 -105           |
| 0740 3508            | Ball Bearing - 8x14x4        | 37 - 107           |
| 0740 3706            | Ball Bearing - M6x10x3       | 37 - 106           |
| 0740 3906            | Ball Bearing - 6x15x5        | 151 -109           |
| 0741 3506            | Ball Bearing - 6x12x4 mm     | 75 - 105           |
| 0741 3706            | Ball Bearing - 6x10x3        | 133 -105           |
| 0741 3706            | Ball Bearing - 6x10x3        | 131 -103           |
| <del>0741 3808</del> | O/O (200904 PCIL)            | 143 -103           |
| 0742 3808            | Ball Bearing - 8x16x5        | 107 -106           |
| 0742 3808            | Ball Bearing - 8x16x5        | 83 - 104           |
| 0742 3808            | Ball Bearing - 8x16x5        | 77 - 104           |
| 0742 3808            | Ball Bearing - 8x16x5        | 35 - 104           |
| 0742 3808            | Ball Bearing - 8x16x5        | 143 -103           |
| 0742 3808            | Ball Bearing - 8x16x5        | 73 - 105           |
| 0742 3906            | Ball Bearing - 6x14x5MM      | 151 -108           |
| 0803 0058            | Stepped Screw                | 161 -102           |
| 0804 6123            | Hexagonal Bolt:W/Washer:M3x8 | 91 - 104           |
| 0805 0088            | Retaining Ring - M6          | 61 - 102           |
| 0805 0088            | Retaining Ring - M6          | 155 -109           |
| 0805 0089            | Retaining Ring - M4          | 29 - 104           |
| 0805 0089            | Retaining Ring - M4          | 131 -107           |
| 0805 0089            | Retaining Ring - M4          | 37 - 108           |
| 0805 0092            | Retaining Ring - 3M          | 39 - 106           |
| 0805 0097            | Ring Separator               | 89 - 105           |
| 0805 3368            | Ball Bearing - 8x16x5mm      | 55 - 109           |
| 0805 3385            | Bushing - 6MM                | 99 - 104           |
| 0805 3385            | Bushing - 6MM                | 101 -102           |
| 0805 3386            | Bushing - 8MM                | 117 -109           |
| 0805 3496            | Ball Bearing - 6x10x3        | 95 - 102           |
| 0805 3497            | Bushing - 8x12x3.5MM         | 155 -110           |
| 0805 3511            | Bushing 8MM                  | 111 -106           |
| 0805 3511            | Bushing 8MM                  | 95 - 106           |

| Part No.   | Description                       | Page and Index No. |
|------------|-----------------------------------|--------------------|
| 0807 5044  | Spacer - 8.1mm x 11.5mm x 0.2     | 117 - 26           |
| 0950 4008N | Screw:Spring Washer:M4x8          | 51 - 105           |
| 0950 5012N | Screw:Spring Washer:M5x12         | 169 -103           |
| 0951 3006N | Screw - M3x6                      | 55 - 102           |
| 0951 3006N | Screw - M3x6                      | 105 -102           |
| 0951 3006N | Screw - M3x6                      | 67 - 107           |
| 0951 3006N | Screw - M3x6                      | 53 - 103           |
| 0951 4006N | Screw:Polished Round:M4x6         | 65 - 105           |
| 0951 4006N | Screw:Polished Round:M4x6         | 103 -105           |
| 0951 4010N | Screw:Polished Round:M4x10        | 185 -107           |
| 0951 5010N | Screw:M5x10                       | 25 - 102           |
| 0954 3006N | Screw - M3x6                      | 129 -105           |
| 0954 3008N | Screw - M3x8                      | 119 -101           |
| 0954 3008N | Screw - M3x8                      | 121 -101           |
| 0954 3008N | Screw - M3x8                      | 123 -102           |
| 0954 3008N | Screw - M3x8                      | 127 -108           |
| 0954 3008N | Screw - M3x8                      | 125 -101           |
| 0954 3010N | Screw:Polished Round/Spring:M3x10 | 127 -107           |
| 0954 3010N | Screw:Polished Round/Spring:M3x10 | 119 -102           |
| 0954 3010N | Screw:Polished Round/Spring:M3x10 | 123 -107           |
| 0954 4008N | Screw - M4x8                      | 155 -104           |
| 0954 4008N | Screw - M4x8                      | 55 - 107           |
| 0954 4008N | Screw - M4x8                      | 53 - 104           |
| 1102 5301  | Connector - 2P                    | 199 -101           |
| 1102 5303  | Connector - 4P                    | 235 -101           |
| 1102 5304  | Connector - 5P                    | 213 -101           |
| 1102 6245  | Relay Connector - 2P              | 131 -106           |
| 1102 6246  | Relay Connector - 3P              | 167 -109           |
| 1102 6247  | Connector - 4P                    | 167 -110           |
| 1102 6248  | Connector - 5P                    | 171 -111           |
| 1102 6249  | Relay Connector - 6P              | 73 - 111           |
| 1102 6249  | Relay Connector - 6P              | 109 -111           |
| 1102 6251  | Connector - 8P                    | 73 - 110           |
| 1102 6252  | Connector - 9P                    | 73 - 109           |
| 1102 6295  | Connector - 2P                    | 235 -102           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| 1102 6297 | Connector:53324-0460        | 199 -102           |
| 1102 6298 | Connector - 5P              | 199 -103           |
| 1102 6299 | Connector - 6P              | 213 -102           |
| 1102 6301 | Connector - 8P              | 199 -104           |
| 1102 6305 | Connector - 12P             | 213 -103           |
| 1102 6306 | Connector - 13P             | 213 -104           |
| 1102 6594 | Connector - 10P             | 199 -105           |
| 1102 6596 | Connector                   | 213 -105           |
| 1102 6895 | Connector - 40P             | 213 -106           |
| 1102 7615 | Connector - B8B-XH-A        | 235 -103           |
| 1102 7625 | Connector - TX24-80R-LT-N1  | 213 -107           |
| 1102 7626 | Connector - TX25-80P-LT-N1  | 199 -106           |
| 1102 7635 | Connector:53398-0210        | 235 -104           |
| 1102 8028 | Connector - 4P              | 235 -105           |
| 1102 8469 | Connector - 55447-0510      | 199 -107           |
| 1102 8473 | Connector - 55447-0910      | 199 -108           |
| 1102 8477 | Connector - 13P             | 199 -109           |
| 1102 8482 | Connector - 55447-1810      | 199 -110           |
| 1102 8485 | Connector - 55451-2210      | 199 -111           |
| 1102 8486 | Connector - 55451-2410      | 199 -112           |
| 1102 8488 | Connector - 5451-2810       | 199 -113           |
| 1102 8488 | Connector - 5451-2810       | 213 -108           |
| 1102 8489 | Connector - 55451-3010      | 199 -114           |
| 1102 8490 | Connector:55451-3210        | 199 -115           |
| 1102 8491 | Connector - 55451-3410      | 199 -116           |
| 1102 8492 | Connector - 55451-3610      | 199 -117           |
| 1102 8493 | Connector - 55451-3810      | 199 -118           |
| 1102 8494 | Connector - 55451-4010      | 213 -109           |
| 1102 8494 | Connector - 55451-4010      | 199 -119           |
| 1102 8502 | Connector - 54679-1615      | 167 -108           |
| 1102 8504 | Connector                   | 167 -107           |
| 1102 8560 | Connector - KX14-60K5D1E    | 213 -110           |
| 1102 9336 | Connector:FPS009-2300-0     | 235 -106           |
| 1102 9387 | Connector:Drawer:51405-2611 | 105 -110           |
| 1102 9423 | Connector:PS-26PE-D4T2-M1E  | 89 - 106           |

| Part No.  | Description                      | Page and Index No. |
|-----------|----------------------------------|--------------------|
| 1102 9430 | Connector:Drawer:1612257-7       | 153 -107           |
| 1102 9535 | Connector - 200PS-JUK-G-B        | 235 -107           |
| 1102 9547 | Connector:55451-1870             | 199 -120           |
| 1102 9686 | Connector - RHM-176P-SDK11-U1L1C | 235 -108           |
| 1102 9781 | Connector:51405-3919             | 135 -114           |
| 1102 9781 | Connector:51405-3919             | 97 - 107           |
| 1102 9781 | Connector:51405-3919             | 83 - 102           |
| 1102 9782 | Connector:51405-1819             | 97 - 102           |
| 1102 9783 | Connector:55949-3919             | 149 -104           |
| 1102 9783 | Connector:55949-3919             | 171 -112           |
| 1102 9784 | Connector:55949-2619             | 157 -106           |
| 1102 9785 | Connector:55949-1819             | 149 -105           |
| 1102 9887 | Connector:52588-3090             | 235 -109           |
| 1103 3176 | Connector:FH12-45S-0.5SH(89)     | 213 -111           |
| 1103 3178 | Connector - FH12-50S-0.5SH(89)   | 213 -112           |
| 1103 3426 | Connector:FH12-50S-0.5SV(55)     | 199 -121           |
| 1103 3481 | Connector:67800-8005             | 235 -110           |
| 1103 3497 | Connector:87715-9002             | 235 -111           |
| 1103 3865 | Connector:29 6406 200 101 856+   | 235 -112           |
| 1103 3947 | Connector - 55451-3410           | 213 -113           |
| 1103 3964 | Connector:WB4P140HA1             | 235 -113           |
| 1103 3965 | Connector:6605444-6              | 235 -114           |
| 1103 4137 | Connector:UAR64-8K5J00           | 235 -115           |
| 1103 4138 | Connector:UBR24-4K5J00           | 235 -116           |
| 1104 0764 | IC Socket - 8 PIN                | 199 -122           |
| 1105 0032 | Clamp                            | 23 - 103           |
| 1105 0042 | Wire Band                        | 135 -116           |
| 1105 0328 | Harness Clamp - ES-0505          | 145 -109           |
| 1105 0328 | Harness Clamp - ES-0505          | 73 - 107           |
| 1105 0328 | Harness Clamp - ES-0505          | 137 -105           |
| 1105 0328 | Harness Clamp - ES-0505          | 139 -108           |
| 1105 0328 | Harness Clamp - ES-0505          | 63 - 108           |
| 1105 0328 | Harness Clamp - ES-0505          | 67 - 103           |
| 1105 0328 | Harness Clamp - ES-0505          | 75 - 109           |
| 1105 0367 | Spacer                           | 93 - 107           |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| 1105 0409 | Card Spacer - 6.4mm        | 83 - 112           |
| 1105 0458 | Clamp - LHL-18             | 81 - 105           |
| 1105 0487 | Harness Clamp              | 43 - 105           |
| 1105 0487 | Harness Clamp              | 83 - 108           |
| 1105 0487 | Harness Clamp              | 55 - 115           |
| 1105 0487 | Harness Clamp              | 45 - 108           |
| 1105 0487 | Harness Clamp              | 53 - 108           |
| 1105 0487 | Harness Clamp              | 51 - 108           |
| 1105 0487 | Harness Clamp              | 47 - 106           |
| 1105 0487 | Harness Clamp              | 29 - 105           |
| 1105 0488 | Harness Clamp              | 67 - 106           |
| 1105 0488 | Harness Clamp              | 55 - 113           |
| 1105 0488 | Harness Clamp              | 53 - 109           |
| 1105 0488 | Harness Clamp              | 165 -104           |
| 1105 0488 | Harness Clamp              | 159 -110           |
| 1105 0488 | Harness Clamp              | 147 -106           |
| 1105 0488 | Harness Clamp              | 163 -108           |
| 1105 0488 | Harness Clamp              | 155 -114           |
| 1105 0488 | Harness Clamp              | 169 -106           |
| 1105 0489 | Harness Clamp - LWS 1316   | 163 -112           |
| 1105 0489 | Harness Clamp - LWS 1316   | 165 -106           |
| 1105 0490 | Harness Clamp - IWS-2218   | 177 -104           |
| 1105 0490 | Harness Clamp - IWS-2218   | 163 -109           |
| 1105 0490 | Harness Clamp - IWS-2218   | 159 -108           |
| 1105 0508 | Harness Clamp - LWS-0711   | 145 -106           |
| 1105 0508 | Harness Clamp - LWS-0711   | 177 -108           |
| 1105 0508 | Harness Clamp - LWS-0711   | 171 -107           |
| 1105 0508 | Harness Clamp - LWS-0711   | 141 -108           |
| 1105 0508 | Harness Clamp - LWS-0711   | 163 -107           |
| 1105 0508 | Harness Clamp - LWS-0711   | 175 -104           |
| 1105 0508 | Harness Clamp - LWS-0711   | 169 -104           |
| 1105 0508 | Harness Clamp - LWS-0711   | 187 -104           |
| 1105 0508 | Harness Clamp - LWS-0711   | 159 -106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 43 - 106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 39 - 107           |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| 1105 0511 | Harness Clamp - LWS-0306ZC | 171 -113           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 159 -109           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 177 -106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 29 - 106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 139 -107           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 45 - 109           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 47 - 105           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 137 -106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 109 -107           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 117 -110           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 163 -110           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 131 -105           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 67 - 111           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 183 -106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 147 -104           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 113 -105           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 153 -106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 83 - 106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 155 -112           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 97 - 103           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 93 - 104           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 81 - 106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 61 - 108           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 53 - 105           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 73 - 106           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 55 - 112           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 145 -108           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 77 - 103           |
| 1105 0511 | Harness Clamp - LWS-0306ZC | 151 -106           |
| 1105 0516 | Clamp                      | 61 - 107           |
| 1105 0516 | Clamp                      | 157 -105           |
| 1105 0516 | Clamp                      | 55 - 111           |
| 1105 0516 | Clamp                      | 63 - 109           |
| 1105 0516 | Clamp                      | 81 - 108           |
| 1105 0516 | Clamp                      | 181 -104           |

| Part No.  | Description            | Page and Index No. |
|-----------|------------------------|--------------------|
| 1105 0516 | Clamp                  | 93 - 105           |
| 1105 0516 | Clamp                  | 155 -113           |
| 1105 0516 | Clamp                  | 53 - 106           |
| 1105 0516 | Clamp                  | 113 -110           |
| 1105 0516 | Clamp                  | 97 - 105           |
| 1105 0516 | Clamp                  | 171 -109           |
| 1105 0516 | Clamp                  | 177 -107           |
| 1105 0516 | Clamp                  | 83 - 110           |
| 1105 0516 | Clamp                  | 145 -104           |
| 1105 0518 | Edge Saddle - LES-1010 | 163 -113           |
| 1105 0518 | Edge Saddle - LES-1010 | 165 -108           |
| 1105 0518 | Edge Saddle - LES-1010 | 55 - 114           |
| 1105 0518 | Edge Saddle - LES-1010 | 127 -110           |
| 1105 0518 | Edge Saddle - LES-1010 | 169 -105           |
| 1105 0518 | Edge Saddle - LES-1010 | 113 -108           |
| 1105 0521 | Clamp - LES-1017       | 163 -111           |
| 1105 0521 | Clamp - LES-1017       | 165 -109           |
| 1105 0521 | Clamp - LES-1017       | 165 -107           |
| 1105 0522 | Edge Saddle - LES0510  | 97 - 104           |
| 1105 0522 | Edge Saddle - LES0510  | 35 - 108           |
| 1105 0522 | Edge Saddle - LES0510  | 83 - 107           |
| 1105 0522 | Edge Saddle - LES0510  | 169 -107           |
| 1105 0522 | Edge Saddle - LES0510  | 61 - 106           |
| 1105 0522 | Edge Saddle - LES0510  | 145 -107           |
| 1105 0522 | Edge Saddle - LES0510  | 33 - 106           |
| 1105 0522 | Edge Saddle - LES0510  | 103 -107           |
| 1105 0522 | Edge Saddle - LES0510  | 75 - 106           |
| 1105 0522 | Edge Saddle - LES0510  | 165 -105           |
| 1105 0522 | Edge Saddle - LES0510  | 159 -105           |
| 1105 0522 | Edge Saddle - LES0510  | 47 - 107           |
| 1105 0522 | Edge Saddle - LES0510  | 147 -105           |
| 1105 0522 | Edge Saddle - LES0510  | 105 -108           |
| 1105 0522 | Edge Saddle - LES0510  | 109 -108           |
| 1105 0522 | Edge Saddle - LES0510  | 163 -114           |
| 1105 0522 | Edge Saddle - LES0510  | 135 -111           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| 1105 0528 | Nylon Clamp - EMT-2N      | 175 -107           |
| 1105 0528 | Nylon Clamp - EMT-2N      | 57 - 105           |
| 1105 0534 | Clamp                     | 105 -107           |
| 1105 0534 | Clamp                     | 93 - 106           |
| 1105 0534 | Clamp                     | 167 -106           |
| 1105 0534 | Clamp                     | 115 -108           |
| 1105 0534 | Clamp                     | 65 - 106           |
| 1105 0534 | Clamp                     | 145 -105           |
| 1105 0534 | Clamp                     | 117 -112           |
| 1105 0534 | Clamp                     | 135 -109           |
| 1105 0534 | Clamp                     | 97 - 106           |
| 1105 0534 | Clamp                     | 67 - 110           |
| 1105 0534 | Clamp                     | 141 -106           |
| 1105 0534 | Clamp                     | 107 -108           |
| 1105 0542 | Harness Clamp - MSBS-1207 | 73 - 108           |
| 1105 0544 | Edge Saddle:LES-2017      | 159 -107           |
| 1105 0551 | Clamp:LES-0505            | 53 - 107           |
| 1105 0551 | Clamp:LES-0505            | 171 -110           |
| 1105 0551 | Clamp:LES-0505            | 183 -107           |
| 1105 0551 | Clamp:LES-0505            | 109 -109           |
| 1105 0551 | Clamp:LES-0505            | 105 -105           |
| 1105 0551 | Clamp:LES-0505            | 135 -110           |
| 1105 0559 | Clamp:EMT-5N              | 175 -106           |
| 1105 0559 | Clamp:EMT-5N              | 55 - 116           |
| 1105 0568 | Clamp:LWSS-0504           | 81 - 104           |
| 1105 0568 | Clamp:LWSS-0504           | 109 -110           |
| 1105 0568 | Clamp:LWSS-0504           | 105 -106           |
| 1105 0598 | Clamp:LWSS-1N             | 179 -105           |
| 1105 0599 | Clamp:LESR-25             | 177 -105           |
| 1105 0600 | Clamp:LWSM-0306-2M        | 147 -107           |
| 1105 0600 | Clamp:LWSM-0306-2M        | 85 - 106           |
| 1105 0604 | Clamp:RFC-16V0            | 105 -109           |
| 1105 0680 | Spacer:KGPS-5RF-V0        | 173 -103           |
| 1105 0680 | Spacer:KGPS-5RF-V0        | 165 -110           |
| 1106 0922 | Bushing:JKR-60            | 177 -110           |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| 1106 0922 | Bushing:JKR-60             | 179 -106           |
| 1106 0923 | Bushing:JKR-100            | 177 -109           |
| 1107 1095 | Fuse - SST 2               | 235 -117           |
| 1107 1194 | Fuse:451003.MRL            | 199 -123           |
| 1107 1198 | Connector - 55451-3810     | 213 -114           |
| 1107 1212 | Fuse:451010.MRL            | 199 -124           |
| 1109 0018 | Circuit Protector - SMD100 | 199 -125           |
| 1109 0042 | Fuse:MINISMDC150F          | 235 -118           |
| 1109 0042 | Connector - 55451-4010     | 213 -115           |
| 1204 2521 | Micro Switch               | 77 - 102           |
| 1204 2521 | Micro Switch               | 171 -106           |
| 1204 2598 | Switch                     | 171 -105           |
| 1204 2622 | FET:2SK1590                | 235 -119           |
| 1204 2802 | Dip Switch                 | 199 -126           |
| 1206 0122 | Lithium Cell:CR2450/V1A    | 235 -120           |
| 1400 0714 | Transistor - 2SD1781KR     | 235 -121           |
| 1400 0810 | Transistor:DTC114EUA       | 213 -116           |
| 1400 0823 | Transistor:UMG9N           | 199 -133           |
| 1400 0909 | Transistor:DTA143EUA       | 199 -131           |
| 1400 0910 | Transistor Array:STA401A   | 199 -129           |
| 1400 0936 | Transistor - UMD3N         | 199 -127           |
| 1400 0993 | Transistor:DTC143TUA       | 213 -117           |
| 1400 1190 | Transistor - STD1664       | 199 -128           |
| 1400 1245 | Transistor:2SC5343μF       | 199 -130           |
| 1400 1248 | Transistor:2SC5342SF       | 235 -122           |
| 1400 1270 | Transistor:UMA9N           | 199 -132           |
| 1401 0902 | FET:2SK1590                | 235 -123           |
| 1401 1222 | FET:HAT2068R               | 235 -124           |
| 1401 1234 | FET - SSM3J02T             | 235 -125           |
| 1401 1235 | FET:HAT2071R               | 235 -126           |
| 1401 1296 | FET:TPC8115                | 235 -127           |
| 1401 1317 | FET - HAT2197R             | 235 -128           |
| 1401 1318 | FET - HAT2198R             | 235 -129           |
| 1401 1320 | FET - TPC8107              | 235 -130           |
| 1401 1369 | FET:TPC6004                | 213 -118           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| 1401 1411 | FET - HAT2195R-E            | 235 -131           |
| 1401 1414 | FET:SI3433BDV-E3            | 235 -132           |
| 1401 1414 | FET:SI3433BDV-E3            | 213 -119           |
| 1401 1416 | FET:SI9433BDY-E3            | 213 -120           |
| 1401 1426 | FET:CPH3323-E               | 199 -134           |
| 1401 1427 | FET Array:ECH8616-E         | 199 -135           |
| 1401 1428 | FET Array:ECH8615-E         | 199 -136           |
| 1401 1459 | FET Array:FW359-E           | 199 -137           |
| 1401 1466 | FET:SI4800BDY-E3            | 213 -121           |
| 1402 1530 | Diode - RB520S-30           | 235 -133           |
| 1402 1537 | LED - SML-310MT             | 235 -134           |
| 1402 1565 | Diode - RB                  | 235 -135           |
| 1402 1620 | Diode:UMN11N                | 199 -138           |
| 1402 1854 | Diode:RF071M2S              | 199 -139           |
| 1402 1977 | Diode:SDB310Q               | 199 -140           |
| 1402 1995 | Diode:SDS511                | 199 -141           |
| 1402 1995 | Diode:SDS511                | 235 -136           |
| 1402 2001 | Diode:SX34                  | 235 -137           |
| 1402 2033 | Diode:TDZ6.8                | 199 -142           |
| 1402 2034 | Diode:TDZ13                 | 199 -143           |
| 1402 2037 | Diode:SUD494J               | 199 -144           |
| 1402 2039 | Diode:RSX301LA-30           | 213 -122           |
| 1403 0953 | LED - SML-310MT             | 199 -145           |
| 1403 0953 | LED - SML-310MT             | 235 -138           |
| 1403 0953 | LED - SML-310MT             | 213 -123           |
| 1403 0978 | LED:SML-310DT               | 213 -124           |
| 1403 0996 | LED - SML-310VT             | 199 -146           |
| 1403 0996 | LED - SML-310VT             | 213 -125           |
| 1403 1033 | LED - SML-310YT             | 213 -126           |
| 1403 1131 | LED:SML-311UT               | 235 -139           |
| 1403 1168 | LED:SML-311YT               | 235 -140           |
| 1404 1056 | Varistor:AVR-M1005C120MBAAB | 199 -147           |
| 1407 2187 | TTLIC - SN74LS07NS          | 199 -148           |
| 1407 2219 | IC - TD62003AP              | 199 -149           |
| 1407 4804 | IC-TC7SH08FU                | 213 -127           |

| Part No.             | Description                   | Page and Index No. |
|----------------------|-------------------------------|--------------------|
| 1407 4840            | CMOS Logic SN74AHC1G04DCK     | 235 -164           |
| 1407 4840            | IC - TC7SH04FU                | 213 -128           |
| 1407 4919            | IC - 74VHCT244 TSSOP          | 235 -141           |
| 1407 5107            | IC:SN74LV132APW               | 235 -142           |
| 1407 5351            | IC - SN74LV14APW              | 213 -129           |
| 1407 5352            | IC - 74LVC32A TSSOP           | 199 -151           |
| 1407 5353            | IC - SN74LV244APW             | 213 -130           |
| 1407 5353            | IC - SN74LV244APW             | 199 -152           |
| 1407 5366            | IC - 74LVC08A TSSOP           | 199 -153           |
| 1407 5376            | IC - SN74LV32APW              | 199 -154           |
| <del>1407 5377</del> | O/O MB38                      | 235 -143           |
| 1407 5392            | IC:SN74LV541APW               | 213 -131           |
| 1407 5392            | IC:SN74LV541APW               | 199 -155           |
| 1407 5428            | CMOS Logic - SN74AHC1G08DCK   | 235 -144           |
| 1407 5463            | IC - SN74LV245APW             | 199 -156           |
| 1407 5469            | IC - SN74LV07APW              | 213 -132           |
| 1407 5469            | IC - SN74LV07APW              | 199 -157           |
| 1407 5509            | IC - SN74AHCT08PW             | 199 -158           |
| 1407 5511            | CMOS Logic:SN74LVC14APW       | 199 -159           |
| 1407 5523            | ROM - I2C SOP 3V              | 235 -145           |
| 1407 5531            | Clock Generator:ICS960008AFLF | 235 -146           |
| 1407 5592            | CMOS Logic:SN74LV139APW       | 213 -133           |
| 1407 5633            | IC - SN74LV574APW             | 199 -160           |
| 1407 5733            | IC:SN74ALVC244PW              | 235 -147           |
| 1407 5734            | CMOS Logic - SN74ALVC245PW    | 235 -148           |
| <del>1407 6080</del> | O/O MB38                      | 235 -149           |
| <del>1407 6100</del> | O/O MB38                      | 235 -150           |
| <del>1407 6101</del> | O/O MB38                      | 235 -151           |
| <del>1407 6123</del> | O/O MB38                      | 235 -152           |
| 1407 6127            | Clock Generator:ICS960008AFLF | 235 -153           |
| 1407 6133            | CMOS Logic - SN74AHCT00PW     | 199 -161           |
| 1407 6158            | IC:R3112Q101A                 | 235 -154           |
| 1407 6166            | IC - ESOC                     | 199 -162           |
| 1407 6187            | CMOS Logic - SN74LVC1G07DCK   | 235 -155           |
| <del>1407 6201</del> | O/O MB38                      | 235 -156           |

| Part No.             | Description                      | Page and Index No. |
|----------------------|----------------------------------|--------------------|
| 1407 6203            | CMOS Logic - SN74LVC3G07DCT      | 235 -157           |
| <del>1407 6204</del> | O/O MB38                         | 235 -158           |
| <del>1407 6205</del> | O/O MB38                         | 235 -159           |
| 1407 6235            | Driver:TD62003AFG(5)             | 199 -163           |
| <del>1407 6259</del> | O/O MB38                         | 235 -160           |
| 1407 6332            | Oscillator - MC-306 32.768MHz    | 235 -161           |
| 1407 6333            | CMOS Logic - SN74LVC2G08DCU      | 235 -162           |
| 1407 6335            | CMOS Logic:SN74LVC1G17DCK        | 235 -163           |
| 1407 6362            | EEPROM:BR24I64-W                 | 175 -108           |
| <del>1407 6368</del> | O/O MB38                         | 235 -164           |
| 1407 6447            | Custom IC - GAVD TYPE-W          | 213 -134           |
| <del>1407 6451</del> | O/O MB38                         | 235 -166           |
| 1407 6517            | Custom IC:WHISTLE                | 235 -167           |
| 1407 6520            | Custom IC - Garac-C              | 213 -135           |
| 1407 6536            | ICH6-MNH82801FBM(SL89K)          | 235 -168           |
| 1407 6613            | Clock Generator:ICS7152M-01LF    | 213 -136           |
| 1407 6631            | Clock Generator:ICS180M-53LF     | 199 -164           |
| 1407 6641            | Diode - ZTP12B                   | 213 -137           |
| 1407 6676            | Clock Generator:ICS954206BGLF    | 235 -171           |
| 1407 6677            | CMOS Logic:TC7SET14FU            | 213 -138           |
| 1407 6683            | LAN Controller LSI:BCM5461A1KPFG | 235 -172           |
| 1407 6751            | LED - SML-310YT                  | 213 -139           |
| 1407 6759            | Custom IC:EIO                    | 199 -165           |
| 1407 6783            | Custom IC:VEENA                  | 235 -174           |
| 1407 6784            | Capacitor:4PF:±0.25PF:50V        | 235 -175           |
| 1407 6801            | IC - TD62308AP                   | 213 -140           |
| 1407 6803            | TTLIC - SN74LS07NS               | 213 -141           |
| 1407 6804            | IC - TD62003AP                   | 213 -142           |
| 1407 6806            | CMOS Logic:TC7WH00FU             | 213 -143           |
| 1407 6843            | Interface IC:PCA9515ADP          | 199 -166           |
| 1407 6850            | Controller:RB5V871               | 213 -144           |
| 1407 6915            | Resistor Array - 10 Ω ±5% 1/32W  | 235 -165           |
| 1407 6917            | Clock Generator:ICS960023BGLF    | 235 -170           |
| 1407 6944            | USB Controller IC:ST72681/R21    | 235 -173           |
| 1407 7005            | CMOS Logic:TC74VHCT244AFT(K)     | 199 -150           |

| Part No.             | Description                    | Page and Index No. |
|----------------------|--------------------------------|--------------------|
| 1407 7029            | GMCH:QG82915GME(SLA9K)         | 235 -169           |
| 1407 7236            | CMOS Logic SN74LVC2G04DCK      | 235 -149           |
| 1407 7237            | IC SN74IVC2G125DCU             | 235 -152           |
| 1407 7239            | IC - SN74LVC2G17DCK            | 235 -151           |
| 1407 7241            | CMOS Logic SN74AHCT1G04DCK     | 235 -160           |
| <del>1407 7242</del> | O/O MB40                       | 235 -156           |
| 1407 7242            | IC - SN74AHCT1G08DCK           | 235 -143           |
| 1407 7244            | IC:SN74LVC1G04DCK              | 235 -150           |
| 1407 7245            | CMOS Logic SN74LVC1G06DCK      | 235 -159           |
| 1407 7247            | CMOS Logic SN74LVC1G125DCK     | 235 -156           |
| 1407 7249            | CMOS Logic SN74LVC1G32DCK      | 235 -166           |
| 1407 7250            | CMOS Logic SN74LVC2G07DCK      | 235 -158           |
| 1408 0436            | IC, LB1650, Driver             | 199 -167           |
| 1408 1033            | IC - NJM2103M                  | 199 -168           |
| 1408 1550            | IC - LM2902PW                  | 199 -169           |
| 1408 1653            | Opeamp - LMV324IPW             | 213 -145           |
| 1408 1668            | Capacitor - 10PF ±0.5pF 50V    | 235 -176           |
| 1408 1685            | Operational Amplifier:LM2904PW | 199 -170           |
| 1408 1751            | IC:R3112Q301C                  | 213 -146           |
| 1408 1778            | IC:R3112Q101A                  | 235 -177           |
| 1408 1779            | IC - R3112Q281A                | 199 -171           |
| 1408 1779            | IC - R3112Q281A                | 235 -178           |
| 1408 1788            | Capacitor - 33pF ±5% 50V       | 235 -179           |
| 1408 1826            | IC - R3112Q421A                | 213 -147           |
| 1408 1826            | IC - R3112Q421A                | 235 -180           |
| 1408 1829            | Ope Amp - LM358PW              | 199 -172           |
| 1408 1839            | IC - R3112Q211A                | 235 -181           |
| 1408 1850            | Regulator - R1170H181B         | 199 -173           |
| 1408 1850            | Regulator - R1170H181B         | 213 -148           |
| 1408 1911            | Comparator - LM2903PW          | 199 -174           |
| 1408 1995            | IC:MB3793-30APNFE1             | 199 -175           |
| 1408 2024            | IC:R3112Q261A-FA               | 213 -149           |
| 1408 2029            | Comparator:LM2901PW            | 199 -176           |
| 1408 2088            | IC:LTC3701EGN#TRPBF            | 213 -150           |
| 1408 2246            | Series Regulator:R1114N331B-F  | 213 -151           |

| Part No.  | Description                                 | Page and Index No. |
|-----------|---------------------------------------------|--------------------|
| 1408 2305 | Reset IC - BU4242FVE                        | 235 -182           |
| 1408 2350 | IC:R1211D002B-FA                            | 235 -183           |
| 1408 2398 | Series Regulator:AIC1086-33PMJ              | 199 -177           |
| 1408 2433 | IC - SN74LV32APW                            | 213 -152           |
| 1408 2458 | DC/DC Converter:LTC3407EMSE-2#PBF           | 235 -184           |
| 1408 2462 | Series Regulator:BH18MA3WHFV                | 213 -153           |
| 1408 2463 | DDR Terminator - TPS51116PWPG4              | 235 -185           |
| 1408 2464 | Capacitor - 470pF $\pm 10\%$ 50V            | 235 -186           |
| 1408 2484 | IC - SN74LV07APW                            | 213 -154           |
| 1408 2602 | Operational Amplifier:LM324APW              | 199 -178           |
| 1408 2607 | IC - SN74LV125APW                           | 213 -155           |
| 1408 2637 | Capacitor - 2200PF $\pm 10\%$ 50V           | 235 -188           |
| 1408 2638 | Capacitor - 1000pF $\pm 10\%$ 50V           | 235 -187           |
| 1503 0758 | Oscillator - MC-306 32.768MHz               | 235 -189           |
| 1503 0784 | Oscillator - MA-406 19.6608MHz              | 199 -179           |
| 1503 1138 | Crystal Oscillator - 48MHz                  | 235 -190           |
| 1503 1146 | Capacitor - 0.01 $\mu$ F $\pm 10\%$ 25V     | 235 -191           |
| 1503 1215 | Crystal Oscillator - 17.5MHz                | 199 -180           |
| 1503 1363 | Capacitor - 0.22 $\mu$ F $\pm 10\%$ 16V     | 235 -193           |
| 1503 1367 | Crystal Oscillator:25MHz                    | 235 -194           |
| 1503 1368 | Capacitor:0.047 $\mu$ F: $\pm 10\%$ :16V    | 235 -192           |
| 1503 1380 | Crystal Oscillator:38.28MHz                 | 213 -156           |
| 1503 1381 | Driver - TD62783APG                         | 213 -157           |
| 1503 1406 | Crystal Oscillator:27MHz                    | 213 -158           |
| 1600 1880 | Resistor - 25M $\Omega \pm 1\%$ 1W          | 213 -159           |
| 1600 1946 | Resistor - 33M $\Omega \pm 1\%$ 1W          | 213 -160           |
| 1601 5632 | Resistor - 1K $\Omega \pm 0.1\%$ 1/16W      | 199 -181           |
| 1601 5711 | Resistor - 33K $\Omega \pm 0.1\%$ 1/16W     | 199 -182           |
| 1601 5898 | Resistor:150K $\Omega$ : $\pm 0.1\%$ :1/16W | 199 -183           |
| 1601 7752 | Resistor Array - 10K $\Omega \pm 5\%$       | 213 -161           |
| 1601 7877 | Resistor Array 4.7K $\Omega \pm 5\%$ 1/32W  | 199 -184           |
| 1601 7887 | Resistor Array - 10K $\Omega \pm 5\%$ 1/32W | 213 -162           |
| 1601 7887 | Resistor Array - 10K $\Omega \pm 5\%$ 1/32W | 235 -195           |
| 1601 7887 | Resistor Array - 10K $\Omega \pm 5\%$ 1/32W | 199 -185           |
| 1601 7896 | Resistor Array - 56 $\Omega \pm 5\%$ 1/32W  | 235 -196           |

| Part No.  | Description                                     | Page and Index No. |
|-----------|-------------------------------------------------|--------------------|
| 1601 7898 | Resistor Array                                  | 199 -186           |
| 1601 7898 | Resistor Array                                  | 213 -163           |
| 1601 7909 | Resistor Array - 10 $\Omega \pm 5\%$ 1/32W      | 199 -187           |
| 1601 7914 | Resistor Array - 47 $\Omega \pm 5\%$            | 235 -265           |
| 1601 7943 | Resistor Array - 68 $\Omega \pm 5\%$ 1/32W      | 199 -188           |
| 1601 7959 | Resistor                                        | 199 -189           |
| 1601 7960 | Resistor Array - 100 $\Omega \pm 5\%$ 1/16W     | 199 -190           |
| 1601 7981 | Resistor Array - 100K $\Omega \pm 5\%$ 1/16W    | 213 -164           |
| 1601 7983 | Resistor Array:2.2K $\Omega$ : $\pm 5\%$ :1/16W | 199 -191           |
| 1601 7992 | Resistor - 47K $\Omega \pm 5\%$ 1/16W           | 199 -192           |
| 1604 4728 | Capacitor - 100 $\mu$ F $\pm 20\%$ 16V          | 213 -165           |
| 1604 4987 | Capacitor - 330 $\mu$ F $\pm 20\%$ 6.3V         | 213 -166           |
| 1604 5065 | Capacitor 10 $\mu$ F: $\pm 20\%$ :50V           | 213 -167           |
| 1604 5336 | Capacitor:47 $\mu$ F: $\pm 20\%$ :20V           | 213 -168           |
| 1604 5432 | Capacitor:220 $\mu$ F: $\pm 20\%$ :35V          | 213 -169           |
| 1605 1148 | Capacitor - 0.1 $\mu$ F +80-20% 50V             | 199 -193           |
| 1605 1166 | Capacitor - 0.015 $\mu$ F $\pm 10\%$ 50V        | 213 -170           |
| 1605 1195 | Capacitor:4PF: $\pm 0.25$ PF:50V                | 213 -171           |
| 1605 1195 | Capacitor:4PF: $\pm 0.25$ PF:50V                | 235 -197           |
| 1605 1196 | Capacitor - 5PF: $\pm 0.25$ PF:50V              | 213 -172           |
| 1605 1197 | Capacitor - 6PF $\pm 0.5$ pF 50V                | 235 -198           |
| 1605 1199 | Capacitor - 8PF $\pm 0.5$ pF 50V                | 235 -199           |
| 1605 1200 | Capacitor - 10PF $\pm 0.5$ pF 50V               | 235 -200           |
| 1605 1200 | Capacitor - 10PF $\pm 0.5$ pF 50V               | 199 -194           |
| 1605 1200 | Capacitor - 10PF $\pm 0.5$ pF 50V               | 213 -173           |
| 1605 1202 | Capacitor - 15pF $\pm 5\%$ 50V                  | 199 -195           |
| 1605 1202 | Capacitor - 15pF $\pm 5\%$ 50V                  | 213 -174           |
| 1605 1202 | Capacitor - 15pF $\pm 5\%$ 50V                  | 235 -201           |
| 1605 1203 | Capacitor - 18pF $\pm 5\%$ 50V                  | 199 -196           |
| 1605 1203 | Capacitor - 18pF $\pm 5\%$ 50V                  | 235 -202           |
| 1605 1204 | Capacitor-PF50V                                 | 235 -203           |
| 1605 1204 | Capacitor-PF50V                                 | 199 -197           |
| 1605 1205 | Capacitor - 33pF $\pm 5\%$ 50V                  | 213 -175           |
| 1605 1206 | Capacitor - 47pF $\pm 5\%$ 50V                  | 213 -176           |
| 1605 1207 | Capacitor - 68pF $\pm 5\%$ 50V                  | 235 -204           |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| 1605 1208 | Capacitor:100PF:±5%:50V        | 235 -205           |
| 1605 1208 | Capacitor:100PF:±5%:50V        | 213 -177           |
| 1605 1208 | Capacitor:100PF:±5%:50V        | 199 -198           |
| 1605 1211 | Capacitor - 220pF ±10% 50V     | 199 -199           |
| 1605 1212 | Capacitor - 470pF ±10% 50V     | 199 -200           |
| 1605 1212 | Capacitor - 470pF ±10% 50V     | 213 -178           |
| 1605 1214 | Capacitor - 1000pF ±10% 50V    | 235 -206           |
| 1605 1214 | Capacitor - 1000pF ±10% 50V    | 213 -179           |
| 1605 1214 | Capacitor - 1000pF ±10% 50V    | 199 -201           |
| 1605 1216 | Capacitor - 2200PF±10%:50V     | 235 -207           |
| 1605 1216 | Capacitor - 2200PF±10%:50V     | 213 -180           |
| 1605 1221 | Capacitor - 0.1 μF+80-20%:16V  | 199 -202           |
| 1605 1224 | Capacitor 4.7μF ±10% 6.3V      | 213 -181           |
| 1605 1234 | Capacitor:4700PF:±10%:50V      | 235 -208           |
| 1605 1234 | Capacitor:4700PF:±10%:50V      | 199 -203           |
| 1605 1240 | Capacitor - 0.01μF ±10% 25V    | 199 -204           |
| 1605 1240 | Capacitor - 0.01μF ±10% 25V    | 235 -209           |
| 1605 1275 | Capacitor - 820pF ±5% 50V      | 235 -210           |
| 1605 1280 | Capacitor:390PF:±5%:25V        | 199 -205           |
| 1605 1281 | Capacitor - 0.22μF ±10% 16V    | 213 -182           |
| 1605 1283 | Capacitor - 680pF ±10% 50V     | 213 -183           |
| 1605 1284 | Capacitor:1500PF:±10%:50V      | 213 -184           |
| 1605 1285 | Capacitor - 3300pF ±10% 50V    | 213 -185           |
| 1605 1288 | Capacitor - 220pF ±5% 50V      | 235 -211           |
| 1605 1288 | Capacitor - 220pF ±5% 50V      | 213 -186           |
| 1605 1289 | Capacitor - 0.1μF ±10% 10V     | 213 -187           |
| 1605 1291 | Capacitor:2.2μF:±10%:10V       | 235 -212           |
| 1605 1293 | Capacitor - 27PF±5%:50V        | 199 -206           |
| 1605 1299 | Resistor - 56pF ±5% 50V        | 235 -213           |
| 1605 1300 | Capacitor - 270pF ±5% 50V      | 235 -214           |
| 1605 1301 | Capacitor-6800pF ±10% 50V      | 213 -188           |
| 1605 1303 | Capacitor - 0.01μF +80-20% 50V | 199 -207           |
| 1605 1303 | Capacitor - 0.01μF +80-20% 50V | 213 -189           |
| 1605 1306 | Capacitor - 1μF ±10% 10V       | 199 -208           |
| 1605 1306 | Capacitor - 1μF ±10% 10V       | 213 -190           |

| Part No.  | Description                      | Page and Index No. |
|-----------|----------------------------------|--------------------|
| 1605 1307 | Capacitor - 2.2μF +80-20% 11V    | 199 -209           |
| 1605 1347 | Capacitor - 1μF:±80-20%:16V      | 199 -210           |
| 1605 1353 | Capacitor - 0.1μF ±10% 25V       | 199 -211           |
| 1605 1355 | Ceramic Capacitor:680PF:±10%:50V | 213 -191           |
| 1605 1358 | Capacitor - 10μF ±10% 10V        | 213 -192           |
| 1605 1367 | Capacitor - 0.033μF ±10% 16V     | 235 -215           |
| 1605 1387 | Capacitor - 0.68μF ±10% 10V      | 235 -216           |
| 1605 1406 | Capacitor - 10μF ±10% 6.3V       | 199 -212           |
| 1605 1406 | Capacitor - 10μF ±10% 6.3V       | 235 -217           |
| 1605 1419 | Capacitor:4.7μF:±10%:16V         | 235 -218           |
| 1605 1427 | Capacitor:1μF:±10%:6.3V          | 199 -213           |
| 1605 1428 | Capacitor:0.22μF:±10%:6.3V       | 235 -219           |
| 1605 1447 | Resistor - 470pF ±5% 50V         | 235 -220           |
| 1605 1450 | Resistor - 22μF ±10% 6.3V        | 235 -221           |
| 1605 1451 | Capacitor:0.47μF:±10%:6.3V       | 213 -193           |
| 1605 1452 | Capacitor - 1μF ±10% 6.3V        | 213 -194           |
| 1605 1453 | Capacitor:0.022μF:±10%:16V       | 235 -222           |
| 1605 1453 | Capacitor:0.022μF:±10%:16V       | 213 -195           |
| 1605 1464 | Resistor - 10μF ±20% 25V         | 235 -223           |
| 1605 1465 | Resistor - 1μF ±10% 25V          | 235 -224           |
| 1605 1474 | Capacitor - 47μF ±20% 6.3V       | 213 -196           |
| 1605 1544 | Resistor - 330pF ±5% 50V         | 235 -225           |
| 1605 1544 | Resistor - 330pF ±5% 50V         | 213 -197           |
| 1605 1547 | Capacitor:2.2μF:±10%:6.3V        | 199 -214           |
| 1605 1547 | Resistor - 100Ω±5%1/10W          | 213 -198           |
| 1605 1583 | Capacitor - 0.1μF:±10%:16V       | 235 -226           |
| 1605 1585 | Resistor - 1KΩ ±5% 1/10W         | 213 -199           |
| 1605 1586 | Resistor - 10KΩ ±5% 1/10W        | 213 -200           |
| 1605 1587 | Resistor - 100KΩ±5%1/10W         | 213 -201           |
| 1605 1606 | Capacitor:0.33μF:±10%:16V        | 199 -215           |
| 1605 1635 | Resistor - 10M Ω ±5% 1/16W       | 235 -227           |
| 1605 1687 | Resistor - 1MΩ ±5% 1/10W         | 213 -202           |
| 1605 1689 | Capacitor:100μF:±20%:6.3V        | 235 -228           |
| 1605 1695 | Chip Resistor 1Ω ±5% 1/16W       | 235 -229           |
| 1606 2319 | Capacitor:100μF:±20%:6.3V        | 235 -230           |

| Part No.  | Description                                 | Page and Index No. |
|-----------|---------------------------------------------|--------------------|
| 1607 0721 | Ferrite Core - TFC-23-11-14                 | 175 -105           |
| 1607 0810 | Filter - BK2125HS121                        | 235 -231           |
| 1607 0861 | Filter - BK2125HS101                        | 213 -203           |
| 1607 1002 | IC - NFM60R30T222                           | 213 -204           |
| 1607 1051 | Filter - FBMJ2125HS420                      | 235 -232           |
| 1607 1061 | Filter - BLM11P300SPB                       | 235 -233           |
| 1607 1108 | Filter - BLM21PG220SN1B                     | 213 -205           |
| 1607 1108 | Filter - BLM21PG220SN1B                     | 235 -234           |
| 1607 1124 | Filter - BLM11A471SGPB                      | 199 -216           |
| 1607 1196 | Inductor -220UH $\pm 20\%$ 0.33A            | 213 -206           |
| 1607 1222 | Inductor - 3.3UH $\pm 20\%$ 2.5A            | 213 -207           |
| 1607 1228 | Inductor - SLF7045-4R7M2R0                  | 235 -235           |
| 1607 1316 | Filter - FBMJ1608HS280NT                    | 235 -236           |
| 1607 1351 | Filter BLM21PG221SN1B                       | 199 -217           |
| 1607 1362 | Coil - ACM3225-800-2P                       | 235 -237           |
| 1607 1388 | Inductor:LB2518B1R0M                        | 235 -238           |
| 1607 1424 | Filter:MMZ1608B601C                         | 199 -218           |
| 1607 1438 | Chip Resistor - 33 $\Omega$ $\pm 5\%$ 1/16W | 235 -239           |
| 1607 1461 | Ferrite Core                                | 19 - 104           |
| 1607 1489 | Filter - MMZ1608B301C                       | 235 -240           |
| 1607 1529 | Resistor - 2.2K $\Omega$ $\pm 5\%$ 1/10W    | 213 -208           |
| 1607 1556 | Inductor:RLF7030-1R5N6R1                    | 213 -209           |
| 1607 1567 | Filter:MPZ2012S101A                         | 235 -266           |
| 1607 1567 | Filter:MPZ2012S101A                         | 213 -210           |
| 1607 1574 | Ferrite Core:RFC-H13                        | 55 - 117           |
| 1607 1651 | Inductor - HM73-101R0LF                     | 235 -241           |
| 1607 1657 | Inductor - HM73-10R68LF                     | 235 -245           |
| 1607 1744 | Inductor:LQH32CNR15M33B                     | 235 -242           |
| 1607 1853 | Inductor:LB2518B100M                        | 235 -243           |
| 1607 1854 | Chip Resistor 47 $\Omega$ $\pm 5\%$ 1/16W   | 235 -244           |
| 1607 1903 | Chip Resistor - 33 $\Omega$ $\pm 5\%$ 1/10W | 213 -211           |
| 1607 1974 | Chip Resistor:4.7K $\Omega$ $\pm 5\%$ 1/16W | 235 -246           |
| 1607 2053 | Ferrite Core:E04FG210810                    | 23 - 104           |
| 1609 0005 | Resistor:33 $\Omega$ : $\pm 5\%$ :1/16W     | 213 -212           |
| 1609 0005 | Resistor:33 $\Omega$ : $\pm 5\%$ :1/16W     | 235 -248           |

| Part No.  | Description                                             | Page and Index No. |
|-----------|---------------------------------------------------------|--------------------|
| 1609 0005 | Resistor:33 $\Omega$ : $\pm 5\%$ :1/16W                 | 199 -219           |
| 1609 0006 | Resistor:10K $\Omega$ : $\pm 5\%$ :1/16W                | 235 -247           |
| 1609 0006 | Resistor:10k $\Omega$ : $\pm 5\%$ :1/16W                | 199 -220           |
| 1609 0006 | Resistor:10k $\Omega$ : $\pm 5\%$ :1/16W                | 213 -213           |
| 1609 0007 | Resistor - 68 $\Omega$ $\pm 5\%$ 1/16W                  | 213 -214           |
| 1609 0016 | Resistor:56 $\Omega$ : $\pm 5\%$ :1/16W                 | 199 -221           |
| 1609 0019 | Resistor:0 $\Omega$ :1608                               | 213 -215           |
| 1609 0020 | Resistor:10 $\Omega$ : $\pm 5\%$ :1/16W                 | 199 -222           |
| 1609 0027 | Resistor - 100K $\Omega$ $\pm 5\%$ 1/16W                | 213 -216           |
| 1609 0037 | Resistor Array:560 $\Omega$ : $\pm 5\%$ :1/16W:4Number  | 199 -223           |
| 1609 0070 | Resistor Array:1M $\Omega$ : $\pm 5\%$ :1/16W           | 199 -224           |
| 1609 0071 | Resistor Array:150K $\Omega$ : $\pm 5\%$ :1/16W:4Number | 199 -225           |
| 1609 0095 | Resistor Array:220 $\Omega$ : $\pm 5\%$ :1/16W:4Number  | 213 -217           |
| 1609 0122 | Resistor Array:10 $\Omega$ : $\pm 5\%$ :1/16W:4Number   | 235 -249           |
| 1609 0123 | Chip Resistor 56 $\Omega$ $\pm 5\%$ 1/16W               | 235 -250           |
| 1610 1417 | Resistor:0.5 $\Omega$ : $\pm 5\%$ :1/8W:1608            | 235 -251           |
| 1610 1702 | Chip Resistor 120 $\Omega$ $\pm 5\%$ 1W 6332            | 199 -226           |
| 1610 1787 | Resistor:56 $\Omega$ : $\pm 1\%$ :1W:6332               | 199 -227           |
| 1610 1798 | Resistor:1 $\Omega$ : $\pm 5\%$ :1W:6332                | 199 -228           |
| 1610 1804 | Resistor:0.006 $\Omega$ : $\pm 1\%$ :1W                 | 235 -252           |
| 1610 1847 | Resistor:180 $\Omega$ : $\pm 5\%$ :1W:6332              | 199 -229           |
| 1610 1852 | Resistor:2 $\Omega$ : $\pm 1\%$ :1W                     | 199 -230           |
| 1610 1880 | Resistor:10K $\Omega$ : $\pm 0.5\%$ :1/16W 1005         | 199 -231           |
| 1610 1960 | Resistor - 68 $\Omega$ $\pm 5\%$ 1/10W                  | 213 -218           |
| 1610 1960 | Resistor:0.22 $\Omega$ : $\pm 1\%$ :1W 6332             | 199 -232           |
| 1610 2116 | Chip Resistor:680 $\Omega$ : $\pm 5\%$ :1/16W           | 235 -253           |
| 1633 0000 | Resistor - 0 $\Omega$ 1/10W                             | 235 -254           |
| 1634 0000 | Resistor - 0 $\Omega$ 1/16W                             | 213 -219           |
| 1634 0000 | Resistor - 0 $\Omega$ 1/16W                             | 199 -233           |
| 1634 0000 | Resistor - 0 $\Omega$ 1/16W                             | 235 -255           |
| 1640 0102 | Capacitor - 1000 $\mu$ F - $\pm 20\%$ - 10V             | 199 -234           |
| 1640 3101 | Capacitor - 100 $\mu$ F $\pm 20\%$ 35V                  | 199 -235           |
| 1640 3471 | Capacitor - 470 $\mu$ F $\pm 20\%$ 35V                  | 199 -236           |
| 1644 1470 | Capacitor - 47 $\mu$ F $\pm 20\%$ 16V                   | 199 -237           |
| 1644 3220 | Capacitor 22 $\mu$ F $\pm 20\%$ 35V                     | 199 -238           |

| Part No.  | Description                                  | Page and Index No. |
|-----------|----------------------------------------------|--------------------|
| 1644 6101 | Capacitor - 100 $\mu$ F $\pm$ 20% 6.3V       | 199 -239           |
| 1650 2121 | Resistor:120 $\Omega$ : $\pm$ 5%:1/4W:3216   | 199 -240           |
| 1650 2151 | Resistor - 150 $\Omega$ $\pm$ 5% 1/4W        | 199 -241           |
| 1650 3131 | Resistor - 130 $\Omega$ $\pm$ 5% 1/8W        | 199 -242           |
| 1650 3201 | Resistor - 200 $\Omega$ $\pm$ 5% 1/8W        | 199 -243           |
| 1650 4100 | Resistor - 10 $\Omega$ $\pm$ 5% 1/10W        | 213 -220           |
| 1650 4109 | Resistor - 1 $\Omega$ $\pm$ 5% 1/10W         | 235 -256           |
| 1650 4229 | Resistor - 2.2 $\Omega$ $\pm$ 5% 1/10W       | 235 -257           |
| 1650 5100 | Chip Resistor - 10 $\Omega$ $\pm$ 5%1/16W    | 199 -244           |
| 1650 5101 | Chip Resistor - 100 $\Omega$ $\pm$ 5%1/16W   | 213 -221           |
| 1650 5101 | Chip Resistor - 100 $\Omega$ $\pm$ 5%1/16W   | 199 -245           |
| 1650 5102 | Chip Resistor - 1K $\Omega$ $\pm$ 5%1/16W    | 213 -222           |
| 1650 5102 | Chip Resistor - 1K $\Omega$ $\pm$ 5%1/16W    | 199 -246           |
| 1650 5103 | Chip Resistor - 10K $\Omega$ $\pm$ 5%1/16W   | 213 -223           |
| 1650 5103 | Chip Resistor - 10K $\Omega$ $\pm$ 5%1/16W   | 199 -247           |
| 1650 5104 | Chip Resistor - 100K $\Omega$ $\pm$ 5%1/16W  | 213 -224           |
| 1650 5104 | Chip Resistor - 100K $\Omega$ $\pm$ 5%1/16W  | 199 -248           |
| 1650 5105 | Chip Resistor - 1M $\Omega$ $\pm$ 5%1/16W    | 199 -249           |
| 1650 5106 | Resistor - 10M $\Omega$ $\pm$ 5% 1/16W       | 235 -258           |
| 1650 5153 | Chip Resistor - 15K $\Omega$ $\pm$ 5% 1/16W  | 213 -225           |
| 1650 5154 | Chip Resistor - 150K $\Omega$ $\pm$ 5% 1/16W | 199 -250           |
| 1650 5162 | Resistor:1.6K $\Omega$ : $\pm$ 5%:1/16W:1005 | 199 -251           |
| 1650 5202 | Chip Resistor:2K $\Omega$ : $\pm$ 5%:1/16W   | 199 -252           |
| 1650 5220 | Resistor - 22 $\Omega$ $\pm$ 5% 1/16W        | 213 -226           |
| 1650 5221 | Chip Resistor - 220 $\Omega$ $\pm$ 5%1/16W   | 213 -227           |
| 1650 5222 | Resistor - 2.2K $\Omega$ $\pm$ 5% 1/16W      | 199 -253           |
| 1650 5222 | Resistor - 2.2K $\Omega$ $\pm$ 5% 1/16W      | 213 -228           |
| 1650 5303 | Chip Resistor 30K $\Omega$ $\pm$ 5% 1/16W    | 213 -229           |
| 1650 5309 | Resistor - 3 $\Omega$ $\pm$ 5% 1/16W         | 235 -259           |
| 1650 5330 | Chip Resistor - 33 $\Omega$ $\pm$ 5%1/16W    | 199 -254           |
| 1650 5330 | Chip Resistor - 33 $\Omega$ $\pm$ 5%1/16W    | 213 -230           |
| 1650 5332 | Resistor - 3.3K $\Omega$ $\pm$ 5% 1/16W      | 213 -231           |
| 1650 5332 | Resistor - 3.3K $\Omega$ $\pm$ 5% 1/16W      | 199 -255           |
| 1650 5333 | Resistor:33K $\Omega$ : $\pm$ 5%:1/16W:1005  | 199 -256           |
| 1650 5470 | Chip Resistor 47 $\Omega$ $\pm$ 5% 1/16W     | 213 -232           |

| Part No.  | Description                                  | Page and Index No. |
|-----------|----------------------------------------------|--------------------|
| 1650 5471 | Chip Resistor - 470 $\Omega$ -5% 1/16W       | 199 -257           |
| 1650 5471 | Chip Resistor - 470 $\Omega$ -5% 1/16W       | 213 -233           |
| 1650 5472 | Chip Resistor:4.7K $\Omega$ : $\pm$ 5%:1/16W | 199 -258           |
| 1650 5472 | Chip Resistor:4.7K $\Omega$ : $\pm$ 5%:1/16W | 213 -234           |
| 1650 5474 | Resistor:470K $\Omega$ : $\pm$ 5%:1/16W:1005 | 199 -259           |
| 1650 5510 | Chip Resistor - 51 $\Omega$ $\pm$ 5%1/16W    | 199 -260           |
| 1650 5519 | Resistor - 5.1 $\Omega$ $\pm$ 5% 1/16W       | 235 -260           |
| 1650 5560 | Chip Resistor 56 $\Omega$ $\pm$ 5% 1/16W     | 213 -235           |
| 1650 5560 | Chip Resistor 56 $\Omega$ $\pm$ 5% 1/16W     | 199 -261           |
| 1650 5680 | Resistor - 68 $\Omega$ $\pm$ 5% 1/16W        | 213 -236           |
| 1650 5680 | Resistor - 68 $\Omega$ $\pm$ 5% 1/16W        | 199 -262           |
| 1650 5681 | Chip Resistor:680 $\Omega$ : $\pm$ 5%:1/16W  | 199 -263           |
| 1650 5751 | Resistor:750 $\Omega$ : $\pm$ 5%:1/16W:1005  | 213 -237           |
| 1653 1009 | Resistor:10 $\Omega$ : $\pm$ 1%:1/8W:2125    | 235 -261           |
| 1653 4709 | Resistor:47 $\Omega$ : $\pm$ 1%:1/8W:2125    | 199 -264           |
| 1653 5609 | Resistor - 56 $\Omega$ $\pm$ 1% 1/8W         | 199 -265           |
| 1654 1000 | Resistor - 100 $\Omega$ $\pm$ 1% 1/10W       | 235 -262           |
| 1654 1001 | Resistor - 1K $\Omega$ $\pm$ 1%1/10W         | 213 -238           |
| 1654 1002 | Resistor - 10K $\Omega$ $\pm$ 5%1/10W        | 213 -239           |
| 1654 1009 | Resistor - 10 $\Omega$ $\pm$ 1% 1/10W        | 235 -263           |
| 1654 1301 | Chip Resistor:1.3K $\Omega$ :1/10W           | 213 -240           |
| 1654 2200 | Resistor:220 $\Omega$ : $\pm$ 1%:1/10W:1608  | 213 -241           |
| 1654 4300 | Resistor - 430 $\Omega$ $\pm$ 1% 1/10W       | 213 -242           |
| 1654 6800 | Resistor - 680 $\Omega$ $\pm$ 1% 1/10W       | 213 -243           |
| 1655 0000 | Chip Resistor - 0 $\Omega$ $\pm$ 0%1/16W     | 199 -266           |
| 1655 0000 | Chip Resistor - 0 $\Omega$ $\pm$ 0%1/16W     | 235 -267           |
| 1655 0000 | Chip Resistor - 0 $\Omega$ $\pm$ 0%1/16W     | 213 -244           |
| 1655 1000 | Chip Resistor:100 $\Omega$ : $\pm$ 1%:1/16W  | 213 -245           |
| 1655 1000 | Chip Resistor:100 $\Omega$ : $\pm$ 1%:1/16W  | 235 -264           |
| 1655 1001 | Chip Resistor - 1K $\Omega$ $\pm$ 1% 1/16W   | 199 -267           |
| 1655 1001 | Chip Resistor - 1K $\Omega$ $\pm$ 1% 1/16W   | 235 -268           |
| 1655 1002 | Chip Resistor - 10K $\Omega$ $\pm$ 1%1/16W   | 199 -268           |
| 1655 1002 | Chip Resistor - 10K $\Omega$ $\pm$ 1%1/16W   | 235 -269           |
| 1655 1003 | Chip Resistor - 100K $\Omega$ $\pm$ 1%1/16W  | 235 -270           |
| 1655 1003 | Chip Resistor - 100K $\Omega$ $\pm$ 1%1/16W  | 213 -246           |

| Part No.  | Description                                   | Page and Index No. |
|-----------|-----------------------------------------------|--------------------|
| 1655 1004 | Resistor - 1M $\Omega$ $\pm$ 1% 1/16W         | 235 -271           |
| 1655 1009 | Resistor - 10 $\Omega$ $\pm$ 1% 1/16W         | 235 -272           |
| 1655 1102 | Resistor - 11K $\Omega$ $\pm$ 1% 1/16W        | 199 -269           |
| 1655 1102 | Resistor - 11K $\Omega$ $\pm$ 1% 1/16W        | 235 -273           |
| 1655 1132 | Resistor:11.3K $\Omega$ : $\pm$ 1%:1/16W:1005 | 235 -274           |
| 1655 1201 | Resistor - 1.2K $\Omega$ $\pm$ 1% 1/16W       | 213 -247           |
| 1655 1201 | Resistor - 1.2K $\Omega$ $\pm$ 1% 1/16W       | 235 -275           |
| 1655 1202 | Resistor:12K $\Omega$ : $\pm$ 1%:1/16W:1005   | 213 -248           |
| 1655 1241 | Resistor - 27.4 $\Omega$ $\pm$ 1% 1/16W       | 235 -276           |
| 1655 1300 | Resistor:130 $\Omega$ : $\pm$ 1%:1/16W:1005   | 235 -277           |
| 1655 1501 | Chip Resistor 1.5K $\Omega$ $\pm$ 1% 1/16W    | 235 -278           |
| 1655 1501 | Chip Resistor 1.5K $\Omega$ $\pm$ 1% 1/16W    | 199 -270           |
| 1655 1502 | Resistor - 15K $\Omega$ $\pm$ 1% 1/16W        | 235 -279           |
| 1655 1602 | Resistor:16K $\Omega$ : $\pm$ 1%:1/16W        | 199 -271           |
| 1655 1692 | Resistor:16.9K $\Omega$ : $\pm$ 1%:1/16W:1005 | 235 -280           |
| 1655 1801 | Resistor - 1.8K $\Omega$ $\pm$ 1% 1/16W       | 199 -272           |
| 1655 1802 | Resistor:18K $\Omega$ : $\pm$ 1%:1/16W:1005   | 199 -273           |
| 1655 1802 | Resistor:18K $\Omega$ : $\pm$ 1%:1/16W:1005   | 213 -249           |
| 1655 1803 | Resistor - 330K $\Omega$ $\pm$ 1% 1/16W       | 235 -281           |
| 1655 1963 | Resistor:196K $\Omega$ : $\pm$ 1%:1/16W:1005  | 235 -282           |
| 1655 2000 | Resistor - 200 $\Omega$ $\pm$ 1% 1/16W        | 235 -283           |
| 1655 2001 | Resistor - 2K $\Omega$ $\pm$ 1% 1/16W         | 235 -284           |
| 1655 2002 | Chip Resistor - 20K $\Omega$ $\pm$ 1%1/16W    | 235 -285           |
| 1655 2101 | Resistor:2.1K $\Omega$ : $\pm$ 1%:1/16W:1005  | 199 -274           |
| 1655 2201 | Resistor:2.2K $\Omega$ : $\pm$ 1%:1/16W:1005  | 235 -286           |
| 1655 2202 | Chip Resistor - 22K $\Omega$ $\pm$ 1%1/16W    | 199 -275           |
| 1655 2209 | Resistor - 22 $\Omega$ $\pm$ 1% 1/16W         | 235 -287           |
| 1655 2210 | Resistor - 221 $\Omega$ $\pm$ 1% 1/16W        | 235 -288           |
| 1655 2269 | Resistor - 475 $\Omega$ $\pm$ 1% 1/16W        | 235 -289           |
| 1655 2400 | Resistor:240 $\Omega$ : $\pm$ 1%:1/16W:1005   | 213 -250           |
| 1655 2402 | Resistor - 24K $\Omega$ $\pm$ 1% 1/16W        | 199 -276           |
| 1655 2402 | Resistor - 24K $\Omega$ $\pm$ 1% 1/16W        | 213 -251           |
| 1655 2432 | Resistor - 49.9 $\Omega$ $\pm$ 1% 1/16W       | 235 -290           |
| 1655 2499 | Resistor - 5.1K $\Omega$ $\pm$ 1% 1/16W       | 235 -291           |
| 1655 2700 | Resistor - 51 $\Omega$ $\pm$ 1% 1/16W         | 235 -292           |

| Part No.  | Description                                   | Page and Index No. |
|-----------|-----------------------------------------------|--------------------|
| 1655 2701 | Resistor:2.7K $\Omega$ : $\pm$ 1%:1/16W:1005  | 235 -293           |
| 1655 2702 | Resistor - 27K $\Omega$ $\pm$ 1% 1/16W        | 199 -277           |
| 1655 2741 | Resistor - 54.9 $\Omega$ $\pm$ 1% 1/16W       | 235 -294           |
| 1655 2749 | Resistor - 27.4 $\Omega$ $\pm$ 1% 1/16W       | 235 -295           |
| 1655 2802 | Resistor:28K $\Omega$ : $\pm$ 1%:1/16W:1005   | 235 -296           |
| 1655 3001 | Resistor:3K $\Omega$ : $\pm$ 1%:1/16W:1005    | 199 -278           |
| 1655 3001 | Resistor:3K $\Omega$ : $\pm$ 1%:1/16W:1005    | 213 -252           |
| 1655 3002 | Chip Resistor - 30K $\Omega$ $\pm$ 1%1/16W    | 235 -298           |
| 1655 3002 | Chip Resistor - 30K $\Omega$ $\pm$ 1%1/16W    | 213 -253           |
| 1655 3013 | Resistor:301K $\Omega$ : $\pm$ 1%:1/16W:1005  | 235 -299           |
| 1655 3242 | Resistor:32.4K $\Omega$ : $\pm$ 1%:1/16W:1005 | 235 -300           |
| 1655 3303 | Resistor - 330K $\Omega$ $\pm$ 1% 1/16W       | 235 -301           |
| 1655 3309 | Resistor - 33 $\Omega$ $\pm$ 1% 1/16W         | 235 -302           |
| 1655 3601 | Resistor:3.6K $\Omega$ : $\pm$ 1%:1/16W:1005  | 235 -303           |
| 1655 3903 | Resistor - 82 $\Omega$ $\pm$ 1% 1/16W         | 235 -304           |
| 1655 3909 | Resistor 39 $\Omega$ $\pm$ 1% 1/16W           | 235 -305           |
| 1655 4029 | Resistor:40.2 $\Omega$ : $\pm$ 1%:1/16W:1005  | 235 -306           |
| 1655 4222 | Resistor:42.2K $\Omega$ : $\pm$ 1%:1/16W:1005 | 213 -254           |
| 1655 4301 | Resistor:4.3K $\Omega$ : $\pm$ 1%:1/16W       | 199 -279           |
| 1655 4302 | Resistor:43K $\Omega$ : $\pm$ 1%:1/16W:1005   | 199 -280           |
| 1655 4701 | Chip Resistor - 4.7K $\Omega$ $\pm$ 1%1/16W   | 235 -307           |
| 1655 4701 | Chip Resistor - 4.7K $\Omega$ $\pm$ 1%1/16W   | 213 -255           |
| 1655 4750 | Resistor - 475 $\Omega$ $\pm$ 1% 1/16W        | 235 -308           |
| 1655 4992 | Resistor:49.9K $\Omega$ : $\pm$ 1%:1/16W:1005 | 235 -309           |
| 1655 4999 | Resistor - 49.9 $\Omega$ $\pm$ 1% 1/16W       | 235 -310           |
| 1655 5101 | Resistor - 5.1K $\Omega$ $\pm$ 1% 1/16W       | 235 -311           |
| 1655 5102 | Resistor:51K $\Omega$ : $\pm$ 1%:1/16W:1005   | 199 -281           |
| 1655 5109 | Resistor - 51 $\Omega$ $\pm$ 1% 1/16W         | 235 -312           |
| 1655 5499 | Resistor - 54.9 $\Omega$ $\pm$ 1% 1/16W       | 235 -313           |
| 1655 5600 | Resistor - 560 $\Omega$ $\pm$ 1% 1/16W        | 235 -297           |
| 1655 5602 | Chip Resistor - 56K $\Omega$ $\pm$ 1%1/16W    | 235 -314           |
| 1655 5609 | Resistor - 56 $\Omega$ $\pm$ 1% 1/16W         | 235 -315           |
| 1655 5902 | Resistor:59K $\Omega$ : $\pm$ 1%:1/16W:1005   | 213 -256           |
| 1655 6043 | Resistor:604K $\Omega$ : $\pm$ 1%:1/16W:1005  | 235 -316           |
| 1655 6202 | Chip Resistor - 62K $\Omega$ $\pm$ 1%1/16W    | 213 -257           |

| Part No.  | Description                                     | Page and Index No. |
|-----------|-------------------------------------------------|--------------------|
| 1655 6492 | Resistor:64.9K $\Omega$ : $\pm 1\%$ :1/16W:1005 | 199 -282           |
| 1655 6800 | Resistor:680 $\Omega$ : $\pm 1\%$ :1/16W:1005   | 235 -317           |
| 1655 6801 | Resistor - 6.8K $\Omega$ $\pm 1\%$ 1/16W        | 199 -283           |
| 1655 6801 | Resistor - 6.8K $\Omega$ $\pm 1\%$ 1/16W        | 235 -318           |
| 1655 6802 | Resistor:68K $\Omega$ : $\pm 1\%$ :1/16W:1005   | 235 -319           |
| 1655 6809 | Chip Resistor - 68 $\Omega$ $\pm 1\%$ 1/16W     | 235 -320           |
| 1655 7509 | Resistor - 75 $\Omega$ $\pm 1\%$ 1/16W          | 235 -321           |
| 1655 8069 | Resistor:80.6 $\Omega$ : $\pm 1\%$ :1/16W:1005  | 235 -322           |
| 1655 8201 | Resistor:8.2K $\Omega$ : $\pm 1\%$ :1/16W:1005  | 199 -284           |
| 1655 8201 | Resistor:8.2K $\Omega$ : $\pm 1\%$ :1/16W:1005  | 235 -323           |
| 1655 8209 | Resistor - 82 $\Omega$ $\pm 1\%$ 1/16W          | 235 -324           |
| 1655 8451 | Resistor:8.45K $\Omega$ : $\pm 1\%$ :1/16W:1005 | 199 -285           |
| 1655 8452 | Resistor:84.5K $\Omega$ : $\pm 1\%$ :1/16W:1005 | 213 -258           |
| 1655 8873 | Resistor:887K $\Omega$ : $\pm 1\%$ :1/16W:1005  | 235 -325           |
| 1655 9101 | Resistor - 9.1K $\Omega$ $\pm 1\%$ 1/16W        | 199 -286           |
| 1655 9101 | Resistor - 9.1K $\Omega$ $\pm 1\%$ 1/16W        | 235 -326           |
| 1660 2101 | Capacitor - 100pF - $\pm 10\%$ - 50V            | 213 -259           |
| 1660 2680 | Capacitor - 68pF $\pm 5\%$ 50V                  | 213 -260           |
| 1660 4222 | Capacitor - 2200pF - $\pm 10\%$ - 50V           | 199 -287           |
| 1902 0076 | SRAM:8M:X16:55NS:G1                             | 199 -288           |
| 1906 0101 | Flash Memory:S29GL032A90TFIR40                  | 235 -327           |
| 1906 0115 | Flash Memory:S29GL064A90TFIR40                  | 199 -289           |
| 1906 0120 | NAND Flash:1G:X8:30NS:3.3V:2KB                  | 235 -328           |

| Part No.  | Description            | Page and Index No. |
|-----------|------------------------|--------------------|
| 5053 0223 | Bushing - 8mm          | 27 - 21            |
| 5053 0223 | Bushing - 8mm          | 67 - 24            |
| 5053 0447 | Bushing - 6mm          | 43 - 15            |
| 5053 0447 | Bushing - 6mm          | 31 - 20            |
| 5053 0447 | Bushing - 6mm          | 33 - 19            |
| 5053 0447 | Bushing - 6mm          | 39 - 20            |
| 5053 0447 | Bushing - 6mm          | 63 - 28            |
| 5053 0447 | Bushing - 6mm          | 41 - 21            |
| 5201 2858 | Friction Pad           | 65 - 10            |
| 5203 9501 | Silicon Grease G-501   | 247 - 7            |
| 5206 2684 | Shoulder Screw - M3    | 121 - 1            |
| 5206 2684 | Shoulder Screw - M3    | 123 - 23           |
| 5206 2684 | Shoulder Screw - M3    | 125 - 2            |
| 5206 2684 | Shoulder Screw - M3    | 115 - 23           |
| 5206 2684 | Shoulder Screw - M3    | 119 - 1            |
| 5206 2684 | Shoulder Screw - M3    | 39 - 1             |
| 5206 2686 | Snap Ring              | 27 - 6             |
| 5206 2686 | Snap Ring              | 109 - 18           |
| 5215 2621 | Snap Ring - M6         | 83 - 10            |
| 5215 2621 | Snap Ring - M6         | 45 - 33            |
| 5324 1658 | Bushing - 4x8x4.5mm    | 35 - 4             |
| 5413 1875 | Knob Screw             | 135 - 23           |
| 5442 1924 | Exposure Glass Cushion | 49 - 8             |
| 5443 2668 | Bushing - 4x6x7mm      | 107 - 11           |
| 5443 2668 | Bushing - 4x6x7mm      | 105 - 10           |
| 5446 2901 | Collar - 8mm           | 107 - 23           |
| 5447 2681 | Snap Ring              | 139 - 29           |
| 5447 2681 | Snap Ring              | 25 - 5             |
| 5447 2681 | Snap Ring              | 141 - 11           |
| 5447 2681 | Snap Ring              | 185 - 1            |
| 5447 2681 | Snap Ring              | 183 - 17           |
| 5447 2681 | Snap Ring              | 129 - 24           |
| 5447 2681 | Snap Ring              | 133 - 5            |
| 5447 2681 | Snap Ring              | 149 - 25           |
| 5447 2681 | Snap Ring              | 137 - 10           |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| 5447 2681 | Snap Ring                  | 143 - 14           |
| 5447 2681 | Snap Ring                  | 75 - 31            |
| 5447 2681 | Snap Ring                  | 61 - 18            |
| 5447 2681 | Snap Ring                  | 27 - 24            |
| 5447 2681 | Snap Ring                  | 31 - 19            |
| 5447 2681 | Snap Ring                  | 33 - 6             |
| 5447 2681 | Snap Ring                  | 39 - 24            |
| 5447 2681 | Snap Ring                  | 41 - 20            |
| 5447 2681 | Snap Ring                  | 43 - 8             |
| 5447 2681 | Snap Ring                  | 45 - 35            |
| 5447 2681 | Snap Ring                  | 113 - 16           |
| 5447 2681 | Snap Ring                  | 73 - 2             |
| 5447 2681 | Snap Ring                  | 81 - 30            |
| 5447 2681 | Snap Ring                  | 111 - 25           |
| 5447 2706 | Gear - 15T                 | 61 - 21            |
| 5447 2769 | Stepped Screw              | 111 - 1            |
| 5894 2540 | Arm Screw                  | 75 - 18            |
| 5937 4158 | Spring Washer - BD10       | 131 - 4            |
| 6754 2866 | Roller - Positioning Guide | 185 - 5            |

| Part No. | Description | Page and Index No. |
|----------|-------------|--------------------|
|          |             |                    |