Notes for Users

Please note the following corrections to these manuals.

Printer Reference - 1. Preparing the Machine

Торіс	Error	Correction
Printing with Parallel Connection (p.30)	Important <u> • This printer is not supported by</u> <u> Plug and Play.</u>	<u>This printer supports Plug and</u> <u>Play.</u>

Printer Reference - 7. Using Mac OS X

Торіс	Error	Correction
Installing to the Mac OS X (p.121)	Note • The PPD files are stored in the following folder on the CD-ROM. <u>Mac OS X: MacOSX PPD Installer:</u> <u>Mac OS X 10.2 or later: MacOSX</u> <u>PPD Installer</u>	Note • The PPD files are stored in the following folder on the CD-ROM. <u>Mac OS X: MacOSX PPD</u> <u>Installer:</u>
Installing to the Mac OS X - Installing the PPD Files(p.121)	5. Double-click the [Mac OS X 10.2 or later] folder. 6. Double-click the [MacOSX PPD Installer] folder. 7. Double-click the installer icon. 8. Follow the instructions on the screen.	5. Double-click the installer icon. 6. Follow the instructions on the screen.
Installing to the Mac OS X - Setting Up the PPD File (p.121, 122)	1. Start Printer Setup Utility. Under Mac OS X 10.5, start System Preferences and click [Print & FAX]. <u>Under Mac OS X 10.2, start Print</u> <u>Center.</u>	1. Start Printer Setup Utility. Under Mac OS X 10.5, start System Preferences and click [Print & FAX].
	2. Click [Add] or [+] button. Mac OS X 10.5 Click [Default]. If the printer name is not displayed, select the icon that corresponds to your network environment (AppleTalk, etc.). If several AppleTalk zones exist on the network, select the zone the printer belongs to. <u>Mac OS X 10.4</u> <u>Click [More Printers]. Then select.</u> the zone from the second pop-up menu. <u>Other Mac OS X</u> <u>Click [AppleTalk] on the first pop-up menu.</u> <u>If the zone is set, select the zone from the second pop-up menu.</u>	2. Click [Add] or [+] button. Mac OS X 10.5 Click [Default]. If the printer name is not displayed, select the icon that corresponds to your network environment (AppleTalk, etc.). If several AppleTalk zones exist on the network, select the zone the printer belongs to.

	3. Select the printer, and then select its manufacturer on the [Printer Model:] pop-up menu. <u>Under Mac OS X 10.4, select the</u> <u>printer you are using on the [Print</u> <u>Using] popup menu.</u> Under Mac OS X 10.5, select the printer you are using in the [Printer Name] list.	3. Select the printer, and then select its manufacturer on the [Printer Model:] pop-up menu. Under Mac OS X 10.5, select the printer you are using in the [Printer Name] list.
Paper and Print Settings - Changing Paper Setups (p.123)	Note • If certain combination of staple, punch, and fold are specified, [Orientation] in [Page Setup] must also be specified. You can specify one of the following three orientations:	Note • If certain combination of staple, punch, and fold are specified, [Orientation] in [Page Setup] must also be specified. You can specify one of the following two orientations: 1 2 1. Portrait 2. Landscape 1 • The content of the [page setup] dialog box will differ depending on the application or operating system. For details, see the manual or help files provided with your Macintosh computer.
	computer.	

Printer Reference - 7. Using Mac OS X

Торіс	Error	Correction
Paper and Print Settings - Print Settings (p.126, 127)	Note • Operating systems use different names for the Auto Tray Switching function, and the procedure for enabling this function will also differ depending on the operating system you are using. For example: to enable Auto Tray Switching under Mac OS X10.4 or earlier. locate [Error Handling] in the popup menu and then select [Tray. Switching].	Mac OS X 10.5 is supported.
Advanced Printing - Printing on Custom Size Paper (p.129)	4. Open the dialog box for registering a custom paper size. <u>Under Mac OS X 10.4 or lower,</u> <u>click [Custom Paper Size] in the</u> <u>pop-up menu.</u> Under Mac OS X 10.5, click [Paper Size] in the pop-up menu, and then select [Manage Custom Size].	4. Open the dialog box for registering a custom paper size. Under Mac OS X 10.5, click [Paper Size] in the pop-up menu, and then select [Manage Custom Size].
Advanced Printing - Staple - Staple position (p.134)	*2 Select <u>landscape 2</u> in [Orientation] under [Page Setup].	*2 Select <u>landscape 1 and [180</u> <u>degrees]</u> in [Orientation] under [Page Setup].
Advanced Printing - Punch - Punch position (p.136)	*3 To have prints delivered in this format, you must select <u>landscape</u> <u>2</u> in [Page Setup] and specify the punch holes pattern.	*3 To have prints delivered in this format, you must select <u>landscape</u> <u>1 and [180 degrees]</u> in [Page Setup] and specify the punch holes pattern.
Advanced Printing - Fold - Folding positions (p.138)	*4 To have prints delivered in this format, you must select <u>landscape2</u> in [Page Setup] and specify the appropriate fold pattern. *5 To have prints delivered in this format, you must select both <u>landscape2</u> in [Page Setup] and [On] for [Eject Face-up] and specify the appropriate fold pattern.	*4 To have prints delivered in this format, you must select <u>landscape</u> <u>1 and [180 degrees]</u> in [Page Setup] and specify the appropriate fold pattern. *5 To have prints delivered in this format, you must select both <u>landscape 1 and [180 degrees]</u> in [Page Setup] and [On] for [Eject Face-up] and specify the appropriate fold pattern.

Printer Reference - 8. Appendix

Торіс	Error	Correction
Using DHCP - Using AutoNet (p.149)	Note • The printer cannot communicate with devices that do not have the AutoNet function. However, this printer can communicate with <u>Macintosh computers running Mac</u> <u>OS X 10.2.3. or higher.</u>	Note • The printer cannot communicate with devices that do not have the AutoNet function. However, this printer can communicate with <u>Macintosh computers.</u>

Network and System Settings Guide - 5. Monitoring and Configuring the Printer

Торіс	Error	Correction
Using Web Browser (p.100)	Note • Safari cannot be used on Mac OS X 10.4.1.	Mac OS X 10.5 is supported.

Security Reference - 6. Enhanced Network Security

Торіс	Error	Correction
Transmission Using IPsec	Important	Important
(p.139)	 IPsec compatible operating 	 IPsec compatible operating
	systems are Windows XP SP2,	systems are Windows XP SP2,
	Windows Vista, Windows Server	Windows Vista, Windows Server
	2003/2003 R2, Mac OS X 10.4 and	2003/2003 R2, <u>Mac OS X 10.5.</u>
	later, RedHat Linux Enterprise WS	RedHat Linux Enterprise WS 4.0,
	4.0, and Solaris 10.	and Solaris 10.
	However, some setting items are	However, some setting items are
	not supported depending on the	not supported depending on the
	operating system. Make sure the	operating system. Make sure the
	IPsec settings you specify are	IPsec settings you specify are
	consistent with the operating	consistent with the operating
	system's IPsec settings.	system's IPsec settings.

About This Machine - 9. Appendix

Торіс	Error	Correction
Specifications of the Main Unit	First print time:	First print time
(p.144)	Type 1: <u>3.5</u> seconds or less	 Type 1: <u>5.7</u> seconds or less
	 Type 2: <u>3.2</u> seconds or less 	 Type 2: <u>5.0</u> seconds or less
	Type 3: <u>3.0</u> seconds or less	 Type 3: <u>4.3</u> seconds or less

Copyright © 2009 Printed in Japan EN GB EN US



M004-7901