

RICOH

List of Extended Item Setting

When you activate the Extended Item Setting license, configuration items with a dagger (†) will be added to the Standard Device Preferences templates.

The following table shows the items that are available when the license is activated. Note that some items have conditions or a combination of setting items required for application. For details, see Important Information about Device Configuration.

Category	Setting Item	Description
General	mm/inch display	Units display for front panel is set
	Panel Key Sound	Panel key sounds are en/disabled
	Home Key Customize Setting	Enable Home Key Customization or not
	SDK Apps Product ID	Input SDK App's ID for Home Key. (available only when "SDK Application " is selected in Home Key Customize Setting.)
	Panel Off Timer	Panel Off timer is set
	Energy Saver Timer	Energy Saver timer is set
	Auto Off Timer	Auto Off timer is set
	System	System Auto Reset Timer is set
	Copier/DS Auto Reset Timer	Copier/DS Auto Reset Timer
	Fax Auto Reset Timer	Fax Auto Reset Timer is set
	Printer Auto Reset Timer	Printer Auto Reset Timer is set
	Printer Auto Reset Timer enable	Printer Auto Reset Timer is enabled
	Print application priority reset timer	Printer Application Priority Reset Timer is set
	Scanner Auto Reset Timer	Scanner Auto Reset Timer is set
	Scanner Auto Reset Setting	Scanner Auto Reset is set
Auto Logout timer	Auto Logout timer is set	
TCP/IP	Use DHCP to set DNS server	DHCP is/is not used for setting DNS server addresses
	DNS server 1	DNS server address is set

Category	Setting Item	Description
TCP/IP	DNS server 2	DNS server address is set
	DNS server 3	DNS server address is set
SNMP	Enable SNMP v1/v2 write	Enable SNMP v1/v2 write
Network protocols	Enable IPsec	Enable IPsec
Authentication	Enable External Authentication	Enable External Authentication
	Require key counter for copy	Require key counter for copy
	Disable authentication: Copy	Disable authentication: Copy
	Require key counter for DS	Require key counter for DS
	Disable authentication: DS	Disable authentication: DS
	DS access control	DS access control
	Default Document ACL	Default Document ACL
	Require key counter for fax	Require key counter for fax
	Disable authentication: Fax	Disable authentication: Fax
	User Home Screen : Usage Limitation	User Home Screen : Usage Limitation
	User Home Screen : Display Login Dialog on User Home Screen	User Home Screen : Display Login Dialog on User Home Screen
	Require key counter for printer	Require key counter for printer
	Disable authentication: Printer	Disable authentication: Printer
	Require key counter for scanner	Require key counter for scanner
	Disable authentication: Scanner	Disable authentication: Scanner
	Selective Color Authentication	Selective colour authentication is enabled
	Enable SDK Authentication	Enable SDK Authentication
Enable Admin Login	Enable Admin Login	

Category	Setting Item	Description
Authentication	User authentication: SDK	Restrict usage for SDK 1-3
	User authentication: Browser	Restrict browser usage
	Enable Logout Confirmation	Enable Logout Confirmation
	Shortening Auto Logout Timer	Shortening Auto Logout Timer
	Apply ACL to both Users and Groups	Apply ACL to both Users and Groups
	Skip Password Input	Skip Password Input
	Display Remaining Usage Count	Display Remaining Usage Count
	Duration to display remaining usage count	Duration to display remaining usage count
Date and Time	Set Date/Set Time	Set to server's current date/time
Email	Default sender name enable	—
	SMTP Auth Algorithm Setting	SMTP Auth Algorithm Setting
Interfaces	USB Interface	USB interface is enabled or disabled
	Enable media inserted print application	Media inserted printing is enabled or disabled
	Enable media inserted capture application	Media inserted scanning is enabled or disabled
	Wireless infrastructure mode	Wireless infrastructure mode is set
	Wireless network SSID	Wireless network SSID is set
	Wireless WPA pre-shared key	Wireless WPA pre-shared key is set
	Wireless LAN Security Mode	Wireless security is set
	Wireless LAN Settings WPA Encryption Method	Wireless encryption is set
Device functions	Enable Document Server	Enable Document Server
	Print and Delete Scanner Journal	Print and Delete Scanner Journal
	Maximum email size (KB)	Maximum email size (KB)

Category	Setting Item	Description
Device functions	Email Splitting	Email Splitting
	Scanner Auto Reset Timer	Scanner Auto Reset Timer
	Store non-DS jobs to HD	Store non-DS jobs to HD
	Allow Use of Destinations (Fax)	Disallow to enter Destination on the panel for Fax.
	Allow Adding of Destinations (Fax)	Disallow to add Destination for Fax.
	Allow Use of Destinations (Scanner)	Disallow to enter the destination on the panel for Scanner.
	Allow Adding of Destinations (Scanner)	Disallow to add Destination for Scanner.
	Function Priority	Function Priority
	Application switch method	Application switch method
Security	Tray Priority	Tray Priority
	Auto-Erase Memory DOSS (On/Off)	Auto-Erase Memory DOSS (On/Off)
	DOSS Overwrite Type	DOSS Overwrite Type
	Overwrite Number	Overwrite Number
	Personal Information Protect	Personal Information Protect
Service and Consumables	HDD Encryption Status	HDD Encryption Status
	Bypass Tray	Bypass Tray
	Tray [1 - 5]	Paper size is set
	Display toner remaining	Display toner remaining