

MODIFICATION BULLETIN NO. IFO-001ISSUED ON Feb. 29, 1996


Model	IFO					Date of Modification	
Modified Article	Bottom Plate & Paper Tray Case					Execution Date	
Reason for Modification	<input checked="" type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input type="checkbox"/> To improve reliability <input type="checkbox"/> Other					From 1st mass production	
Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(H505-20, -21, -27, -28)							
H505 3010	H505 3012	Bottom Plate	1 → 1	X / O		6	1-7
H505 3103K	H505 3103L	Paper Tray Case	1 → 1	X / O		7	1-7
(H505-30, -33, -40, -43, -51, -53, -59, -60, -63)							
H505 3103K	H505 3103L	Paper Tray Case	1 → 1	X / O		7	1-7
M. Iwasa Manager Quality Assurance Center							

MODIFICATION BULLETIN NO. IFO-002ISSUED ON Feb. 29, 1996

Model	IFO (ALL)						Date of Modification	
Modified Article	PCB-FDU						Execution Date	
Reason for Modification	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly <input checked="" type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input type="checkbox"/> To improve reliability <input type="checkbox"/> Other						After the old parts have been out of stock.	
The vender has discontinued production of the QA 1 and QA 2 (Driver ICs).								
Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog		
						Index No.	Page	
H505 6010E	H505 6010F	PCB-FDU	1 → 1	O / O		14	1-3	
M. Iwasa Manager Quality Assurance Center								

MODIFICATION BULLETIN NO. IFO-003

ISSUED ON Feb. 29, 1996

Model	IFO (Europe and Asia Only)	Date of Modification
Modified Article	PCB-FCE - EU	Execution Date
Reason for Modification	<div> <input type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly </div> <div> <input type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input checked="" type="checkbox"/> To improve reliability </div> <div> <input type="checkbox"/> Other </div> <p>The firmware for the Masked ROM  has been improved. * See RTB-IFO-002 for details.</p>	From February production in 1996

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange-ability	Remarks	Parts Catalog	
						Index No.	Page
H505 6014E	H505 6022	PCB-FCE - EU	1 → 1	X / O		15	1-3

M. Iwasa
Manager
Quality Assurance Center

MODIFICATION BULLETIN NO. IFO-004

ISSUED ON Mar,15,'96

Model		FAX 880MP (Asia Only)					Date of Modification	
Modified Article		OP-Port Ass'y					Execution Date	
Reason for Modification		<div><input checked="" type="checkbox"/> Parts catalog correction</div> <div><input type="checkbox"/> Vender change</div> <div><input type="checkbox"/> To meet standards ()</div> <div><input type="checkbox"/> Part standardization</div> <div><input type="checkbox"/> To facilitate assembly</div> <div><input type="checkbox"/> To improve reliability</div> <div><input type="checkbox"/> Other</div>						
Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog		
						Index No.	Page	
	(H 505-51)					1	1-5	
	H5054022B	OP-PORT ASS'Y-ASIA						
<div>M. Iwasa Manager Quality Assurance Center</div>								

MODIFICATION BULLETIN NO. IFO-005ISSUED ON Mar, 15, '96

Model	IFO (Asia only)					Date of Modification	
Modified Article	Op-prot Ass'y - ASIA					Execution Date	
Reason for Modification	<input type="checkbox"/> Parts catalog correction <input checked="" type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input type="checkbox"/> To improve reliability <input type="checkbox"/> Other					From February Production '96	
<p>The alphabet has been added to the key-pad. It is needed in Singaporre to sell the machine from April '96.</p>							


Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(H505-51)							
H5054022B	H5054022C	Op-port Ass'y - ASIA	1 → 1	X / O		1	1-5
(H505-59)							
H5054055B	H5054055C	OP-port Ass'y - ASIA	1 → 1	X / O		1	1-5

M. Iwasa
 Manager
 Quality Assurance Center

MODIFICATION BULLETIN NO. IFO-005

ISSUED ON Mar, 15, '96

DETAILS OF MODIFICATION



MODIFICATION BULLETIN NO.IFO - 006ISSUED ON Aug.31,1996

Model	IFO	Modification Schedule
Modified Article	Operator's Manual	From 1st Production in February '96.
Reason for Modification	<div><div><input type="checkbox"/> Parts catalog correction</div><div><input type="checkbox"/> Vender change</div><div><input type="checkbox"/> To meet standards ()</div><div><input type="checkbox"/> Part standardization</div><div><input type="checkbox"/> To facilitate assembly</div><div><input type="checkbox"/> To improve reliability</div><div><input checked="" type="checkbox"/> Other</div></div> <div>The operator's manuals have been corrected or have the attached Errata sheet.</div>	

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(H505 - 20, - 21, - 27, - 28)							
H5058700A	H5058700B	Operator's Manual - English - US	1 → 1	X / O		*	2
(H505 - 51, - 59)							
H5058701A	H5058701B	Operator's Manual - English - Asia	1 → 1	X / O		*	2
(H505 - 53)							
H5058607	H5058607A	Operator's Manual - Chinese - Taiwan	1 → 1	X / O		*	2

S.Fujii
 General Manager
 2nd Field Information Department
 QA Division

Prepared by K. Ugaeri

RC	RE	ASIA	
*		*	

Errata and Additional Information

[P33] - Additional Information

Receiving with Auto Select mode

1 The machine starts ringing.

2 You have two options:

☐ Pick up the handset.

If you hear a voice then continue a normal conversation.

If you hear a tone then the other end is a fax machine. Make sure the document feeder is empty, press the Start key to start receiving and replace the handset. If you do not replace the handset or press the Start key, after a few seconds the machine will automatically take the line and receive the message.

☐ Do nothing. The machine will keep ringing. After a number of rings (the auto ring time) the machine will begin to receive a message. You can change the number of rings (the auto ring time) - see page 31.

[P80] - Errata

You can have up to 35 fax message in the same batch.

* H505 - 20, - 21, - 27, - 28.

Errata and Additional Information

[P33] - Additional Information

Receiving with Auto Select mode

1 The machine starts ringing.

2 You have two options:

☐ Pick up the handset.

If you hear a voice then continue a normal conversation.

If you hear a tone then the other end is a fax machine. Make sure the document feeder is empty, press the Start key to start receiving and replace the handset. If you do not replace the handset or press the Start key, after a few seconds the machine will automatically take the line and receive the message.

☐ Do nothing. The machine will keep ringing. After a number of rings (the auto ring time) the machine will begin to receive a message. You can change the number of rings (the auto ring time) - see page 31.

[P81] - Errata

When you use the batch transmission, you can have up to 35 fax message in the same batch.

[P161] - Additional Information

If "CHECK PAPER SIZE " is shown on the display, wrong size paper is in paper feed. Please check the paper size and set the correct size paper.

[P180] - Errata

Power Supply: 230 V, 50Hz; single phase

* H505 - 51, - 59.

勘誤表和追加資訊

[P33]—追加資訊

在自動判別方式下接收

1 機器鈴響。

2 您有兩種選擇：

☐ 拿起話筒。

如果聽到說話聲則繼續進行通常的通話。

如果聽到音調聲則另一端是傳真機。確認進紙台空著，按啟動鍵以開始接收，並放回話筒。如果您不按啟動鍵或放回話筒，幾秒鐘之後機器會自動接通並接收傳真。

☐ 什么都不做。機器會持續響鈴。在鈴響過幾次後（自動響鈴次數），機器自動開始接收傳真。您可以改變響鈴次數（自動響鈴次數）—見第 31 頁。

[P80]—勘誤表

同一成批傳送最多為 35 個

* H505 - 53

MODIFICATION BULLETIN NO. IFO - 007ISSUED ON Aug.31,1996

Model	IFO		Modification Schedule
Modified Article	PCB - FCE - USA		From 1st production in March '96.
Reason for Modification	<div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vender change </div> <div> <input type="checkbox"/> To meet standards () <input type="checkbox"/> Part standardization </div> <div> <input type="checkbox"/> To facilitate assembly <input checked="" type="checkbox"/> To improve reliability <input type="checkbox"/> Other </div> </div> <p style="text-align: center;">The Nest autoroute function has been added to the program.</p>		

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(H505 - 20, - 21, - 27, - 28)							
H5056016A	H5056016B	PCB - FCE - USA	1 → 1	X / O		14	2
H5057111B	H5057111C	Program - IFO - USA	(1 → 1)	(X / O)	* Program		

S.Fujii
General Manager
2nd Field Information Department
QA Division

Prepared by K. Ugaeri

RC	RE	ASIA	
*			

MODIFICATION BULLETIN NO.IFO - 008ISSUED ON Aug.31, 1996

Model	IFO			Modification Schedule		
Modified Article	Telephone Cable			After the old parts will become out of stock.		
Reason for Modification	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly <input checked="" type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input type="checkbox"/> To improve reliability <input type="checkbox"/> Other					

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(H505 - 20, - 21, - 27, - 28, - 53)							
H0815701	H5055047	Telephone Cable	1 → 1	O / O		41	2

S.Fujii
General Manager
2nd Field Information Department
QA Division


Prepared by K.Ugaeri

RC	RE	ASIA	
*		*	

MODIFICATION BULLETIN NO. IFO - 010ISSUED ON Sep.15, 1996

Model	IFO	Modification Schedule
Modified Article	Decal - Lever	From 1st Production in March '96.
Reason for Modification	<div><div><input type="checkbox"/> Parts catalog correction</div><div><input type="checkbox"/> Vender change</div><div><input type="checkbox"/> To meet standards ()</div><div><input type="checkbox"/> Part standardization</div><div><input type="checkbox"/> To facilitate assembly</div><div><input checked="" type="checkbox"/> To improve reliability</div><div><input type="checkbox"/> Other</div></div> <div>A decal has been added to remind the user to release the lever before setting paper or removing paper jams.</div>	

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(H505 - 30, - 39, - 40, - 49, - 60, - 69)							
	H505 4257	Decal - Lever - EU	0 → 1				
(H505 - 53)							
	H505 4258	Decal - Lever - Taiwan	0 → 1				
(H505 - 20, - 21, - 27, - 28, - 51, - 59)							
	H505 4259	Decal - Lever - English	0 → 1				



S.Fujii
General Manager
2nd Field Information Department
QA Division

Prepared by K.Ugaeri


RC	RE	ASIA	
*	*	*	

MODIFICATION BULLETIN NO. IFO - 011

ISSUED ON Sep.15,1996

Model	IFO			Modification Schedule		
Modified Article	Collar - Feed Roller			From 1st production in March '96		
Reason for Modification	<div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vender change </div> <div> <input type="checkbox"/> To meet standards () <input type="checkbox"/> Part standardization </div> <div> <input type="checkbox"/> To facilitate assembly <input checked="" type="checkbox"/> To improve reliability <input type="checkbox"/> Other </div> </div> <p>A collar has been added at the right of the feed roller. It prevents the feed roller from sliding to the right when the operator opens the upper cover and touches the feed roller for removing jammed paper.</p>					

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange-ability	Remarks	Parts Catalog	
						Index No.	Page
	H5053135	Collar - Feed Roller	0 → 1			16	6



S.Fujii
 General Manager
 2nd Field Information Department
 QA Division

Prepared by K.Ugaeri


RC	RE	ASIA	
*	*	*	

MODIFICATION BULLETIN NO. IFO - 012

ISSUED ON Sep.15, 1996

Model	IFO		Modification Schedule
Modified Article	Decal - Op Port		From 1st production in May '96.
Reason for Modification	<div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vender change </div> <div> <input type="checkbox"/> To meet standards () <input type="checkbox"/> Part standardization </div> <div> <input type="checkbox"/> To facilitate assembly <input checked="" type="checkbox"/> To improve reliability <input type="checkbox"/> Other </div> </div> <p>A decal has been added on the operation panel, warning against opening the ADF from the rear side.</p>		

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange-ability	Remarks	Parts Catalog	
						Index No.	Page
	H505 4271	Decal - Op Port	0 → 1				



S.Fujii
 General Manager
 2nd Field Information Department
 QA Division

Prepared by K.Ugaeri

RC	RE	ASIA	
*	*	*	

MODIFICATION BULLETIN NO. IFO - 013

ISSUED ON Sep.30,1996

Model	IFO		Modification Schedule
Modified Article	PCB - FCE		From July Production '96
Reason for Modification	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input checked="" type="checkbox"/> To improve reliability <input type="checkbox"/> Other		
<p>The program has been changed.</p> <p>Improvements:</p> <p>1.Lists cannot be printed out with function 43.</p> <p>2.Spelling mistake: Failure→ Failure on Power Failure Report</p> <p>3.International dial tone in Belgium.</p>			

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(H505 - 39, - 49, - 54, - 69)							
H505 6018	H505 6018A	PCB - FCE	1 → 1	X / O		15	2
H505 7112	H505 7112A	Program	(1 → 1)				
(H506 - 30, - 33, - 40, - 43, - 51, - 63, - 59, - 60, - 63)							
H505 6025	H505 6025A	PCB - FCE	1 → 1	X / O		15	2
H505 7112	H505 7112A	Program	(1 → 1)				

S.Fujii
General Manager
2nd Field Information Department
QA Division

Prepared by K.Ugaeri

RC	RE	ASIA	
	*	*	

MODIFICATION BULLETIN NO.IFO - 014

ISSUED ON Oct. 15, 1996

[illegible]

MODIFICATION BULLETIN NO.IFO - 015ISSUED ON Oct.31, 1996

Model	IFO	Modification Schedule
Modified Article	Paper Tray	
Reason for Modification	<input checked="" type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vender change <input type="checkbox"/> To meet standards () <input type="checkbox"/> Part standardization <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability <input type="checkbox"/> Other	

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H505 3000	H505 3001	Paper Feed Unit - A4	1 - 1		For Europe / Asia		
H505 3001	H505 3000	Paper Feed Unit - LT	1 - 1		For USA		

S.Fujii
 General Manager
 2nd Field Information Department
 QA Division

Prepared by Y.Tamaoka

RC	RE	ASIA	
*	*	*	

MODIFICATION BULLETIN NO.IFO - 016ISSUED ON Oct.31, 1996

Model	IFO	Modification Schedule
Modified Article	Paper Tray	September 1996
Reason for Modification	<div> <input type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly </div> <div> <input type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input checked="" type="checkbox"/> To improve reliability </div> <div> <input type="checkbox"/> Other </div> <p>The countermeasure to prevent the paper feed gear coming off.</p> <p>An RTB will be issued</p>	

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H505 3000E	H505 3000F	Paper Feed Unit LT	1 - 1	X / O	For USA	*	
(H505 3150A)			(1 - 0)				
	(H503 3165)		(0 - 1)				
	(H503 3166)		(0 - 1)				
	(H503 3178)		(0 - 1)				
H505 3001F	H505 3001G	Paper Feed Unit A4	1 - 1	X / O	For Europe / Asia	*	
		(Same as the above)					

S.Fujii
General Manager
2nd Field Information Department
QA Division

Prepared by Y.Tamaoka

RC	RE	ASIA	
*	*	*	

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Model	F/L Series (FX4, FX6Mk2, FX6, LSO, IFO: only for Europe)			Date of Modification
Modified Article	Operator's Manual REVICED			Execution Date
Reason for Modification	<div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vender change </div> <div> <input type="checkbox"/> To meet standards () <input type="checkbox"/> Part standardization </div> <div> <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability <input checked="" type="checkbox"/> Other </div> </div> <p>Change in the purchase route. The operator's manuals will not be available from SPC Japan. Please obtain the language kit: The operator's manual is included in this kit. Please contact REBV sales section.</p> <p>Note: Please note that the operation panel sheet is included in the language kit.</p>			July, 1996 Note: The number of this MB was corrected. This MB was issued as no. F/L Seires - 122

Old Part No.	New Part No. (EDP Code)	Description	Q'ty Used Old → New	Interchange-ability	Remarks	Parts Catalog	
						Index No.	Page
H5158601	919310	Operator's Manual - FX4 - English (GB)			The EDP codes are for the Language Kit Type 140.		1-3
H5158602	919311	Operator's Manual - FX4 - German					
H5158603	919308	Operator's Manual - FX4 - Italian					
H5158604	919313	Operator's Manual - FX4 - Spanish					
H5158605	919312	Operator's Manual - FX4 - French					
H5158606	919309	Operator's Manual - FX4 - Swedish					
H5158621	919359	Operator's Manual - FX4 - English NRG			The EDP codes are for the FLS 140.		1-3
H5158622	919360	Operator's Manual - FX4 - German NRG					
H5158623	919361	Operator's Manual - FX4 - Italian NRG					
H5158624	919358	Operator's Manual - FX4 - Spanish NRG					
H5158625	919362	Operator's Manual - FX4 - French NRG					
H5158626	919363	Operator's Manual - FX4 - Swedish					

RC	RE	ASIA	
	*		

S. Fujii
General Manager
2nd Field Information Department
QA Division

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Old Part No.	New Part No. (EDP Code)	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H5158611	889.950.54	Operator's Manual - FX4 - English: Infotec			The EDP codes are for Language Set 3675.		1-3
H5158612	889.950.46	Operator's Manual - FX4 - German: Infotec					
H5158613	889.950.62	Operator's Manual - FX4 - Italian: Infotec					
H5158614	889.950.89	Operator's Manual - FX4 - Spanish: Infotec					
H5158615	889.950.70	Operator's Manual - FX4 - French: Infotec					
H5158616	889.950.97	Operator's Manual - FX4 - Swedish: Infotec					
H5268601	919296	Operator's Manual - FX6Mk2 - English			The EDP codes are for Language Kit Type 110.		Note
H5268602	919295	Operator's Manual - FX6Mk2 - German					
H5268603	919298	Operator's Manual - FX6Mk2 - Italian					
H5268604	919293	Operator's Manual - FX6Mk2 - Spanish					
H5268605	919294	Operator's Manual - FX6Mk2 - French					
H5268606	919297	Operator's Manual - FX6Mk2 - Swedish					
H5268621	919364	Operator's Manual - FX6Mk2 - English: NRG			The EDP codes are for FLS 110.		Note
H5268622	919365	Operator's Manual - FX6Mk2 - German: NRG					
H5268623	919366	Operator's Manual - FX6Mk2 - Italian: NRG					
H5268624	919357	Operator's Manual - FX6Mk2 - Spanish: NRG					
H5268625	919367	Operator's Manual - FX6Mk2 - French: NRG					
H5268626	919368	Operator's Manual - FX6Mk2 - Swedish: NRG					
H5268611	889.951.19	Operator's Manual - FX6Mk2 - English: Infotec			The EDP codes are for Language Set 3674.		Note
H5268612	889.951.00	Operator's Manual - FX6Mk2 - German: Infotec					
H5268613	889.951.27	Operator's Manual - FX6Mk2 - Italian: Infotec					
H5268614	889.951.43	Operator's Manual - FX6Mk2 - Spanish: Infotec					
H5268615	889.951.35	Operator's Manual - FX6Mk2 - French: Infotec					
H5268616	889.951.51	Operator's Manual - FX6Mk2 - Swedish: Infotec					

Note: Information for the FX6Mk2 was informed by RTBs. Please refer to RTB F/L Series - 014, ~~15~~ and 018.

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Old Part No.	New Part No. (EDP Code)	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H5168601	339253	Operator's Manual - FX6 - English			The EDP codes are for Language Kit Type 100.		1-3
H5168602	339254	Operator's Manual - FX6 - German					
H5168603	339256	Operator's Manual - FX6 - Italian					
H5168604	339257	Operator's Manual - FX6 - Spanish					
H5168605	339255	Operator's Manual - FX6 - French					
H5168606	339258	Operator's Manual - FX6 - Swedish					
H5168621	919106	Operator's Manual - FX6 - English: NRG			The EDP codes are for FLS 100.		1-3
H5168622	919112	Operator's Manual - FX6 - German: NRG					
H5168623	919104	Operator's Manual - FX6 - Italian: NRG					
H5168624	919105	Operator's Manual - FX6 - Spanish: NRG					
H5168625	919111	Operator's Manual - FX6 - French: NRG					
H5168626	919103	Operator's Manual - FX6 - Swedish: NRG					
H5168611	889.945.70	Operator's Manual - FX6 - English: Infotec			The EDP codes are for Language Set 3673.		1-3
H5168612	889.945.62	Operator's Manual - FX6 - German: Infotec					
H5168613	889.945.89	Operator's Manual - FX6 - Italian: Infotec					
H5168614	889.946.00	Operator's Manual - FX6 - Spanish: Infotec					
H5168615	889.945.97	Operator's Manual - FX6 - French: Infotec					
H5168616	889.946.19	Operator's Manual - FX6 - Swedish: Infotec					

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Old Part No.	New Part No. (EDP Code)	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H5218601	919139	Operator's Manual - LSO - English			The EDP codes are for Language Kit Type 130.		1-3
H5218602	919140	Operator's Manual - LSO - German					
H5218603	919142	Operator's Manual - LSO - Italian					
H5218604	919143	Operator's Manual - LSO - Spanish					
H5218605	919141	Operator's Manual - LSO - French					
H5218606	919144	Operator's Manual - LSO - Swedish					
H5218621	919350	Operator's Manual - LSO - English: NRG			The EDP codes are for FLS 130.		1-3
H5218622	919347	Operator's Manual - LSO - German: NRG					
H5218623	919352	Operator's Manual - LSO - Italian: NRG					
H5218624	919348	Operator's Manual - LSO - Spanish: NRG					
H5218625	919349	Operator's Manual - LSO - French: NRG					
H5218626	919351	Operator's Manual - LSO - Swedish: NRG					
H5218611	889.946.86	Operator's Manual - LSO - English: Infotec			The EDP codes are for Language Set 4010.		1-3
H5218612	889.946.78	Operator's Manual - LSO - German: Infotec					
H5218613	889.946.94	Operator's Manual - LSO - Italian: Infotec					
H5218614	889.946.08	Operator's Manual - LSO - Spanish: Infotec					
H5218615	889.946.16	Operator's Manual - LSO - French: Infotec					
H5218616	889.946.24	Operator's Manual - LSO - Swedish: Infotec					

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Old Part No.	New Part No. (EDP Code)	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H5058601	919185	Operator's Manual - IFO - English			The EDP codes are for Language Kit Type 120.		1-3
H5058602	919186	Operator's Manual - IFO - German					
H5058603	919188	Operator's Manual - IFO - Italian					
H5058604	919189	Operator's Manual - IFO - Spanish					
H5058605	919187	Operator's Manual - IFO - French					
H5058606	919190	Operator's Manual - IFO - Swedish					
H5058621	919265	Operator's Manual - IFO - English: NRG			The EDP codes are for FLS 120.		1-3
H5058622	919264	Operator's Manual - IFO - German: NRG					
H5058623	919262	Operator's Manual - IFO - Italian: NRG					
H5058624	919261	Operator's Manual - IFO - Spanish: NRG					
H5058625	919263	Operator's Manual - IFO - French: NRG					
H5058626	919260	Operator's Manual - IFO - Swedish: NRG					
H5058611	889.921.87	Operator's Manual - IFO - English: Infotec			The EDP codes are for Language Set 3525.		1-3
H5058612	889.921.79	Operator's Manual - IFO - German: Infotec					
H5058613	889.921.95	Operator's Manual - IFO - Italian: Infotec					
H5058614	889.922.25	Operator's Manual - IFO - Spanish: Infotec					
H5058615	889.922.09	Operator's Manual - IFO - French: Infotec					
H5058616	889.922.17	Operator's Manual - IFO - Swedish: Infotec					

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H5264303		Quick Dial Sheet - English	1 → 0		The quick dial sheets are included in the language kit. Please refer to previous pages (FX6Mk2).	24	Note
H5264304		Quick Dial Sheet - German					
H5264305		Quick Dial Sheet - Italian					
H5264306		Quick Dial Sheet - Spanish					
H5264307		Quick Dial Sheet - French					
H5264308		Quick Dial Sheet - Swedish					
H5164274		Quick Dial Sheet - English	1 → 0		The quick dial sheets are included in the language kit. Please refer to previous pages (FX6).	24	1-7
H5164253		Quick Dial Sheet - German					
H5164261		Quick Dial Sheet - Italian					
H5164323		Quick Dial Sheet - Spanish					
H5164257		Quick Dial Sheet - French					
H5164270		Quick Dial Sheet - Swedish					

Note: Information for the FX6Mk2 was informed by RTBs. Please refer to RTB F/L Series - 014, ~~15~~ and 018.

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H5214374		Quick Dial Sheet - 01-05 - English	1 → 0		The quick dial sheets are included in the language kit. Please refer to previous pages (LSO).	3	1-3
H5214324		Quick Dial Sheet - 01-05 - German					
H5214334		Quick Dial Sheet - 01-05 -Italian					
H5214344		Quick Dial Sheet - 01-05 - Spanish					
H5214354		Quick Dial Sheet - 01-05 - French					
H5214364		Quick Dial Sheet - 01-05 - Swedish					
H5214375		Quick Dial Sheet - 06-10 - English	1 → 0			5	1-3
H5214325		Quick Dial Sheet - 06-10 - German					
H5214335		Quick Dial Sheet - 06-10 - Italian					
H5214345		Quick Dial Sheet - 06-10 - Spanish					
H5214355		Quick Dial Sheet - 06-10 - French					
H5214365		Quick Dial Sheet - 06-10 - Swedish					
H5214376		Quick Dial Sheet - 11-15 - English	1 → 0			4	1-3
H5214326		Quick Dial Sheet - 11-15 - German					
H5214336		Quick Dial Sheet - 11-15 - Italian					
H5214346		Quick Dial Sheet - 11-15 - Spanish					
H5214356		Quick Dial Sheet - 11-15 - French					
H5214366		Quick Dial Sheet - 11-15 - Swedish					
H5214377		Quick Dial Sheet - 16-20 - English	1 → 0			2	1-3
H5214327		Quick Dial Sheet - 16-20 - German					
H5214337		Quick Dial Sheet - 16-20 - Italian					
H5214347		Quick Dial Sheet - 16-20 - Spanish					
H5214357		Quick Dial Sheet - 16-20 - French					
H5214367		Quick Dial Sheet - 16-20 - Swedish					

MODIFICATION BULLETIN NO. F/L Series - 140ISSUED ON Oct.31,1996

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H5214474		Operation Panel Sheet - B - English (Ges)	1 → 0		The operation panel sheet B is included in the language kit. Please refer to previous pages (LSO).	7	1-3
H5214475		Operation Panel Sheet - B - English (Nashua)					
H5214476		Operation Panel Sheet - B - English (Rex)					
H5214484		Operation Panel Sheet - B - German (Ges)					
H5214485		Operation Panel Sheet - B - German (Nashua)					
H5214486		Operation Panel Sheet - B - German (Rex)					
H5214434		Operation Panel Sheet - B - Italian (Ges)					
H5214435		Operation Panel Sheet - B - Italian (Nashua)					
H5214436		Operation Panel Sheet - B - Italian (Rex)					
H5214444		Operation Panel Sheet - B - Spanish (Ges)					
H5214445		Operation Panel Sheet - B - Spanish (Nashua)					
H5214446		Operation Panel Sheet - B - Spanish (Rex)					
H5214454		Operation Panel Sheet - B - French (Ges)					
H5214455		Operation Panel Sheet - B - French (Nashua)					
H5214456		Operation Panel Sheet - B - French (Rex)					
H5214464		Operation Panel Sheet - B - Swedish (Ges)					
H5214465		Operation Panel Sheet - B - Swedish (Nashua)					
H5214466		Operation Panel Sheet - B - Swedish (Rex)					

Model: IFO		Date: 15-Sep-97	No: 017B	1/1
Modified Article: SHEET LCD - OP Port			Prepared by: Y.Tamaoka	
From: 2nd Technical Support Section			Checked by: S. Fujii	
Reason for Modification:	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vendor change <input type="checkbox"/> To meet standards <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability () <input type="checkbox"/> Part Standardization <input checked="" type="checkbox"/> Other			

Old part number	New part number	Description	Qty	Int	Page	Index	Note
	H5057201	SHEET - LCD - RIC	0→1				R NA
	H5054202	SHEET - LCD - FRA - RIC	0→1				R FR
	H5054203	SHEET - LCD - EU - RIC	0→1				R EU/A
	H5054260	SHEET - LCD - GES	0→1				NRG
	H5054261	SHEET - LCD - NSA	0→1				NRG
	H5054262	SHEET - LCD REX	0→1				NRG
	H5054266	SHEET - LCD - INF	0→1				INFO
	H5054267	SHEET - LCD - FRA - INF	0→1				INF F
	H5054269	SHEET - LCD - SVN	0→1				SVN
	H505 4216	SHEET – START/STOP	0→1				
	H505 4226	SHEET – KEYSW	0→1				

<Note>

Cover - Op Port (H5054231) is available. (See RTB IFO - 004)

But this part does not include any sheets.

These sheets need to be ordered separately.

RC	RE	ASIA
*	*	*

Model: IFO		Date: 31-May-97	No: 018
Modified Article: FCE		Prepared by: Y.Tamaoka	
From: QAC 2nd Field Information Dept.			
Reason for Modification:	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vendor change <input type="checkbox"/> To meet standards <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability () <input checked="" type="checkbox"/> Part Standardization <input type="checkbox"/> Other		
Modification Schedule			

Old part number	New part number	Description	Qty	Int	Page	Index	Note
H5056022	H5056025	PCB – FCE – EU	1 - 1	O/O	15	1 - 3	*1

Note

*1 The Mask ROM type of FCE (H5056022) can be replaced by the Flash ROM type of | FCE (H5056025) with the exception of the H505-53 (Taiwan).

RC	RE	ASIA	
*	*	*	

Model: IFO		Date: 31-May-97	No: 019
Modified Article: Document Table		Prepared by: Y.Tamaoka	
From: QAC 2nd Field Information Dept.			
Reason for Modification:	<input checked="" type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vendor change <input type="checkbox"/> To meet standards <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability () <input type="checkbox"/> Part Standardization <input type="checkbox"/> Other		
Modification Schedule			

Old part number	New part number	Description	Qty	Int	Page	Index	Note
H5044116	H5054116	Document Table Extension	1				

RC	RE	ASIA	
*	*	*	

Model: IFO		Date: 15-Jun-97	No: 020
Modified Article: Component of IJC		Prepared by: Y.Tamaoka	
From: QAC 2nd Field Information Dept.			
Reason for Modification:	<input checked="" type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vendor change <input type="checkbox"/> To meet standards <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability () <input type="checkbox"/> Part Standardization <input type="checkbox"/> Other		
Modification Schedule			

Old part number	New part number	Description	Qty	Int	Page	Index	Note
14074575	14074709	IC5: ROM-BR93LC46AF	1 - 1	O/O		IJC	

RC	RE	ASIA	
*	*	*	

MODIFICATION BULLETIN NO. Multi-004ISSUED ON Feb. 15, 1996

Model	C Series, AFO/AF2, IFO, FX6, FX6MII, FX6CD, FX4, LSO (Only for USA & TAIWAN)	Date of Modification
Modified Article	Modular Cord	Execution Date
Reason for Modification	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly <input checked="" type="checkbox"/> Vender change <input type="checkbox"/> Part standardization <input type="checkbox"/> To improve reliability <input type="checkbox"/> Other	After the old parts will become out of stock.

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
H081 5700	H081 5701	Modular Cord - 6P/6P	1 → 1	O / O			

M. Iwasa
 Manager
 Quality Assurance Center

MODIFICATION BULLETIN NO. Multi - 005ISSUED ON 30,Jun.1996

Model	IFO, F/L Series for U.S.					Modification Schedule	
Modified Article	PCB - NCU						
Reason for Modification	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> To meet standards () <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> Vender change <input checked="" type="checkbox"/> Part standardization <input type="checkbox"/> To improve reliability <input type="checkbox"/> Other					After the old parts are out of stock.	
The PWB has been changed in order to standardize with the Japanese NCU board.							

Old Part No.	New Part No.	Description	Q'ty Used Old → New	Interchange- ability	Remarks	Parts Catalog	
						Index No.	Page
(IFO)							
54886021C	54886021D	PCB - NCU - USA	1 → 1	O / O		22	3
(F/L Series)							
54886020F	54886020G	PCB - NCU - USA	1 → 1	O / O		12	3


S.Fujii
 General Manager
 2nd Field Infomation Deptment.
 QA Division.

Model: IFO		Date: 30-Nov-97	No: 021
Modified Article: TIJ Unit		Prepared by: Y.Tamaoka	
From: QAC Field Information Dept.			
Reason for Modification:	<input type="checkbox"/> Parts catalog correction <input type="checkbox"/> Vendor change <input type="checkbox"/> To meet standards <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability () <input type="checkbox"/> Part Standardization <input checked="" type="checkbox"/> Other		
Modification Schedule			

Old part number	New part number	Description	Qty	Int	Page	Index	Note
	H505 2533	Ribbon – Cable – Cartridge Ass'y	0 - 1		11	7	1

Note:1

This is a component of the TIJ unit and is newly registered as a spare part because of demand from the field.



RC	RE	ASIA	
*	*	*	

MB Correction

Reissue date: 30-Sep-98

The items in bold italic have been corrected or added.

Model: FX4,FX6,FX6MMK2,LSO,IFO,FLX7,FR4,LFO BR1		Date: 15-Sep-98	No: Multi - 012 A
Modified Article: NCU		Prepared by: Y.Okunishi	
From: QAC Field Information Dept.			
Reason for Modification:	<input type="checkbox"/> Parts catalog correction <input checked="" type="checkbox"/> Vendor change <input type="checkbox"/> To meet standards <input type="checkbox"/> To facilitate assembly <input type="checkbox"/> To improve reliability () <input type="checkbox"/> Part Standardization <input type="checkbox"/> Other		
Modification Schedule	Once the stock of the old part runs out.		

Old part number	New part number	Description	Qty	Int	Page	Index	Note
54886040E	54886040F	PCB – NCU – HE1	1 – 1	O/O			*1
54886041E	54886041F	PCB – NCU – HE2	1 – 1	O/O			IF0
54886045B	54886045C	PCB – NCU – HE2Y	1 – 1	O/O			*2
54886050B	54886050C	PCB – NCU – HE - IT	1 – 1	O/O			FR4
54886052	54886052 A	PCB – NCU – HE – 1Y	1 – 1	O/O			*3
54886053B	54886053C	PCB – NCU – HE – 2Y	1 – 1	O/O			LFO
H0686003H	H0686003J	PCB – NCU – HE -ASA	1 – 1	O/O			*4
(H5047146)	(H5457108)	HIL – 220/240V	(1 – 1)	(O/O)			

Note: *1= FX4, FX6, FX6MK2, LSO

*2= FX7, LX7

*3= FR4 G3 Option

*4= BRO, BR1

Europe, Asia only

RC	RE	ASIA	
	*	*	