

Mail Bin Type 3800C  
(G566)

## **Mail Bin Type 3800C (G566)**

### **PARTS CATALOG**


This catalog gives the numbers and names of parts on this machine.

### **CONTENTS**

|                                     |           |
|-------------------------------------|-----------|
| 1.Exterior (G566) .....             | 2         |
| 2.Paper Exit Section 1 (G566) ..... | 4         |
| 3.Paper Exit Section 2 (G566) ..... | 6         |
| 4.Paper Exit Section 3 (G566) ..... | 8         |
| 5.Decals And Documents (G566) ..... | 10        |
| <b>Parts Index .....</b>            | <b>13</b> |

**August ,25 ' 2001**

## 1.Exterior (G566)




## 1.Exterior (G566)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | G566 1515 | Button - Rear Lever                | 1                 |
| 2         | G566 1516 | Compression Spring - Button        | 2                 |
| 3         | G566 1611 | Front Cover                        | 1                 |
| 4         | G566 2311 | Jam Removal Cover                  | 1                 |
| 5         | AG07 1010 | Magnet Catch                       | 1                 |
| 6         | A048 2838 | Nylon Rivet                        | 1                 |
| 7         | G518 2371 | Cover Band                         | 1                 |
| 8         | G566 1751 | Decal - Misfeed Removal            | 1                 |
| 9         | G566 1711 | Upper Cover                        | 1                 |
| 10        | G566 1511 | Rear Cover                         | 1                 |
| 11        | G566 2281 | Cover - Paper Sensor               | 4                 |
| 12        | G566 6611 | Tray                               | 4                 |
| 13        | G566 2313 | Guide Cover Front                  | 1                 |
| 14        | G566 2312 | Guide Cover Rear                   | 1                 |
| 15        | G034 2993 | Flanged Hexagonal Head Bolt - M3x6 | 2                 |
| 16        | G566 1615 | Button - Front Lever               | 1                 |
| 17        | G566 2410 | Decal - Bin Display                | 1                 |

| Index No. | Part No.   | Description          | Q'ty Per Assembly |
|-----------|------------|----------------------|-------------------|
| 101       | 0451 3008H | Tapping Screw - M3x8 |                   |
| 102       | 0450 3008B | Tapping Screw - M3x8 |                   |

2.Paper Exit Section 1 (G566)




## 2.Paper Exit Section 1 (G566)

| Index No. | Part No.  | Description                  | Q'ty Per Assembly |
|-----------|-----------|------------------------------|-------------------|
| 1         | G566 5200 | Harness - Main               | 1                 |
| 2         | G566 5100 | Main Control Board           | 1                 |
| 3         | G518 1237 | Sheet - Shielding Plate      | 1                 |
| 4         | AW02 0086 | Photointerruptor             | 5                 |
| 5         | G518 1236 | Cushion - 0.5mm              | 1                 |
| 6         | G518 2262 | Actuator - Paper Sensor      | 3                 |
| 7         | G518 1231 | Upper Stay                   | 1                 |
| 8         | AF02 2075 | Driven Roller                | 1                 |
| 9         | G518 2212 | Guide Plate                  | 2                 |
| 10        | AW01 0088 | Sensor GP2A200LCS - Assembly | 2                 |
| 11        | G566 5230 | Harness - 1bin Paper Sensor  | 1                 |
| 12        | AA12 0095 | Discharge Brush              | 3                 |
| 13        | AA06 3348 | Compression Spring - 1.8N    | 6                 |
| 14        | AA08 0034 | Bushing - 4x5x7              | 4                 |
| 15        | AF02 2113 | Driven Roller - 23mm         | 2                 |
| 16        | G518 2272 | Transport Actuator           | 1                 |
| 17        | AA06 0801 | Tension Spring               | 1                 |
| 18        | G566 5210 | Harness - 3bin Paper Sensor  | 1                 |
| 19        | AA08 0232 | Bushing - M4                 | 2                 |
| 20        | G518 2291 | Cushion - Guide Plate        | 2                 |

| Index No. | Part No.   | Description             | Q'ty Per Assembly |
|-----------|------------|-------------------------|-------------------|
| 101       | 0451 3006B | Tapping Screw - M3x6    |                   |
| 102       | 1105 0326  | Locking Support         |                   |
| 103       | 1105 0328  | Harness Clamp - ES-0505 |                   |
| 104       | 1105 0283  | Clamp                   |                   |

3.Paper Exit Section 2 (G566)




### 3.Paper Exit Section 2 (G566)

| Index No. | Part No.  | Description                    | Q'ty Per Assembly |
|-----------|-----------|--------------------------------|-------------------|
| 1         | G566 1285 | Tension Spring - Lever         | 1                 |
| 2         | G566 1281 | Lever - Gate Pawl              | 1                 |
| 3         | G566 1290 | DC Solenoid - 24V 3.8W         | 1                 |
| 4         | G566 1250 | Front Bracket - Coupling       | 1                 |
| 5         | G518 1226 | Ground Plate                   | 1                 |
| 6         | 5447 2681 | Snap Ring                      | 2                 |
| 7         | G566 1163 | Release Lever                  | 2                 |
| 8         | G566 1165 | Tension Spring - Release Lever | 2                 |
| 9         | G518 2262 | Actuator - Paper Sensor        | 1                 |
| 10        | G518 2212 | Guide Plate                    | 2                 |
| 11        | G566 5250 | Harness - 2bin Paper Sensor    | 1                 |
| 12        | AW01 0088 | Sensor GP2A200LCS - Assembly   | 2                 |
| 13        | AW02 0086 | Photointerruptor               | 2                 |
| 14        | AF02 2113 | Driven Roller - 23mm           | 2                 |
| 15        | AA08 0034 | Bushing - 4x5x7                | 4                 |
| 16        | AA06 3348 | Compression Spring - 1.8N      | 6                 |
| 17        | AA08 0232 | Bushing - M4                   | 2                 |
| 18        | G566 5230 | Harness - 1bin Paper Sensor    | 1                 |
| 19        | AF02 2075 | Driven Roller                  | 1                 |
| 20        | AA06 0801 | Tension Spring                 | 1                 |
| 21        | G518 2272 | Transport Actuator             | 1                 |
| 22        | G566 1152 | Rear Bracket - Coupling        | 1                 |
| 23        | G566 1411 | Stay - Lower                   | 1                 |
| 24        | G566 1170 | Harness - Interface            | 1                 |
| 25        | AA12 0095 | Discharge Brush                | 1                 |
| 26        | G566 5817 | Harness - Interface            | 1                 |
| 27        | G518 1245 | Release Lever                  | 1                 |
| 28        | AA06 0800 | Pressure Release Spring - 0.5N | 1                 |
| 29        | 5446 2824 | Screw - Duplex Guide Plate     | 1                 |
| 30        | G518 2291 | Cushion - Guide Plate          | 4                 |

| Index No. | Part No.   | Description                   | Q'ty Per Assembly |
|-----------|------------|-------------------------------|-------------------|
| 101       | 0451 3006B | Tapping Screw - M3x6          |                   |
| 102       | 0805 0089  | Retaining Ring - M4           |                   |
| 103       | 1105 0231  | Clamp                         |                   |
| 104       | 1105 0310  | Harness Clamp - LWS-1S        |                   |
| 105       | 1105 0516  | Clamp                         |                   |
| 106       | 0313 0030B | Philips Pan Head Screw - M3x3 |                   |



4.Paper Exit Section 3 (G566)




#### 4.Paper Exit Section 3 (G566)

| Index No. | Part No.  | Description                  | Q'ty Per Assembly |
|-----------|-----------|------------------------------|-------------------|
| 1         | G566 2512 | Bracket - Stepper Motor      | 1                 |
| 2         | B351 1971 | Stepper Motor - Reverse      | 1                 |
| 3         | AA06 0803 | Tension Spring               | 1                 |
| 4         | G518 2555 | Bracket - Tightener          | 1                 |
| 5         | A079 4914 | Idle Roller - Gate Belt      | 3                 |
| 6         | AB03 0699 | Timing Pulley - T57 T28 S2M  | 1                 |
| 7         | AA04 3531 | Timing Belt - B40S2M144      | 1                 |
| 8         | AA04 3532 | Timing Belt - B40S2M560      | 1                 |
| 9         | AF02 0478 | Exit Roller                  | 4                 |
| 10        | 5447 2681 | Snap Ring                    | 9                 |
| 11        | GB03 0032 | Timing Pulley - T28-S2M      | 3                 |
| 12        | AB03 0639 | Timing Pulley - T26 S2M      | 2                 |
| 13        | G518 2412 | Exit Polarization Powl       | 3                 |
| 14        | G518 2710 | DC Solenoid - 24V 3.8W       | 3                 |
| 15        | AF02 0477 | Transport Roller             | 2                 |
| 16        | AA06 0802 | Tension Spring               | 3                 |
| 17        | A458 2251 | Cushion - Bin Solenoid Lever | 3                 |
| 18        | G566 1111 | Front Side Plate             | 1                 |
| 19        | G566 1220 | Rear Side Plate              | 1                 |


| Index No. | Part No.   | Description                           | Q'ty Per Assembly |
|-----------|------------|---------------------------------------|-------------------|
| 101       | 0451 3006B | Tapping Screw - M3x6                  |                   |
| 102       | 0805 0089  | Retaining Ring - M4                   |                   |
| 103       | 0951 4006W | Philips Screw With Flat Washer - M4x6 |                   |
| 104       | 0313 0030B | Philips Pan Head Screw - M3x3         |                   |
| 105       | 0805 3480  | Bushing - 6mm                         |                   |

## 5.Decals And Documents (G566)

1



2



## 5.Decals And Documents (G566)

| Index No. | Part No.  | Description             | Q'ty Per Assembly |
|-----------|-----------|-------------------------|-------------------|
| 1         | G566 1751 | Decal - Misfeed Removal | 1                 |
| 2         | G566 2410 | Decal - Bin Display     | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

# Parts Index

## Parts Index

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G566 1111 | Front Side Plate               | 9- 18              |
| G566 1152 | Rear Bracket - Coupling        | 7- 22              |
| G566 1163 | Release Lever                  | 7- 7               |
| G566 1165 | Tension Spring - Release Lever | 7- 8               |
| G566 1170 | Harness - Interface            | 7- 24              |
| G566 1220 | Rear Side Plate                | 9- 19              |
| G566 1250 | Front Bracket - Coupling       | 7- 4               |
| G566 1281 | Lever - Gate Pawl              | 7- 2               |
| G566 1285 | Tension Spring - Lever         | 7- 1               |
| G566 1290 | DC Solenoid - 24V 3.8W         | 7- 3               |
| G566 1411 | Stay - Lower                   | 7- 23              |
| G566 1511 | Rear Cover                     | 3- 10              |
| G566 1515 | Button - Rear Lever            | 3- 1               |
| G566 1516 | Compression Spring - Button    | 3- 2               |
| G566 1611 | Front Cover                    | 3- 3               |
| G566 1615 | Button - Front Lever           | 3- 16              |
| G566 1711 | Upper Cover                    | 3- 9               |
| G566 1751 | Decal - Misfeed Removal        | 11- 1              |
| G566 1751 | Decal - Misfeed Removal        | 3- 8               |
| G566 2281 | Cover - Paper Sensor           | 3- 11              |
| G566 2311 | Jam Removal Cover              | 3- 4               |
| G566 2312 | Guide Cover Rear               | 3- 14              |
| G566 2313 | Guide Cover Front              | 3- 13              |
| G566 2410 | Decal - Bin Display            | 11- 2              |
| G566 2410 | Decal - Bin Display            | 3- 17              |
| G566 2512 | Bracket - Stepper Motor        | 9- 1               |
| G566 5100 | Main Control Board             | 5- 2               |
| G566 5200 | Harness - Main                 | 5- 1               |
| G566 5210 | Harness - 3bin Paper Sensor    | 5- 18              |
| G566 5230 | Harness - 1bin Paper Sensor    | 7- 18              |
| G566 5230 | Harness - 1bin Paper Sensor    | 5- 11              |
| G566 5250 | Harness - 2bin Paper Sensor    | 7- 11              |
| G566 5817 | Harness - Interface            | 7- 26              |
| G566 6611 | Tray                           | 3- 12              |

| Part No.  | Description                        | Page and Index No. |
|-----------|------------------------------------|--------------------|
| AA04 3531 | Timing Belt - B40S2M144            | 9- 7               |
| AA04 3532 | Timing Belt - B40S2M560            | 9- 8               |
| AA06 0800 | Pressure Release Spring - 0.5N     | 7- 28              |
| AA06 0801 | Tension Spring                     | 7- 20              |
| AA06 0801 | Tension Spring                     | 5- 17              |
| AA06 0802 | Tension Spring                     | 9- 16              |
| AA06 0803 | Tension Spring                     | 9- 3               |
| AA06 3348 | Compression Spring - 1.8N          | 7- 16              |
| AA06 3348 | Compression Spring - 1.8N          | 5- 13              |
| AA08 0034 | Bushing - 4x5x7                    | 7- 15              |
| AA08 0034 | Bushing - 4x5x7                    | 5- 14              |
| AA08 0232 | Bushing - M4                       | 7- 17              |
| AA08 0232 | Bushing - M4                       | 5- 19              |
| AA12 0095 | Discharge Brush                    | 5- 12              |
| AA12 0095 | Discharge Brush                    | 7- 25              |
| AB03 0639 | Timing Pulley - T26 S2M            | 9- 12              |
| AB03 0699 | Timing Pulley - T57 T28 S2M        | 9- 6               |
| AF02 0477 | Transport Roller                   | 9- 15              |
| AF02 0478 | Exit Roller                        | 9- 9               |
| AF02 2075 | Driven Roller                      | 7- 19              |
| AF02 2075 | Driven Roller                      | 5- 8               |
| AF02 2113 | Driven Roller - 23mm               | 7- 14              |
| AF02 2113 | Driven Roller - 23mm               | 5- 15              |
| AG07 1010 | Magnet Catch                       | 3- 5               |
| AW01 0088 | Sensor GP2A200LCS - Assembly       | 5- 10              |
| AW01 0088 | Sensor GP2A200LCS - Assembly       | 7- 12              |
| AW02 0086 | Photointerruptor                   | 5- 4               |
| AW02 0086 | Photointerruptor                   | 7- 13              |
| B351 1971 | Stepper Motor - Reverse            | 9- 2               |
| G034 2993 | Flanged Hexagonal Head Bolt - M3x6 | 3- 15              |
| G518 1226 | Ground Plate                       | 7- 5               |
| G518 1231 | Upper Stay                         | 5- 7               |
| G518 1236 | Cushion - 0.5mm                    | 5- 5               |
| G518 1237 | Sheet - Shielding Plate            | 5- 3               |
| G518 1245 | Release Lever                      | 7- 27              |

| Part No.  | Description             | Page and Index No. |
|-----------|-------------------------|--------------------|
| G518 2212 | Guide Plate             | 5- 9               |
| G518 2212 | Guide Plate             | 7- 10              |
| G518 2262 | Actuator - Paper Sensor | 5- 6               |
| G518 2262 | Actuator - Paper Sensor | 7- 9               |
| G518 2272 | Transport Actuator      | 5- 16              |
| G518 2272 | Transport Actuator      | 7- 21              |
| G518 2291 | Cushion - Guide Plate   | 7- 30              |
| G518 2291 | Cushion - Guide Plate   | 5- 20              |
| G518 2371 | Cover Band              | 3- 7               |
| G518 2412 | Exit Polarization Powl  | 9- 13              |
| G518 2555 | Bracket - Tightener     | 9- 4               |
| G518 2710 | DC Solenoid - 24V 3.8W  | 9- 14              |
| GB03 0032 | Timing Pulley - T28-S2M | 9- 11              |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| A048 2838 | Nylon Rivet                  | 3- 6               |
| A079 4914 | Idle Roller - Gate Belt      | 9- 5               |
| A458 2251 | Cushion - Bin Solenoid Lever | 9- 17              |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| 5446 2824 | Screw - Duplex Guide Plate | 7- 29              |
| 5447 2681 | Snap Ring                  | 7- 6               |
| 5447 2681 | Snap Ring                  | 9- 10              |

| Part No.   | Description                           | Page and Index No. |
|------------|---------------------------------------|--------------------|
| 0313 0030B | Philips Pan Head Screw - M3x3         | 7-106              |
| 0313 0030B | Philips Pan Head Screw - M3x3         | 9-104              |
| 0450 3008B | Tapping Screw - M3x8                  | 3-102              |
| 0451 3006B | Tapping Screw - M3x6                  | 5-101              |
| 0451 3006B | Tapping Screw - M3x6                  | 9-101              |
| 0451 3006B | Tapping Screw - M3x6                  | 7-101              |
| 0451 3008H | Tapping Screw - M3x8                  | 3-101              |
| 0805 0089  | Retaining Ring - M4                   | 9-102              |
| 0805 0089  | Retaining Ring - M4                   | 7-102              |
| 0805 3480  | Bushing - 6mm                         | 9-105              |
| 0951 4006W | Philips Screw With Flat Washer - M4x6 | 9-103              |
| 1105 0231  | Clamp                                 | 7-103              |
| 1105 0283  | Clamp                                 | 5-104              |
| 1105 0310  | Harness Clamp - LWS-1S                | 7-104              |
| 1105 0326  | Locking Support                       | 5-102              |
| 1105 0328  | Harness Clamp - ES-0505               | 5-103              |
| 1105 0516  | Clamp                                 | 7-105              |