

# EMP156 (G155)

## PARTS CATALOG

Second edition, June 2006

Ricoh Company, LTD.

EMP156 (G155)

### Important Notes Regarding RoHS Compliant Parts in this Catalog

- The material of some parts used on the EMP156 was changed in accordance with the RoHS Directive. This Parts Catalog contains parts from before the changes (**non-RoHS compliant parts**) and after the changes (**RoHS-compliant parts**).
- RoHS-compliant parts have “(RoHS)” at the end of their description, together with “X/X” for X/X interchangeability or no mark for X/O interchangeability. RoHS-compliant parts are listed together with their non-RoHS compliant parts. **See below.**

Example: Fianl Ass’y 1 (G155)

| Index: | Part No.  | Description:                     |
|--------|-----------|----------------------------------|
| 30     | G155 5370 | Dv141 Assy (RoHS)                |
|        | G155 1370 | Dv141 Assy                       |
| 31     | G155 1370 | M4x4 Bind Screw                  |
| 32     | G155 5590 | CBDC Sirocco Fan Ass’y (RoHS)    |
|        | G150 1590 | CBDC Sirocco Fan Ass’y           |
| 436    | G1508970  | Controller Board Assy (RoHS) X/X |
|        | G1501970  | Controller Bpard Ass’y           |

## Important Notes Regarding RoHS Compliant Parts in this Catalog

- **Interchangeability:**

- **X/O:**

|                                 | <b>RoHS compliant machines:</b> | <b>Non-RoHS compliant machines:</b> |
|---------------------------------|---------------------------------|-------------------------------------|
| <b>RoHS compliant parts</b>     | Usable                          | Usable                              |
| <b>Non-RoHS compliant parts</b> | <b>Do not use</b>               | Usable                              |

- **X/X:**

|                                 | <b>RoHS compliant machines:</b> | <b>Non-RoHS compliant machines:</b> |
|---------------------------------|---------------------------------|-------------------------------------|
| <b>RoHS compliant parts</b>     | Usable                          | <b>Do not use</b>                   |
| <b>Non-RoHS compliant parts</b> | <b>Do not use</b>               | Usable                              |

- **SERIAL NO. Information:**

| <b>RoHS compliant machines</b> | <b>V/Hz</b>      | <b>DESTINATION</b> | <b>CODE</b> | <b>SERIAL NO.</b> |
|--------------------------------|------------------|--------------------|-------------|-------------------|
| EMP156                         | 380,400,415 50Hz | Europe             | G155-27     | Q4960440020       |



## EMP156 (G155)

### PARTS CATALOG

This catalog gives the numbers and names of parts on this machine.

|                                      |          |                                |    |
|--------------------------------------|----------|--------------------------------|----|
| <b>Location of Unit .....</b>        | <b>2</b> | 18.Regist 2 (G155).....        | 50 |
| 1.Final Ass'y 1 (G155) .....         | 12       | 19.Regist 3 (G155).....        | 52 |
| 2.Final Ass'y 2 (G155) .....         | 16       | 20.Fuser Unit (G155) .....     | 54 |
| 3.Air System (G155) .....            | 20       | 21.Inverter Unit (G155) .....  | 58 |
| 4.Paper Supply Ass'y 1 (G155) .....  | 22       | 22.EP Unit 1 (G155).....       | 62 |
| 5.Paper Supply Ass'y 2 (G155) .....  | 24       | 23.EP Unit 2 (G155).....       | 64 |
| 6.Paper Supply Ass'y 3 (G155) .....  | 26       | 24.EP Unit 3 (G155).....       | 66 |
| 7.Paper Supply Ass'y 4 (G155) .....  | 28       | 25.EP Unit 4 (G155).....       | 68 |
| 8.Vertical Paper Feed (G155).....    | 30       | 26.EP Unit 5 (G155).....       | 70 |
| 9.Vertical Paper Feed 2 (G155).....  | 32       | 27.Drum Unit (G155).....       | 72 |
| 10.Large Hopper Ass'y 1 (G155) ..... | 34       | 28.Developer Unit (G155) ..... | 74 |
| 11.Large Hopper Ass'y 2 (G155) ..... | 36       | 29.Toner Hopper (G155).....    | 76 |
| 12.Small Hopper Ass'y 1 (G155) ..... | 38       | 30.Transfer Unit (G155).....   | 78 |
| 13.Small Hopper Ass'y 2 (G155) ..... | 40       | 31.Cleaner (G155) .....        | 80 |
| 14.Paper Feed Module 1 (G155).....   | 42       | 32.Cover (G155) .....          | 82 |
| 15.Paper Feed Module 2 (G155).....   | 44       | 33.Stacker 1 (G155).....       | 84 |
| 16.Paper Feed Module 3 (G155).....   | 46       | 34.Stacker 2 (G155).....       | 86 |
| 17.Regist 1 (G155) .....             | 48       | 35.Stacker 3 (G155).....       | 88 |

June ,15 ' 2006

## EMP156 (G155)


### PARTS CATALOG

This catalog gives the numbers and names of parts on this machine.

|                                                |            |
|------------------------------------------------|------------|
| 36.Stacker Paper Feed 1 (G155) .....           | 90         |
| 37.Stacker Paper Feed 2 (G155) .....           | 92         |
| 38.Stacker Offset (G155).....                  | 94         |
| 39.Stacker Additional Paper Feed 1 (G155)..... | 96         |
| 40.Stacker Additional Paper Feed 2 (G155)..... | 98         |
| 41.Stacker Jogger Unit (G155).....             | 100        |
| 42.Stacker Lift Unit (G155) .....              | 102        |
| 43.Feeder Ass'y 1 (G155).....                  | 104        |
| 44.Feeder Ass'y 2 (G155).....                  | 106        |
| 45.Feeder Ass'y 3 (G155).....                  | 108        |
| 46.Feeder Path 1 Ass'y 1 (G155) .....          | 110        |
| 47.Feeder Path 1 Ass'y 2 (G155) .....          | 112        |
| 48.Feeder Path 2 Ass'y 1 (G155) .....          | 114        |
| 49.Feeder Path 2 Ass'y 2 (G155) .....          | 116        |
| 50.Feeder Hopper Ass'y 1 (G155).....           | 118        |
| 51.Feeder Hopper Ass'y 2 (G155).....           | 120        |
| 52.Transit Ass'y (G155) .....                  | 122        |
| <b>Parts Index .....</b>                       | <b>125</b> |


## LOCATIONS OF UNITS

1. Final Ass'y 1 (G155)




See Page 13

2. Final Ass'y 2 (G155)




See Page 15

3. Air System (G155)




See Page 17

4. Paper Supply Ass'y 1 (G155)




See Page 19

5. Paper Supply Ass'y 2 (G155)



See Page 21


6. Paper Supply Ass'y 3 (G155)



See Page 23


## LOCATIONS OF UNITS

7. Paper Supply Ass'y 4 (G155)




See Page 25

8. Vertical Paper Feed (G155)




See Page 27

9. Vertical Paper Feed 2 (G155)




See Page 29

10. Large Hopper Ass'y 1 (G155)




See Page 31

11. Large Hopper Ass'y 2 (G155)



See Page 33


12. Small Hopper Ass'y 1 (G155)



See Page 35


## LOCATIONS OF UNITS

13. Small Hopper Ass'y 2 (G155)




See Page 37

14. Paper Feed Module 1 (G155)




See Page 39

15. Paper Feed Module 2 (G155)




See Page 41

16. Paper Feed Module 3 (G155)




See Page 43

17. Regist 1 (G155)



See Page 45


18. Regist 2 (G155)



See Page 47


## LOCATIONS OF UNITS

19. Regist 3 (G155)




See Page 49

20. Fuser Unit (G155)




See Page 51

21. Inverter Unit (G155)




See Page 53

22. EP Unit 1 (G155)




See Page 55

23. EP Unit 2 (G155)



See Page 57


24. EP Unit 3 (G155)



See Page 59


## LOCATIONS OF UNITS

25. EP Unit 4 (G155)




See Page 61

26. EP Unit 5 (G155)




See Page 63

27. Drum Unit (G155)




See Page 65

28. Developer Unit (G155)




See Page 67

29. Toner Hopper (G155)



See Page 69


30. Transfer Unit (G155)



See Page 71


## LOCATIONS OF UNITS

31. Cleaner (G155)




See Page 73

32. Cover (G155)




See Page 75

33. Stacker 1 (G155)




See Page 77

34. Stacker 2 (G155)




See Page 79

35. Stacker 3 (G155)



See Page 81

36. Stacker Paper Feed 1 (G155)




See Page 83




## LOCATIONS OF UNITS

37. Stacker Paper Feed 2 (G155)




See Page 85

38. Stacker Offset (G155)




See Page 87

39. Stacker Additional Paper Feed 1 (G155)




See Page 89

40. Stacker Additional Paper Feed 2 (G155)




See Page 91

41. Stacker Jogger Unit (G155)



See Page 93


42. Stacker Lift Unit (G155)



See Page 95


## LOCATIONS OF UNITS

43. Feeder Ass'y 1 (G155)




See Page 97

44. Feeder Ass'y 2 (G155)




See Page 99

45. Feeder Ass'y 3 (G155)




See Page 101

46. Feeder Path 1 Ass'y 1 (G155)




See Page 103

47. Feeder Path 1 Ass'y 2 (G155)



See Page 105


48. Feeder Path 2 Ass'y 1 (G155)



See Page 107


## LOCATIONS OF UNITS

49. Feeder Path 2 Ass'y 2 (G155)




See Page 109

50. Feeder Hopper Ass'y 1 (G155)




See Page 111

51. Feeder Hopper Ass'y 2 (G155)



See Page 113


52. Transit Ass'y (G155)



See Page 115



1.Final Ass'y 1 (G155)



## 1.Final Ass'y 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 1235 | Frame Assy                              | 1                 |
| 3         | G155 1323 | Inner Cover (Cf)                        | 1                 |
| 5         | G155 1531 | PS Cover (2)                            | 1                 |
| 6         | G155 1556 | PS Cover (1) Aasy                       | 1                 |
| 7         | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 8                 |
| 20        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 24        | G150 1014 | M4X8 Bind Screw                         | 8                 |
| 28        | G155 1306 | PK Box Assy                             | 1                 |
| 29        | G155 1459 | PK Box W Assy                           | 1                 |
| 30        | G155 5370 | DV141 Assy (RoHS)                       | 1                 |
|           | G155 1370 | DV141 Assy                              | 1                 |
| 31        | G155 1035 | M3X4 Bind Screw                         | 14                |
| 33        | G155 8538 | Optics Board (RoHS)                     | 1                 |
|           | G155 2693 | Optics Board (RoHS) MG155030 X/X        | 1                 |
|           | G155 1538 | Optics Board                            | 1                 |
| 34        | G155 5535 | OC342 Ass'y (RoHS)                      | 1                 |
|           | G155 2690 | MG155007 X/O                            | 1                 |
|           | G155 1535 | OC342 Assy                              | 1                 |
| 35        | G155 5152 | DC Fan (RoHS)                           | 1                 |
|           | G155 1152 | DC Fan                                  | 1                 |
| 36        | G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 2                 |
| 37        | G150 1034 | Flange Nut                              | 2                 |
| 51        | G155 1916 | Filter Box Assy                         | 1                 |
| 52        | G155 1300 | Filter Box Welding Assy                 | 1                 |
| 54        | G155 2299 | Seal                                    | 2                 |
| 55        | G155 1826 | Filter Case                             | 1                 |
| 56        | G155 2298 | Filter                                  | 1                 |
| 57        | G155 1841 | Filter Box Cover                        | 1                 |
| 58        | G155 2297 | Filter Box Seal                         | 1                 |
| 59        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 61        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 63        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 8                 |
| 65        | G155 5369 | Auto Transformer (RoHS)                 | 1                 |
|           | G155 1369 | Auto Transformer                        | 1                 |
| 66        | G155 1030 | M5X12 Hex Socket Bolt With Sw& W        | 4                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 67        | G155 1005 | Press Washer                           | 4                 |
| 68        | G155 1815 | Trans Base (2)                         | 1                 |
| 71        | G155 5362 | Trans (RoHS)                           | 1                 |
|           | G155 1362 | Trans                                  | 1                 |
| 72        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 73        | G155 1827 | Trans Base                             | 1                 |
| 74        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 29                |
| 76        | G155 1817 | CP Holder                              | 1                 |
| 77        | G155 5150 | Circuit Protector (RoHS)               | 1                 |
|           | G155 1150 | Circuit Protector                      | 1                 |
| 78        | G150 1009 | M3X6 Bind Screw                        | 2                 |
| 79        | G155 1922 | AC Change Cable Assy                   | 1                 |
| 81        | G155 1461 | Line Filter Holder                     | 1                 |
| 82        | G155 1458 | Line Filter Cover                      | 1                 |
| 83        | G155 5133 | Line Filter (RoHS)                     | 1                 |
|           | G155 1133 | Line Filter                            | 1                 |
| 84        | G155 5149 | Circuit Protector (RoHS)               | 1                 |
|           | G155 1149 | Circuit Protector                      | 1                 |
| 85        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 2                 |
| 86        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 8                 |
| 88        | G155 1464 | Cable Holder Assy                      | 1                 |
| 89        | G155 2238 | PS Holder                              | 2                 |
| 91        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 6                 |
| 92        | G155 1286 | LPS Holder                             | 1                 |
| 93        | G150 5096 | Switching Regulator (RoHS)             | 1                 |
|           | G150 1096 | Switching Regulator                    | 1                 |
| 94        | G150 5097 | Switching Regulator (RoHS)             | 1                 |
|           | G150 1097 | Switching Regulator                    | 1                 |
| 95        | G155 5135 | Switching Regulator (RoHS)             | 1                 |
|           | G155 1135 | Switching Regulator                    | 1                 |
| 96        | G150 1010 | M3X8 Bind Screw                        | 8                 |
| 98        | G150 5676 | AC011Ass'y (RoHS)                      | 1                 |
|           | G150 1676 | AC011Ass'y                             | 1                 |
| 99        | G155 1364 | AC Pk Cover                            | 1                 |
| 100       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |

| Index No. | Part No.  | Description                              | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------|-------------------|
| 102       | G155 1468 | AC Parts Holder                          | 1                 |
| 103       | G155 1144 | Relay                                    | 1                 |
| 104       | G155 1151 | Terminal Block                           | 1                 |
| 105       | G155 1168 | Cord Lock                                | 1                 |
| 106       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 107       | G155 1209 | Screw, M5X10 Pan Hd.Phillips With SW & W | 2                 |
| 108       | G155 1169 | Cord Lock(Nut)                           | 1                 |
| 112       | G155 5371 | RB321 Assy (RoHS)                        | 1                 |
|           | G155 1371 | RB321 Assy                               | 1                 |
| 113       | G155 1288 | Relay Board Holder                       | 1                 |
| 115       | G155 1471 | Relay Board Cover                        | 1                 |
| 116       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 117       | G155 1035 | M3X4 Bind Screw                          | 4                 |
| 118       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 6                 |
| 120       | G155 1466 | PA Stopper Holder                        | 1                 |
| 121       | G155 5147 | Push Switch (RoHS)                       | 1                 |
|           | G155 1147 | Push Switch                              | 1                 |
| 123       | G155 5673 | PS Assy (RoHS)                           | 2                 |
|           | G155 1673 | PS Assy                                  | 2                 |
| 124       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 8                 |
| 126       | G155 1899 | HVPS Assy                                | 1                 |
| 127       | G155 1457 | HVPS Holder Assy                         | 1                 |
| 129       | G155 5516 | High-Voltage Power Supply(Ch) (RoHS)     | 1                 |
|           | G155 1516 | High-Voltage Power Supply(Ch)            | 1                 |
| 130       | G150 1009 | M3X6 Bind Screw                          | 4                 |
| 131       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 132       | G155 5142 | Electrostatic Voltmeter (RoHS)           | 1                 |
|           | G155 1142 | Electrostatic Voltmeter                  | 1                 |
| 133       | G150 1009 | M3X6 Bind Screw                          | 4                 |
| 146       | G150 1014 | M4X8 Bind Screw                          | 10                |
| 147       | G155 1911 | LH Fan Assy                              | 1                 |
| 148       | G155 1828 | Finger Guard                             | 1                 |
| 149       | G150 5116 | DC Fan - 3.4W (RoHS)                     | 1                 |
|           | G150 1116 | DC Fan - 3.4W                            | 1                 |
| 150       | G155 1041 | M4X40 Bind Screw                         | 2                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 151       | G150 1035 | Flange Nut                              | 2                 |
| 159       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 15                |
| 175       | G155 2309 | Regist Cover SW Assy                    | 1                 |
| 176       | G155 2239 | PHR Cover SW Holder                     | 1                 |
| 177       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 199       | G155 1814 | SNS Cooling Duct(Lh)                    | 1                 |
| 200       | G155 1463 | SNS Cooling Duct(Uh)                    | 1                 |
| 201       | G155 5152 | DC Fan (RoHS)                           | 1                 |
|           | G155 1152 | DC Fan                                  | 1                 |
| 203       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 206       | G155 1462 | Tr Hvps Holder                          | 1                 |
| 207       | G155 5363 | High-Voltage Power Supply 3 (RoHS)      | 1                 |
|           | G155 1363 | High-Voltage Power Supply 3             | 1                 |
| 208       | G155 1035 | M3X4 Bind Screw                         | 2                 |
| 209       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 212       | G155 1505 | HD Holder Rivet Assy                    | 1                 |
| 213       | G155 1035 | M3X4 Bind Screw                         | 5                 |
| 214       | G155 1287 | HD Holder Cover (2)                     | 1                 |
| 215       | G155 5366 | Heater Driver (RoHS)                    | 1                 |
|           | G155 1366 | Heater Driver                           | 1                 |
| 216       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 219       | G150 1160 | Screw,M4X8 Pan Hd.Phillips              | 9                 |
| 228       | G155 2038 | Pressure Switch Ass'y                   | 1                 |
| 230       | G155 1344 | Fine Filter                             | 1                 |
| 231       | G155 1034 | Hex Socket Bolt                         | 1                 |
| 232       | G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W | 2                 |
| 233       | G155 1336 | CF Case Weld Assy                       | 1                 |
| 235       | G155 1587 | CF Latch Catch                          | 1                 |
| 236       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 239       | G155 1469 | CF Casing Welding Assy                  | 1                 |
| 241       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 243       | G155 1335 | CF Door W Assy                          | 1                 |
| 245       | G155 2163 | CF Packing                              | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 246       | G155 1590 | CF Door Latch Spring                    | 1                 |
| 247       | G155 1588 | CF Door Latch                           | 1                 |
| 248       | G155 2076 | CF Latch Shaft                          | 1                 |
| 249       | G150 5084 | Retaning Ring-E (RoHS)                  | 2                 |
|           | G150 1084 | Retaining Ring-E                        | 2                 |
| 250       | G155 2131 | CF Sensor Plate(E)                      | 1                 |
| 251       | G155 2077 | CF Latch Pin                            | 1                 |
| 252       | G150 1083 | Retaining Ring-E                        | 2                 |
| 253       | G155 1084 | Extension Spring                        | 1                 |
| 254       | G155 2078 | CF Door Hinge                           | 2                 |
| 256       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 8                 |
| 259       | G155 1026 | M4X8 Hex Socket Bolt                    | 1                 |
| 260       | G851 1021 | Spring Washer,D4                        | 1                 |
| 261       | G155 1095 | Extension Spring                        | 1                 |
| 262       | G150 1144 | Bolt Washer,D4                          | 1                 |
| 264       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 272       | G155 1020 | Silicon Rubber Hose                     | 1                 |
| 273       | G155 1018 | Silicon Rubber Hose                     | 1                 |
| 282       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 5                 |
| 291       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 21                |
| 296       | G155 1506 | Seal Holder Assy                        | 1                 |
| 297       | G155 1465 | Seal Holder Box                         | 1                 |
| 298       | G155 1572 | Cyclone Cover (M2)                      | 1                 |
| 299       | G155 1655 | Hose Connector Spacer                   | 1                 |
| 300       | G155 1013 | Sleeve Cap                              | 1                 |
| 301       | G155 1852 | PA Seal                                 | 1                 |
| 302       | G155 5145 | Relay (RoHS)                            | 1                 |
|           | G155 1145 | Relay                                   | 1                 |
| 303       | G155 1472 | Relay Cover                             | 1                 |
| 306       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 307       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 308       | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 2                 |
| 313       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 314       | G155 1655 | Hose Connector Spacer                   | 1                 |
| 315       | G155 1572 | Cyclone Cover (M2)                      | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 326       | G155 1816 | PK Box Stopper                          | 1                 |
| 327       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 329       | G155 1208 | Screw,M4X40 Pan Hd.Phillips With SW & W | 6                 |
| 330       | G155 5152 | DC Fan (RoHS)                           | 3                 |
|           | G155 1152 | DC Fan                                  | 3                 |
| 332       | G155 1507 | Thermo Fan Assy                         | 1                 |
| 333       | G155 1829 | Thermo Fan Holder Assy                  | 1                 |
| 334       | G155 5152 | DC Fan (RoHS)                           | 1                 |
|           | G155 1152 | DC Fan                                  | 1                 |
| 335       | G155 2145 | Air Filter                              | 1                 |
| 336       | G155 1977 | Thermo Fan Holder(3)                    | 1                 |
| 337       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 338       | G155 1592 | EX Pipe(2)                              | 1                 |
| 339       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 341       | G155 1289 | EX Duct(Eh)                             | 1                 |
| 342       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 344       | G155 1515 | EX Fan Assy                             | 1                 |
| 345       | G155 1290 | EX Fan Holder Assy                      | 1                 |
| 346       | G155 1851 | Duct Seal(1)                            | 1                 |
| 347       | G150 5115 | DC Fan (RoHS)                           | 2                 |
|           | G150 1115 | DC Fan                                  | 2                 |
| 348       | G155 1898 | Fan Clamper                             | 1                 |
| 349       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 351       | G155 1572 | Cyclone Cover (M2)                      | 1                 |
| 352       | G155 1655 | Hose Connector Spacer                   | 1                 |
| 354       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 5                 |
| 356       | G155 1016 | Suction Hose                            | 2                 |
| 357       | G155 1009 | Wire Band                               | 10                |
| 358       | G155 1158 | Nylon Clip                              | 1                 |
| 359       | G155 1007 | Distance Piece                          | 1                 |
| 360       | G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W | 1                 |
| 363       | G155 1456 | Conector Holder (Tr)                    | 1                 |
| 364       | G155 2325 | Cable Stay Assy                         | 1                 |
| 365       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 6                 |
| 381       | G155 1810 | AS Hinge Assy                           | 1                 |




| Index No. | Part No.  | Description                              | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------|-------------------|
| 382       | G155 1809 | AS Hinge Assy                            | 1                 |
| 383       | G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 4                 |
| 393       | G155 1035 | M3X4 Bind Screw                          | 2                 |
| 394       | G155 5529 | High-Voltage Power Supply(Dtc) (RoHS)    | 1                 |
|           | G155 1529 | High-Voltage Power Supply(Dtc)           | 1                 |
| 395       | G155 1949 | TR-HVPS (2) Assy                         | 1                 |
| 397       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 9                 |
| 399       | G155 2240 | Inner Cover(Lb)                          | 1                 |
| 408       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 1                 |
| 410       | G155 1534 | LD Cooling Duct                          | 1                 |
| 411       | G155 2189 | G/Y 12M5 Earth Cable                     | 2                 |
| 412       | G155 1209 | Screw, M5X10 Pan Hd.Phillips With SW & W | 2                 |
| 413       | G155 1186 | Teeth Washer                             | 2                 |
| 417       | G150 1893 | Serial Connector Cover MG155029          | 1                 |
| 418       | G150 5115 | DC Fan (RoHS)                            | 2                 |
|           | G150 1115 | DC Fan                                   | 2                 |
| 419       | G155 1042 | M4X45 Bind Screw                         | 4                 |
| 420       | G155 1551 | Fan Holder R                             | 1                 |
| 421       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 422       | G155 1154 | Finger Guard                             | 2                 |
| 423       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 424       | G150 1858 | Flat Screw MG155029                      | 2                 |
| 425       | G150 1871 | M2.5X8 Fan Hd. Screw                     | 2                 |
| 426       | G150 1871 | M2.5x8 Screw MG155029                    | 4                 |
| 427       | G155 1479 | CE Box Ass'y (Ehp)                       | 1                 |
| 428       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 18                |
| 429       | G155 1298 | CE Box Cover                             | 1                 |
| 430       | G150 1016 | M4X12 Bind Screw                         | 4                 |
| 431       | G155 5675 | Fan Assy(Ce) (RoHS)                      | 1                 |
|           | G155 1675 | Fan Assy (Ce)                            | 1                 |
| 432       | G155 5971 | HDD Maintenance Assy (Ehp) (RoHS)        | 1                 |
|           | G155 1971 | HDD Maintenance Assy (Ehp)               | 1                 |
| 434       | G150 1857 | Inch Screw (6-32,Type)                   | 4                 |
| 435       | G150 1748 | Lan Adapter Ass'y MG155029               | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 436       | G155 8970 | Controller Board Assy(Ehp) (RoHS) X/X  | 1                 |
|           | G155 1970 | Controller Board Assy (Ehp)            | 1                 |
| 437       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 13                |
| 438       | G155 8969 | DDRDIMM Assy (RoHS) X/X                | 1                 |
|           | G155 1969 | DDRDIMM Assy                           | 1                 |
| 440       | G155 1950 | I/O Panel Assy (E3)                    | 1                 |
| 442       | G155 2368 | Pressure Sensor (CI) Assy              | 1                 |
| 443       | G155 1557 | Pressure Sensor Holder Assy            | 1                 |
| 444       | G150 1008 | M3X5 Bind Screw                        | 2                 |
| 445       | G150 1016 | M4X12 Bind Screw                       | 2                 |
| 447       | G155 1019 | Silicon Rubber Hose                    | 1                 |
| 453       | G155 5678 | Attention Light Assy (RoHS)            | 1                 |
|           | G155 1678 | Attention Light Assy                   | 1                 |
| 454       | G155 5543 | IF651 Assy (RoHS)                      | 1                 |
|           | G155 1543 | IF651 Assy                             | 1                 |
| 455       | G150 1009 | M3X6 Bind Screw                        | 2                 |
| 461       | G155 2665 | DEV Fan(2) Holder MG155008             | 1                 |
| 462       | G150 5116 | DC Fan - 3.4W (RoHS)                   | 2                 |
|           | G150 1116 | DC Fan - 3.4W MG155008                 | 2                 |
| 463       | G155 1040 | Bind Screw M3x35 MG155008              | 4                 |
| 464       | G150 1035 | Flange Nut MG155008                    | 4                 |
| 465       | G155 2667 | Edgine MG155008                        | 1                 |
| 466       | G150 1014 | Bind Screw M4x8 MG155008               | 5                 |
| 468       | G155 2666 | LH Blind Plate MG155008                | 1                 |
| 469       | G150 1014 | Bind Screw M4x8 MG155008               | 3                 |



## 2.Final Ass'y 2 (G155)



## 2.Final Ass'y 2 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 12        | G155 1296 | Panel Lower Cover(H)                    | 1                 |
| 13        | G155 8514 | Panel Assy (RoHS) X/X                   | 1                 |
|           | G155 1514 | Panel Assy                              | 1                 |
| 20        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 22        | G851 1022 | External Tooth Washer, D4               | 1                 |
| 23        | G155 1961 | Panel Holder Assy                       | 1                 |
| 40        | G155 1493 | Blower Tray Assy                        | 1                 |
| 41        | G155 5933 | Pick Blower Assy (RoHS)                 | 1                 |
|           | G155 1933 | Pick Blower Assy                        | 1                 |
| 43        | G155 2375 | Hose (B)                                | 1                 |
| 44        | G155 1570 | Hose (B)                                | 2                 |
| 46        | G155 1010 | Wire Band                               | 2                 |
| 47        | G155 1027 | M8X20 Hex Socket Bolt                   | 8                 |
| 48        | G155 1184 | Spring Washer,D8                        | 8                 |
| 49        | G150 1146 | Bolt Washer,D8                          | 8                 |
| 124       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 8                 |
| 135       | G155 1909 | DEV Temp Stay Assy                      | 1                 |
| 136       | G155 1431 | DEV Temp Stay                           | 1                 |
| 137       | G155 2128 | SV Sensor Holder                        | 1                 |
| 138       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 140       | G150 5104 | Temperature Humidity Sensor (RoHS)      | 1                 |
|           | G150 1104 | Temperature Humidity Sensor             | 1                 |
| 141       | G155 1205 | Screw,M4X16 Pan Hd.Phillips With SW & W | 4                 |
| 142       | G150 1009 | M3X6 Bind Screw                         | 4                 |
| 143       | G155 2324 | DEV Suport Sp(2) Assy                   | 1                 |
| 144       | G155 2376 | MD272 Assy                              | 1                 |
| 145       | G155 5237 | OPT Unit Assy (RoHS)                    | 1                 |
|           | G155 1237 | OPT Unit Assy                           | 1                 |
| 146       | G150 1014 | M4X8 Bind Screw                         | 10                |
| 152       | G155 1513 | Fan Holder Assy                         | 1                 |
| 153       | G155 1281 | Fan Holder                              | 1                 |
| 154       | G150 5115 | DC Fan (RoHS)                           | 2                 |
|           | G150 1115 | DC Fan                                  | 2                 |
| 155       | G155 1042 | M4X45 Bind Screw                        | 8                 |
| 156       | G150 1035 | Flange Nut                              | 4                 |


| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 157       | G155 1154 | Finger Guard                            | 4                 |
| 159       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 15                |
| 161       | G155 2313 | CH-CL Sensor Assy                       | 1                 |
| 162       | G155 1819 | CH-CL Sensor Holder                     | 1                 |
| 163       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 165       | G155 2310 | TR Sensor Assy                          | 1                 |
| 166       | G155 1831 | TR Sensor Holder                        | 1                 |
| 167       | G155 5136 | Photo Interrupter (RoHS)                | 1                 |
|           | G155 1136 | Photo Interrupter                       | 1                 |
| 170       | G155 2311 | TR Sensor Assy (2)                      | 1                 |
| 171       | G155 1818 | TR Sensor Holder (2)                    | 1                 |
| 172       | G155 5137 | Photo Interrupter (RoHS)                | 1                 |
|           | G155 1137 | Photo Interrupter                       | 1                 |
| 173       | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 1                 |
| 179       | G155 2312 | LED Holder (Ahp) Assy                   | 1                 |
| 180       | G155 1811 | LED Holder(F)                           | 1                 |
| 181       | G155 5680 | LD431 Assy (RoHS)                       | 1                 |
|           | G155 1680 | LD431 Assy                              | 1                 |
| 182       | G150 1009 | M3X6 Bind Screw                         | 1                 |
| 185       | G155 1896 | CCD Fan Holder Assy                     | 1                 |
| 186       | G155 1408 | CCD Fan Holder                          | 1                 |
| 187       | G155 5152 | DC Fan (RoHS)                           | 1                 |
|           | G155 1152 | DC Fan                                  | 1                 |
| 188       | G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 2                 |
| 189       | G150 1034 | Flange Nut                              | 2                 |
| 191       | G155 1897 | DEV Fan Assy                            | 1                 |
| 192       | G155 1460 | DEV Fan Holder(2) Assy                  | 1                 |
| 193       | G150 5114 | DC Fan (RoHS)                           | 1                 |
|           | G150 1114 | DC Fan                                  | 1                 |
| 194       | G155 1204 | Screw,M3X35 Pan Hd.Phillips             | 2                 |
| 196       | G155 2680 | Toner Shield(S1) MG155018               | 1                 |
| 197       | G155 2681 | Toner Shield(S2) MG155018               | 1                 |
| 219       | G150 1160 | Screw,M4X8 Pan Hd.Phillips              | 9                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 221       | G155 2670 | MG155030 X/X                            | 2                 |
|           | G155 1674 | HR Sensor Assy                          | 2                 |
| 222       | G155 8141 | MG155030 X/X                            | 2                 |
|           | G155 1141 | Thermopile Module                       | 2                 |
| 223       | G155 2668 | Thermopile Holder MG155030 X/X          | 2                 |
|           | G155 1974 | HR Sensor Holder Rework                 | 2                 |
| 225       | G155 1895 | Thermopile Cover Assy                   | 1                 |
| 266       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 8                 |
| 267       | G155 1546 | Toner Bag Box B Assy                    | 1                 |
| 268       | G155 1624 | Toner Bag Sensor Arm(E)                 | 1                 |
| 269       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 270       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 275       | G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W | 2                 |
| 276       | G155 1813 | Toner Bag Base Assy                     | 1                 |
| 278       | G155 2731 | Cyclone Assy (RoHS)                     | 1                 |
|           | G155 1657 | Cyclone Assy                            | 1                 |
| 283       | G155 1013 | Sleeve Cap                              | 2                 |
| 285       | G155 2079 | Toner Bag Seal (2U)                     | 1                 |
| 286       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 288       | G155 1001 | Toner Bag Ass'y                         | 1                 |
| 289       | G155 1575 | Paper Bag (S) Assy                      | 1                 |
| 291       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 21                |
| 294       | G155 1830 | Cyclone Holder                          | 1                 |
| 297       | G155 1465 | Seal Holder Box                         | 1                 |
| 299       | G155 1655 | Hose Connector Spacer                   | 1                 |
| 318       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 4                 |
| 319       | G155 1997 | Interlock SW Holder                     | 2                 |
| 320       | G150 5111 | Push Switch (RoHS)                      | 2                 |
|           | G150 1111 | Push Switch                             | 2                 |
| 322       | G155 1470 | SW Holder                               | 1                 |
| 323       | G155 5148 | Paddle Switch (RoHS)                    | 1                 |
|           | G155 1148 | Paddle Switch                           | 1                 |
| 324       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 329       | G155 1208 | Screw,M4X40 Pan Hd.Phillips With SW & W | 6                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 330       | G155 5152 | DC Fan (RoHS)                           | 3                 |
|           | G155 1152 | DC Fan                                  | 3                 |
| 357       | G155 1009 | Wire Band                               | 10                |
| 365       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 6                 |
| 367       | G155 1467 | Air Tank Holder                         | 1                 |
| 369       | G155 1346 | Air Tank                                | 1                 |
| 371       | G155 5155 | Gauge (RoHS)                            | 1                 |
|           | G155 1155 | Gauge                                   | 1                 |
| 372       | G155 1179 | Joint                                   | 2                 |
| 376       | G155 1015 | Suction Hose                            | 1                 |
| 377       | G155 1017 | Suction Hose                            | 1                 |
| 378       | G155 5638 | Tube (RoHS)                             | 1                 |
|           | G155 1638 | Tube                                    | 1                 |
| 379       | G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W | 4                 |
| 385       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 6                 |
| 386       | G155 1223 | HP PK Holder                            | 1                 |
| 387       | G155 5368 | HP 121 Assy (RoHS)                      | 1                 |
|           | G155 1368 | HP 121 Assy                             | 1                 |
| 388       | G155 1035 | M3X4 Bind Screw                         | 4                 |
| 391       | G150 5716 | Counter Assy (RoHS)                     | 1                 |
|           | G150 1716 | Counter Assy                            | 1                 |
| 397       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 9                 |
| 400       | G155 1812 | Inner Cover(CI)                         | 1                 |
| 401       | G155 1960 | Hopper PK Cover                         | 1                 |
| 403       | G155 1325 | Md Cooling Duct                         | 1                 |
| 404       | G155 1334 | Slide Rail(1)                           | 2                 |
| 405       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 407       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 409       | G155 2349 | Duct Seal(Md)                           | 1                 |
| 414       | G155 5153 | DC Fan (RoHS)                           | 1                 |
|           | G155 1153 | DC Fan                                  | 1                 |
| 415       | G155 1029 | M4X16 Hex Socket Bolt With SW & W       | 2                 |
| 449       | G155 2695 | X/O MG155010                            | 1                 |
|           | G155 1712 | Fuser Latch                             | 1                 |
| 450       | G150 1544 | PHD Nob                                 | 1                 |



### 3.Air System (G155)





### 3.Air System (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 1433 | Frame Assy(S)                           | 1                 |
| 2         | G155 1435 | Cover R(S)                              | 1                 |
| 3         | G155 1434 | Cover L(S) Weld Assy                    | 1                 |
| 4         | G150 1014 | Screw,M4X8 Bind                         | 4                 |
| 6         | G155 5361 | Blower (RoHS)                           | 1                 |
|           | G155 1361 | Blower                                  | 1                 |
| 7         | G155 1365 | Blower Base 2                           | 1                 |
| 8         | G155 1128 | Shock Mount                             | 4                 |
| 9         | G155 1213 | Screw,M6X12 Pan Hd.Phillips With SW & W | 2                 |
| 10        | G155 1192 | Screw,M6X12 Flat Hd.Phillips            | 2                 |
| 11        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 8                 |
| 14        | G155 1774 | As Stopper Plate                        | 1                 |
| 15        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 18        | G155 1654 | B Seal                                  | 1                 |
| 20        | G155 1102 | One Touch Bush                          | 1                 |
| 21        | G155 1101 | One Touch Bush                          | 1                 |
| 23        | G155 1775 | Ozone Duct B(S) Assy                    | 1                 |
| 24        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 26        | G155 1329 | Ozone Filter Box (2)                    | 1                 |
| 27        | G155 1555 | Ozone Filter Cover (2)                  | 1                 |
| 28        | G155 2014 | Ozone Duct (2) Assy                     | 1                 |
| 29        | G155 1660 | Ozone Filter (E)                        | 2                 |
| 30        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 7                 |
| 31        | G155 2121 | Shaft Cover Seal                        | 1                 |
| 34        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 35        | G155 5656 | Drain Valve Assy (RoHS)                 | 1                 |
|           | G155 1656 | Drain Valve Assy                        | 1                 |
| 36        | G155 1618 | Solenoid Valve                          | 1                 |
| 37        | G155 1175 | Joint                                   | 1                 |
| 38        | G155 1653 | Valve Holder                            | 1                 |
| 39        | G155 2095 | Foot Holder(2)                          | 1                 |
| 40        | G150 1000 | VF Washer                               | 1                 |
| 41        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 42        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 43        | G155 1165 | Locking Wire Saddle                     | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 45        | G155 5633 | Tube (RoHS)                             | 1                 |
|           | G155 1633 | Tube                                    | 1                 |
| 46        | G155 5637 | Tube (RoHS)                             | 1                 |
|           | G155 1637 | Tube                                    | 1                 |
| 47        | G155 5635 | Tube (RoHS)                             | 1                 |
|           | G155 1635 | Tube                                    | 1                 |
| 48        | G155 5634 | Tube (RoHS)                             | 1                 |
|           | G155 1634 | Tube                                    | 1                 |
| 50        | G155 5643 | Air Filter Ass'y (RoHS)                 | 1                 |
|           | G155 1643 | Air Filter Ass'y                        | 1                 |
| 51        | G155 1348 | Air Filter                              | 1                 |
| 52        | G155 1179 | Joint                                   | 1                 |
| 53        | G155 1181 | Joint                                   | 1                 |
| 54        | G155 1177 | Joint                                   | 1                 |
| 55        | G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W | 2                 |
| 56        | G155 6165 | Element (RoHS)                          | 1                 |
|           | G155 2165 | Element                                 | 1                 |
| 59        | G155 5662 | Compressor Assy (RoHS)                  | 1                 |
|           | G155 1662 | Compressor Assy                         | 1                 |
| 60        | G155 1357 | Compressor                              | 1                 |
| 61        | G155 1182 | Silencer                                | 2                 |
| 62        | G155 5360 | Diaphragm Kit (RoHS)                    | 1                 |
|           | G155 1360 | Diaphragm Kit                           | 1                 |
| 63        | G155 1178 | Joint                                   | 1                 |
| 64        | G155 5636 | Tube (RoHS)                             | 1                 |
|           | G155 1636 | Tube                                    | 1                 |
| 65        | G155 1180 | Joint                                   | 1                 |
| 66        | G155 1356 | Compressor Tray                         | 1                 |
| 67        | G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W | 3                 |
| 69        | G155 1127 | Shock Mount                             | 4                 |
| 70        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 8                 |
| 74        | G155 5349 | Relief Valve Ass'y (RoHS)               | 1                 |
|           | G155 1349 | Relief Valve Ass'y                      | 1                 |
| 75        | G155 1347 | Relief Valve                            | 1                 |






| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 76        | G155 6043 | Silencer-2 (RoHS)                       | 1                 |
|           | G155 2043 | Silencer (2)                            | 1                 |
| 77        | G155 1179 | Joint                                   | 1                 |
| 78        | G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W | 2                 |
| 81        | G155 1776 | Seal Holder Box (As) Assy               | 1                 |
| 82        | G155 1410 | Seal Holder Box(As)                     | 1                 |
| 83        | G155 1655 | Hose Connector Spacer                   | 1                 |
| 84        | G155 1572 | Cyclone Cover (M2)                      | 1                 |
| 85        | G155 1013 | Sleeve Cap                              | 1                 |
| 86        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 6                 |
| 90        | G155 1009 | Wire Band                               | 2                 |
| 91        | G155 1016 | Suction Hose                            | 1                 |
| 92        | G155 1572 | Cyclone Cover (M2)                      | 1                 |
| 93        | G155 1655 | Hose Connector Spacer                   | 1                 |
| 94        | G155 1013 | Sleeve Cap                              | 1                 |
| 95        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 99        | G155 2342 | Air System Unit Stopper                 | 1                 |
| 100       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 102       | G155 2193 | Hopper Side Seal                        | 4                 |
| 104       | G155 1167 | Locking Wire Saddle                     | 1                 |
| 106       | G155 1162 | Cable Clamp                             | 3                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 4.Paper Supply Ass'y 1 (G155)




#### 4.Paper Supply Ass'y 1 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 52        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 59        | G155 1940 | Pick Motor Assy(1)                     | 1                 |
| 60        | G155 5343 | Stepping Motor 6 (RoHS)                | 1                 |
|           | G155 1343 | Stepping Motor 6                       | 1                 |
| 61        | G155 2271 | Pully Assy                             | 1                 |
| 62        | G155 1050 | M3X6 Hex Socket Set Screw              | 1                 |
| 63        | G155 2279 | Pick Motor Holder(1)                   | 1                 |
| 64        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W  | 2                 |
| 65        | G851 1010 | Extension Spring                       | 1                 |
| 66        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 2                 |
| 67        | G155 1118 | Timing Belt                            | 1                 |
| 73        | G155 1941 | Pick Motor Assy(2)                     | 1                 |
| 74        | G155 5343 | Stepping Motor 6 (RoHS)                | 1                 |
|           | G155 1343 | Stepping Motor 6                       | 1                 |
| 75        | G155 2271 | Pully Assy                             | 1                 |
| 76        | G155 1050 | M3X6 Hex Socket Set Screw With Sw&W    | 1                 |
| 77        | G155 1844 | Pick Motor Holder(2)                   | 1                 |
| 78        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W  | 2                 |
| 79        | G851 1010 | Extension Spring                       | 1                 |
| 80        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 2                 |
| 81        | G155 1117 | Timing Belt                            | 1                 |
| 135       | G150 1063 | Extension Spring                       | 2                 |
| 136       | G155 2549 | Extension Spring                       | 2                 |
| 137       | G155 1938 | Guide Tube Assy                        | 2                 |
| 138       | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 139       | G155 1848 | Guide Tube Cramper(2)                  | 2                 |
| 140       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 4                 |
| 141       | G150 5099 | Photo Interrupter (RoHS)               | 2                 |
|           | G150 1099 | Photo Interrupter                      | 2                 |
| 142       | G155 2550 | Shutter Plate                          | 2                 |
| 143       | G155 2551 | Shutter Turn Plate                     | 2                 |
| 144       | G155 2552 | Washer D4                              | 2                 |
| 145       | G150 5084 | Retaning Ring-E (RoHS)                 | 2                 |
|           | G150 1084 | Retaning Ring-E                        | 2                 |
| 147       | G155 1990 | Pipe (S2) Assy                         | 2                 |

| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 148       | G155 1989 | Pipe(S2)Weld Assy                     | 2                 |
| 149       | G155 2366 | Pipe Joint Seal                       | 2                 |
| 150       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 6                 |
| 202       | G155 5512 | Slide Rail(5800) (RoHS)               | 4                 |
|           | G155 1512 | Slide Rail(5800)                      | 4                 |
| 203       | G155 1500 | SL Joint(R)                           | 2                 |
| 204       | G155 1501 | SL Joint(L)                           | 2                 |
| 205       | G155 1044 | M5X8 Bind Screw                       | 24                |
| 210       | G155 2278 | EOF Sensor Stand                      | 3                 |
| 211       | G150 5106 | EOF Sensor (RoHS)                     | 3                 |
|           |           | MG155009                              | 3                 |
|           | G150 1106 | EOF Sensor                            | 4                 |
| 212       | G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W | 4                 |
| 213       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W  | 3                 |
| 214       | G155 2683 | EOF Sensor Assy X/O MG155009          | 1                 |
|           | G155 1106 | EOF Sensor                            | 1                 |
| 220       | G150 5099 | Photo Interrupter (RoHS)              | 4                 |
|           | G150 1099 | Photo Interrupter                     | 4                 |
| 222       | G155 1044 | M5X8 Bind Screw                       | 2                 |
| 223       | G155 1045 | M5X20 Bind Screw                      | 2                 |
| 226       | G155 5146 | Push Switch (RoHS)                    | 2                 |
|           | G155 1146 | Push Switch                           | 2                 |
| 228       | G155 2020 | Latch Base                            | 2                 |
| 229       | G155 2019 | Latch Plate                           | 2                 |
| 230       | G150 5421 | Solenoid A (RoHS)                     | 2                 |
|           | G150 1421 | Solenoid A                            | 2                 |
| 231       | G155 2021 | Latch Cover                           | 2                 |
| 232       | G155 1074 | Compression Spring                    | 2                 |
| 233       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 4                 |
| 234       | G150 1010 | M3X8 Bind Screw                       | 8                 |

## 5.Paper Supply Ass'y 2 (G155)




## 5.Paper Supply Ass'y 2 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 3         | G155 1537 | Pick Unit Assy                         | 2                 |
| 4         | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 4                 |
| 5         | G155 1939 | Pick Unit Hanger(1) Assy               | 2                 |
| 6         | G150 5100 | Photo Sensor (RoHS)                    | 2                 |
|           | G150 1100 | Photo Sensor                           | 2                 |
| 7         | G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W  | 2                 |
| 10        | G155 5979 | Eliminate Sheet(Ap) Assy (RoHS)        | 2                 |
|           | G155 1979 | Eliminate Sheet(Ap) Assy               | 2                 |
| 11        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W   | 4                 |
| 13        | G150 5084 | Retaning Ring-E (RoHS)                 | 4                 |
|           | G150 1084 | Retaining Ring-E                       | 4                 |
| 14        | G155 1958 | Press Shaft (Ap)                       | 2                 |
| 15        | G155 2357 | Phase Adjuster                         | 2                 |
| 16        | G150 1010 | M3X8 Bind Screw                        | 2                 |
| 17        | G150 1087 | Retaining Ring-E                       | 4                 |
| 18        | G155 2018 | Press Plate                            | 4                 |
| 19        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 21        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 22        | G155 1086 | Extension Spring                       | 2                 |
| 23        | G851 1095 | Gate Rink(A)                           | 2                 |
| 24        | G851 1099 | Rink A                                 | 2                 |
| 25        | G150 5421 | Solenoid A (RoHS)                      | 2                 |
|           | G150 1421 | Solenoid A                             | 2                 |
| 26        | G155 1959 | Solenoid Holder(Ap)                    | 2                 |
| 27        | G150 1009 | M3X6 Bind Screw                        | 8                 |
| 28        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 30        | G155 1522 | Pick Belt Unit                         | 2                 |
| 32        | G155 1494 | Pick Belt Frame Assy                   | 2                 |
| 33        | G155 2017 | Press Support Plate (R)                | 2                 |
| 34        | G155 2016 | Press Support Plate (F)                | 2                 |
| 37        | G155 1850 | Pick Pulley(B) Rework                  | 2                 |
| 38        | G155 1062 | B.B                                    | 2                 |
| 39        | G155 1058 | B.B                                    | 2                 |
| 40        | G150 1000 | VF Washer                              | 4                 |
| 41        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 42        | G155 2280 | Ring Keeper                            | 2                 |
| 43        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 44        | G155 1849 | Pick Pulley(B) Rework                  | 2                 |
| 45        | G155 1062 | B.B                                    | 4                 |
| 46        | G155 1200 | 3X3X10 Key                             | 2                 |
| 47        | G155 2041 | Mp Drive Pully                         | 2                 |
| 48        | G150 1000 | VF Washer                              | 4                 |
| 49        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 50        | G155 1319 | Pick Belt(Ap)                          | 2                 |
| 51        | G155 1013 | Sleeve Cap                             | 2                 |
| 117       | G155 1957 | Separation Gate                        | 2                 |
| 122       | G155 1523 | Separation Nozzle Assy                 | 2                 |
| 126       | G155 1548 | Entrance Paper Guide Assy              | 2                 |
| 127       | G150 1155 | Screw,M3X10 Pan Hd.Phillips With Sw&W  | 2                 |
| 128       | G155 1190 | Screw,M3X8 Flat Hd.Phillips            | 2                 |
| 129       | G155 1203 | Screw M4X55 With Sw                    | 4                 |
| 132       | G150 1160 | Screw M4X8 Pan Hd.Phillips With Sw&W   | 2                 |

## 6.Paper Supply Ass'y 3 (G155)




## 6.Paper Supply Ass'y 3 (G155)

| Index No. | Part No.  | Description                          | Q'ty Per Assembly |
|-----------|-----------|--------------------------------------|-------------------|
| 87        | G155 1321 | Swing Unit(1)                        | 2                 |
| 89        | G155 1230 | Swing Base (1)                       | 2                 |
| 90        | G155 1024 | Poly Slider                          | 4                 |
| 91        | G150 1085 | Retaining Ring-E                     | 4                 |
| 92        | G155 1847 | Swing Shaft                          | 4                 |
| 94        | G150 1085 | Retaining Ring-E                     | 4                 |
| 95        | G155 2061 | Arm Spring                           | 4                 |
| 96        | G155 2272 | Swing Arm (2)                        | 8                 |
| 97        | G150 1085 | Retaining Ring-E                     | 8                 |
| 100       | G155 1524 | Ceiling Plate Assy                   | 2                 |
| 102       | G155 1229 | Ceiling Plate                        | 2                 |
| 103       | G155 2273 | Guide Wire                           | 2                 |
| 104       | G155 2274 | Guide Wire                           | 10                |
| 105       | G155 2275 | Guide Wire                           | 4                 |
| 106       | G150 1083 | Retaining Ring-E                     | 16                |
| 107       | G155 1129 | Plug Cushion Rubber                  | 8                 |
| 108       | G150 5099 | Photo Interruputer (RoHS)            | 2                 |
|           | G150 1099 | Photo Interruputer                   | 2                 |
| 109       | G155 1536 | Bank(2)                              | 2                 |
| 110       | G155 2353 | Bank Shaft                           | 2                 |
| 111       | G150 1058 | Compression Spring                   | 2                 |
| 113       | G150 1001 | Sholder Screw                        | 8                 |
| 114       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W | 4                 |
| 115       | G150 1083 | Retaining Ring-E                     | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 7. Paper Supply Ass'y 4 (G155)




## 7.Paper Supply Ass'y 4 (G155)

| Index No. | Part No.  | Description                          | Q'ty Per Assembly |
|-----------|-----------|--------------------------------------|-------------------|
| 156       | G155 1525 | Valve Assy                           | 1                 |
| 157       | G155 1497 | Valve Holder Welding Assy            | 1                 |
| 159       | G155 5526 | Multiple Valve Assy (RoHS)           | 1                 |
|           | G155 1526 | Multiple Valve Assy                  | 1                 |
| 161       | G155 1495 | Base Cylinder Assy                   | 1                 |
| 163       | G155 1527 | Valve Rotor Assy                     | 1                 |
| 165       | G155 1499 | Valve Roter                          | 1                 |
| 166       | G155 1498 | Valve Motor Holder                   | 1                 |
| 167       | G150 5099 | Photo Interrupter (RoHS)             | 2                 |
|           | G150 1099 | Photo Interrupter                    | 2                 |
| 168       | G155 5333 | Stepping Motor (RoHS)                | 1                 |
|           | G155 1333 | Stepping Motor                       | 1                 |
| 169       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W | 2                 |
| 172       | G155 5096 | Compression Spring (RoHS)            | 1                 |
|           | G155 1096 | Compression Spring                   | 1                 |
| 174       | G155 1099 | O Ring                               | 1                 |
| 175       | G155 1647 | Powder Limiter                       | 1                 |
| 176       | G155 1846 | Sub Rotor                            | 1                 |
| 177       | G155 1110 | Retaining Ring-E                     | 1                 |
| 178       | G155 2377 | B.B                                  | 1                 |
| 179       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W | 2                 |
| 180       | G851 1001 | B.B                                  | 1                 |
| 182       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W | 4                 |
| 183       | G155 1845 | Valve Band(2)                        | 2                 |
| 184       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W | 2                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

## 8.Vertical Paper Feed (G155)




## 8.Vertical Paper Feed (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 1417 | PTV Motor Holder                        | 1                 |
| 2         | G155 5343 | Stepping Motor 6 (RoHS)                 | 3                 |
|           | G155 1343 | Stepping Motor 6                        | 3                 |
| 3         | G155 1988 | Motor Gear (Z53-D8)Assy                 | 3                 |
| 4         | G155 1051 | M4 □ 4Hex Socket Set Screw              | 6                 |
| 6         | G155 2109 | Gnd Plate(Ph)                           | 4                 |
| 7         | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 6                 |
| 8         | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 4                 |
| 9         | G155 1000 | FP Washer                               | 4                 |
| 10        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 11        | G155 1197 | Bolt Washer D3 MG155001                 | 4                 |
| 13        | G155 1738 | Gnd Plate Holder(Ptv)                   | 1                 |
| 14        | G155 2109 | Gnd Plate(Ph)                           | 3                 |
| 15        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 3                 |
| 16        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 17        | G155 1197 | Bolt Washer D3 MG155001                 | 2                 |
| 19        | G155 5903 | Pick Feed Roller Assy (RoHS)            | 1                 |
|           | G155 1903 | Pick Feed Roller Assy                   | 1                 |
| 20        | G155 5904 | Pick Feed Roller Assy (RoHS)            | 1                 |
|           | G155 1904 | Pick Feed Roller Assy                   | 1                 |
| 21        | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 2                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 2                 |
| 22        | G155 5900 | Jam Clear Shaft Assy (RoHS)             | 1                 |
|           | G155 1900 | Jam Clear Shaft Assy                    | 1                 |
| 23        | G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS)       | 2                 |
|           | G155 2006 | RTN Feed Roller(Sgp) Assy               | 2                 |
| 24        | G155 6048 | Carbon Electrode (RoHS)                 | 1                 |
|           | G155 2048 | Carbon Electrode                        | 7                 |
| 26        | G155 2367 | B.B Holder(H)                           | 7                 |
| 27        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 14                |
| 30        | G155 1124 | Timing Belt                             | 2                 |
| 31        | G155 1123 | Timing Belt                             | 1                 |
| 32        | G155 1951 | Tension Pulley(G) Assy                  | 2                 |
| 33        | G155 1583 | Tension Roller Assy                     | 1                 |
| 34        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |

| Index No. | Part No.  | Description      | Q'ty Per Assembly |
|-----------|-----------|------------------|-------------------|
| 35        | G851 1010 | Extension Spring | 3                 |
| 37        | G150 1587 | Feed Roller Knob | 1                 |

## 9.Vertical Paper Feed 2 (G155)




## 9.Vertical Paper Feed 2 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 40        | G155 1743 | Under Paper Guide W Assy                | 2                 |
| 41        | G155 1744 | Upper Paper Guide W Assy                | 2                 |
| 42        | G155 5769 | pF Pressuer Roller Assy (RoHS)          | 2                 |
|           | G155 1769 | pF Pressuer Roller Assy                 | 2                 |
| 43        | G150 1065 | Extension Spring                        | 2                 |
| 44        | G155 1444 | E-Brush Holder                          | 2                 |
| 46        | G155 5964 | Eliminator Assy(Exit) (RoHS)            | 2                 |
|           | G155 1964 | Eliminator Assy(Exit)                   | 2                 |
| 47        | G150 1344 | Sensor Holder                           | 2                 |
| 48        | G150 5100 | Photo Sensor (RoHS)                     | 2                 |
|           | G150 1100 | Photo Sensor                            | 2                 |
| 49        | G155 1164 | Locking Wire Saddle                     | 10                |
| 50        | G150 1013 | M4X6 Bind Screw                         | 4                 |
| 51        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 4                 |
| 52        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 54        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 55        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 58        | G155 1265 | Paper Guide(V2)                         | 1                 |
| 59        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 60        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 61        | G155 1269 | Paper Guide(V1)                         | 1                 |
| 62        | G150 1014 | M4X8 Bind Screw                         | 2                 |
| 63        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 66        | G155 1264 | Paper Guide(H1)                         | 1                 |
| 67        | G155 1131 | Plug Cushion Rubber                     | 2                 |
| 68        | G155 1171 | Edging                                  | 1                 |
| 69        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 70        | G150 1014 | M4X8 Bind Screw                         | 1                 |
| 73        | G155 1739 | Open Pg(1) W Assy                       | 1                 |
| 74        | G155 5769 | pF Pressuer Roller Assy (RoHS)          | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy                 | 1                 |
| 75        | G155 5771 | pF Pressuer Roller Assy (RoHS)          | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy                 | 1                 |
| 76        | G150 1065 | Extension Spring                        | 2                 |
| 77        | G150 1544 | Phd Knob                                | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 78        | G155 1737 | Hinge Shaft(1)                          | 1                 |
| 79        | G150 1087 | Retaining Ring-E                        | 2                 |
| 80        | G150 1086 | Retaining Ring-E                        | 1                 |
| 83        | G155 1742 | Open Pg(2) W Assy                       | 1                 |
| 84        | G155 1267 | Paper Guide(H2)                         | 1                 |
| 85        | G155 1266 | Open Pg(2) Handle                       | 1                 |
| 86        | G155 1268 | Open Pg(2) Latch                        | 1                 |
| 87        | G155 1741 | Open Pg(2) Shaft                        | 1                 |
| 88        | G155 1740 | Open Pg(2) Handle Shaft                 | 1                 |
| 89        | G155 1745 | T-Spring                                | 1                 |
| 90        | G155 5769 | pF Pressuer Roller Assy (RoHS)          | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy                 | 1                 |
| 91        | G155 5771 | pF Pressuer Roller Assy (RoHS)          | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy                 | 1                 |
| 92        | G150 1544 | Phd Knob                                | 1                 |
| 93        | G150 1065 | Extension Spring                        | 2                 |
| 94        | G155 1091 | Extension Spring                        | 3                 |
| 95        | G155 1093 | Extension Spring                        | 1                 |
| 96        | G150 1087 | Retaining Ring-E                        | 2                 |
| 98        | G150 5084 | Retaning Ring-E (RoHS)                  | 1                 |
|           | G150 1084 | Retaining Ring-E                        | 1                 |
| 99        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 100       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 101       | G155 2233 | Latch Pin                               | 1                 |
| 102       | G150 1014 | M4X8 Bind Screw                         | 1                 |
| 105       | G155 5945 | Eliminator-Ptv Assy (RoHS)              | 1                 |
|           | G155 1945 | Eliminator-Ptv Assy                     | 1                 |
| 106       | G155 1035 | M3X4 Bind Screw                         | 2                 |

## 10.Large Hopper Ass'y 1 (G155)



## 10.Large Hopper Ass'y 1 (G155)

| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 1         | G155 1236 | Large Hopper Assy                     | 1                 |
| 3         | G155 1330 | Frame(Lh) (2) Staking Assy            | 1                 |
| 6         | G155 5140 | Photo Interrupter (RoHS)              | 1                 |
|           | G155 1140 | Photo Interrupter                     | 1                 |
| 7         | G150 5099 | Photo Interrupter (RoHS)              | 2                 |
|           | G150 1099 | Photo Interrupter                     | 2                 |
| 8         | G150 5106 | EOF Sensor (RoHS)                     | 2                 |
|           | G150 1106 | EOF Sensor                            | 2                 |
| 9         | G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W | 2                 |
| 13        | G155 1130 | Plug Cushion Rubber                   | 2                 |
| 104       | G155 2024 | Guide Angle                           | 1                 |
| 105       | G150 1009 | M3X6 Bind Screw                       | 4                 |
| 106       | G155 1558 | Table (Ap) Ass'y 2                    | 1                 |
| 108       | G155 2380 | TS Spring                             | 4                 |
| 109       | G155 1879 | Shutter (Ap)                          | 1                 |
| 110       | G155 2699 | Shutter Plate(H) (RoHS)               | 1                 |
|           | G155 1303 | Shutter Plate(1)                      | 1                 |
| 111       | MG155013  |                                       |                   |
|           | G155 1876 | Shutter Plate(2) Delete               | 1                 |
| 112       | G150 1798 | Guide Roller                          | 2                 |
| 113       | G150 1085 | Retaining Ring-E                      | 2                 |
| 114       | G155 1987 | Paper Lift Sheet Assy                 | 1                 |
| 115       | G155 2699 | Shutter Plate(H) (RoHS)               | 1                 |
| 116       | G155 5606 | Wire (RoHS)                           | 2                 |
|           | G155 1606 | Wire                                  | 2                 |
| 117       | G155 5603 | Wire (RoHS)                           | 2                 |
|           | G155 1603 | Wire                                  | 2                 |
| 118       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W  | 4                 |
| 121       | G150 1044 | Derlin Bearing                        | 4                 |
| 122       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 123       | G150 1014 | M4X8 Bind Screw                       | 1                 |
| 125       | G155 1892 | Table Drive Shaft Assy                | 1                 |
| 131       | G155 2036 | Thrust Washer                         | 1                 |
| 132       | G150 1150 | D3X16 Pin                             | 4                 |
| 133       | G155 1878 | Spinning Wheel(1)                     | 4                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 134       | G150 1089 | Retaining Ring-E                       | 1                 |
| 137       | G155 1201 | 3X3X12 Key                             | 1                 |
| 167       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 3                 |
| 170       | G155 2291 | Side Nozzle(2)                         | 1                 |
| 171       | G155 1189 | Screw, M3X6 Flat Head Screw            | 2                 |
| 174       | G155 1873 | Joint Tube                             | 1                 |
| 175       | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 2                 |
| 180       | G155 1963 | Pully Cover(R)                         | 1                 |
| 183       | G155 1888 | Flexible Arm Assy                      | 1                 |
| 184       | G155 1503 | Flexible Arm                           | 2                 |
| 185       | G155 1885 | Clamper(1)                             | 1                 |
| 186       | G155 2294 | Pivot                                  | 1                 |
| 187       | G150 1046 | Sleeve Bearing                         | 2                 |
| 188       | G155 2295 | Pivot                                  | 1                 |
| 189       | G150 1085 | Retaining Ring-E                       | 4                 |
| 190       | G155 2294 | Pivot                                  | 1                 |
| 191       | G150 1046 | Sleeve Bearing                         | 2                 |
| 192       | G150 1085 | Retaining Ring-E                       | 2                 |
| 198       | G155 6292 | Damper Holder Staking Assy (RoHS)      | 1                 |
|           | G155 2292 | Damper Holder Staking Assy             | 1                 |
| 199       | G155 1069 | Rotary Damper                          | 1                 |
| 200       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 201       | G155 2283 | D Latch Shaft                          | 1                 |
| 202       | G150 1459 | Drive Gear                             | 1                 |
| 203       | G150 1047 | Sleeve Bearing                         | 2                 |
| 204       | G150 1086 | Retaining Ring-E                       | 2                 |
| 205       | G155 1092 | Extension Spring                       | 1                 |
| 206       | G150 1075 | Extension Spring                       | 1                 |
| 209       | G155 1502 | Indicate Arm (L)                       | 1                 |
| 211       | G155 1351 | Slide Bush                             | 1                 |
| 212       | G155 1302 | Side Cover(L)                          | 1                 |
| 213       | G150 1014 | M4X8 Bind Screw                        | 3                 |
| 214       | G150 1709 | Hook Ring B                            | 1                 |
| 215       | G150 1072 | Extension Spring                       | 1                 |
| 217       | G155 1980 | CP Slider                              | 1                 |




| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 218       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 221       | G155 1886 | CP Slider(2)                          | 1                 |
| 222       | G150 1015 | M4X10 Bind Screw                      | 1                 |
| 223       | G155 1008 | Wire Band                             | 2                 |
| 229       | G155 6345 | Custom Size Switch Assy (RoHS)        | 1                 |
|           | G155 2345 | Custom Size Switch Assy               | 1                 |
| 230       | G155 2013 | Lever Switch Holder                   | 1                 |
| 231       | G150 1009 | M3X6 Bind Screw                       | 4                 |
| 234       | G155 1331 | Partition Plate (2-2)                 | 1                 |
| 235       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 236       | G155 1559 | Cable Cover                           | 1                 |
| 237       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 1                 |
| 238       | G155 5138 | Photo Sensor (RoHS)                   | 1                 |
|           | G155 1138 | Photo Sensor                          | 1                 |
| 239       | G155 1994 | Sensor Cover                          | 1                 |
| 240       | G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W | 1                 |
| 241       | G150 1010 | M3X8 Bind Screw                       | 2                 |
| 243       | G155 1595 | Smoother                              | 4                 |
| 245       | G155 1064 | Delurine Bearing                      | 1                 |
| 247       | G155 2027 | Rh Side Plate (Lh)                    | 1                 |
| 248       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 6                 |
| 250       | G155 2028 | Finger Protector (L)                  | 1                 |
| 251       | G150 1010 | M3X8 Bind Screw                       | 1                 |
| 253       | G155 2029 | Finger Protector (R)                  | 1                 |
| 254       | G150 1010 | M3X8 Bind Screw                       | 1                 |
| 258       | G155 2381 | Hopper Relay Cable Assy               | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 11.Large Hopper Ass'y 2 (G155)



## 11.Large Hopper Ass'y 2 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 1         | G155 1236 | Large Hopper Assy                      | 1                 |
| 24        | G155 1881 | Rail Shaft                             | 1                 |
| 25        | G155 1883 | Rail Shaft(L)                          | 1                 |
| 26        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 30        | G155 2378 | Slide Base(H)                          | 1                 |
| 31        | G155 1063 | Slide Ball Bearing                     | 2                 |
| 32        | G150 1154 | Screw, M3X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 33        | G155 1352 | Slide Bush                             | 1                 |
| 34        | G155 2282 | Lock Plate Stopper                     | 1                 |
| 35        | G155 1036 | M3X10 Bind Screw                       | 1                 |
| 36        | G155 2287 | P Guide Shaft(L) Sub Assy              | 1                 |
| 37        | G155 2290 | Joint(A)                               | 1                 |
| 38        | G155 2119 | Lock Plate                             | 1                 |
| 39        | G851 1009 | Extension Spring                       | 1                 |
| 40        | G155 1874 | Paper Suppoter(L) W Ass'y MG155028 X/X | 1                 |
|           | G155 2740 | Paper Supporter(L) Ass'y MG155013 X/O  | 1                 |
|           | G155 1874 | Paper Supporter(L) W Assy              | 1                 |
| 41        | G155 1036 | M3X10 Bind Screw                       | 2                 |
| 42        | G150 1016 | M4X12 Bind Screw                       | 2                 |
| 43        | G150 1086 | Retaining Ring-E                       | 1                 |
| 46        | G155 1887 | Height Sensor Assy                     | 1                 |
| 47        | G155 1880 | Sensor Base Staking Assy               | 1                 |
| 48        | G155 5608 | Skew Sns Assy (RoHS)                   | 1                 |
|           | G155 1608 | Skew Sns Assy                          | 1                 |
| 49        | G155 1071 | Compression Spring                     | 2                 |
| 51        | G155 2352 | Height Sense Hook Weld Assy            | 1                 |
| 52        | G155 2354 | Guide Collar                           | 2                 |
| 53        | G155 2350 | Hook Roller                            | 2                 |
| 54        | G155 2351 | Hook Roller Shaft                      | 1                 |
| 55        | G155 1109 | Retaining Ring-E                       | 2                 |
| 56        | G150 5084 | Retaning Ring-E (RoHS)                 | 2                 |
|           | G150 1084 | Retaining Ring-E                       | 2                 |
| 57        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 1                 |
| 61        | G155 1086 | Extension Spring                       | 1                 |
| 62        | G150 1010 | M3X8 Bind Screw                        | 2                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 63        | G155 6035 | EOF Spring (RoHS)                      | 1                 |
|           | G155 2035 | EOF Spring                             | 1                 |
| 64        | G155 1038 | M3X18 Bind Screw                       | 1                 |
| 65        | G155 1996 | Knob(A)                                | 1                 |
| 66        | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 67        | G150 1544 | Phd Knob                               | 1                 |
| 69        | G155 2696 | PG Back Cover(L2) MG155028 X/X         | 1                 |
|           | G155 1875 | Pg Back Cover (L)                      | 1                 |
| 70        | G150 1010 | M3X8 Bind Screw                        | 4                 |
| 71        | G155 2696 | PG Back Cover(L2) MG155028 X/X         | 1                 |
| 73        | G155 1882 | Rail Shaft                             | 1                 |
| 74        | G155 1884 | Rail Shaft(L)                          | 1                 |
| 80        | G155 2379 | Slide Base(V)                          | 1                 |
| 81        | G155 1063 | Slide Ball Bearing                     | 2                 |
| 82        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 83        | G155 1352 | Slide Bush                             | 1                 |
| 84        | G155 2282 | Lock Plate Stopper                     | 1                 |
| 85        | G155 1036 | M3X10 Bind Screw                       | 1                 |
| 86        | G155 2285 | P Guide Shaft(W) Sub Assy              | 1                 |
| 87        | G155 2289 | Joint(A)                               | 1                 |
| 88        | G155 2119 | Lock Plate                             | 1                 |
| 89        | G851 1009 | Extension Spring                       | 1                 |
| 90        | G155 2026 | Paper Supporter(V) W Assy              | 1                 |
| 94        | G150 1016 | M4X12 Bind Screw                       | 2                 |
| 95        | G150 1086 | Retaining Ring-E                       | 1                 |
| 96        | G155 1995 | Knob(A)                                | 1                 |
| 97        | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 98        | G155 2025 | Actuator(Hp)3                          | 1                 |
| 99        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 1                 |
| 100       | G150 1544 | Phd Knob                               | 1                 |
| 101       | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 110       | G155 2699 | Shutter Plate(H) MG155028 X/O          | 1                 |
|           | G155 1303 | Shutter Plate(1)                       | 1                 |
| 111       |           | MG155013                               |                   |
|           | G155 1876 | Shutter Plate(2)                       | 1                 |

| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 115       | G155 2699 | Shutter Plate(H) MG155028 X/O         | 1                 |
|           | G155 1303 | Shutter Plate(1)                      | 1                 |
| 129       | G851 1192 | B.B Holder (S)                        | 1                 |
| 130       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W  | 2                 |
| 133       | G155 1878 | Spinning Wheel(1)                     | 4                 |
| 135       | G155 2318 | Table Drive Gear(S) Assy              | 1                 |
| 136       | G155 2319 | TS Collar                             | 1                 |
| 138       | G150 1089 | Retaining Ring-E                      | 1                 |
| 139       | G150 1047 | Sleeve Bearing                        | 1                 |
| 144       | G155 5504 | Table Drive Sub Assy (RoHS)           | 1                 |
|           | G155 1504 | Table Drive Sub Assy                  | 1                 |
| 145       | G155 1272 | Gear Housing(C)                       | 1                 |
| 146       | G155 1057 | B.B                                   | 2                 |
| 147       | G155 2254 | Table Worm Gear Assy                  | 1                 |
| 150       | G155 1108 | Retaining Ring(Hole)                  | 1                 |
| 151       | G155 1201 | 3X3X12 Key                            | 1                 |
| 152       | G155 1340 | Stepping Motor With Gear1             | 1                 |
| 153       | G155 2320 | Table Worm Wheel(2)                   | 1                 |
| 154       | G155 2321 | Worm Wheel Shaft(H)                   | 1                 |
| 155       | G155 1201 | 3X3X12 Key                            | 1                 |
| 156       | G155 5112 | Retaining Ring-E (RoHS)               | 1                 |
|           | G155 1112 | Retaining Ring-E                      | 1                 |
| 157       | G155 1216 | B.B                                   | 2                 |
| 158       | G155 1107 | Retaining Ring(Hole)                  | 2                 |
| 159       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 160       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W | 2                 |
| 161       | G155 2293 | Table Idler Gear(L) Assy              | 1                 |
| 164       | G155 2281 | Table Idler Shaft                     | 1                 |
| 165       | G155 1111 | Retaining Ring-E                      | 3                 |
| 166       | G155 1301 | Table Gear Housing(1)                 | 1                 |
| 167       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 3                 |
| 226       | G155 1992 | Size Guide Cap                        | 1                 |
| 227       | G155 1993 | Size Guide Cap                        | 1                 |
| 228       | G150 1009 | M3X6 Bind Screw                       | 2                 |
| 262       | G155 2701 | Height Sensor Ass'y MG155019          | 1                 |

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 263       | G155 2703 | HeightSensorHookWeldAss'y MG155019 | 1                 |
| 264       | G155 2700 | Sensor Base Staking Ass'y MG155019 | 1                 |
| 265       | G155 2702 | Shutter Film Guide MG155019        | 1                 |
| 266       | G155 2704 | Shutter Film MG155019              | 1                 |
| 267       | G150 1009 | Bind Screw M3X6 MG155019           | 1                 |



This is a detailed exploded view diagram of a mechanical assembly. The diagram shows various components such as a base plate (1), a central housing (3), and a top cover (106). Numerous individual parts are labeled with numbers, including screws (e.g., 8, 9, 13, 16, 17, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835,

## 12.Small Hopper Ass'y 1 (G155)

| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 1         | G155 1240 | Small Hopper Assy                     | 1                 |
| 3         | G155 1231 | Frame Staking Assy(Sh)                | 1                 |
| 6         | G155 5140 | Photo Interrupter (RoHS)              | 1                 |
|           | G155 1140 | Photo Interrupter                     | 1                 |
| 7         | G150 5099 | Photo Interrupter (RoHS)              | 2                 |
|           | G150 1099 | Photo Interrupter                     | 2                 |
| 8         | G150 5106 | EOF Sensor (RoHS)                     | 2                 |
|           | G150 1106 | EOF Sensor                            | 2                 |
| 9         | G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W | 2                 |
| 13        | G155 1130 | Plug Cushion Rubber                   | 1                 |
| 104       | G155 2024 | Gude Angle                            | 1                 |
| 105       | G150 1009 | M3X6 Bind Screw                       | 4                 |
| 106       | G155 1558 | Table (Ap) Ass'y 2                    | 1                 |
| 108       | G150 1072 | Extension Spring                      | 4                 |
| 109       | G155 1879 | Shutter (Ap)                          | 1                 |
| 110       | G155 2699 | Shutter Plate(H) MG155028 X/O         | 1                 |
|           | G155 1303 | Shutter Plate(1)                      | 1                 |
| 111       |           | MG155013                              |                   |
|           | G155 1876 | Shutter Plate(2)                      | 1                 |
| 112       | G150 1790 | Guide Roller                          | 2                 |
| 113       | G150 1085 | Retaining Ring-E                      | 2                 |
| 114       | G155 1987 | Paper Lift Sheet Assy                 | 1                 |
| 115       | G155 2699 | Shutter Plate(H) MG155028             | 1                 |
| 116       | G155 5604 | Wire (RoHS)                           | 2                 |
|           | G155 1604 | Wire                                  | 2                 |
| 117       | G155 5605 | Wire (RoHS)                           | 2                 |
|           | G155 1605 | Wire                                  | 2                 |
| 118       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W  | 4                 |
| 121       | G150 1044 | Derlin Bearing                        | 4                 |
| 122       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 123       | G150 1014 | M4X8 Bind Screw                       | 1                 |
| 125       | G155 1892 | Table Drive Shaft Assy                | 1                 |
| 131       | G155 2036 | Thrust Washer                         | 1                 |
| 132       | G150 1150 | D3X16 Pin                             | 4                 |
| 133       | G155 1878 | Spinning Wheel(1)                     | 4                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 134       | G150 1089 | Retaining Ring-E                       | 1                 |
| 137       | G155 1201 | 3X3X12 Key                             | 1                 |
| 167       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 4                 |
| 170       | G155 2291 | Side Nozzle(2)                         | 1                 |
| 171       | G155 1189 | Screw, M3X6 Flat Head Screw            | 2                 |
| 174       | G155 1873 | Joint Tube                             | 1                 |
| 175       | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 2                 |
| 176       | G155 1564 | Hose (A)                               | 1                 |
| 180       | G155 1963 | Pully Cover(R)                         | 1                 |
| 183       | G155 1888 | Flexible Arm Assy                      | 1                 |
| 184       | G155 1503 | Flexible Arm                           | 2                 |
| 185       | G155 1885 | Clamper(1)                             | 1                 |
| 186       | G155 2294 | Pivot                                  | 1                 |
| 187       | G150 1046 | Sleeve Bearing                         | 2                 |
| 188       | G155 2295 | Pivot                                  | 1                 |
| 189       | G150 1085 | Retaining Ring-E                       | 4                 |
| 190       | G155 2294 | Pivot                                  | 1                 |
| 191       | G150 1046 | Sleeve Bearing                         | 2                 |
| 192       | G150 1085 | Retaining Ring-E                       | 2                 |
| 198       | G155 6292 | Damper Holder Staking Assy (RoHS)      | 1                 |
|           | G155 2292 | Damper Holder Staking Assy             | 1                 |
| 199       | G155 1069 | Rotary Damper                          | 1                 |
| 200       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 201       | G155 2283 | D Latch Shaft                          | 1                 |
| 202       | G150 1459 | Drive Gear                             | 1                 |
| 203       | G150 1047 | Sleeve Bearing                         | 2                 |
| 204       | G150 1086 | Retaining Ring-E                       | 2                 |
| 205       | G155 1092 | Extension Spring                       | 1                 |
| 206       | G150 1075 | Extension Spring                       | 1                 |
| 209       | G155 2296 | Indicate Arm(S)                        | 1                 |
| 210       | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 211       | G155 1351 | Slide Bush                             | 1                 |
| 212       | G155 1304 | Side Cover(S)                          | 1                 |
| 213       | G150 1014 | M4X8 Bind Screw                        | 3                 |
| 218       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |




| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 221       | G155 1886 | CP Slider(2)                          | 1                 |
| 222       | G150 1015 | M4X10 Bind Screw                      | 1                 |
| 223       | G155 1008 | Wire Band                             | 1                 |
| 229       | G155 6345 | Custom Size Switch Assy (RoHS)        | 1                 |
|           | G155 2345 | Custom Size Switch Assy               | 1                 |
| 230       | G155 2013 | Lever Switch Holder                   | 1                 |
| 231       | G150 1009 | M3X6 Bind Screw                       | 4                 |
| 233       | G155 1174 | Hose Band                             | 1                 |
| 234       | G155 1324 | Partition Plate                       | 1                 |
| 235       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 238       | G155 5138 | Photo Sensor (RoHS)                   | 1                 |
|           | G155 1138 | Photo Sensor                          | 1                 |
| 239       | G155 1994 | Sensor Cover                          | 1                 |
| 240       | G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W | 1                 |
| 241       | G150 1010 | M3X8 Bind Screw                       | 2                 |
| 243       | G155 1595 | Smoother                              | 4                 |
| 258       | G155 2381 | Hopper Relay Cable Assy               | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



13.Small Hopper Ass'y 2 (G155)



### 13.Small Hopper Ass'y 2 (G155)


| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 1         | G155 1240 | Small Hopper Assy                      | 1                 |
| 24        | G155 1881 | Rail Shaft                             | 1                 |
| 25        | G155 1883 | Rail Shaft(L)                          | 1                 |
| 26        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 30        | G155 1232 | Slide Base(H)                          | 1                 |
| 31        | G155 1063 | Slide Ball Bearing                     | 2                 |
| 32        | G150 1154 | Screw, M3X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 33        | G155 1352 | Slide Bush                             | 1                 |
| 34        | G155 2282 | Lock Plate Stopper                     | 1                 |
| 35        | G155 1036 | M3X10 Bind Screw                       | 1                 |
| 36        | G155 2286 | P Guide Shaft(L) Sub Assy              | 1                 |
| 37        | G155 2290 | Joint(A)                               | 1                 |
| 38        | G155 2119 | Lock Plate                             | 1                 |
| 39        | G851 1009 | Extension Spring                       | 1                 |
| 40        | G155 1890 | Paper Supporter (L2) W Assy            | 1                 |
| 41        | G155 1036 | M3X10 Bind Screw                       | 2                 |
| 42        | G150 1016 | M4X12 Bind Screw                       | 1                 |
| 43        | G150 1086 | Retaining Ring-E                       | 1                 |
| 46        | G155 1887 | Height Sensor Assy                     | 1                 |
| 47        | G155 1880 | Sensor Base Staking Assy               | 1                 |
| 48        | G155 5608 | Skew Sns Assy (RoHS)                   | 1                 |
|           | G155 1608 | Skew Sns Assy                          | 1                 |
| 49        | G155 1071 | Compression Spring                     | 2                 |
| 51        | G155 2352 | Height Sense Hook Weld Assy            | 1                 |
| 52        | G155 2354 | Guide Collar                           | 2                 |
| 53        | G155 2350 | Hook Roller                            | 2                 |
| 54        | G155 2351 | Hook Roller Shaft                      | 1                 |
| 55        | G155 1109 | Retaining Ring-E                       | 2                 |
| 56        | G150 5084 | Retaning Ring-E (RoHS)                 | 2                 |
|           | G150 1084 | Retaining Ring-E                       | 2                 |
| 57        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 1                 |
| 61        | G155 1086 | Extension Spring                       | 1                 |
| 62        | G150 1010 | M3X8 Bind Screw                        | 2                 |
| 63        | G155 6035 | EOF Spring (RoHS)                      | 1                 |
|           | G155 2035 | EOF Spring                             | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 64        | G155 1038 | M3X18 Bind Screw                       | 1                 |
| 65        | G155 1996 | Knob(A)                                | 1                 |
| 66        | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 67        | G150 1544 | Phd Knob                               | 1                 |
| 70        | G150 1010 | M3X8 Bind Screw                        | 4                 |
| 73        | G155 1882 | Rail Shaft                             | 1                 |
| 74        | G155 1884 | Rail Shaft(L)                          | 1                 |
| 80        | G155 1233 | Slide Base(V)                          | 1                 |
| 81        | G155 1063 | Slide Ball Bearing                     | 2                 |
| 82        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 83        | G155 1352 | Slide Bush                             | 1                 |
| 84        | G155 2282 | Lock Plate Stopper                     | 1                 |
| 85        | G155 1036 | M3X10 Bind Screw                       | 1                 |
| 86        | G155 2284 | P Guide Shaft(W) Sub Assy              | 1                 |
| 87        | G155 2289 | Joint(A)                               | 1                 |
| 88        | G155 2119 | Lock Plate                             | 1                 |
| 89        | G851 1009 | Extension Spring                       | 1                 |
| 90        | G155 1891 | Paper Supporter (W2) W Assy            | 1                 |
| 94        | G150 1016 | M4X12 Bind Screw                       | 1                 |
| 95        | G150 1086 | Retaining Ring-E                       | 1                 |
| 96        | G155 1995 | Knob(A)                                | 1                 |
| 97        | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 98        | G155 1877 | Actuator(Hp)2                          | 1                 |
| 99        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 1                 |
| 100       | G150 1544 | Phd Knob                               | 1                 |
| 101       | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 129       | G851 1192 | B.B Holder (S)                         | 1                 |
| 130       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W   | 2                 |
| 135       | G155 2318 | Table Drive Gear(S) Assy               | 1                 |
| 136       | G155 2319 | TS Collar                              | 1                 |
| 138       | G150 1089 | Retaining Ring-E                       | 1                 |
| 139       | G150 1047 | Sleeve Bearing                         | 1                 |
| 144       | G155 5504 | Table Drive Sub Assy (RoHS)            | 1                 |
|           | G155 1504 | Table Drive Sub Assy                   | 1                 |
| 145       | G155 1272 | Gear Housing(C)                        | 1                 |





## 14. Paper Feed Module 1 (G155)



## 14.Paper Feed Module 1 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 1         | G155 1854 | Paper Guide(U3) W Assy                 | 1                 |
| 2         | G155 5770 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1770 | pF Pressuer Roller Assy                | 1                 |
| 3         | G155 5772 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1772 | pF Pressuer Roller Assy                | 1                 |
| 7         | G155 2110 | Pressure Leaf Spring                   | 2                 |
| 8         | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 9         | G155 1485 | Upper Gate Plate(3)                    | 1                 |
| 10        | G155 2260 | Upper Gate Hinge(2)                    | 1                 |
| 11        | G155 2257 | Upper Gate Hinge Stopper(2)            | 1                 |
| 12        | G155 2258 | Upper Gate Shaft Holder                | 1                 |
| 13        | G155 1065 | Sleeve Bearing                         | 2                 |
| 14        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 15        | G155 2675 | Gate Spring (RoHS) MG155016 X/O        | 1                 |
|           | G155 1071 | Compression Spring                     | 1                 |
| 16        | G155 1164 | Locking Wire Saddle                    | 4                 |
| 17        | G155 1856 | Paper Guide(U3) Hinge                  | 1                 |
| 19        | G155 1579 | Sensor Holder                          | 1                 |
| 20        | G155 5138 | Photo Sensor (RoHS)                    | 1                 |
|           | G155 1138 | Photo Sensor                           | 1                 |
| 21        | G150 1087 | Retaining Ring-E                       | 4                 |
| 22        | G150 1085 | Retaining Ring-E                       | 1                 |
| 23        | G155 2328 | Latch(U3) Assy                         | 1                 |
| 26        | G155 1857 | Spring Clamp                           | 2                 |
| 27        | G155 1859 | Torsion Spring(U3)                     | 1                 |
| 28        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 29        | G155 1486 | Open Lever(U3)                         | 1                 |
| 30        | G155 1089 | Extension Spring                       | 1                 |
| 31        | G155 1926 | Buffer Spring(U3)                      | 1                 |
| 32        | G150 1544 | Phd Knob                               | 1                 |
| 33        | G155 1100 | One-Touch Bushing                      | 1                 |
| 34        | G150 1085 | Retaining Ring-E                       | 1                 |
| 38        | G155 1862 | Lift Base                              | 1                 |
| 39        | G155 2209 | Out(2) Pg Release Shaft                | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 40        | G150 5084 | Retaning Ring-E (RoHS)                 | 1                 |
|           | G150 1084 | Retaining Ring-E                       | 1                 |
| 44        | G155 1863 | Lift Arm Assy                          | 1                 |
| 45        | G155 2304 | Lift Up Link Assy                      | 1                 |
| 46        | G150 1709 | Hook Ring B                            | 2                 |
| 47        | G155 2305 | Lift Up Spring                         | 1                 |
| 48        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 213       | G155 2264 | Open Guide Latch Pin                   | 1                 |
| 214       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 216       | G155 1220 | SB Paper Guide(H)                      | 1                 |
| 217       | G155 1283 | SB Paper Guide(I)                      | 1                 |
| 218       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 220       | G150 1344 | Sensor Holder                          | 1                 |
| 221       | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |
| 222       | G155 1164 | Locking Wire Saddle                    | 4                 |
| 227       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 228       | G155 1284 | Sb Paper Guide(L)                      | 1                 |
| 229       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 3                 |
| 253       | G155 1478 | Out(2) Pg(L) Rivet Assy                | 1                 |
| 255       | G155 1480 | Out Paper Guide(U) W Assy              | 1                 |
| 260       | G150 1344 | Sensor Holder                          | 2                 |
| 261       | G150 5100 | Photo Sensor (RoHS)                    | 2                 |
|           | G150 1100 | Photo Sensor                           | 2                 |
| 262       | G155 5769 | pF Pressuer Roller Assy (RoHS)         | 2                 |
|           | G155 1769 | pF Pressuer Roller Assy                | 2                 |
| 263       | G155 5771 | pF Pressuer Roller Assy (RoHS)         | 2                 |
|           | G155 1771 | pF Pressuer Roller Assy                | 2                 |
| 267       | G150 1065 | Extension Spring                       | 4                 |
| 268       | G155 1806 | Ph Cable Cover                         | 2                 |
| 269       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 270       | G150 1120 | Magnet Catch                           | 2                 |
| 272       | G155 1703 | PG Open Lever                          | 1                 |
| 273       | G150 1544 | Phd Knob                               | 1                 |
| 274       | G155 2209 | Out(2) Pg Release Shaft                | 1                 |




| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 275       | G150 5084 | Retaning Ring-E (RoHS)                 | 1                 |
|           | G150 1084 | Retaining Ring-E                       | 1                 |
| 276       | G155 1088 | Extension Spring                       | 1                 |
| 277       | G155 1163 | Locking Wire Saddle                    | 5                 |
| 278       | G155 1172 | Electrostatic Eraser                   | 1                 |
| 279       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 2                 |
| 281       | G155 2261 | Out(2) Paper Guide Shaft               | 1                 |
| 282       | G150 5084 | Retaning Ring-E (RoHS)                 | 1                 |
|           | G150 1084 | Retaining Ring-E                       | 1                 |
| 283       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



15.Paper Feed Module 2 (G155)



## 15.Paper Feed Module 2 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 181       | G155 1804 | RTN Guide(U2) W Assy                   | 1                 |
| 182       | G155 1222 | RTN Open Guide(4)                      | 1                 |
| 183       | G155 5770 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1770 | pF Pressuer Roller Assy                | 2                 |
| 184       | G155 5772 | pF Pressuer Roller Assy (RoHS)         | 2                 |
|           | G155 1772 | pF Pressuer Roller Assy                | 2                 |
| 188       | G150 1065 | Extension Spring                       | 4                 |
| 189       | G155 1476 | Paper Guide Latch(L)                   | 1                 |
| 190       | G155 2263 | PG Handle Shaft                        | 1                 |
| 191       | G155 1477 | Paper Guide Lever(L)                   | 1                 |
| 192       | G150 5084 | Retaning Ring-E (RoHS)                 | 1                 |
|           | G150 1084 | Retaining Ring-E                       | 1                 |
| 193       | G155 1091 | Extension Spring                       | 3                 |
| 194       | G155 1808 | Open Pg T Spring                       | 1                 |
| 195       | G150 1544 | Phd Knob                               | 1                 |
| 196       | G155 2259 | RTN Open Hinge Shaft(2)                | 1                 |
| 197       | G150 1085 | Retaining Ring-E                       | 1                 |
| 198       | G155 1170 | Edging                                 | 1                 |
| 199       | G155 1164 | Locking Wire Saddle                    | 4                 |
| 200       | G155 1163 | Locking Wire Saddle                    | 1                 |
| 204       | G150 1344 | Sensor Holder                          | 1                 |
| 205       | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |
| 210       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 211       | G155 1282 | RTN In Paper Guide C2                  | 1                 |
| 212       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 231       | G155 1221 | RTN Vertical Guide(H2)                 | 1                 |
| 233       | G155 5770 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1770 | pF Pressuer Roller Assy                | 2                 |
| 234       | G155 5772 | pF Pressuer Roller Assy (RoHS)         | 2                 |
|           | G155 1772 | pF Pressuer Roller Assy                | 2                 |
| 241       | G150 1065 | Extension Spring                       | 4                 |
| 242       | G155 1484 | Paper Guide Latch(V)                   | 1                 |
| 243       | G155 1481 | Paper Guide Lever(V)                   | 1                 |
| 244       | G155 2263 | PG Handle Shaft                        | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 245       | G150 5084 | Retaning Ring-E (RoHS)                  | 1                 |
|           | G150 1084 | Retaining Ring-E                        | 1                 |
| 246       | G155 1091 | Extension Spring                        | 2                 |
| 247       | G155 1807 | V Guide Torsion Spring                  | 1                 |
| 248       | G155 2262 | V Paper Guide Shaft                     | 1                 |
| 249       | G150 1087 | Retaining Ring-E                        | 2                 |
| 250       | G150 1544 | Phd Knob                                | 1                 |
| 251       | G150 1086 | Retaining Ring-E                        | 1                 |
| 285       | G155 1549 | Fan Holder (V)                          | 1                 |
| 286       | G150 5114 | DC Fan (RoHS)                           | 2                 |
|           | G150 1114 | DC Fan                                  | 2                 |
| 287       | G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 4                 |
| 288       | G150 1034 | Flange Nut                              | 4                 |
| 289       | G155 1161 | Cable Clamp                             | 3                 |
| 290       | G155 1100 | One Touch Bushing                       | 1                 |
| 291       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 293       | G150 1076 | Extension Spring                        | 1                 |

This diagram is an exploded view of a mechanical assembly, likely a piece of industrial machinery. It shows the main housing on the left and various internal components, including shafts, gears, bearings, and actuators, arranged in their relative positions. Each part is labeled with a number, ranging from 1 to 177. The diagram is a technical drawing in black and white, showing the assembly's structure and the placement of individual components.

## 16.Paper Feed Module 3 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 52        | G155 1860 | Paper Guide(L3) W Assy                  | 1                 |
| 55        | G150 5084 | Retaning Ring-E (RoHS)                  | 1                 |
|           | G150 1084 | Retaining Ring-E                        | 1                 |
| 56        | G150 1085 | Retaining Ring-E                        | 1                 |
| 57        | G150 1046 | Sleeve Bearing                          | 1                 |
| 58        | G155 1066 | Sleeve Bearing                          | 1                 |
| 59        | G155 1832 | Entrance Gate Link                      | 1                 |
| 60        | G150 1085 | Retaining Ring-E                        | 2                 |
| 61        | G155 2266 | Sub Path Gate Link Assy                 | 1                 |
| 62        | G155 1429 | Entrance Gate(3) Assy                   | 1                 |
| 63        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 64        | G151 1000 | M3X8 Hex Socket Bolt With SW & W        | 1                 |
| 67        | G155 6008 | Feed Roller Si(Sgp) Assy (RoHS)         | 1                 |
|           | G155 2008 | Feed Roller Si (Sgp) Assy               | 1                 |
| 68        | G155 6009 | Feed Roller Si(Sg) Assy (RoHS)          | 1                 |
|           | G155 2009 | Feed Roller Si (Sg) Assy                | 1                 |
| 69        | G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS)       | 1                 |
|           | G155 2006 | Rin Feed Roller (Sgp) Assy              | 1                 |
| 70        | G155 5766 | Feed Roller Si(L) Assy (RoHS)           | 1                 |
|           | G155 1766 | Feed Roller Si(L) Assy                  | 1                 |
| 71        | G155 5767 | Feed Roller Si(S) Assy (RoHS)           | 2                 |
|           | G155 1767 | Feed Roller Si(S) Assy                  | 2                 |
| 72        | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 1                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 1                 |
| 73        | G155 2367 | B.B Holder(H)                           | 7                 |
| 74        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 14                |
| 82        | G155 6048 | Carbon Electrode (RoHS)                 | 7                 |
|           | G155 2048 | Carbon Electrode                        | 7                 |
| 85        | G155 1428 | Sub Path Gate(3) Assy                   | 1                 |
| 87        | G150 1045 | Sleeve Bearing                          | 1                 |
| 88        | G150 1046 | Sleeve Bearing                          | 1                 |
| 89        | G150 1085 | Retaining Ring-E                        | 1                 |
| 90        | G155 1803 | Path Gate Arm(2)                        | 1                 |
| 91        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 1                 |
| 96        | G150 1067 | Extension Spring                        | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 98        | G155 5868 | Gate Cam Assy(3) (RoHS)                 | 1                 |
|           | G155 1868 | Gate Cam Assy(3)                        | 1                 |
| 99        | G155 1103 | Retaining Ring-C                        | 1                 |
| 104       | G155 1802 | Gate Mortor Plate(2)                    | 1                 |
| 105       | G150 5263 | Stepping Motor 4 (RoHS)                 | 1                 |
|           | G150 1263 | Stepping Motor 4                        | 1                 |
| 106       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 3                 |
| 108       | G155 1999 | Gate Motor Gear Assy                    | 1                 |
| 109       | G155 2256 | Gate Sensor Holder(2)                   | 1                 |
| 110       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 111       | G155 1000 | FP Washer                               | 1                 |
| 112       | G155 1166 | Locking Wire Saddle                     | 1                 |
| 113       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 114       | G155 1000 | FP Washer                               | 2                 |
| 115       | G155 1051 | M4X4 Hex Socket Screw                   | 1                 |
| 119       | G155 1446 | pF Motor Plate(2)                       | 1                 |
| 120       | G155 2109 | Gnd Plate(Ph)                           | 3                 |
| 121       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 3                 |
| 122       | G155 1166 | Locking Wire Saddle                     | 3                 |
| 123       | G150 5365 | Stepping Motor 8 (RoHS)                 | 2                 |
|           | G150 1365 | Stepping Motor 8                        | 2                 |
| 124       | G155 1988 | Motor Gear (Z53-D8) Assy                | 2                 |
| 125       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 126       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 127       | G155 1000 | FP Washer                               | 3                 |
| 128       | G155 1051 | M4X4 Hex Socket Screw                   | 4                 |
| 129       | G155 1197 | Bolt Washer D3 MG155001                 | 3                 |
| 132       | G155 1447 | pF Rtn Motor Plate(2)                   | 1                 |
| 133       | G155 5343 | Stepping Motor 6 (RoHS)                 | 1                 |
|           | G155 1343 | Stepping Motor 6                        | 1                 |
| 134       | G150 1162 | Screw,M4X12 Pan Hd.Phillips             | 2                 |
| 135       | G155 1988 | Motor Gear (Z53-D8) Assy                | 1                 |
| 136       | G155 2109 | Gnd Plate(Ph)                           | 2                 |
| 137       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 138       | G155 1166 | Locking Wire Saddle                     | 1                 |
| 139       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 140       | G155 1000 | FP Washer                               | 3                 |
| 141       | G155 1051 | M4X4 Hex Socket Screw                   | 2                 |
| 142       | G155 1197 | Bolt Washer D3 MG155001                 | 2                 |
| 145       | G155 1805 | pF Out(2) Motor Plate                   | 1                 |
| 146       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 147       | G155 1988 | Motor Gear (Z53-D8) Assy                | 1                 |
| 148       | G155 2109 | Gnd Plate(Ph)                           | 1                 |
| 149       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 150       | G150 5365 | Stepping Motor 8 (RoHS)                 | 1                 |
|           | G150 1365 | Stepping Motor 8                        | 1                 |
| 151       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 152       | G155 1000 | FP Washer                               | 3                 |
| 153       | G155 1124 | Timing Belt                             | 1                 |
| 154       | G155 1123 | Timing Belt                             | 1                 |
| 155       | G155 1051 | M4X4 Hex Socket Screw                   | 2                 |
| 156       | G155 1197 | Bolt Washer D3 MG155001                 | 1                 |
| 158       | G155 1582 | Tension Roller Assy                     | 1                 |
| 159       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 160       | G851 1010 | Extension Spring                        | 1                 |
| 164       | G155 1951 | Tension Pulley(G) Assy                  | 1                 |
| 165       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 166       | G851 1010 | Extension Spring                        | 1                 |
| 170       | G155 2226 | Gnd Plate Holder(Phr)                   | 1                 |
| 171       | G155 2109 | Gnd Plate(Ph)                           | 1                 |
| 172       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 173       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 174       | G155 1197 | Bolt Washer D3 MG155001                 | 1                 |
| 177       | G150 1587 | Feed Roller Knob                        | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |





This exploded view diagram illustrates the assembly of a mechanical unit, possibly a washing machine drum. The main components are shown in their relative positions:

- Main Housing (Left):** The large, rectangular frame with various mounting points and cutouts.
- Drum (Center):** The cylindrical component with a central shaft and multiple rollers (40, 41, 42) for movement.
- Internal Mechanism (Right):** A complex assembly of parts including:
  - Rollers (40, 41, 42):** Long, cylindrical components with multiple rollers.
  - Spring (43):** A coiled spring component.
  - Bearings (44, 45, 46):** Various bearing components for the shafts.
  - Shafts (47, 48):** Long, thin shafts with various fittings.
  - Other Components (49, 50, 51, 52):** Smaller parts like nuts, washers, and specialized fittings.

Each part is labeled with a number, indicating its specific role in the assembly. The diagram uses dashed lines to show the alignment and relative positions of the components.

## 17.Regist 1 (G155)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 1         | G155 1262 | PH Motor Holder(H)                 | 1                 |
| 2         | G155 5343 | Stepping Motor 6 (RoHS)            | 3                 |
|           | G155 1343 | Stepping Motor 6                   | 3                 |
| 3         | G150 5365 | Stepping Motor 8 (RoHS)            | 1                 |
|           | G150 1365 | Stepping Motor 8                   | 1                 |
| 4         | G155 1988 | Motor Gear(Z53-D8) Assy            | 3                 |
| 5         | G155 2267 | Retract Drive Gear (H)             | 1                 |
| 10        | G155 2109 | Gnd Plate(Ph)                      | 4                 |
| 11        | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W | 8                 |
| 12        | G150 1153 | Screw,M3X6 Pan Hd.Phillips SW & W  | 4                 |
| 13        | G155 1051 | M4X4 Hex Socket Screw              | 6                 |
| 14        | G155 1000 | FP Washer                          | 5                 |
| 15        | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W | 5                 |
| 16        | G155 1197 | Bolt Washer D3 MG155001            | 4                 |
| 18        | G155 1719 | Regist Motor Holder(H)             | 1                 |
| 19        | G155 5343 | Stepping Motor 6 (RoHS)            | 1                 |
|           | G155 1343 | Stepping Motor 6                   | 1                 |
| 20        | G155 2012 | Motor Pulley(A1) Assy              | 1                 |
| 22        | G155 2109 | Gnd Plate(Ph)                      | 2                 |
| 23        | G150 1153 | Screw,M3X6 Pan Hd.Phillips SW & W  | 2                 |
| 24        | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W | 2                 |
| 25        | G155 1051 | M4X4 Hex Socket Screw              | 2                 |
| 26        | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W | 1                 |
| 27        | G150 1163 | Screw,M4X16 Pan Hd.Phillips SW & W | 1                 |
| 28        | G851 1010 | Extension Spring                   | 1                 |
| 29        | G155 1197 | Bolt Washer D3 MG155001            | 2                 |
| 32        | G155 2226 | Gnd Plate Holder(Phr)              | 1                 |
| 33        | G155 2109 | Gnd Plate(Ph)                      | 1                 |
| 34        | G150 1153 | Screw,M3X6 Pan Hd.Phillips SW & W  | 1                 |
| 35        | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W  | 1                 |
| 36        | G155 1197 | Bolt Washer D3 MG115001            | 1                 |
| 38        | G155 5912 | Regist Roller Assy(H) (RoHS)       | 1                 |
|           | G155 1912 | Regist Roller Assy(H)              | 1                 |
| 39        | G155 5915 | Timing Roller Assy(H) (RoHS)       | 1                 |
|           | G155 1915 | Timing Roller Assy(H)              | 1                 |

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 40        | G155 5768 | RTN Feed Roller(S) Assy (RoHS)     | 1                 |
|           | G155 1768 | RTN Feed Roller(S) Assy            | 1                 |
| 41        | G155 6004 | RTN Feed Roller(Lgp) Assy (RoHS)   | 1                 |
|           | G155 2004 | RTN Feed Roller(Lgp) Assy          | 1                 |
| 42        | G155 6007 | RTN Feed Roller(Sg) Assy (RoHS)    | 1                 |
|           | G155 2007 | RTN Feed Roller(Sg) Assy           | 1                 |
| 43        | G155 6048 | Carbon Electrode (RoHS)            | 7                 |
|           | G155 2048 | Carbon Electrode                   | 7                 |
| 44        | G155 1750 | Regist Pulley                      | 1                 |
| 45        | G155 2367 | B.B Holder(H)                      | 5                 |
| 46        | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W | 10                |
| 48        | G155 1123 | Timing Belt                        | 1                 |
| 49        | G155 1120 | Timing Belt                        | 1                 |
| 50        | G155 1951 | Tension Pulley(G) Assy             | 1                 |
| 51        | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W | 1                 |
| 52        | G851 1010 | Extension Spring                   | 1                 |
| 54        | G150 1587 | Feed Roller Knob                   | 3                 |

This technical drawing is an exploded view of a mechanical assembly, likely a piece of industrial equipment. The central component is a large, rectangular metal frame or housing. Surrounding this central unit are various sub-assemblies and individual parts, each labeled with a numerical callout. The parts are arranged in a way that shows their relative positions and how they fit together. Key components include:
 

- Top Left:** A series of rollers or guides (121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135) mounted on a frame (120, 119, 118, 117, 116, 115, 114, 113, 112, 111, 110, 109, 108, 107, 106, 105, 104, 103, 102, 101, 100, 99, 98, 97, 96, 95, 94, 93, 92, 91, 90, 89, 88, 87, 86, 85, 84, 83, 82, 81, 80, 79, 78, 77, 76, 75, 74, 73, 72, 71, 70, 69, 68, 67, 66, 65, 64, 63, 62, 61, 60, 59, 58, 57, 56, 55, 54, 53, 52, 51, 50, 49, 48, 47, 46, 45, 44, 43, 42, 41, 40, 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1).
- Bottom Left:** A series of rollers or guides (120, 119, 118, 117, 116, 115, 114, 113, 112, 111, 110, 109, 108, 107, 106, 105, 104, 103, 102, 101, 100, 99, 98, 97, 96, 95, 94, 93, 92, 91, 90, 89, 88, 87, 86, 85, 84, 83, 82, 81, 80, 79, 78, 77, 76, 75, 74, 73, 72, 71, 70, 69, 68, 67, 66, 65, 64, 63, 62, 61, 60, 59, 58, 57, 56, 55, 54, 53, 52, 51, 50, 49, 48, 47, 46, 45, 44, 43, 42, 41, 40, 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1).
- Bottom Center:** A series of rollers or guides (120, 119, 118, 117, 116, 115, 114, 113, 112, 111, 110, 109, 108, 107, 106, 105, 104, 103, 102, 101, 100, 99, 98, 97, 96, 95, 94, 93, 92, 91, 90, 89, 88, 87, 86, 85, 84, 83, 82, 81, 80, 79, 78, 77, 76, 75, 74, 73, 72, 71, 70, 69, 68, 67, 66, 65, 64, 63, 62, 61, 60, 59, 58, 57, 56, 55, 54, 53, 52, 51, 50, 49, 48, 47, 46, 45, 44, 43, 42, 41, 40, 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1).
- Bottom Right:** A series of rollers or guides (120, 119, 118, 117, 116, 115, 114, 113, 112, 111, 110, 109, 108, 107, 106, 105, 104, 103, 102, 101, 100, 99, 98, 97, 96, 95, 94, 93, 92, 91, 90, 89, 88, 87, 86, 85, 84, 83, 82, 81, 80, 79, 78, 77, 76, 75, 74, 73, 72, 71, 70, 69, 68, 67, 66, 65, 64, 63, 62, 61, 60, 59, 58, 57, 56, 55, 54, 53, 52, 51, 50, 49, 48, 47, 46, 45, 44, 43, 42, 41, 40, 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1).
- Right Side:** A series of rollers or guides (120, 119, 118, 117, 116, 115, 114, 113, 112, 111, 110, 109, 108, 107, 106, 105, 104, 103, 102, 101, 100, 99, 98, 97, 96, 95, 94, 93, 92, 91, 90, 89, 88, 87, 86, 85, 84, 83, 82, 81, 80, 79, 78, 77, 76, 75, 74, 73, 72, 71, 70, 69, 68, 67, 66, 65, 64, 63, 62, 61, 60, 59, 58, 57, 56, 55, 54, 53, 52, 51, 50, 49, 48, 47, 46, 45, 44, 43, 42, 41, 40, 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1).

## 18.Regist 2 (G155)

| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 57        | G155 1720 | RTN Paper Guide(G) Assy           | 1                 |
| 58        | G155 1407 | RTN Paper Guide (Gu)              | 1                 |
| 59        | G150 1344 | Sensor Holder                     | 1                 |
| 60        | G150 5100 | Photo Sensor (RoHS)               | 1                 |
|           | G150 1100 | Photo Sensor                      | 1                 |
| 62        | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 2                 |
| 63        | G155 1721 | RTN Cable Cover(G)                | 1                 |
| 64        | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 2                 |
| 67        | G155 1746 | RTN Paper Guide(Ah)S Assy         | 1                 |
| 68        | G155 1132 | Plug Cushion Rubber               | 2                 |
| 69        | G155 1419 | RTN Paper Guide (Bh)W Assy        | 1                 |
| 70        | G155 5769 | pF Pressuer Roller Assy (RoHS)    | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy           | 1                 |
| 71        | G155 5771 | pF Pressuer Roller Assy (RoHS)    | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy           | 1                 |
| 72        | G150 1065 | Extension Spring                  | 2                 |
| 73        | G150 1544 | Phd Knob                          | 1                 |
| 74        | G155 1271 | Cable Guard(H1)                   | 1                 |
| 75        | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 2                 |
| 76        | G150 1013 | M4X6 Bind Screw                   | 1                 |
| 79        | G155 1747 | RTN Paper Guide(Ch) W Assy        | 1                 |
| 80        | G155 1270 | RTN Paper Guide(Dh)R              | 1                 |
| 81        | G155 5769 | pF Pressuer Roller Assy (RoHS)    | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy           | 1                 |
| 82        | G155 5771 | pF Pressuer Roller Assy (RoHS)    | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy           | 1                 |
| 83        | G150 1065 | Extension Spring                  | 2                 |
| 84        | G150 1344 | Sensor Holder                     | 1                 |
| 85        | G150 5100 | Photo Sensor (RoHS)               | 1                 |
|           | G150 1100 | Photo Sensor                      | 1                 |
| 86        | G150 1095 | Plug Cushion Rubber               | 2                 |
| 89        | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 2                 |
| 90        | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 2                 |
| 93        | G155 1991 | Paper Guide(Dh)L-R Assy           | 1                 |
| 94        | G155 2194 | Pg1 Hinge Shaft                   | 1                 |


| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 95        | G150 1544 | Phd Knob                          | 1                 |
| 96        | G150 1085 | Retaining Ring-E                  | 2                 |
| 97        | G155 5769 | pF Pressuer Roller Assy (RoHS)    | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy           | 1                 |
| 98        | G155 5771 | pF Pressuer Roller Assy (RoHS)    | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy           | 1                 |
| 99        | G150 1065 | Extension Spring                  | 2                 |
| 100       | G150 1085 | Retaining Ring-E                  | 1                 |
| 101       | G155 1418 | Cable Guard(Dh)                   | 1                 |
| 102       | G150 1013 | M4X6 Bind Screw                   | 1                 |
| 103       | G155 2174 | Pg1L Spring                       | 1                 |
| 104       | G155 2175 | Pg1L Spring                       | 1                 |
| 106       | G155 1405 | R Holder(Fh)                      | 1                 |
| 107       | G155 5680 | LD431Assy (RoHS)                  | 1                 |
|           | G155 1680 | LD431 Assy                        | 1                 |
| 108       | G155 1035 | M3X4 Bind Screw                   | 1                 |
| 113       | G155 1718 | R Holder(Rh)                      | 1                 |
| 115       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 2                 |
| 119       | G155 1550 | R Paper Guide(H)S                 | 1                 |
| 120       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 4                 |
| 121       | G155 1406 | Pressure Paper Guide(H)           | 1                 |
| 122       | G155 1404 | Holder Guide(H) W Assy            | 1                 |
| 123       | G155 2224 | Center Shaft(H)                   | 1                 |
| 124       | G155 2234 | Pressure Spring (L2H)             | 1                 |
| 125       | G150 1085 | Retaining Ring-E                  | 2                 |
| 126       | G155 1751 | Hinge Shaft(H)                    | 1                 |
| 127       | G155 2053 | Nylon Bearing D6                  | 2                 |
| 128       | G155 1580 | Pressure Spring (U)               | 1                 |
| 129       | G155 1113 | Pierce Ring                       | 3                 |
| 130       | G150 1034 | Flange Nut                        | 1                 |
| 131       | G150 1134 | External Tooth Washer, D3         | 1                 |
| 132       | G851 1022 | External Tooth Washer, D4         | 1                 |
| 133       | G150 1009 | M3X6 Bind Screw                   | 1                 |
| 134       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 1                 |
| 135       | G155 2074 | Pressure Spring(2)                | 1                 |

| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 136       | G150 5084 | Retaning Ring-E (RoHS)            | 1                 |
|           | G150 1084 | Retaining Ring-E                  | 1                 |
| 137       | G155 1748 | R Paper Guide(H) Assy             | 1                 |
| 138       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W | 4                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



19.Regist 3 (G155)



## 19.Regist 3 (G155)

| Index No. | Part No.  | Description                        | Q'ty Per Assembly |
|-----------|-----------|------------------------------------|-------------------|
| 43        | G155 6048 | Carbon Electrode (RoHS)            | 7                 |
|           | G155 2048 | Carbon Electrode                   | 7                 |
| 141       | G155 1717 | Regist Paper Guide W Assy(H)       | 1                 |
| 142       | G155 2023 | Regist Paper Guide(Lh) W Assy      | 1                 |
| 143       | G155 1373 | D Sensor Guide(H)                  | 1                 |
| 144       | G150 1095 | Plug Cushion Rubber                | 2                 |
| 146       | G150 5100 | Photo Sensor (RoHS)                | 1                 |
|           | G150 1100 | Photo Sensor                       | 1                 |
| 147       | G155 1579 | Sensor Holder                      | 2                 |
| 148       | G155 5138 | Photo Sensor (RoHS)                | 1                 |
|           | G155 1138 | Photo Sensor                       | 2                 |
| 150       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W  | 2                 |
| 151       | G155 1432 | TR Input Guide(L)                  | 1                 |
| 152       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W  | 2                 |
| 153       | G155 5946 | Eliminator-Phr Assy (RoHS)         | 1                 |
|           | G155 1946 | Eliminator-Phr Assy                | 1                 |
| 154       | G155 1035 | M3X4 Bind Screw                    | 2                 |
| 155       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W  | 2                 |
| 156       | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W | 1                 |
| 157       | G155 1553 | Regist Pressure Roller             | 1                 |
| 158       | G155 1578 | Gear                               | 1                 |
| 159       | G851 1002 | Sleeve Bearing                     | 2                 |
| 160       | G150 1415 | Spring Holder                      | 2                 |
| 161       | G155 2059 | Regist Roller Sp                   | 4                 |
| 162       | G155 5421 | Timing Driven Roller(H) (RoHS)     | 1                 |
|           | G155 1421 | Timing Driven Roller(H)            | 1                 |
| 163       | G155 1578 | Gear                               | 1                 |
| 164       | G851 1002 | Sleeve Bearing                     | 2                 |
| 166       | G150 1415 | Spring Holder                      | 2                 |
| 167       | G150 1713 | Timing Roller Sp                   | 4                 |
| 173       | G155 5679 | DS041 Assy (RoHS)                  | 1                 |
|           | G155 1679 | DS041 Assy                         | 1                 |
| 174       | G155 1035 | M3X4 Bind Screw                    | 2                 |
| 175       | G155 1263 | Paper Guide (Adu)                  | 1                 |
| 176       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W  | 2                 |

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 178       | G155 1217 | Regist Cover W Assy(T)          | 1                 |
| 180       | G155 1722 | Vertical Paper Guide W Assy     | 1                 |
| 181       | G155 6001 | pF Pressure Roller2 Assy (RoHS) | 2                 |
|           | G155 2001 | pF Pressure Roller 2 Assy       | 2                 |
| 182       | G155 6002 | pF Pressure Roller2 Assy (RoHS) | 2                 |
|           | G155 2002 | pF Pressure Roller 2 Assy       | 2                 |
| 183       | G150 1065 | Extension Spring                | 4                 |
| 184       | G150 1344 | Sensor Holder                   | 1                 |
| 185       | G150 5100 | Photo Sensor (RoHS)             | 1                 |
|           | G150 1100 | Photo Sensor                    | 1                 |
| 190       | G155 2225 | Regist Cover Shaft(H)           | 1                 |
| 191       | G150 1087 | Retaining Ring-E                | 3                 |
| 192       | G150 1013 | M4X6 Bind Screw                 | 4                 |
| 193       | G150 1087 | Retaining Ring-E                | 3                 |
| 196       | G155 1409 | Sensor House W Assy(Ht)         | 1                 |
| 197       | G155 5367 | PS141 Assy (RoHS)               | 1                 |
|           | G155 1367 | PS141 Assy                      | 2                 |
| 198       | G155 2235 | CCD Cover(H)                    | 2                 |
| 199       | G155 2323 | CCD Spring Assy(H)              | 2                 |
| 200       | G150 1344 | Sensor Holder                   | 1                 |
| 201       | G150 5100 | Photo Sensor (RoHS)             | 1                 |
|           | G150 1100 | Photo Sensor                    | 1                 |
| 204       | G155 1035 | M3X4 Bind Screw                 | 2                 |
| 205       | G150 1001 | Shoulder Screw                  | 2                 |
| 206       | G150 1009 | M3X6 Bind Screw                 | 2                 |
| 208       | G150 1383 | CV Lever                        | 1                 |
| 209       | G155 1723 | Cover Latch Shaft(Hs)           | 1                 |
| 210       | G150 1456 | Lock Plate                      | 1                 |
| 211       | G150 1457 | Lock Plate                      | 1                 |
| 212       | G155 1090 | Extension Spring                | 2                 |
| 213       | G150 1151 | D3X28 Parallel Pin              | 1                 |
| 214       | G150 1009 | M3X6 Bind Screw                 | 2                 |
| 215       | G155 1082 | Compression Spring              | 2                 |
| 216       | G155 1075 | Compression Spring              | 2                 |
| 217       | G155 2227 | Sensor Plate                    | 1                 |




| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 218       | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 219       | G155 1101 | One-Touch Bushing                      | 1                 |
| 220       | G150 1087 | Retaining Ring-E                       | 1                 |
| 222       | G155 2356 | Cover Stopper Pin                      | 1                 |
| 223       | G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W     | 2                 |
| 224       | G155 1000 | FP Washer                              | 1                 |
| 225       | G155 2363 | Cover Stopper Pin (R)                  | 1                 |
| 228       | G155 2672 | DEV Bottom Plate Assy(H2) MG115008 X/O | 1                 |
|           | G155 1917 | DEV Bottom Plate Assy(H)               | 1                 |
| 229       | G155 1956 | Press Roller Adjuster                  | 1                 |
| 230       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 4                 |
| 231       | G155 2355 | Timing Roller Holder                   | 1                 |
| 232       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 1                 |
| 236       | G155 1975 | Cover Stopper Plate (1)                | 2                 |
| 237       | G155 1976 | Cover Stopper Plate (2)                | 2                 |
| 238       | G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 2                 |
| 239       | G155 1000 | FP Washer                              | 2                 |
| 240       | G155 2359 | Stopper Pin                            | 2                 |
| 241       | G150 1015 | M4X10 Bind Screw                       | 2                 |
| 242       | G155 2360 | Regist Cover Spring                    | 2                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 20.Fuser Unit (G155)



## 20.Fuser Unit (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 3         | G155 6678 | Fuser Ass'y (RoHS)                      | 1                 |
|           | G155 2678 | Fuser Ass'y                             | 1                 |
| 7         | G155 1709 | BR Arm Front                            | 1                 |
| 8         | G155 2219 | BR Nip Adjuster                         | 1                 |
| 9         | G155 2071 | Eccentric Plate                         | 1                 |
| 10        | G155 2188 | BR Arm Nut Plate                        | 1                 |
| 11        | G155 2183 | BR Arm Bushing                          | 1                 |
| 12        | G155 1028 | Hex Socket Bolt                         | 3                 |
| 13        | G150 1087 | Retaining Ring-E                        | 2                 |
| 17        | G155 1708 | BR Arm Rear                             | 1                 |
| 18        | G150 1087 | Retaining Ring-E                        | 2                 |
| 19        | G155 2064 | BR Spring (130)                         | 2                 |
| 23        | G150 1047 | Sleeve Bearing                          | 2                 |
| 24        | G155 1714 | BR Cam Shaft                            | 1                 |
| 25        | G155 1199 | 3X3X8 Key                               | 2                 |
| 26        | G155 2689 | BR Cam (RoHS)                           | 2                 |
|           | G155 2217 | BR Cam                                  | 2                 |
| 27        | G150 1088 | Retaining Ring-E                        | 2                 |
| 30        | G155 2221 | Web Cassette Shaft                      | 2                 |
| 31        | G150 1086 | Retaining Ring-E                        | 2                 |
| 34        | G155 1955 | Slide Rail                              | 2                 |
| 35        | G150 1013 | M4X6 Bind Screw                         | 2                 |
| 36        | G155 1035 | M3X4 Bind Screw                         | 2                 |
| 40        | G155 1707 | Thermistor Shaft                        | 1                 |
| 42        | G155 5650 | Thermistor Ass'y (RoHS)                 | 1                 |
|           | G155 1650 | Thermistor Ass'y                        | 1                 |
| 43        | G155 2211 | Thermistor Holder F                     | 1                 |
| 46        | G155 5651 | Thermistor Ass'y (RoHS)                 | 1                 |
|           | G155 1651 | Thermistor Ass'y                        | 1                 |
| 47        | G155 2210 | Thermistor Holder                       | 1                 |
| 49        | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 2                 |
| 50        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 56        | G155 6184 | Solenoid(Thermistor) (RoHS)             | 1                 |
|           | G155 2184 | Solenoid ( Thermistor )                 | 1                 |
| 57        | G155 1706 | Solenoid Base                           | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 58        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 59        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 60        | G150 1087 | Retaining Ring-E                        | 1                 |
| 61        | G155 2220 | Solenoid Arm                            | 1                 |
| 62        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 63        | G150 1067 | Extension Spring                        | 1                 |
| 70        | G155 2337 | HR Drive Gear Holder Ass'y              | 1                 |
| 71        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 74        | G155 2336 | HR Drive Gear Shaft Ass'y               | 1                 |
| 75        | G155 1705 | HR Drive Gear                           | 1                 |
| 76        | G155 1200 | 3X3X10 Key                              | 1                 |
| 77        | G150 1088 | Retaining Ring-E                        | 1                 |
| 82        | G155 2120 | Photo Sensor Holder                     | 1                 |
| 83        | G150 5098 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1098 | Photo Interrupter                       | 1                 |
| 84        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 89        | G155 1925 | Fuser Drawer Cable Ass'y                | 1                 |
| 92        | G155 1710 | Connector Holder                        | 1                 |
| 93        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 94        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 4                 |
| 95        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 96        | G851 1022 | External Tooth Washer, D4               | 1                 |
| 101       | G155 2222 | Web Sensor Holder Ass'y                 | 1                 |
| 102       | G150 5098 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1098 | Photo Interrupter                       | 1                 |
| 103       | G155 2236 | Web Sensor Arm Ass'y                    | 1                 |
| 104       | G150 1085 | Retaining Ring-E                        | 1                 |
| 105       | G155 2338 | Web Sensor Spring                       | 1                 |
| 106       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 110       | G155 1401 | Lamp Cable Holder                       | 1                 |
| 111       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 112       | G155 1159 | Cable Clamp                             | 4                 |
| 113       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 117       | G155 6694 | Back Up Roll (RoHS)                     | 1                 |
|           | G155 2694 | MG115024 X/O                            | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
|           | G155 1246 | Back Up Roll                            | 1                 |
| 121       | G155 1544 | Cable Holder                            | 1                 |
| 122       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 124       | G155 1399 | Paper Guide In Holder                   | 1                 |
| 125       | G155 1545 | Paper Guide In Hinge Plate              | 1                 |
| 126       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 128       | G155 1398 | Paper Guide In                          | 1                 |
| 130       | G155 2365 | Paper Guide In Hinge Shaft              | 1                 |
| 131       | G150 1085 | Retaining Ring-E                        | 2                 |
| 132       | G150 1073 | Extension Spring                        | 2                 |
| 136       | G155 1261 | HR Mecha Frame Ass'y                    | 1                 |
| 140       | G155 1520 | Top Cover (L)                           | 1                 |
| 141       | G155 1547 | Top Cover (U)                           | 1                 |
| 142       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 4                 |
| 145       | G155 1934 | Top Latch Ass'y                         | 1                 |
| 146       | G150 1010 | M3X8 Bind Screw                         | 2                 |
| 147       | G150 1133 | Spring Washer,D3                        | 2                 |
| 150       | G155 1397 | HR Paper Guide Ass'y                    | 1                 |
| 151       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 154       | G155 1400 | BR Paper Guide Ass'y                    | 1                 |
| 155       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 159       | G155 2223 | Hinge Shaft                             | 1                 |
| 160       | G155 2215 | Hinge Shaft Holder                      | 2                 |
| 161       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 165       | G155 1713 | Lock Shaft                              | 1                 |
| 166       | G155 2216 | Lock Plate                              | 1                 |
| 167       | G150 1085 | Retaining Ring-E                        | 1                 |
| 168       | G150 1087 | Retaining Ring-E                        | 1                 |
| 169       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 173       | G155 1716 | Air Connector                           | 1                 |
| 174       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 179       | G155 5932 | HR Actuator Ass'y (RoHS)                | 1                 |
|           | G155 1932 | HR Actuator Ass'y                       | 1                 |
| 180       | G155 1704 | HR Actuator Holder                      | 1                 |
| 181       | G155 1560 | HR Actuator                             | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 182       | G155 1065 | Sleeve Bearing                         | 2                 |
| 183       | G155 2339 | Arm Spring                             | 1                 |
| 184       | G150 1083 | Retaining Ring-E                       | 1                 |
| 186       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 189       | G155 1607 | Interception Plate                     | 1                 |
| 190       | G150 1083 | Retaining Ring-E                       | 1                 |
| 192       | G155 2031 | E Brush Holder Ass'y                   | 1                 |
| 193       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 1                 |
| 194       | G155 1172 | Electrostatic Eraser                   | 3                 |
| 195       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 6                 |
| 197       | G150 1013 | M4X6 Bind Screw                        | 3                 |
| 200       | G155 5518 | Heat Roll Ass'y (RoHS)                 | 1                 |
|           | G155 1518 | Heat Roll Ass'y MG155024               | 1                 |
| 202       | G155 1519 | Heat Roll                              | 1                 |
| 203       | G155 1611 | Collar (S)                             | 2                 |
| 206       | G155 1322 | B.B Holder                             | 2                 |
| 207       | G155 5056 | Ball Bearing (RoHS)                    | 1                 |
|           | G155 1056 | Ball Bearing                           | 2                 |
| 208       | G155 2212 | B.B Stopper                            | 6                 |
| 209       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 6                 |
| 211       | G155 1448 | Hert Roll Gear                         | 1                 |
| 212       | G155 2214 | Heat Roll Stay                         | 1                 |
| 215       | G155 2307 | Heat Roll Ring (L) Ass'y               | 2                 |
| 216       | G155 1893 | Heat Roll Ring (R)                     | 2                 |
| 217       | G150 5084 | Retaning Ring-E (RoHS)                 | 4                 |
|           | G150 1084 | Retaining Ring-E                       | 4                 |
| 221       | G155 1715 | Lamp Holder F Ass'y                    | 1                 |
| 222       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 3                 |
| 223       | G155 1711 | Lamp Holder Rear                       | 1                 |
| 224       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 3                 |
| 225       | G155 2308 | Lamp Holder Clamper                    | 1                 |
| 226       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 2                 |
| 227       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 230       | G155 5521 | Heater Lamp Ass'y (RoHS)               | 1                 |
|           | G155 1521 | Heater Lamp Ass'y MG155024             | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 234       | G155 1350 | Br Separator                           | 3                 |
| 235       | G155 2218 | Br Separator Holder Ass'y              | 3                 |
| 236       | G150 1083 | Retaining Ring-E                       | 3                 |
| 237       | G155 1085 | Extension Spring                       | 3                 |
| 238       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 6                 |
| 245       | G155 2213 | Air Pipe                               | 1                 |
| 246       | G155 1097 | O Ring                                 | 2                 |
| 248       | G155 1561 | Nozzle Base                            | 1                 |
| 249       | G155 2022 | Nozzle Plate                           | 1                 |
| 250       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 2                 |
| 251       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 3                 |
| 259       | G155 1402 | Front Cover Bottom Ass'y               | 1                 |
| 260       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 263       | G155 2326 | Th Handle (H) Assy                     | 1                 |
| 266       | G155 1936 | Front Cover (T)                        | 1                 |
| 267       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 3                 |
| 270       | G155 1163 | Locking Wire Saddle                    | 2                 |
| 273       | G155 1403 | Rear Cover Bottom Ass'y                | 1                 |
| 274       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 3                 |
| 277       | G155 1937 | Rear Cover (T)                         | 1                 |
| 278       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 3                 |
| 281       | G155 5315 | Web Cassette Ass'y (RoHS)              | 1                 |
|           | G155 1315 | Web Cassette Ass'y MG155024            | 1                 |
| 284       | G155 1327 | Web Case Ass'y                         | 1                 |
| 287       | G155 1894 | CI Roller                              | 2                 |
| 288       | G155 1610 | Sr Pivot (3)                           | 4                 |
| 289       | G155 1077 | Compression Spring                     | 4                 |
| 290       | G155 2374 | CI Roll Spring Holder 2                | 2                 |
| 291       | G150 1009 | M3X6 Bind Screw                        | 6                 |
| 301       | G155 2373 | Web Shaft                              | 1                 |
| 302       | G155 1067 | Sleeve Bearing                         | 2                 |
| 303       | G150 5084 | Retaning Ring-E (RoHS)                 | 2                 |
|           | G150 1084 | Retaining Ring-E                       | 2                 |
| 310       | G155 1972 | Web Case Latch Handle Ass'y            | 1                 |
| 311       | G155 1072 | Compression Spring                     | 2                 |

| Index No. | Part No.  | Description      | Q'ty Per Assembly |
|-----------|-----------|------------------|-------------------|
| 312       | G150 1085 | Retaining Ring-E | 2                 |
| 318       | G150 1013 | M4X6 Bind Screw  | 2                 |
| 319       | G155 1035 | M3X4 Bind Screw  | 2                 |



This diagram is an exploded view of a complex mechanical assembly, likely a power window motor or a similar actuator. It shows the relationship between various components, which are numbered for identification. The parts include a motor unit (100), gears (101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112), a drive shaft (12), a worm gear (13), a planetary gear set (14, 15, 18), a housing (1), a bracket (23), a pulley (24), a roller (25), a spring (26), a cable (27), a bracket (28), a roller (29), a bracket (30), a roller (31), a bracket (32), a roller (33), a bracket (34), a roller (35), a bracket (36), a roller (37), a bracket (38), a roller (39), a bracket (40), a roller (41), a bracket (42), a roller (43), a bracket (44), a roller (45), a bracket (46), a roller (47), a bracket (48), a roller (49), a bracket (50), a roller (51), a bracket (52), a roller (53), a bracket (54), a roller (55), a bracket (56), a roller (57), a bracket (58), a roller (59), a bracket (60), a roller (61), a bracket (62), a roller (63), a bracket (64), a roller (65), a bracket (66), a roller (67), a bracket (68), a roller (69), a bracket (70), a roller (71), a bracket (72), a roller (73), a bracket (74), a roller (75), a bracket (76), a roller (77), a bracket (78), a roller (79), a bracket (80), a roller (81), a bracket (82), a roller (83), a bracket (84), a roller (85), a bracket (86), a roller (87), a bracket (88), a roller (89), a bracket (90), a roller (91), a bracket (92), a roller (93), a bracket (94), a roller (95), a bracket (96), a roller (97), a bracket (98), a roller (99), a bracket (100), a roller (101), a bracket (102), a roller (103), a bracket (104), a roller (105), a bracket (106), a roller (107), a bracket (108), a roller (109), a bracket (110), a roller (111), a bracket (112), a roller (113), a bracket (114), a roller (115), a bracket (116), a roller (117), a bracket (118), a roller (119), a bracket (120), a roller (121), a bracket (122), a roller (123), a bracket (124), a roller (125), a bracket (126), a roller (127), a bracket (128), a roller (129), a bracket (130), a roller (131), a bracket (132), a roller (133), a bracket (134), a roller (135), a bracket (136), a roller (137), a bracket (138), a roller (139), a bracket (140), a roller (141), a bracket (142), a roller (143), a bracket (144), a roller (145), a bracket (146), a roller (147), a bracket (148), a roller (149), a bracket (150), a roller (151), a bracket (152), a roller (153), a bracket (154), a roller (155), a bracket (156), a roller (157), a bracket (158), a roller (159), a bracket (160), a roller (161), a bracket (162), a roller (163), a bracket (164), a roller (165), a bracket (166), a roller (167), a bracket (168), a roller (169), a bracket (170), a roller (171), a bracket (172), a roller (173), a bracket (174), a roller (175), a bracket (176), a roller (177), a bracket (178).

A yellow warning icon is present in the center of the diagram, indicating a caution or safety note. The diagram is a technical drawing showing the assembly of a mechanical component, likely a power window motor or a similar actuator. The components are numbered 1 through 178, indicating the sequence of assembly. The diagram shows the motor, gears, shafts, and housing components. A yellow warning icon is present in the center of the diagram, indicating a caution or safety note. The diagram is a technical drawing showing the assembly of a mechanical component, likely a power window motor or a similar actuator. The components are numbered 1 through 178, indicating the sequence of assembly. The diagram shows the motor, gears, shafts, and housing components. A yellow warning icon is present in the center of the diagram, indicating a caution or safety note.

## 21.Inverter Unit (G155)

| Index No. | Part No.  | Description                              | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------|-------------------|
| 1         | G155 1310 | Inverter Assy                            | 1                 |
| 3         | G155 1274 | PHS Frame (2) Rivet Ass'y                | 1                 |
| 4         | G155 1163 | Locking Wire Saddle                      | 3                 |
| 5         | G155 1164 | Locking Wire Saddle                      | 4                 |
| 6         | G155 1170 | Edging                                   | 4                 |
| 7         | G150 5099 | Photo Interrupter (RoHS)                 | 1                 |
|           | G150 1099 | Photo Interrupter                        | 1                 |
| 8         | G155 5140 | Photo Interrupter (RoHS)                 | 1                 |
|           | G155 1140 | Photo Interrupter                        | 1                 |
| 12        | G155 5755 | Feed Roller Phs(L) Assy (RoHS)           | 1                 |
|           | G155 1755 | Feed Roller Phs(L) Assy                  | 1                 |
| 13        | G155 5765 | Feed Roller Phs(S) Assy (RoHS)           | 1                 |
|           | G155 1765 | Feed Roller Phs(S) Assy                  | 1                 |
| 14        | G155 2367 | B.B Holder(H)                            | 2                 |
| 15        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 4                 |
| 18        | G155 6048 | Carbon Electrode (RoHS)                  | 1                 |
|           | G155 2048 | Carbon Electrode                         | 2                 |
| 22        | G155 1790 | FL Cam Motor Plate(2)                    | 1                 |
| 23        | G150 5263 | Stepping Motor 4 (RoHS)                  | 1                 |
|           | G150 1263 | Stepping Motor 4                         | 1                 |
| 24        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & ' W | 2                 |
| 25        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 26        | G150 5421 | Solenoid A (RoHS)                        | 1                 |
|           | G150 1421 | Solenoid A                               | 1                 |
| 27        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & ' W | 2                 |
| 28        | G150 1412 | Gate Link(B)                             | 1                 |
| 32        | G155 1441 | Open Guide(2) W Assy                     | 1                 |
| 33        | G155 1901 | Open Pg Handle(2) Assy                   | 1                 |
| 36        | G155 2244 | FL Latch Shaft(R4)                       | 1                 |
| 37        | G155 1437 | FL Latch(2)                              | 1                 |
| 38        | G150 5084 | Retaning Ring-E (RoHS)                   | 1                 |
|           | G150 1084 | Retaining Ring-E                         | 1                 |
| 39        | G155 2243 | Open Guide Hinge(2)                      | 1                 |
| 40        | G150 1085 | Retaining Ring-E                         | 2                 |
| 41        | G151 1001 | Extension Spring                         | 2                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 42        | G155 1164 | Locking Wire Saddle                    | 4                 |
| 46        | G155 2130 | FL Open Pg Spring(R2)                  | 1                 |
| 47        | G155 2129 | FL Open Pg Spring(F2)                  | 1                 |
| 48        | G155 1100 | One-Touch Bushing                      | 1                 |
| 50        | G150 1709 | Hook Ring B                            | 1                 |
| 51        | G150 1544 | Phd Knob                               | 1                 |
| 55        | G155 2110 | Pressure Leaf Spring                   | 2                 |
| 56        | G155 5772 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1772 | pF Pressuer Roller Assy                | 1                 |
| 57        | G155 5770 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1770 | pF Pressuer Roller Assy                | 1                 |
| 58        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 63        | G150 1344 | Sensor Holder                          | 1                 |
| 64        | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |
| 65        | G150 5084 | Retaning Ring-E (RoHS)                 | 1                 |
|           | G150 1084 | Retaining Ring-E                       | 1                 |
| 69        | G155 1787 | FI Paper Guide(4) W Assy               | 1                 |
| 70        | G155 1164 | Locking Wire Saddle                    | 7                 |
| 71        | G155 5770 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1770 | pF Pressuer Roller Assy                | 1                 |
| 72        | G155 5772 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1772 | pF Pressuer Roller Assy                | 1                 |
| 75        | G155 2372 | Spring Holder                          | 2                 |
| 76        | G155 2110 | Pressure Leaf Spring                   | 2                 |
| 77        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 80        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 81        | G155 1788 | B.B Holder(T2)                         | 1                 |
| 82        | G155 2109 | Gnd Plate(Ph)                          | 1                 |
| 83        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 1                 |
| 84        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 85        | G155 5905 | FL Cam Shaft(2) Assy (RoHS)            | 1                 |
|           | G155 1905 | FL Cam Shaft(2) Assy                   | 1                 |
| 86        | G155 1197 | Bolt Washer D3 MG155001                | 1                 |
| 89        | G155 2241 | FL Cam Position Plate                  | 1                 |




| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 90        | G155 2246 | FL Roller Open Gear                     | 1                 |
| 91        | G155 1214 | B.B.                                    | 1                 |
| 92        | G155 1000 | FP Washer                               | 1                 |
| 93        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 97        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 98        | G155 1443 | PHS Motor Plate(2)                      | 1                 |
| 99        | G155 5343 | Stepping Motor 6 (RoHS)                 | 1                 |
|           | G155 1343 | Stepping Motor 6                        | 1                 |
| 100       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 101       | G155 1988 | Motor Gear (Z53-D8) Assy                | 1                 |
| 102       | G151 5028 | Stepping Motor 40 (RoHS)                | 1                 |
|           | G151 1028 | Stepping Motor 40                       | 1                 |
| 103       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 104       | G155 1773 | Motor Gear(Z34-D5)                      | 1                 |
| 105       | G155 2109 | Gnd Plate(Ph)                           | 2                 |
| 106       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 107       | G155 1170 | Edging                                  | 1                 |
| 108       | G155 1166 | Locking Wire Saddle                     | 3                 |
| 109       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 110       | G155 1000 | FP Washer                               | 3                 |
| 111       | G155 1051 | M4X4 Hex Socket Screw                   | 2                 |
| 112       | G155 1197 | Bolt Washer D3 MG155001                 | 2                 |
| 115       | G155 1440 | Inner Paper Guide(3) W Assy             | 1                 |
| 116       | G150 1010 | M3X8 Bind Screw                         | 2                 |
| 119       | G155 5910 | Retraction Roller(3) Assy (RoHS)        | 1                 |
|           | G155 1910 | Retraction Roller(3) Assy               | 1                 |
| 120       | G150 1085 | Retaining Ring-E                        | 1                 |
| 121       | G155 1625 | FL Retract Sp Plate(2)                  | 2                 |
| 122       | G155 1090 | Extension Spring                        | 4                 |
| 126       | G155 1426 | Path Gate(4) Assy                       | 1                 |
| 127       | G155 1784 | Path Gate (4) Arm                       | 1                 |
| 128       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 1                 |
| 129       | G150 1046 | Sleeve Bearing                          | 1                 |
| 130       | G150 1085 | Retaining Ring-E                        | 1                 |
| 131       | G150 1045 | Sleeve Bearing                          | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 132       | G150 1087 | Retaining Ring-E                        | 1                 |
| 133       | G155 2242 | Path Gate Spring(2)                     | 1                 |
| 134       | G155 1803 | Path Gate Arm(2)                        | 1                 |
| 135       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 1                 |
| 140       | G155 5770 | pF Pressuer Roller Assy (RoHS)          | 1                 |
|           | G155 1770 | pF Pressuer Roller Assy                 | 1                 |
| 141       | G155 5772 | pF Pressuer Roller Assy (RoHS)          | 1                 |
|           | G155 1772 | pF Pressuer Roller Assy                 | 1                 |
| 142       | G155 2110 | Pressure Leaf Spring                    | 2                 |
| 143       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 144       | G155 2372 | Spring Holder                           | 2                 |
| 147       | G155 1442 | Top Paper Guide(L2)                     | 1                 |
| 148       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 149       | G155 1789 | Tray Out Paper Guide(2)                 | 1                 |
| 150       | G155 1172 | Electrostatic Eraser                    | 2                 |
| 151       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 4                 |
| 152       | G155 1439 | Inverter Valve Piece(2)                 | 6                 |
| 153       | G155 1014 | Paper Clamp Spring B                    | 6                 |
| 154       | G155 2108 | Gate Cam Roller                         | 5                 |
| 155       | G155 2245 | Input Guide Shaft(4)                    | 1                 |
| 156       | G155 2179 | Shaft Stopper                           | 1                 |
| 157       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 161       | G155 1782 | FI Hinge Holder(L)                      | 1                 |
| 162       | G155 2247 | FI Hinge Holder(S)                      | 1                 |
| 163       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 164       | G150 1587 | Feed Roller Knob                        | 1                 |
| 165       | G155 1999 | Gate Motor Gear Assy                    | 1                 |
| 166       | G155 6048 | Carbon Electrode (RoHS)                 | 1                 |
|           | G155 2048 | Carbon Electrode                        | 1                 |
| 167       | G155 1051 | M4X4 Hex Socket Screw                   | 1                 |
| 170       | G155 1785 | FL Cam Sensor Holder (2)                | 1                 |
| 171       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 172       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 175       | G150 5106 | EOF Sensor (RoHS)                       | 1                 |
|           | G150 1106 | EOF Sensor                              | 1                 |
| 176       | G150 1157 | Screw,M3X16 Pan Hd.Phillips With SW & W | 2                 |
| 178       | G155 2030 | Motore Hoder Support                    | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

## 22.EP Unit 1 (G155)



## 22.EP Unit 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 26        | G155 5510 | Erase Wire Ass'y (RoHS)                 | 1                 |
|           | G155 1510 | Erase Wire Ass'y                        | 1                 |
| 27        | G155 5615 | Corotron Wire (RoHS)                    | 1                 |
|           | G155 1615 | Corotron Wire                           | 1                 |
| 28        | G155 1731 | TC Reflector Ass'y                      | 1                 |
| 29        | G155 2098 | TC Wire Holder (R) Ass'y                | 1                 |
| 30        | G155 2096 | Plug Plate (2)                          | 1                 |
| 31        | G155 1598 | TC Wire Holder Cover (R)                | 1                 |
| 32        | G155 1597 | TC Wire Holder (L)                      | 1                 |
| 33        | G155 1087 | Extension Spring                        | 1                 |
| 34        | G150 1147 | D3X12 Pin                               | 1                 |
| 35        | G155 1046 | M3X5 Tap Screw                          | 3                 |
| 36        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 37        | G155 2094 | TC Wire Holder Cover (L)                | 1                 |
| 41        | G155 1414 | Led Guide Rail                          | 2                 |
| 43        | G155 2039 | Reflector Spring (3)                    | 4                 |
| 45        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 55        | G155 1732 | LED Base Ass'y                          | 1                 |
| 56        | G155 1422 | LED Holder (Cl)                         | 1                 |
| 57        | G155 1733 | LED Hook                                | 2                 |
| 58        | G155 5143 | LED Eraser (RoHS)                       | 4                 |
|           | G155 1143 | LED Eraser                              | 4                 |
| 59        | G155 1035 | M3X4 Bind Screw                         | 2                 |
| 72        | G155 1906 | Preclean Cover Ass'y                    | 1                 |
| 73        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 98        | G155 5771 | pF Pressuer Roller Assy (RoHS)          | 1                 |
|           | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 8                 |
| 108       | G155 1413 | Drum Earth Rod Holder                   | 1                 |
| 110       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 113       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 114       | G155 2137 | Motor Holder                            | 1                 |
| 115       | G155 1612 | Motor Pulley                            | 1                 |
| 116       | G155 1048 | Set Screw, M3X3 Hex Socket Hea          | 1                 |
| 117       | G150 5263 | Stepping Motor 4 (RoHS)                 | 1                 |
|           | G150 1263 | Stepping Motor 4                        | 1                 |


| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 118       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 120       | G155 1122 | Timing Belt                            | 1                 |
| 122       | G155 1629 | Drive Shaft Holder                     | 1                 |
| 123       | G155 1614 | Drive Shaft                            | 1                 |
| 124       | G150 1045 | Sleeve Bearing                         | 1                 |
| 125       | G851 1002 | Sleeve Bearing                         | 1                 |
| 126       | G155 1613 | Driven Pulley                          | 1                 |
| 127       | G150 5084 | Retaning Ring-E (RoHS)                 | 2                 |
|           | G150 1084 | Retaining Ring-E                       | 2                 |
| 128       | G155 1076 | Compression Spring                     | 1                 |
| 129       | G155 1602 | Cwb Drive Gear 6                       | 1                 |
| 130       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 150       | G155 5307 | Charger (RoHS)                         | 1                 |
|           | G155 1307 | Charger                                | 1                 |
| 151       | G155 1735 | Charger Shield Ass'y                   | 1                 |
| 152       | G155 1245 | Wire Holder F                          | 1                 |
| 153       | G155 1244 | Wire Holder R                          | 1                 |
| 154       | G155 1630 | Wire Terminal                          | 1                 |
| 155       | G150 1024 | M3X8 Tap Screw                         | 4                 |
| 156       | G155 1631 | Grid Terminal                          | 1                 |
| 157       | G155 2101 | Grid Contact Spring                    | 2                 |
| 158       | G155 2158 | Cleaner Holder Ass'y                   | 1                 |
| 159       | G155 5734 | Screw (RoHS)                           | 1                 |
|           | G155 1734 | Screw                                  | 1                 |
| 160       | G150 1083 | Retaining Ring-E                       | 3                 |
| 161       | G155 2107 | Screw Bearing                          | 1                 |
| 162       | G155 2106 | CH Cleaner Gear                        | 1                 |
| 163       | G155 1649 | Wire Cleaner Ass'y                     | 2                 |
| 164       | G155 1648 | Wire Cleaner Ass'y                     | 2                 |
| 165       | G150 5084 | Retaning Ring-E (RoHS)                 | 4                 |
|           | G150 1084 | Retaining Ring-E                       | 4                 |
| 166       | G155 2105 | Charger Spring                         | 2                 |
| 167       | G155 1642 | Charger Wire                           | 2                 |
| 168       | G155 2157 | Grid Cleaner Ass'y                     | 1                 |
| 169       | G155 2138 | Charger Cover F                        | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 170       | G155 2139 | Charger Cover R                        | 1                 |
| 171       | G155 1528 | Grid                                   | 1                 |
| 172       | G155 2105 | Charger Spring                         | 5                 |
| 173       | G155 2190 | Charger Front Cover                    | 1                 |
| 174       | G155 1070 | Compression Spring                     | 1                 |
| 175       | G155 2237 | Sleeve Bearing                         | 2                 |
| 184       | G155 2231 | Drum Earth Terminal Ass'y              | 1                 |
| 185       | G155 1730 | Drum Earth Rod                         | 1                 |
| 186       | G150 1055 | Compression Spring                     | 1                 |
| 187       | G150 5084 | Retaning Ring-E (RoHS)                 | 1                 |
|           | G150 1084 | Retaining Ring-E                       | 1                 |
| 194       | G150 5538 | Wrap Sensor (1) Ass'y (RoHS)           | 1                 |
|           | G150 1538 | Wrap Sensor (1) Ass'y                  | 1                 |
| 195       | G155 1623 | Wrap Sensor Holder                     | 1                 |
| 196       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 23.EP Unit 2 (G155)




## 23.EP Unit 2 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 1824 | Lifting Shaft                           | 1                 |
| 2         | G155 1596 | Retract Arm(40)                         | 2                 |
| 3         | G155 1079 | Compression Spring                      | 2                 |
| 4         | G155 2057 | Retract Spring Arm                      | 2                 |
| 5         | G155 2056 | Retract Roller                          | 4                 |
| 6         | G155 2054 | Retract Roller Shaft                    | 2                 |
| 7         | G150 1085 | Retaining Ring-E                        | 4                 |
| 8         | G155 1114 | Pierce Ring                             | 4                 |
| 9         | G155 2269 | Sensor Shutter                          | 1                 |
| 13        | G150 1148 | D3X12 Pin                               | 1                 |
| 14        | G155 2268 | Retract Gear (H)                        | 1                 |
| 15        | G150 1045 | Sleeve Bearing                          | 2                 |
| 16        | G150 1087 | Retaining Ring-E                        | 2                 |
| 17        | G150 1000 | VF Washer                               | 1                 |
| 18        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 47        | G155 1530 | B Unit Stopper Shaft                    | 1                 |
| 48        | G155 2063 | B Unit Stopper (2)                      | 2                 |
| 49        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 6                 |
| 50        | G155 1552 | Paper Guide (Belt)                      | 1                 |
| 52        | G851 1020 | Electrostatic Eraser                    | 1                 |
| 62        | G155 1490 | Th Retract Shaft                        | 1                 |
| 63        | G155 2327 | Stopper Plate                           | 1                 |
| 64        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 65        | G155 2344 | Transfer Spring                         | 1                 |
| 66        | G150 1045 | Sleeve Bearing                          | 2                 |
| 67        | G150 1087 | Retaining Ring-E                        | 4                 |
| 68        | G155 1195 | Washer D8                               | 2                 |
| 69        | G155 2326 | Th Handle (H) Ass'y                     | 1                 |
| 70        | G150 1006 | M3X12 Hex Socket Bolt With SW & W       | 2                 |
| 74        | G155 1853 | DC Holder (F)                           | 1                 |
| 75        | G155 2265 | DC Stopper                              | 1                 |
| 76        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 77        | G150 1024 | M3X8 Tap Screw                          | 2                 |
| 80        | G155 2382 | Drum Roller Holder                      | 1                 |
| 81        | G155 1864 | B.B Holder (Drh)                        | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 82        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 5                 |
| 83        | G155 2166 | Drum Roller Holder (R)                 | 2                 |
| 84        | G155 2040 | Drum Roller                            | 2                 |
| 85        | G155 2140 | Drum Roller Shaft                      | 2                 |
| 86        | G150 1085 | Retaining Ring-E                       | 4                 |
| 90        | G155 5312 | Discharger Ass'y (RoHS)                | 1                 |
|           | G155 2742 | MG155023 X/O                           | 1                 |
|           | G155 1312 | Discharger Ass'y                       | 1                 |
| 91        | G155 2015 | Discharger Case Ass'y                  | 1                 |
| 93        | G155 2340 | DC Cleaner Ass'y                       | 1                 |
| 94        | G155 1825 | Cleaning Bar                           | 1                 |
| 95        | G155 2046 | T Corotron Spring                      | 1                 |
| 96        | G155 2102 | Wire Contact Spring                    | 1                 |
| 97        | G155 2719 | DC Cover MG155023 X/O                  | 1                 |
|           | G155 1247 | DC Cover                               | 1                 |
| 98        | G155 1907 | Corotron Wire                          | 1                 |
| 99        | G150 1021 | M3X6 Tap Screw                         | 2                 |
| 103       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 104       | G155 1454 | DC Guide Holder                        | 1                 |
| 138       | G155 2047 | Drum Roller                            | 1                 |
| 139       | G155 2090 | Drum Roller Holder (2)D                | 1                 |
| 140       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |



## 24.EP Unit 3 (G155)




## 24.EP Unit 3 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 19        | G155 1865 | B.B Holder (R)                         | 1                 |
| 20        | G155 2302 | Sensor Holder                          | 1                 |
| 21        | G150 5099 | Photo Interrupter (RoHS)               | 1                 |
|           | G150 1099 | Photo Interrupter                      | 1                 |
| 22        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 107       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 176       | G155 1954 | Swing Holder                           | 1                 |
| 177       | G155 1342 | Charger Socket                         | 1                 |
| 178       | G155 2348 | Swing Hinge Pin                        | 1                 |
| 179       | G155 2346 | Return Spring                          | 1                 |
| 180       | G150 1001 | Shoulder Screw                         | 1                 |
| 181       | G155 1953 | Handling Plate                         | 1                 |
| 182       | G150 1021 | M3X6 Tap Screw                         | 1                 |
| 183       | G150 1160 | Screw,M4X8 Pan Hd.Phillips             | 2                 |
| 188       | G155 2563 | HV Holder Base                         | 1                 |
| 189       | G155 1754 | Pleclean Connector Holder Rw           | 1                 |
| 190       | G155 1332 | Pleclean Connector                     | 1                 |
| 191       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 202       | G155 1455 | HV Holder (Dc)                         | 1                 |
| 203       | G155 2300 | HV Plate (Dc)                          | 1                 |
| 204       | G155 2301 | HV Holder (Dc) Cover                   | 1                 |
| 205       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 206       | G150 1021 | M3X6 Tap Screw                         | 2                 |
| 345       | G155 1031 | M5X20 Hex Socket Bolt With SW & W      | 6                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

## 25.EP Unit 4 (G155)



## 25.EP Unit 4 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 142       | G155 1855 | HV Holder (Dr)                          | 1                 |
| 143       | G155 2303 | HV Plate (Dr)                           | 1                 |
| 144       | G150 1021 | M3X6 Tap Screw                          | 1                 |
| 145       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 210       | G155 1308 | Motor Base Sub Ass'y                    | 1                 |
| 211       | G155 2230 | F Position Shaft                        | 1                 |
| 212       | G155 1006 | Washer                                  | 1                 |
| 213       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 215       | G155 2147 | FB Drive Shaft Ass'y                    | 1                 |
| 216       | G155 1617 | FB Drive Cone                           | 1                 |
| 217       | G155 2112 | FB Slide Shaft (R)                      | 1                 |
| 218       | G150 1060 | Compression Spring                      | 1                 |
| 219       | G150 1087 | Retaining Ring-E                        | 1                 |
| 221       | G155 1724 | FB Drive Holder                         | 1                 |
| 222       | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 2                 |
| 223       | G155 2113 | FB Sensor Holder                        | 1                 |
| 224       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 225       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 226       | G155 1098 | O Ring                                  | 1                 |
| 227       | G155 2682 | CL SENSOR GUARD MG155018                | 1                 |
| 228       | G155 5341 | Charger Socket (RoHS)                   | 1                 |
|           | G155 1341 | Charger Socket                          | 1                 |
| 229       | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 1                 |
| 230       | G155 2133 | Drum Sensor Holder 2                    | 1                 |
| 231       | G150 5098 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1098 | Photo Interrupter                       | 1                 |
| 232       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 234       | G155 1753 | BB Holder Mgr(L)                        | 1                 |
| 235       | G155 1752 | BB Holder Mgr(U)                        | 1                 |
| 236       | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 4                 |
| 237       | G155 2149 | Mr L Adjust Ass'y                       | 1                 |
| 238       | G155 2150 | Mr U Adjust Ass'y                       | 1                 |
| 239       | G150 1013 | M4X6 Bind Screw                         | 4                 |


| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 240       | G155 5920 | Dev Connect Cable Ass'y (RoHS)          | 1                 |
|           | G155 1920 | Dev Connect Cable Ass'y                 | 1                 |
| 241       | G155 2161 | Drawer Tapping Screw                    | 2                 |
| 242       | G155 1628 | Terminal Holder                         | 1                 |
| 243       | G150 5568 | Dev Bias Terminal (RoHS)                | 1                 |
|           | G150 1568 | Dev Bias Terminal                       | 1                 |
| 244       | G150 1049 | Rivet                                   | 1                 |
| 245       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 246       | G155 2132 | Mg Sensor Holder 2                      | 1                 |
| 247       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 248       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 250       | G155 5343 | Stepping Motor 6 (RoHS)                 | 1                 |
|           | G155 1343 | Stepping Motor 6                        | 1                 |
| 251       | G155 1658 | Transfer Gear                           | 1                 |
| 252       | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 2                 |
| 253       | G155 2228 | Tension Arm W Ass'y                     | 1                 |
| 254       | G155 2322 | Tension Pulley Ass'y                    | 1                 |
| 255       | G150 1085 | Retaining Ring-E                        | 1                 |
| 256       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 257       | G155 2055 | Tension Spring (30)                     | 1                 |
| 262       | G155 2135 | F Drive Gear Cover 2                    | 1                 |
| 263       | G155 1036 | M3X10 Bind Screw                        | 1                 |
| 264       | G155 2136 | Retract Sensor Holder                   | 1                 |
| 265       | G150 5099 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1099 | Photo Interrupter                       | 1                 |
| 266       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 268       | G155 1105 | Retaining Ring(Hole)                    | 1                 |
| 269       | G155 1054 | Ball Bearing                            | 1                 |
| 270       | G155 1616 | FB Driven Pulley                        | 1                 |
| 271       | G155 1201 | 3X3X12 Key                              | 1                 |
| 272       | G150 1000 | VF Washer                               | 1                 |
| 273       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 280       | G155 1311 | Fuser Drive Base Sub Ass'y              | 1                 |

| Index No. | Part No.  | Description                     | Q'ty Per Assembly |
|-----------|-----------|---------------------------------|-------------------|
| 346       | G155 5921 | Fuser Connect Cable Assy (RoHS) | 1                 |
|           | G155 1921 | Fuser Connect Cable Assy        | 1                 |
| 347       | G150 1157 | Screw,M3X16 Pan Hd.Phillips     | 2                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 26.EP Unit 5 (G155)



## 26.EP Unit 5 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 210       | G155 1308 | Motor Base Sub Ass'y                    | 1                 |
| 267       | G155 1035 | M3X4 Bind Screw                         | 2                 |
| 275       | G155 1121 | Timing Belt                             | 1                 |
| 276       | G155 5652 | FB Motor Ass'y (RoHS)                   | 1                 |
|           | G155 1652 | FB Motor Ass'y                          | 1                 |
| 277       | G155 1411 | FB Motor Holder                         | 1                 |
| 278       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 281       | G155 5641 | Fuser Motor Ass'y (RoHS)                | 1                 |
|           | G155 1641 | Fuser Motor Ass'y                       | 1                 |
| 282       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 283       | G155 1728 | F Drive Gear Cover                      | 1                 |
| 284       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 285       | G155 1725 | FB Duct Flange                          | 1                 |
| 286       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 287       | G155 1175 | Joint                                   | 1                 |
| 288       | G155 2134 | CH Press Spring                         | 1                 |
| 289       | G150 1162 | Screw,M4X12 Pan Hd.Phillips             | 2                 |
| 290       | G155 1157 | Board Spacer                            | 2                 |
| 291       | G155 1035 | M3X4 Bind Screw                         | 2                 |
| 292       | G155 1729 | Fuser Drive Coupling                    | 1                 |
| 293       | G155 1083 | Compression Spring                      | 1                 |
| 294       | G155 1000 | FP Washer                               | 1                 |
| 295       | G155 2148 | Fuser Drive Shaft Ass'y 2               | 1                 |
| 296       | G155 1106 | Retaining Ring(Hole)                    | 1                 |
| 297       | G155 1198 | Bolt Washer D10                         | 1                 |
| 298       | G155 1053 | Ball Bearing                            | 1                 |
| 299       | G155 1626 | Fuser Drive Gear 1                      | 1                 |
| 300       | G155 1199 | 3X3X8 Key                               | 1                 |
| 301       | G155 1006 | Washer                                  | 1                 |
| 302       | G155 1028 | M4X10 Hex Socket Bolt With SW & W       | 1                 |
| 303       | G150 1154 | Screw,M3X8 Pan Hd.Phillips              | 1                 |
| 305       | G155 5339 | Stepping Motor 2 (RoHS)                 | 2                 |
|           | G155 1339 | Stepping Motor 2                        | 2                 |
| 306       | G155 2229 | Motor Plate Holder                      | 1                 |
| 307       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 308       | G155 2114 | Cleaner Cam                             | 1                 |
| 309       | G155 1048 | Set Screw, M3X3 Hex Socket Hea          | 1                 |
| 310       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 315       | G155 1639 | Drum Center Shaft Ass'y                 | 1                 |
| 316       | G155 1202 | 4X4X8 Key                               | 1                 |
| 317       | G155 5061 | Ball Bearing (RoHS)                     | 1                 |
|           | G155 1061 | Ball Bearing                            | 1                 |
| 319       | G155 1594 | Drum Driven Gear (60)2                  | 1                 |
| 320       | G155 1028 | M4X10 Hex Socket Bolt With SW & W       | 1                 |
| 321       | G155 1006 | Washer                                  | 1                 |
| 323       | G155 1627 | Gear Box Plate                          | 1                 |
| 324       | G155 2383 | M4X12 Bind Screw                        | 2                 |
| 325       | G155 6084 | Drum Drive Shaft Ass'y (RoHS)           | 1                 |
|           | G155 2084 | Drum Drive Shaft Ass'y                  | 1                 |
| 326       | G155 1199 | 3X3X8 Key                               | 2                 |
| 327       | G155 1593 | Drum Drive Gear (60)2                   | 1                 |
| 328       | G155 1055 | Ball Bearing                            | 1                 |
| 330       | G155 2086 | B.B Housing                             | 1                 |
| 331       | G155 2383 | M4X12 Bind Screw                        | 2                 |
| 332       | G155 1632 | Drum Drive Pulley                       | 1                 |
| 333       | G155 1119 | Timing Belt                             | 1                 |
| 334       | G155 1006 | Washer                                  | 1                 |
| 335       | G150 1006 | M3X12 Hex Socket Bolt With SW & W       | 1                 |
| 337       | G155 1412 | Belt Cover                              | 1                 |
| 338       | G155 5640 | Drum Motor Ass'y (RoHS)                 | 1                 |
|           | G155 1640 | Drum Motor Ass'y                        | 1                 |
| 339       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 5                 |
| 340       | G155 1591 | Ex Pipe(2)                              | 1                 |
| 341       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 349       | G155 5646 | Solenoid Valve Assy (RoHS)              | 1                 |
|           | G155 1646 | Solenoid Valve Assy                     | 1                 |
| 350       | G155 1031 | M5X20 Hex Socket Bolt With SW & W       | 2                 |
| 351       | G155 1973 | Solenoid Valve Holder                   | 1                 |
| 352       | G155 1209 | Screw, M5X10 Pan Hd.Phillips            | 2                 |
| 354       | G155 1727 | BR Web Gear Holder W Assy               | 1                 |




| Index No. | Part No.  | Description                | Q'ty Per Assembly |
|-----------|-----------|----------------------------|-------------------|
| 355       | G155 1562 | BR Web Drive Cover         | 1                 |
| 356       | G155 5339 | Stepping Motor 2 (RoHS)    | 1                 |
|           | G155 1339 | Stepping Motor 2           | 1                 |
| 357       | G155 1599 | CWB Drive Gear 1           | 1                 |
| 358       | G150 1153 | Screw,M3X6 Pan Hd.Phillips | 2                 |
| 359       | G155 1726 | BR Web Drive Shaft         | 1                 |
| 360       | G155 1786 | Web Drive Gear             | 1                 |
| 361       | G155 2169 | Web Drive Gear (5)         | 1                 |
| 362       | G155 1075 | Compression Spring         | 1                 |
| 363       | G155 1600 | CWB Drive Gear 3           | 1                 |
| 364       | G155 1601 | CWB Drive Gear 4           | 1                 |
| 365       | G150 5084 | Retaning Ring-E (RoHS)     | 1                 |
|           | G150 1084 | Retaining Ring-E           | 1                 |
| 366       | G150 1045 | Sleeve Bearing             | 2                 |
| 367       | G851 1002 | Sleeve Bearing             | 3                 |
| 368       | G150 1085 | Retaining Ring-E           | 2                 |
| 369       | G150 1087 | Retaining Ring-E           | 2                 |
| 370       | G150 1160 | Screw,M4X8 Pan Hd.Phillips | 4                 |
| 371       | G155 2371 | CWB Drive Gear 3 Assy      | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 27.Drum Unit (G155)



## 27.Drum Unit (G155)


| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 5276 | Drum Unit Assy (RoHS)                   | 1                 |
|           | G155 1276 | Drum Unit Assy                          | 1                 |
| 3         | G155 1777 | Drum Blank Details                      | 1                 |
| 4         | G155 1416 | Drum Coupling                           | 1                 |
| 5         | G155 1028 | M4X10 Hex Socket Bolt With SW & W       | 4                 |
| 6         | G155 2127 | Drum Cap Terminal (2)                   | 1                 |
| 7         | G155 1620 | Drum Rear End Cap                       | 1                 |
| 10        | G155 1188 | Screw,M4X10 Pan Hd.Phillips             | 5                 |
| 11        | G155 1196 | Bolt Washer, D4,Brass                   | 5                 |
| 12        | G155 1073 | Compression Spring                      | 1                 |
| 13        | G155 1438 | Drum Cap Assy                           | 1                 |
| 17        | G155 1345 | Drum Rear Inner Cap                     | 1                 |
| 18        | G155 1943 | Terminal Plate                          | 1                 |
| 19        | G155 1576 | Varistor Condenser Pack                 | 1                 |
| 20        | G155 2058 | Register Assy                           | 1                 |
| 21        | G155 2070 | Rewind Spring                           | 1                 |
| 24        | G150 1000 | VF Washer                               | 3                 |
| 25        | G851 1022 | External Tooth Washer, D4               | 3                 |
| 26        | G150 1163 | Screw,M4X16 Pan Hd.Phillips             | 1                 |
| 27        | G150 1022 | M4X12 Tap Screw                         | 2                 |
| 29        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 1                 |
| 30        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 31        | G155 1039 | M4X14 Bind Screw                        | 1                 |
| 32        | G155 5585 | Stock Sprocket (RoHS)                   | 1                 |
|           | G155 1585 | Stock Sprocket                          | 1                 |
| 33        | G155 1215 | B.B                                     | 1                 |
| 34        | G155 2062 | Rolled Roller Cap                       | 1                 |
| 35        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 1                 |
| 39        | G155 1902 | Carrier Hold Bar Assy                   | 1                 |
| 40        | G155 1509 | OpC Roll                                | 1                 |
| 41        | G155 2083 | Stock Roll Guide Ass'y                  | 1                 |
| 42        | G155 1338 | Wind Gear(3)                            | 1                 |
| 43        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 45        | G155 1589 | G Plate                                 | 1                 |
| 46        | G155 2085 | Stock Roll Guide Collar                 | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 47        | G155 6048 | Carbon Electrode (RoHS)                 | 1                 |
|           | G155 2048 | Carbon Electrode                        | 2                 |
| 48        | G150 1086 | Retaining Ring-E                        | 1                 |
| 49        | G155 2093 | Rolled Drive Gear (60-2)                | 1                 |
| 52        | G150 5084 | Retaining Ring-E (RoHS)                 | 3                 |
|           | G150 1084 | Retaining Ring-E                        | 3                 |
| 53        | G155 2089 | Clamp Screw(1)                          | 3                 |
| 54        | G155 2091 | Drum Brake Spring(60)                   | 3                 |
| 55        | G155 1197 | Bolt Washer,D3                          | 3                 |
| 56        | G155 2081 | Brake Pad                               | 3                 |
| 59        | G155 2050 | Drum Cap Front Holder                   | 1                 |
| 60        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 61        | G155 1054 | B.B                                     | 1                 |
| 62        | G155 1105 | Retaining Ring(Hole)                    | 1                 |
| 64        | G155 2080 | Drum Front Center Shaft                 | 1                 |
| 65        | G155 2049 | Thrust Washer                           | 1                 |
| 66        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 3                 |
| 67        | G155 2082 | Friction Plate                          | 1                 |
| 69        | G155 1218 | Drum Hold Plate (Eh)                    | 1                 |
| 70        | G155 2126 | Mgr Holder (F)                          | 1                 |
| 71        | G155 2125 | Mg Inshuretor Rework                    | 2                 |
| 72        | G155 2100 | Mg Sensor Callar                        | 1                 |
| 73        | G155 1104 | Retaining Ring-C                        | 3                 |
| 76        | G155 1622 | Pm Clamp Screw                          | 2                 |
| 77        | G155 2075 | D Cam                                   | 1                 |
| 78        | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 2                 |
| 79        | G155 1183 | Spring Washer,D6                        | 1                 |
| 80        | G150 1136 | Nut,M6                                  | 1                 |
| 81        | G155 1621 | Mgr Adjuster Cam                        | 1                 |
| 82        | G155 2154 | Bias Cap                                | 1                 |
| 85        | G155 1198 | Bolt Washer,D10                         | 1                 |
| 86        | G150 1089 | Retaining Ring-E                        | 1                 |
| 87        | G155 2052 | G Press Plate                           | 1                 |
| 88        | G155 2051 | G Spring                                | 1                 |
| 89        | G155 2088 | Drum Gnd Plate(1)                       | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 92        | G155 1337 | Drum Handle                             | 1                 |
| 93        | G155 1211 | Screw,M5X16 Pan Hd.Phillips With SW & W | 2                 |
| 113       | G155 1197 | Bolt Washer D3 (RoHS) ADDED             | 3                 |



## 28.Developer Unit (G155)



## 28.Developer Unit (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 5238 | Dev Unit Ass'y (RoHS)                   | 1                 |
|           | G155 2732 | MG155026 X/O                            | 1                 |
|           | G155 2727 | MG155018 X/O                            | 1                 |
|           | G155 1238 | DEV Unit Assy                           | 1                 |
| 3         | G155 1313 | DEV Frame Ass'y                         | 1                 |
| 5         | G155 1354 | TC Sensor Holder (R)                    | 1                 |
| 6         | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 2                 |
| 7         | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 9         | G155 1797 | CR Scraper(2)                           | 1                 |
| 10        | G155 1798 | Scraper Fix Plate(2)                    | 1                 |
| 11        | G155 1115 | Stopper Washer                          | 5                 |
| 13        | G155 1374 | Magnet Roll (D16) L                     | 1                 |
| 14        | G150 1046 | Sleeve Bearing                          | 1                 |
| 15        | G150 1086 | Retaining Ring-E                        | 1                 |
| 16        | G150 1422 | CR Flange(F)                            | 1                 |
| 18        | G155 5927 | TR Ass'y (RoHS)                         | 1                 |
|           | G155 1927 | TR Ass'y                                | 1                 |
| 19        | G155 2117 | BB Holder Plate (Tr2)                   | 1                 |
| 20        | G150 1022 | Tap Screw                               | 1                 |
| 21        | G155 2099 | Auger B Flange (F) Ass'y                | 1                 |
| 22        | G155 1000 | FP Washer                               | 1                 |
| 23        | G155 2249 | TR Bias Screw                           | 1                 |
| 25        | G155 5929 | Auger Screw(A) Ass'y (RoHS)             | 1                 |
|           | G155 1929 | Auger Screw(A) Ass'y                    | 1                 |
| 27        | G155 5928 | Auger Screw(B) Ass'y (RoHS)             | 1                 |
|           | G155 1928 | Auger Screw(B) Ass'y                    | 1                 |
| 29        | G155 2104 | BB Holder Plate                         | 1                 |
| 30        | G150 1022 | Tap Screw                               | 1                 |
| 32        | G155 2099 | Auger B Flange (F) Ass'y                | 1                 |
| 33        | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 1                 |
| 34        | G155 1000 | FP Washer                               | 1                 |
| 35        | G155 5931 | DEV Duct Assy (RoHS)                    | 1                 |
|           | G155 1931 | DEV Duct Assy                           | 1                 |
| 36        | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 1                 |
| 37        | G155 1000 | FP Washer                               | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 38        | G150 1022 | M4X12 Tap Screw                         | 4                 |
| 39        | G150 1841 | Doctor Holder D                         | 2                 |
| 40        | G155 2115 | Doctor Fix Plate (E)                    | 2                 |
| 41        | G155 1025 | M3X10 Hex Socket Bolt                   | 2                 |
| 43        | G155 1375 | Magnet Roll (D30) L                     | 1                 |
| 44        | G155 1376 | Magnet Roll (D30) L                     | 1                 |
| 45        | G155 1199 | 3X3X8 Key                               | 2                 |
| 46        | G150 1774 | B.B Holder Mgr Assy                     | 2                 |
| 48        | G155 2329 | MGR Seal Ass'y                          | 2                 |
| 49        | G155 1511 | MGR Flange(F2)                          | 2                 |
| 50        | G155 2384 | Bias Plate D                            | 1                 |
| 51        | G155 1445 | Bias Plate(2)                           | 1                 |
| 52        | G155 2564 | M4X20 Tap Screw                         | 1                 |
| 54        | G150 1005 | M3X14 Hex Socket Bolt                   | 2                 |
| 55        | G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W | 1                 |
| 57        | G150 1821 | Drum Guide Roller Assy                  | 2                 |
| 58        | G155 2159 | Drum Roller Holder (E)                  | 1                 |
| 59        | G155 2160 | Drum Roller Holder (E)                  | 1                 |
| 60        | G150 1014 | M4X8 Bind Screw                         | 2                 |
| 62        | G155 2034 | Doctor Blade(2)                         | 1                 |
| 63        | G150 1004 | M3X6 Hex Socket Bolt                    | 2                 |
| 65        | G155 2248 | BB Holder Plate (Mgr2)                  | 1                 |
| 66        | G155 2118 | Suport Plate (Mgr)                      | 1                 |
| 67        | G150 1014 | M4X8 Bind Screw                         | 1                 |
| 69        | G155 1793 | Cr Clutch Arm(2)                        | 1                 |
| 71        | G155 1792 | TR Gear (2)                             | 1                 |
| 72        | G155 1103 | Retaining Ring-C                        | 1                 |
| 74        | G155 1665 | Auger B Gear(Z45)                       | 1                 |
| 75        | G155 1664 | Auger B Gear(Z37)                       | 1                 |
| 76        | G155 1103 | Retaining Ring-C                        | 2                 |
| 78        | G155 2141 | Idler Shaft (3) Assy                    | 1                 |
| 79        | G155 2335 | One Way Gear(Z29) Ass'y                 | 1                 |
| 80        | G150 1002 | Poly Slider                             | 1                 |
| 82        | G155 1201 | 3X3X12 Key                              | 1                 |
| 83        | G155 1644 | Idle Gear (Z14-39)                      | 1                 |



| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 84        | G155 1052 | B.B                                     | 1                 |
| 85        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 87        | G155 2142 | Idler Shaft (2) Assy                    | 1                 |
| 88        | G155 1199 | 3X3X8 Key                               | 1                 |
| 90        | G155 2330 | Idler Gear(Z16/Z28) Ass'y               | 1                 |
| 91        | G155 1052 | B.B                                     | 1                 |
| 92        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 94        | G155 2331 | Idler Gear(Z21L) Ass'y                  | 1                 |
| 95        | G155 2332 | Idler Gear(Z18/21) Ass'y                | 1                 |
| 97        | G155 2314 | MGR Gear Stopper                        | 1                 |
| 98        | G155 2253 | MGR Gear(Z19)                           | 1                 |
| 99        | G155 1858 | Leak Protector(Mgr)                     | 1                 |
| 100       | G150 1088 | Retaining Ring-E                        | 1                 |
| 102       | G155 1858 | Leak Protector(Mgr)                     | 1                 |
| 103       | G155 2252 | MGR Gear(Z22)                           | 1                 |
| 104       | G155 2314 | MGR Gear Stopper                        | 1                 |
| 105       | G150 1088 | Retaining Ring-E                        | 1                 |
| 107       | G150 1152 | O Ring                                  | 2                 |
| 109       | G155 1279 | DEV Motor Holder(2)                     | 1                 |
| 111       | G155 6060 | DEV Earth Plate (RoHS)                  | 2                 |
|           | G155 2060 | DEV Earth Plate                         | 2                 |
| 112       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 113       | G155 1170 | Edging                                  | 1                 |
| 114       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 115       | G155 1919 | DEV Cable Assy                          | 1                 |
| 116       | G150 1156 | Screw,M3X12 Pan Hd.Phillips With SW & W | 2                 |
| 118       | G155 6334 | DEV Motor Ass'y (RoHS)                  | 1                 |
|           | G155 2334 | DEV Motor Ass'y                         | 1                 |
| 119       | G155 1206 | Screw,M4X20 Pan Hd.Phillips With SW & W | 2                 |
| 120       | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 2                 |
| 122       | G155 1794 | Driver Holder(2)                        | 1                 |
| 123       | G155 1170 | Edging                                  | 1                 |
| 124       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 125       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 127       | G155 1796 | Upper Scraper(2)                        | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 128       | G155 1194 | Screw,M4X6 Pan Hd.Phillips B            | 2                 |
| 130       | G155 1930 | Bias Seal Plate Ass'y                   | 1                 |
| 131       | G155 1193 | Screw, M3X5 Pan Hd. Phillips B          | 2                 |
| 133       | G150 1555 | DEV Duct Sub-Assy                       | 1                 |
| 135       | G150 1269 | DEV Duct Cap                            | 1                 |
| 136       | G150 1000 | VF Washer                               | 1                 |
| 137       | G150 1022 | M4X12 Tap Screw                         | 2                 |
| 139       | G150 5112 | Micro Switch (RoHS)                     | 1                 |
|           | G150 1112 | Micro Switch                            | 1                 |
| 140       | G150 1278 | Dev Duct Switch Cover                   | 1                 |
| 142       | G155 6033 | Toner Control Sensor (RoHS)             | 1                 |
|           | G155 2033 | Toner Control Sensor                    | 1                 |
| 143       | G155 1584 | Sensor Holder                           | 1                 |
| 144       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 146       | G155 1278 | DEV Bottom Cover                        | 1                 |
| 147       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 149       | G155 2251 | DEV Seal(R2)                            | 1                 |
| 150       | G155 2730 | MG155026 X/O                            | 1                 |
|           | G155 2250 | DEV Seal(F2)                            | 1                 |
| 152       | G155 2116 | DEV Side Seal                           | 2                 |
| 154       | G155 2333 | DEV Gear Cover Ass'y                    | 1                 |
| 155       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 158       | G155 1436 | DEV Bias Cover                          | 1                 |
| 159       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 161       | G155 1795 | Auger Separate Plate(2)                 | 1                 |
| 163       | G155 2726 | MG155018 X/O                            | 1                 |
|           | G155 1517 | DEV Upper Cover Ass'y                   | 1                 |
| 165       | G155 1791 | DEV Draw Stay(2)                        | 1                 |
| 166       | G155 2103 | DEV Draw Spring                         | 1                 |
| 167       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & S | 1                 |
| 169       | G851 1022 | External Tooth Washer, D4               | 1                 |
| 170       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |






## 29.Toner Hopper (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 1         | G155 2724 | Toner Supply Unit MG155022 O/O         | 1                 |
|           | G155 1239 | Toner Hopper Assy                      | 1                 |
| 3         | G155 2725 | Toner Bank Sub Assy MG155022 O/O       | 1                 |
|           | G155 1285 | Toner Hopper Sub Assy                  | 1                 |
| 5         | G155 1823 | Toner Feed Shaft Cover(2)              | 1                 |
| 6         | G155 2124 | Feed Roll Cover                        | 2                 |
| 7         | G155 1619 | Fix Plate(2)                           | 1                 |
| 8         | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 5                 |
| 10        | G155 1820 | Toner Feed Shaft                       | 1                 |
| 11        | G155 2122 | Feed Roll Seal                         | 4                 |
| 13        | G155 2155 | BB Holder Seal                         | 2                 |
| 14        | G155 2143 | B.B Holder (F) Ass'y                   | 2                 |
| 15        | G150 1153 | Screw,M3X6 Pan Hd.Phillips             | 4                 |
| 16        | G150 1087 | Retaining Ring-E                       | 1                 |
| 18        | G155 1577 | Gear(3)                                | 1                 |
| 19        | G150 1085 | Retaining Ring-E                       | 1                 |
| 21        | G155 1821 | Lake Plate W Assy(2)                   | 1                 |
| 22        | G155 2123 | Sub Lake Plate                         | 1                 |
| 23        | G155 1619 | Fix Plate(2)                           | 1                 |
| 24        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 5                 |
| 26        | G155 1452 | Beat Plate(2)                          | 1                 |
| 27        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 5                 |
| 30        | G155 2156 | Empty Sensor Holder Seal               | 1                 |
| 31        | G155 1353 | Sensor Holder(Th)                      | 1                 |
| 32        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 4                 |
| 34        | G150 5105 | Toner Sensor (RoHS)                    | 1                 |
|           | G150 1105 | Toner Sensor                           | 1                 |
| 35        | G150 1024 | Tap Screw,M3X8 Pan Hd.Phillips With W  | 2                 |
| 37        | G155 1822 | Stir Shaft(2)                          | 1                 |
| 39        | G155 2155 | BB Holder Seal                         | 2                 |
| 40        | G155 2144 | B.B Holder (P) Ass'y                   | 2                 |
| 41        | G150 1153 | Screw,M3X6 Pan Hd.Phillips             | 4                 |
| 42        | G150 1087 | Retaining Ring-E                       | 1                 |
| 44        | G155 1577 | Gear(3)                                | 1                 |
| 45        | G150 1085 | Retaining Ring-E                       | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 48        | G155 1450 | Stir Plate(2)                           | 1                 |
| 49        | G155 2151 | Tes Scraper                             | 1                 |
| 50        | G155 1451 | Stir Plate(2)                           | 1                 |
| 51        | G851 1025 | Screw,M3X20 Pan Hd.Phillips With SW & W | 4                 |
| 54        | G155 6153 | TH Idle Gear-1 Assy (RoHS)              | 1                 |
|           | G155 2153 | TH Idle Gear (1) Assy                   | 1                 |
| 55        | G150 1087 | Retaining Ring-E                        | 1                 |
| 58        | G155 6152 | TH Idle Gear(2) Assy (RoHS)             | 1                 |
|           | G155 2152 | TH Idle Gear (2) Assy                   | 1                 |
| 59        | G150 1087 | Retaining Ring-E                        | 1                 |
| 61        | G150 5263 | Stepping Motor 4 (RoHS)                 | 1                 |
|           | G150 1263 | Stepping Motor 4                        | 1                 |
| 62        | G155 1645 | TH Drive Gear                           | 1                 |
| 63        | G155 1049 | M3X4 Hex Socket Set Screw               | 1                 |
| 64        | G150 1153 | Screw,M3X6 Pan Hd.Phillips              | 3                 |
| 66        | G155 1314 | Bottle Tray Ass'y                       | 1                 |
| 67        | G150 1013 | M4X6 Bind Screw                         | 3                 |
| 69        | G155 1453 | TH Shutter(2)                           | 1                 |
| 70        | G155 1985 | Bottle Guide(2)                         | 1                 |
| 71        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 73        | G155 1986 | Bottle Guide(2)                         | 1                 |
| 74        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 76        | G155 1918 | Toner Hopper Cable Assy                 | 1                 |

## 30.Transfer Unit (G155)



### 30.Transfer Unit (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 1489 | TR Bottom Plate Sub Assy                | 1                 |
| 4         | G155 5152 | DC Fan (RoHS)                           | 1                 |
|           | G155 1152 | DC Fan                                  | 2                 |
| 5         | G155 2146 | Air Filter                              | 2                 |
| 6         | G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 4                 |
| 7         | G155 2192 | Fan Mask                                | 1                 |
| 9         | G155 2167 | SP Stand                                | 2                 |
| 10        | G150 1085 | Retaining Ring-E                        | 2                 |
| 11        | G155 1081 | Compression Spring                      | 2                 |
| 14        | G155 1160 | Cable Clamp                             | 2                 |
| 15        | G155 1170 | Edging                                  | 1                 |
| 16        | G151 1002 | One-Touch Bushing                       | 1                 |
| 17        | G155 1163 | Locking Wire Saddle                     | 3                 |
| 21        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 23        | G155 1923 | TR Gnd Cable Assy                       | 1                 |
| 24        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 26        | G155 2306 | Bottom Smooth Sheet                     | 2                 |
| 28        | G155 2720 | MG155023 X/O                            | 1                 |
|           | G155 1998 | TR Cable Cover                          | 1                 |
| 29        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 31        | G155 5309 | Transfer Belt Assy (RoHS)               | 1                 |
|           | G155 1309 | Transfer Belt Assy                      | 1                 |
| 32        | G155 2003 | Side Plate (Fi)                         | 1                 |
| 33        | G155 1867 | Side Plate (Ri)                         | 1                 |
| 35        | G155 1913 | Support Plate                           | 1                 |
| 36        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 38        | G155 6092 | Earth Spring Assy(5) (RoHS)             | 3                 |
|           | G155 2092 | Earth Spring Assy(5)                    | 3                 |
| 39        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 40        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 1                 |
| 42        | G155 1800 | B Guide Roller                          | 1                 |
| 43        | G155 1952 | B Guide Roller (D10)                    | 1                 |
| 44        | G155 1068 | Sleeve Bearing                          | 4                 |
| 45        | G150 1083 | Retaining Ring-E                        | 4                 |
| 47        | G155 1799 | Driven Roller                           | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 48        | G155 1059 | B.B                                    | 2                 |
| 49        | G155 1000 | FP Washer                              | 2                 |
| 50        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 52        | G155 1801 | C Roller                               | 1                 |
| 53        | G155 1060 | B.B                                    | 2                 |
| 54        | G155 1000 | FP Washer                              | 2                 |
| 55        | G150 1014 | M4X8 Bind Screw                        | 2                 |
| 57        | G155 5914 | Drive Roller Assy (RoHS)               | 1                 |
|           | G155 1914 | Drive Roller Assy                      | 1                 |
| 58        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 60        | G155 2181 | Pulley Stand Assy(F)                   | 1                 |
| 61        | G155 2180 | Pulley Stand Assy(R)                   | 1                 |
| 62        | G155 2045 | Guide Pulley                           | 2                 |
| 63        | G150 5084 | Retaning Ring-E (RoHS)                 | 2                 |
|           | G150 1084 | Retaining Ring-E                       | 2                 |
| 65        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 1                 |
| 67        | G155 1924 | Tr Gnd Cable Assy                      | 1                 |
| 68        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 70        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 2                 |
| 72        | G155 6048 | Carbon Electrode (RoHS)                | 1                 |
|           | G155 2048 | Carbon Electrode                       | 1                 |
| 73        | G155 1488 | Transfer Belt                          | 1                 |
| 75        | G155 5326 | Corotron(W) Assy (RoHS)                | 1                 |
|           | G155 2743 | MG155023 X/O                           | 1                 |
|           | G155 1326 | Corotron (W) Assy                      | 1                 |
| 76        | G155 1983 | Shield Plate Weld Assy                 | 1                 |
| 77        | G155 1242 | Corotron Case (F)                      | 1                 |
| 78        | G155 2347 | Shield Fix Plate                       | 1                 |
| 79        | G150 1021 | Tap Screw,M3X6                         | 2                 |
| 81        | G155 1532 | Corotron Case (R)                      | 1                 |
| 83        | G155 5967 | Screw Shaft(H) (RoHS)                  | 1                 |
|           | G155 1967 | Screw Shaft (H)                        | 1                 |
| 85        | G155 5667 | TR Cleaner Screw (RoHS)                | 1                 |
|           | G155 1667 | TR Cleaner Screw                       | 1                 |
| 86        | G155 2172 | TR Cleaner Assy                        | 1                 |


| Index No. | Part No.  | Description                       | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------|-------------------|
| 88        | G150 1083 | Retaining Ring-E                  | 2                 |
| 90        | G150 5627 | Sensor Ass'y (RoHS)               | 1                 |
|           | G150 1627 | Sensor Ass'y                      | 1                 |
| 91        | G155 1666 | Sensor Holder                     | 1                 |
| 92        | G150 1021 | Tap Screw,M3X6                    | 1                 |
| 95        | G155 1966 | Screw Joint                       | 1                 |
| 96        | G155 5542 | Geared Pm Stepping Motor 1 (RoHS) | 1                 |
|           | G155 1542 | Geared Pm Stepping Motor 1        | 1                 |
| 97        | G155 1968 | Gear Cover(H)                     | 1                 |
| 98        | G150 1021 | Tap Screw,M3X6                    | 2                 |
| 100       | G155 2358 | Wire Cleaner Assy                 | 1                 |
| 101       | G155 1965 | Cleaning Bar(Tr)                  | 1                 |
| 102       | G155 2073 | Bar Seal                          | 1                 |
| 105       | G155 1908 | Corotron Wire                     | 2                 |
| 106       | G155 2385 | Wire Contact Spring (H)           | 2                 |
| 107       | G155 2046 | T Corotron Spring                 | 2                 |
| 110       | G155 1533 | Corotron Cover (R)                | 1                 |
| 111       | G155 2718 | MG155023 X/O                      | 1                 |
|           | G155 1541 | Corotron Cover(F)                 | 1                 |
| 112       | G150 1021 | Tap Screw,M3X6                    | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |





## 31.Cleaner (G155)




### 31.Cleaner (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 2         | G155 1736 | Front Hub Holder                        | 1                 |
| 3         | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 2                 |
| 5         | G155 1508 | FB Housing Assy                         | 1                 |
| 7         | G155 2232 | Housing Stopper Shaft                   | 1                 |
| 8         | G150 1087 | Retaining Ring-E                        | 1                 |
| 10        | G155 2315 | Front Cap Holder Assy                   | 1                 |
| 11        | G155 2047 | Drum Roller                             | 1                 |
| 12        | G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 2                 |
| 15        | G155 2317 | Cam Follower Stand Assy                 | 1                 |
| 16        | G155 1206 | Screw,M4X20 Pan Hd.Phillips With SW & W | 2                 |
| 17        | G155 1055 | B.B                                     | 1                 |
| 18        | G150 1087 | Retaining Ring-E                        | 1                 |
| 19        | G851 1008 | Spring                                  | 1                 |
| 21        | G155 1022 | Cleaner Cap                             | 1                 |
| 23        | G155 2688 | X/O MG155004                            | 1                 |
|           | G155 1415 | Flicker Bar                             | 1                 |
| 25        | G155 1430 | Cleaning Brush                          | 1                 |
| 27        | G155 2316 | FB Front Cap Sub Assy                   | 1                 |
| 28        | G155 1080 | Compression Spring                      | 1                 |
| 29        | G155 2111 | FB Slide Shaft (F)                      | 1                 |
| 30        | G155 6162 | FB Driven Cone Assy (RoHS)              | 1                 |
|           | G155 2162 | FB Driven Cone Assy                     | 1                 |
| 31        | G150 1085 | Retaining Ring-E                        | 1                 |
| 33        | G155 2087 | Clamp Screw                             | 2                 |
| 34        | G150 5084 | Retaning Ring-E (RoHS)                  | 2                 |
|           | G150 1084 | Retaining Ring-E                        | 2                 |
| 37        | G155 1355 | FB Duct (M)                             | 1                 |
| 38        | G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W | 2                 |
| 39        | G155 1013 | Sleeve Cap                              | 1                 |
| 40        | G155 2037 | Silicone Tube D                         | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

## 32.Cover (G155)



## 32.Cover (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 2723 | MG155017 X/O                            | 1                 |
|           | G155 1317 | Flont Cover(L) Ass'y                    | 1                 |
| 2         | G155 1292 | Front Cover(L)W Assy                    | 1                 |
| 4         | G155 1475 | Latch Shaft                             | 1                 |
| 5         | G155 2369 | Cover Latch Handle 2                    | 1                 |
| 6         | G150 1014 | Screw,M4X8 Bind                         | 2                 |
| 8         | G155 2010 | Cover Latch 2                           | 1                 |
| 9         | G155 2011 | Cover Latch 2                           | 1                 |
| 10        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 12        | G155 1012 | Cover Latch Spring (B)                  | 1                 |
| 14        | G150 1095 | Plug Cushion Rubber                     | 3                 |
| 15        | G155 1023 | Poly Slider                             | 1                 |
| 16        | G150 1088 | Retaining Ring-E                        | 1                 |
| 17        | G155 1291 | Panel Holder(CI)                        | 1                 |
| 18        | G155 5372 | PN011 Assy (RoHS)                       | 2                 |
|           | G155 1372 | PN011 Assy                              | 2                 |
| 19        | G155 1944 | Shading Piece                           | 2                 |
| 20        | G155 1423 | Panel Seat(H)                           | 2                 |
| 24        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 6                 |
| 27        | G155 1101 | One Touch Bush                          | 1                 |
| 29        | G150 5114 | DC Fan (RoHS)                           | 1                 |
|           | G150 1114 | DC Fun                                  | 1                 |
| 30        | G155 2000 | Fun Holder                              | 1                 |
| 31        | G155 1040 | M4X35 Bind Screw                        | 2                 |
| 32        | G150 1035 | Flange Nut                              | 2                 |
| 33        | G150 1014 | Screw,M4X8 Bind                         | 2                 |
| 34        | G155 2386 | HP Panel Cable Assy                     | 1                 |
| 36        | G155 2270 | D Rod Press Sp                          | 1                 |
| 38        | G155 1004 | Copper Wire Gnd Cable(B) Ass'y          | 1                 |
| 39        | G155 1185 | External Tooth Washer, D4               | 1                 |
| 40        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 43        | G155 1840 | Hinge (Lt) W Assy                       | 1                 |
| 45        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 46        | G155 1935 | Pivot(Inner)                            | 1                 |
| 47        | G155 1836 | Hinge (Rb) W Assy                       | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 48        | G155 2072 | Hinge Bush                              | 1                 |
| 49        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 51        | G155 1225 | Cable Cover(CI)                         | 1                 |
| 52        | G150 1014 | Screw,M4X8 Bind                         | 4                 |
| 56        | G155 1318 | Front Cover(R)Ass'y                     | 1                 |
| 57        | G155 1293 | Front Cover(R)W Ass'y                   | 1                 |
| 59        | G155 1475 | Latch Shaft                             | 1                 |
| 60        | G155 2369 | Cover Latch Handle 2                    | 1                 |
| 61        | G150 1014 | Screw,M4X8 Bind                         | 2                 |
| 62        | G155 2010 | Cover Latch 2                           | 1                 |
| 63        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 64        | G155 2011 | Cover Latch 2                           | 1                 |
| 67        | G155 1011 | Cover Latch Spring (B)                  | 1                 |
| 69        | G150 1095 | Plug Cushion Rubber                     | 3                 |
| 71        | G155 1004 | Copper Wire Gnd Cable(B) Ass'y          | 1                 |
| 72        | G155 1185 | External Tooth Washer, D4               | 1                 |
| 73        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 74        | G150 1088 | Retaining Ring -E                       | 1                 |
| 75        | G155 1023 | Poly Slider                             | 1                 |
| 76        | G155 1838 | Hinge (Rt) W Assy                       | 1                 |
| 77        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 78        | G155 2072 | Hinge Bush                              | 1                 |
| 80        | G155 1835 | Hinge (Rb) W Assy                       | 1                 |
| 81        | G155 2072 | Hinge Bush                              | 1                 |
| 82        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 85        | G155 1473 | Hinge (Ct)                              | 1                 |
| 86        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 90        | G155 1316 | Top Cover(L)Ass'y                       | 1                 |
| 91        | G155 1294 | Top Cover(L)W Assy                      | 1                 |
| 93        | G155 1474 | Supply Cover W Assy                     | 1                 |
| 94        | G155 1668 | Supply Cover Shaft                      | 1                 |
| 95        | G155 2170 | Supply Cover Spring                     | 2                 |
| 96        | G150 1083 | Retaining Ring-E                        | 1                 |
| 98        | G155 2171 | Top Cover R Seal                        | 1                 |
| 99        | G155 2173 | Top Cover R Seal 2                      | 2                 |



| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 101       | G150 1014 | M4X8 Bind Screw                        | 4                 |
| 104       | G155 8241 | Top Cover(R)2 W Assy (RoHS) X/X        | 1                 |
|           | G155 1241 | Top Cover(R)2 W Assy                   | 1                 |
| 105       | G150 1014 | M4X8 Bind Screw                        | 4                 |
| 107       | G155 1554 | Upper Tray Rack Assy                   | 1                 |
| 110       | G155 1948 | Rear Cover (R) Assy                    | 1                 |
| 111       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 117       | G155 1297 | Rear Cover(L)W Assy                    | 1                 |
| 118       | G150 1120 | Magnet Catch                           | 2                 |
| 119       | G150 1014 | M4X8 Bind Screw                        | 4                 |
| 121       | G155 1482 | Rear Side Cover W Assy                 | 1                 |
| 122       | G150 1016 | Screw,M4X12 Bind                       | 2                 |
| 124       | G155 1483 | SF Cover Assy                          | 1                 |
| 125       | G155 1669 | Flat Drawer Pulls                      | 1                 |
| 126       | G155 2068 | Wire Holder C                          | 1                 |
| 127       | G155 2069 | Wire Holder C                          | 1                 |
| 128       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 129       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 131       | G155 2674 | MG155008 X/O                           | 1                 |
|           | G155 1295 | Side Cover L(W) Assy                   | 1                 |
| 132       | G150 1014 | Screw,M4X8 Bind                        | 5                 |
| 134       | G155 1226 | Hopper Cover(S)                        | 1                 |
| 135       | G155 1227 | Hopper Cover(L)                        | 1                 |
| 136       | G155 1839 | Pocket Rework                          | 2                 |
| 137       | G150 1014 | M4X8 Bind Screw                        | 4                 |
| 139       | G155 1833 | Inner Cover(Fu) Assy                   | 1                 |
| 140       | G150 1016 | Screw,M4X12 Bind                       | 3                 |
| 142       | G155 1982 | Inner Cover(L)Assy                     | 1                 |
| 143       | G150 1016 | Screw,M4X12 Bind                       | 3                 |
| 145       | G155 1834 | Inner Cover(Ru)W Assy                  | 1                 |
| 146       | G150 1016 | M4X12 Bind Screw                       | 4                 |
| 148       | G155 1981 | Inner Cover(RI)Assy                    | 1                 |
| 149       | G150 1016 | Screw,M4X12 Bind                       | 4                 |
| 151       | G155 1224 | Inner Cover(Opt)                       | 1                 |
| 152       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |







### 33.Stacker 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 3         | G155 1234 | Stacker Frame Assy(H)                   | 1                 |
| 6         | G155 1693 | Jam Sensor Holder(H)                    | 2                 |
| 7         | G155 5136 | Photo Interrupter (RoHS)                | 2                 |
|           | G155 1136 | Photo Interrupter                       | 2                 |
| 8         | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 2                 |
| 9         | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 11        | G155 1663 | Inter Lock Holder (S)                   | 2                 |
| 12        | G851 5019 | Push Switch (RoHS)                      | 2                 |
|           | G851 1019 | Push Switch                             | 2                 |
| 13        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 28        | G150 5106 | EOF Sensor (RoHS)                       | 2                 |
|           | G150 1106 | EOF Sensor                              | 2                 |
| 29        | G155 1037 | M3X16 Bind Screw                        | 2                 |
| 30        | G155 5512 | Slide Rail(5800) (RoHS)                 | 4                 |
|           | G155 1512 | Slide Rail(5800)                        | 4                 |
| 31        | G155 1392 | Drawer Holder (SI)                      | 4                 |
| 32        | G155 1044 | M5X8 Bind Screw                         | 16                |
| 33        | G155 1043 | M5X6 Bind Screw                         | 16                |
| 41        | G155 1692 | S Panel Base                            | 2                 |
| 42        | G155 5372 | PN011 Assy (RoHS)                       | 2                 |
|           | G155 1372 | PN011 Assy                              | 2                 |
| 43        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 44        | G155 1423 | Panel Seat(H)                           | 2                 |
| 45        | G155 1944 | Shading Piece                           | 2                 |
| 46        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 47        | G155 1386 | S Panel SW Bracket                      | 1                 |
| 48        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 74        | G155 1389 | Side Frame Cover(U)                     | 1                 |
| 75        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 77        | G155 1672 | Side Frame Cover                        | 1                 |
| 78        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 86        | G155 1390 | Inner Cover(HI)                         | 2                 |
| 87        | G150 1009 | M3X6 Bind Screw                         | 4                 |
| 89        | G155 1391 | Inner Cover(Hr)                         | 2                 |
| 90        | G150 1009 | M3X6 Bind Screw                         | 4                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 92        | G155 1253 | Cable Cover(II)                        | 1                 |
| 93        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 3                 |
| 95        | G155 1254 | Front Stay(S)                          | 1                 |
| 96        | G150 1014 | M4X8 Bind Screw                        | 4                 |
| 104       | G155 1299 | Basket Assy(H)                         | 2                 |
| 105       | G155 1243 | Container Tray(M)                      | 2                 |
| 112       | G155 1277 | Top Board (H)                          | 1                 |
| 113       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 9                 |
| 116       | G155 1942 | Cable Cover(Eof)                       | 2                 |
| 117       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 8                 |
| 121       | G155 1257 | Drawer Rivet Assy                      | 2                 |
| 123       | G155 1129 | MG155003                               | 4                 |
|           | G155 1094 | Plug Cushion Rubber                    | 4                 |
| 125       | G155 1258 | Drawer Latch Handle                    | 2                 |
| 126       | G155 1090 | Extension Spring                       | 4                 |
| 127       | G150 1001 | Shoulder Screw                         | 4                 |
| 129       | G155 1661 | Latch Plate (S)                        | 2                 |
| 130       | G155 2187 | Drawer Latch Shaft                     | 2                 |
| 131       | G155 2186 | Drawer Latch Roller                    | 2                 |
| 132       | G150 1083 | Retaining Ring-E                       | 4                 |
| 133       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 135       | G155 1779 | Basket Sense Plate Holder 2            | 2                 |
| 136       | G155 1780 | Basket Sense Plate(2)                  | 2                 |
| 137       | G150 1710 | Latch Roller Shaft                     | 2                 |
| 138       | G150 1709 | Hook Ring B                            | 4                 |
| 139       | G851 1006 | Extension Spring                       | 2                 |
| 140       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 142       | G155 2364 | Drawer Plate                           | 2                 |
| 143       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 145       | G155 1677 | Inter Lock Plate Holder (Sd)           | 2                 |
| 146       | G155 1676 | Inter Lock Plate (Sd)                  | 2                 |
| 147       | G155 1586 | Plunger Housing(2)                     | 2                 |
| 148       | G155 1078 | Compression Spring                     | 2                 |
| 149       | G155 2200 | Drawer Intelock Plunger                | 2                 |
| 150       | G155 1047 | M4 Tap Screw                           | 4                 |




| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 151       | G150 1086 | Retaining Ring-E                       | 2                 |
| 152       | G150 1001 | Shoulder Screw                         | 4                 |
| 153       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 8                 |
| 155       | G155 1659 | Latch Base(S)                          | 2                 |
| 156       | G155 2178 | Latch Roller Assy(2)                   | 2                 |
| 157       | G150 1710 | Latch Roller Shaft                     | 2                 |
| 158       | G150 1709 | Hook Ring B                            | 4                 |
| 159       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 160       | G150 1074 | Extension Spring                       | 2                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 34.Stacker 2 (G155)




### 34.Stacker 2 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 4         | G155 1761 | Joint Plate                             | 4                 |
| 5         | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 8                 |
| 15        | G155 1252 | Fan Holder(Sh)                          | 1                 |
| 16        | G150 5115 | DC Fan (RoHS)                           | 1                 |
|           | G150 1115 | DC Fan                                  | 1                 |
| 21        | G155 1384 | SL Latch Holder(H)                      | 2                 |
| 22        | G155 1385 | SL Latch                                | 2                 |
| 23        | G152 1006 | Extension Spring                        | 2                 |
| 24        | G155 2182 | Latch Shaft (SI)                        | 2                 |
| 25        | G150 5084 | Retaning Ring-E (RoHS)                  | 2                 |
|           | G150 1084 | Retaining Ring-E                        | 2                 |
| 27        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 6                 |
| 50        | G155 1387 | S Package Box W Ass'y                   | 1                 |
| 51        | G155 5539 | Stacker Controlboard (RoHS)             | 1                 |
|           | G155 2691 | MG155027 X/O                            | 1                 |
|           | G155 1539 | Stacker Controlboard                    | 1                 |
| 54        | G150 1008 | M3X5 Bind Screw                         | 4                 |
| 56        | G150 5553 | Fan Assy (1) (RoHS)                     | 1                 |
|           | G150 1553 | Fan Assy (1)                            | 1                 |
| 57        | G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 2                 |
| 58        | G155 1187 | Nut, M3                                 | 2                 |
| 59        | G150 1014 | M4X8 Bind Screw                         | 4                 |
| 62        | G155 1388 | Cable Cover(S)                          | 2                 |
| 63        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 65        | G155 1359 | Leb Blacket                             | 1                 |
| 66        | G155 5134 | Switching Regulator (RoHS)              | 1                 |
|           | G155 1134 | Switching Regulator                     | 1                 |
| 67        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 5                 |
| 68        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 70        | G155 1671 | PS Cover (S)                            | 1                 |
| 71        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 82        | G155 2362 | Push Switch Holder(S)                   | 2                 |
| 83        | G851 5019 | Push Switch (RoHS)                      | 2                 |
|           | G851 1019 | Push Switch                             | 2                 |
| 84        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 85        | G155 1006 | MG155012                               | 2                 |
|           | G155 1006 | Washer                                 | 4                 |
| 88        | G155 2707 | ST Sensor Cable Cover MG155012         | 2                 |
| 98        | G155 2361 | Drawer In Sensor Holder                | 2                 |
| 99        | G150 5099 | Photo Interruputer (RoHS)              | 2                 |
|           | G150 1099 | Photo Interruputer                     | 2                 |
| 100       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 107       | G155 1778 | Stacker Sensor Holder(2)               | 2                 |
| 108       | G150 5098 | Photo Interruputer (RoHS)              | 2                 |
|           | G150 1098 | Photo Interruputer                     | 2                 |
| 109       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |

## 35.Stacker 3 (G155)




### 35.Stacker 3 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 162       | G155 8273 | Rear Cover Assy (H) (RoHS) X/X          | 1                 |
|           | G155 1273 | Rear Cover Assy (H)                     | 1                 |
| 163       | G150 1014 | M4X8 Bind Screw                         | 5                 |
| 165       | G155 1219 | Top Cover (H) W Assy                    | 1                 |
| 166       | G150 1014 | M4X8 Bind Screw                         | 4                 |
| 168       | G155 1756 | Drawer Cover(Lh)                        | 2                 |
| 169       | G150 1009 | M3X6 Bind Screw                         | 8                 |
| 171       | G155 1871 | Drawer Cover Assy(H)                    | 2                 |
| 172       | G150 1014 | M4X8 Bind Screw                         | 4                 |
| 174       | G155 1872 | Front Cover(Sr)Assy(H)                  | 1                 |
| 175       | G150 1014 | M4X8 Bind Screw                         | 4                 |
| 178       | G155 1491 | Front Cover(Sl)Assy                     | 1                 |
| 179       | G155 1004 | Copper Wire Gnd Cable(B) Ass'y          | 1                 |
| 180       | G851 1022 | External Tooth Washer, D4               | 1                 |
| 181       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 186       | G155 1492 | Front Cover(Adp) Assy                   | 1                 |
| 187       | G155 1003 | Copper Wire Gnd Cable(B) Ass'y          | 1                 |
| 192       | G155 1186 | External Tooth Washer, D5               | 1                 |
| 193       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 195       | G155 1275 | Side Cover(Rh) Assy                     | 1                 |
| 196       | G150 1014 | M4X8 Bind Screw                         | 4                 |
| 198       | G155 1760 | Cover Hinge (Ll) W Assy                 | 1                 |
| 199       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 201       | G155 1758 | Cover Hinge (Lu) W Assy                 | 1                 |
| 202       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 204       | G155 1757 | F Cover Hinge (Rh) W Assy               | 1                 |
| 205       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 207       | G155 1759 | F Cover Hinge (Lh) W Assy               | 1                 |
| 208       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 210       | G150 1425 | FD Cover Band                           | 2                 |
| 211       | G155 2066 | FD Cover Support 2                      | 2                 |
| 212       | G155 2067 | FD Cover Support 2                      | 2                 |
| 213       | G150 1014 | M4X8 Bind Screw                         | 4                 |
| 214       | G150 1009 | M3X6 Bind Screw                         | 4                 |
| 216       | G155 2072 | Hinge Bush                              | 4                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |

### 36.Stacker Paper Feed 1 (G155)




### 36.Stacker Paper Feed 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 6005 | RTN Feed Roller(Lg) Assy (RoHS)         | 1                 |
|           | G155 2005 | RTN Feed Roller(Lg) Assy                | 1                 |
| 2         | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 3                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 3                 |
| 3         | G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS)       | 1                 |
|           | G155 2006 | RTN Feed Roller(Sgp) Assy               | 1                 |
| 6         | G155 2367 | B.B Holder(H)                           | 5                 |
| 7         | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 10                |
| 10        | G155 6048 | Carbon Electrode (RoHS)                 | 1                 |
|           | G155 2048 | Carbon Electrode                        | 5                 |
| 12        | G150 1587 | Feed Roller Knob                        | 1                 |
| 15        | G155 1427 | Path Gate(4) Ass'y                      | 2                 |
| 16        | G150 1045 | Sleeve Bearing                          | 2                 |
| 17        | G150 1046 | Sleeve Bearing                          | 2                 |
| 18        | G150 1085 | Retaining Ring-E                        | 2                 |
| 19        | G155 1803 | Path Gate Arm(2)                        | 2                 |
| 20        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 2                 |
| 24        | G155 1951 | Tension Pulley(G) Ass'y                 | 1                 |
| 25        | G155 1581 | Tension Roller Ass'y                    | 1                 |
| 26        | G155 1582 | Tension Roller Ass'y                    | 1                 |
| 27        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw& W  | 3                 |
| 30        | G851 1016 | Timing Belt                             | 1                 |
| 31        | G851 1010 | Extension Spring                        | 1                 |
| 35        | G155 2226 | Gnd Plate Holder(Phr)                   | 3                 |
| 36        | G155 2109 | Gnd Plate(Ph)                           | 3                 |
| 37        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 3                 |
| 38        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 39        | G155 1197 | Bolt Washer D3 MG155001                 | 3                 |
| 145       | G155 1103 | Retaining Ring-C                        | 2                 |
| 148       | G155 1802 | Gate Mortor Plate(2)                    | 2                 |
| 149       | G150 5263 | Stepping Motor 4 (RoHS)                 | 2                 |
|           | G150 1263 | Stepping Motor 4                        | 2                 |
| 150       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 6                 |
| 151       | G155 1999 | Gate Motor Gear Ass'y                   | 2                 |
| 152       | G155 1051 | M4X4 Hex Socket Screw                   | 2                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 153       | G155 2256 | Gate Sensor Holder(2)                   | 2                 |
| 154       | G150 5098 | Photo Interrupter (RoHS)                | 2                 |
|           | G150 1098 | Photo Interrupter                       | 2                 |
| 155       | G155 1000 | FP Washer                               | 2                 |
| 156       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 161       | G150 1067 | Extension Spring                        | 2                 |
| 164       | G155 1420 | Sp1 Motor Plate                         | 1                 |
| 165       | G151 5028 | Stepping Motor 40 (RoHS)                | 1                 |
|           | G151 1028 | Stepping Motor 40                       | 1                 |
| 166       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 3                 |
| 167       | G155 1773 | Motor Gear(Z34-D5)                      | 1                 |
| 168       | G155 2109 | Gnd Plate(Ph)                           | 1                 |
| 169       | G155 1006 | Washer                                  | 3                 |
| 170       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 171       | G155 1197 | Bolt Washer D3 MG155001                 | 1                 |
| 175       | G155 1805 | pF Out(2) Motor Plate                   | 1                 |
| 176       | G155 5343 | Stepping Motor 6 (RoHS)                 | 1                 |
|           | G155 1343 | Stepping Motor 6                        | 1                 |
| 177       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 178       | G155 1988 | Motor Gear (Z53-D8) Ass'y               | 1                 |
| 179       | G155 1051 | M4X4 Hex Socket Screw                   | 2                 |
| 180       | G155 2109 | Gnd Plate(Ph)                           | 1                 |
| 181       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 182       | G155 1006 | Washer                                  | 3                 |
| 183       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 184       | G155 1197 | Bolt Washer D3 MG155001                 | 1                 |



## 37.Stacker Paper Feed 2 (G155)



### 37.Stacker Paper Feed 2 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 18        | G150 1014 | M4X8 Bind Screw                        | 2                 |
| 19        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 41        | G155 1248 | Paper Guide 1 (L)                      | 1                 |
| 42        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 44        | G150 1162 | Screw,M4X12 Pan Hd.Phillips            | 8                 |
| 47        | G155 1249 | Paper Guide 2 (S)                      | 1                 |
| 48        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 51        | G155 1688 | Paper Guide 2 (W) Assy                 | 1                 |
| 52        | G150 1344 | Sensor Holder                          | 2                 |
| 53        | G150 5100 | Photo Sensor (RoHS)                    | 2                 |
|           | G150 1100 | Photo Sensor                           | 2                 |
| 54        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 58        | G155 1687 | Paper Guide 3 Rivet Assy               | 1                 |
| 59        | G150 1344 | Sensor Holder                          | 1                 |
| 60        | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |
| 61        | G155 1378 | PG3 Cable Cover                        | 1                 |
| 62        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 63        | G150 1095 | Plug Cushion Rubber                    | 1                 |
| 64        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 69        | G155 1685 | Middle Cover(S)                        | 1                 |
| 70        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 73        | G155 2728 | MG155014 X/O                           | 1                 |
|           | G155 1379 | Paper Guide 4 (W) Ass'y                | 1                 |
| 74        | G155 1156 | Magnet Catch                           | 2                 |
| 75        | G150 1095 | Plug Cushion Rubber                    | 3                 |
| 76        | G150 1344 | Sensor Holder                          | 1                 |
| 77        | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |
| 78        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 82        | G155 1380 | Paper Guide 6(W) Ass'y                 | 1                 |
| 83        | G155 1377 | Hinge Holder (Pg6) Rivet Ass'y         | 1                 |
| 84        | G155 2177 | PG 8 Hinge Shaft                       | 1                 |
| 85        | G150 1085 | Retaining Ring-E                       | 1                 |
| 86        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |


| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 87        | G155 2185 | MG Off Lever W Ass'y                   | 1                 |
| 88        | G150 1544 | Phd Knob                               | 1                 |
| 89        | G150 1001 | Shoulder Screw                         | 2                 |
| 90        | G155 5769 | pF Pressuer Roller Assy (RoHS)         | 3                 |
|           | G155 1769 | pF Pressuer Roller Assy                | 3                 |
| 91        | G155 5771 | pF Pressuer Roller Assy (RoHS)         | 3                 |
|           | G155 1771 | pF Pressuer Roller Assy                | 3                 |
| 92        | G155 2664 | Pressure Roll Spring2 MG155006 X/O     | 6                 |
|           | G150 1065 | Extension Spring                       | 6                 |
| 93        | G155 2176 | Holder(D-B)                            | 1                 |
| 94        | G150 1043 | Derlin Bearing                         | 1                 |
| 95        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 96        | G150 1016 | M4X12 Bind Screw                       | 2                 |
| 101       | G155 1749 | Paper Guide 1(U) R Ass'y               | 1                 |
| 102       | G155 2194 | PG1 Hinge Shaft                        | 1                 |
| 103       | G150 1085 | Retaining Ring-E                       | 2                 |
| 104       | G155 5769 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy                | 1                 |
| 105       | G155 5771 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy                | 1                 |
| 106       | G155 2664 | Pressure Roll Spring2 MG155006 X/O     | 2                 |
|           | G150 1065 | Extension Spring                       | 2                 |
| 107       | G150 1544 | PHD Knob                               | 1                 |
| 108       | G150 1085 | Retaining Ring-E                       | 1                 |
| 111       | G155 2174 | PG1L Spring                            | 1                 |
| 112       | G155 2175 | PG1L Spring                            | 1                 |
| 117       | G155 1686 | Paper Guide 5(W)Ass'y                  | 1                 |
| 118       | G155 2195 | PG5 Hinge Shaft                        | 1                 |
| 119       | G155 1783 | HR Out Link Spring                     | 1                 |
| 120       | G150 1087 | Retaining Ring-E                       | 2                 |
| 121       | G155 5769 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy                | 1                 |
| 122       | G155 5771 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy                | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 123       | G155 2664 | Pressure Roll Spring2 X/O MG155006     | 2                 |
|           | G150 1065 | Extension Spring                       | 2                 |
| 124       | G155 1682 | PG5 Latch Plate(S)                     | 1                 |
| 125       | G155 1683 | PG5 Latch Shaft                        | 1                 |
| 126       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 127       | G155 1250 | PG5 Latch Plate                        | 1                 |
| 128       | G150 1544 | Phd Knob                               | 1                 |
| 129       | G150 1065 | Extension Spring                       | 1                 |
| 130       | G150 1095 | Plug Cushion Rubber                    | 1                 |
| 131       | G150 1085 | Retaining Ring-E                       | 1                 |
| 132       | G150 1085 | Retaining Ring-E                       | 1                 |
| 136       | G155 1684 | PG5 Stopper                            | 1                 |
| 137       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 144       | G155 5868 | Gate Cam Assy(3) (RoHS)                | 2                 |
|           | G155 1868 | Gate Cam Assy(3)                       | 2                 |
| 187       | G155 1781 | Cable Cover U(Sp1)                     | 1                 |
| 188       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 191       | G150 1095 | Plug Cushion Rubber                    | 2                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



### 38.Stacker Offset (G155)




### 38.Stacker Offset (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 1         | G155 2565 | Offset pF Assy(H)                      | 1                 |
| 2         | G155 1256 | Offset Frame Weld Assy                 | 1                 |
| 5         | G155 1698 | Offset Spacer                          | 1                 |
| 6         | G155 1694 | Offset Base                            | 1                 |
| 7         | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 3                 |
| 8         | G155 5869 | Off Set Roller Shaft Assy(H) (RoHS)    | 1                 |
|           | G155 1869 | Off Set Roller Shaft Assy(H)           | 1                 |
| 9         | G851 1001 | B.B.                                   | 1                 |
| 10        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 11        | G150 1087 | Retaining Ring-E                       | 1                 |
| 13        | G155 2367 | B.B Holder(H)                          | 1                 |
| 14        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 17        | G155 1764 | Off Set Roller Holder Assy             | 4                 |
| 19        | G851 1183 | Off-Set Roller Assy                    | 4                 |
| 22        | G155 2676 | Paddle MG155015 X/O                    | 12                |
|           | G851 1205 | Paddle                                 | 12                |
| 23        | G851 1023 | M3X5 Pan Head Screw No.3 Ni            | 12                |
| 24        | G150 1143 | Washer,D3                              | 12                |
| 26        | G155 1870 | Off Set Bar Assy(H)                    | 1                 |
| 28        | G851 1002 | Sleeve Bearing                         | 1                 |
| 29        | G851 1003 | Compression Spring                     | 1                 |
| 32        | G851 1104 | Stop Housing (2) M                     | 1                 |
| 33        | G150 1009 | M3X6 Bind Screw                        | 2                 |
| 42        | G155 1255 | Off Set Paper Guide (L)                | 1                 |
| 43        | G155 1101 | One-Touch Bushing                      | 1                 |
| 44        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 3                 |
| 47        | G155 1695 | Offset Pg (U) W Assy                   | 1                 |
| 48        | G851 1202 | Idler Roller Assy                      | 4                 |
| 49        | G150 1026 | M3X8 Tap Screw                         | 4                 |
| 50        | G155 2065 | Overlap Roller Holder Assy             | 2                 |
| 51        | G150 1026 | M3X8 Tap Screw                         | 2                 |
| 52        | G155 1172 | Electrostatic Eraser                   | 1                 |
| 53        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 2                 |
| 54        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 57        | G155 2199 | Offset Arm Sub Assy                    | 1                 |

| Index No. | Part No.  | Description                              | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------|-------------------|
| 58        | G150 1042 | Ball Bearing                             | 1                 |
| 59        | G150 1087 | Retaining Ring-E                         | 1                 |
| 60        | G150 1046 | Sleeve Bearing                           | 1                 |
| 61        | G150 1085 | Retaining Ring-E                         | 1                 |
| 62        | G150 1026 | M3X8 Tap Screw                           | 2                 |
| 65        | G155 1696 | Offset Motor Holder (C)                  | 1                 |
| 66        | G150 5263 | Stepping Motor 4 (RoHS)                  | 1                 |
|           | G150 1263 | Stepping Motor 4                         | 1                 |
| 69        | G155 2197 | Offset Cam Encorder(H)                   | 1                 |
| 70        | G155 2198 | Offset Cam                               | 1                 |
| 71        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 1                 |
| 72        | G851 1000 | Set Screw, M3X3 Hex Socket Hea           | 1                 |
| 73        | G150 5098 | Photo Interrupter (RoHS)                 | 1                 |
|           | G150 1098 | Photo Interrupter                        | 1                 |
| 74        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 75        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W   | 2                 |
| 83        | G155 6048 | Carbon Electrode (RoHS)                  | 1                 |
|           | G155 2048 | Carbon Electrode                         | 1                 |
| 86        | G155 1697 | Offset Motor Holder (D)                  | 1                 |
| 87        | G155 2109 | Gnd Plate(Ph)                            | 1                 |
| 88        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 1                 |
| 89        | G155 5333 | Stepping Motor (RoHS)                    | 1                 |
|           | G155 1333 | Stepping Motor                           | 1                 |
| 90        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 2                 |
| 91        | G155 1670 | Feed Motor Gear                          | 1                 |
| 92        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 2                 |
| 93        | G155 1197 | Bolt Washer D3 MG155001                  | 1                 |

## 39.Stacker Additional Paper Feed 1 (G155)




### 39.Stacker Additional Paper Feed 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 3                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 3                 |
| 2         | G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS)       | 2                 |
|           | G155 2006 | RTN Feed Roller(Sgp) Ass'y              | 2                 |
| 5         | G155 2367 | B.B Holder(H)                           | 5                 |
| 6         | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 10                |
| 9         | G155 6048 | Carbon Electrode (RoHS)                 | 1                 |
|           | G155 2048 | Carbon Electrode                        | 5                 |
| 12        | G155 1006 | Washer                                  | 6                 |
| 13        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 6                 |
| 17        | G155 1805 | pF Out(2) Motor Plate                   | 1                 |
| 18        | G155 5343 | Stepping Motor 6 (RoHS)                 | 1                 |
|           | G155 1343 | Stepping Motor 6                        | 1                 |
| 19        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 20        | G155 1988 | Motor Gear (Z53-D8) Assy                | 1                 |
| 21        | G155 1051 | M4X4 Hex Socket Screw                   | 2                 |
| 22        | G155 2109 | Gnd Plate(Ph)                           | 1                 |
| 23        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 24        | G155 1197 | Bolt Washer D3 MG155001                 | 1                 |
| 26        | G155 1805 | pF Out(2) Motor Plate                   | 1                 |
| 27        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 28        | G155 1988 | Motor Gear (Z53-D8) Assy                | 1                 |
| 29        | G155 1051 | M4X4 Hex Socket Screw                   | 2                 |
| 30        | G155 2109 | Gnd Plate(Ph)                           | 1                 |
| 31        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 32        | G150 5365 | Stepping Motor 8 (RoHS)                 | 1                 |
|           | G150 1365 | Stepping Motor 8                        | 1                 |
| 33        | G155 1197 | Bolt Washer D3 MG155001                 | 1                 |
| 36        | G155 1951 | Tension Pulley(G) Assy                  | 2                 |
| 37        | G155 1582 | Tension Roller Assy                     | 1                 |
| 38        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 43        | G155 2388 | Timing Belt                             | 1                 |
| 44        | G155 1123 | Timing Belt                             | 1                 |
| 45        | G851 1010 | Extension Spring                        | 2                 |
| 48        | G155 2226 | Gnd Plate Holder(Phr)                   | 3                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 49        | G155 2109 | Gnd Plate(Ph)                          | 3                 |
| 50        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 3                 |
| 51        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 3                 |
| 52        | G155 1197 | Bolt Washer D3 MG155001                | 3                 |



## 40.Stacker Additional Paper Feed 2 (G155)




#### 40.Stacker Additional Paper Feed 2 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 54        | G155 2389 | Paper Guide(L1)                        | 1                 |
| 55        | G155 2391 | Buffer Plate(2)                        | 1                 |
| 56        | G150 1001 | Shoulder Screw                         | 2                 |
| 57        | G150 1344 | Sensor Holder                          | 1                 |
| 58        | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |
| 59        | G155 2394 | Path Cable Cover                       | 1                 |
| 60        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 61        | G150 1035 | Flange Nut                             | 1                 |
| 62        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 66        | G155 2390 | Paper Guide(Add) Ass'y                 | 1                 |
| 69        | G155 2392 | Paper Guide(U4) W Ass'y                | 1                 |
| 70        | G155 1703 | PG Open Lever                          | 1                 |
| 71        | G150 1544 | Phd Knob                               | 1                 |
| 72        | G155 2209 | Out(2) Pg Release Shaft                | 1                 |
| 73        | G150 5084 | Retaning Ring-E (RoHS)                 | 1                 |
|           | G150 1084 | Retaining Ring-E                       | 1                 |
| 74        | G155 1088 | Extension Spring                       | 1                 |
| 75        | G155 5769 | pF Pressuer Roller Assy (RoHS)         | 5                 |
|           | G155 1769 | pF Pressuer Roller Assy                | 5                 |
| 76        | G155 5771 | pF Pressuer Roller Assy (RoHS)         | 5                 |
|           | G155 1771 | pF Pressuer Roller Assy                | 5                 |
| 77        | G150 1065 | Extension Spring                       | 10                |
| 78        | G150 1344 | Sensor Holder                          | 1                 |
| 79        | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |
| 80        | G155 2394 | Path Cable Cover                       | 1                 |
| 81        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 82        | G150 1035 | Flange Nut                             | 1                 |
| 83        | G155 1130 | Plug Cushion Rubber                    | 4                 |
| 84        | G155 1156 | Magnet Catch                           | 3                 |
| 88        | G155 2729 | MG155025 O/O                           | 1                 |
|           | G155 2393 | Paper Guide(L4) Rivet Assy             | 1                 |
| 89        | G155 2395 | Paper Path Hinge Shaft                 | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 90        | G150 5084 | Retaning Ring-E (RoHS)                  | 1                 |
|           | G150 1084 | Retaining Ring-E                        | 1                 |
| 91        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 92        | G155 2387 | Extension Spring                        | 3                 |
| 93        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 6                 |

## 41.Stacker Jogger Unit (G155)



## 41.Stacker Jogger Unit (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 2566 | Jogger Unit Assy(H)                     | 1                 |
| 2         | G155 1487 | Jogger Base Assy                        | 1                 |
| 5         | G155 1395 | Wire Guide Holder(H)                    | 1                 |
| 6         | G155 2207 | Wire Guide(H)                           | 2                 |
| 7         | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 10        | G155 2208 | H Sensor Holder W Assy                  | 1                 |
| 11        | G155 5140 | Photo Interrupter (RoHS)                | 1                 |
|           | G155 1140 | Photo Interrupter                       | 2                 |
| 12        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 15        | G155 1396 | Jam Sensor Holder(H)                    | 1                 |
| 16        | G155 5137 | Photo Interrupter (RoHS)                | 1                 |
|           | G155 1137 | Photo Interrupter                       | 1                 |
| 17        | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 1                 |
| 18        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 21        | G150 5106 | EOF Sensor (RoHS)                       | 1                 |
|           | G150 1106 | EOF Sensor                              | 1                 |
| 22        | G155 1037 | M3X16 Bind Screw                        | 1                 |
| 25        | G155 2168 | J.P Roller Assy                         | 3                 |
| 26        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 6                 |
| 31        | G155 2202 | Stopper Shaft Holder                    | 3                 |
| 32        | G155 2203 | Jogger Shaft                            | 2                 |
| 33        | G155 2204 | Jogger Shaft                            | 2                 |
| 34        | G155 2205 | Jogger Shaft                            | 2                 |
| 35        | G150 1086 | Retaining Ring-E                        | 6                 |
| 36        | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 12                |
| 37        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 38        | G155 1681 | Linear Sleeve A                         | 3                 |
| 41        | G150 5263 | Stepping Motor 4 (RoHS)                 | 1                 |
|           | G150 1263 | Stepping Motor 4                        | 1                 |
| 42        | G851 1148 | Jogger Motor Pulley                     | 1                 |
| 43        | G851 1000 | Set Screw, M3X3 Hex Socket Hea          | 1                 |
| 44        | G155 1393 | F-J Motor Holder                        | 1                 |
| 45        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw& W   | 2                 |
| 46        | G155 2201 | Sensor Holder (J)                       | 1                 |
| 47        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |


| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 48        | G150 5098 | Photo Interrupter (RoHS)               | 1                 |
|           | G150 1098 | Photo Interrupter                      | 1                 |
| 50        | G155 2164 | Jogger Pulley Stand                    | 1                 |
| 51        | G851 1101 | S Tension Pulley                       | 1                 |
| 52        | G851 1197 | Jogger Pulley Flange                   | 1                 |
| 53        | G150 1086 | Retaining Ring-E                       | 1                 |
| 54        | G155 1126 | Timing Belt                            | 1                 |
| 55        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 58        | G155 1394 | R-J Motor Holder                       | 1                 |
| 59        | G150 5263 | Stepping Motor 4 (RoHS)                | 1                 |
|           | G150 1263 | Stepping Motor 4                       | 1                 |
| 60        | G851 1148 | Jogger Motor Pulley                    | 1                 |
| 61        | G851 1000 | Set Screw, M3X3 Hex Socket Hea         | 1                 |
| 62        | G155 2164 | Jogger Pulley Stand                    | 1                 |
| 63        | G851 1101 | S Tension Pulley                       | 1                 |
| 64        | G851 1197 | Jogger Pulley Flange                   | 1                 |
| 65        | G150 1086 | Retaining Ring-E                       | 1                 |
| 66        | G155 1125 | Timing Belt                            | 1                 |
| 67        | G155 2201 | Sensor Holder (J)                      | 1                 |
| 68        | G150 5098 | Photo Interrupter (RoHS)               | 1                 |
|           | G150 1098 | Photo Interrupter                      | 1                 |
| 69        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 70        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw& W  | 2                 |
| 72        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 82        | G150 5263 | Stepping Motor 4 (RoHS)                | 1                 |
|           | G150 1263 | Stepping Motor 4                       | 1                 |
| 83        | G851 1148 | Jogger Motor Pulley                    | 1                 |
| 84        | G851 1000 | Set Screw, M3X3 Hex Socket Hea         | 1                 |
| 85        | G155 1259 | S Motor Holder                         | 1                 |
| 87        | G155 2164 | Jogger Pulley Stand                    | 1                 |
| 88        | G851 1101 | S Tension Pulley                       | 1                 |
| 89        | G851 1197 | Jogger Pulley Flange                   | 1                 |
| 90        | G150 1086 | Retaining Ring-E                       | 1                 |
| 91        | G150 1092 | Timing Belt                            | 1                 |
| 92        | G155 2201 | Sensor Holder (J)                      | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 93        | G150 5098 | Photo Interrupter (RoHS)                | 1                 |
|           | G150 1098 | Photo Interrupter                       | 1                 |
| 94        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 95        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw& W   | 2                 |
| 97        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 5                 |
| 100       | G155 1866 | SJ Paper Guide(U) Assy                  | 1                 |
| 101       | G155 1260 | SJ Paper Guide (U)                      | 1                 |
| 102       | G155 1173 | Electrostatic Eraser                    | 1                 |
| 103       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 104       | G155 2032 | ST Input Guide                          | 1                 |
| 106       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 107       | G155 5861 | Stopper Ass'y (H) (RoHS)                | 1                 |
|           | G155 1861 | Stopper Ass'y (H)                       | 1                 |
| 108       | G155 1702 | Stopper Plate W Ass'y                   | 1                 |
| 109       | G155 2168 | J.P Roller Assy                         | 2                 |
| 110       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 4                 |
| 112       | G155 2343 | Capton Sheet(Stopper)                   | 2                 |
| 114       | G150 1155 | Screw,M3 □ 10 Pan Hd.Phillips With SW&W | 1                 |
| 121       | G155 1701 | Jogger Plate (R) W Ass'y                | 1                 |
| 122       | G155 1700 | Jogger Holder                           | 1                 |
| 123       | G150 1002 | Poly Slider                             | 1                 |
| 124       | G150 1087 | Retaining Ring-E                        | 1                 |
| 125       | G150 1155 | Screw,M3 □ 10 Pan Hd.Phillips With SW&W | 1                 |
| 129       | G155 1699 | Jogger Plate (F) W Ass'y                | 1                 |
| 130       | G155 1700 | Jogger Holder                           | 1                 |
| 131       | G150 1002 | Poly Slider                             | 1                 |
| 132       | G150 1087 | Retaining Ring-E                        | 1                 |
| 133       | G150 1155 | Screw,M3 □ 10 Pan Hd.Phillips With SW&W | 1                 |
| 134       | G155 2206 | Belt Clamper                            | 3                 |
| 135       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 6                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 42.Stacker Lift Unit (G155)




## 42.Stacker Lift Unit (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 1280 | Container Lift (H) Ass'y                | 1                 |
| 3         | G155 1251 | Lift Frame Rivet Ass'y(S)               | 1                 |
| 6         | G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W | 2                 |
| 10        | G155 1691 | Fork Idler Shaft                        | 1                 |
| 11        | G155 1062 | B.B                                     | 2                 |
| 12        | G155 2367 | B.B Holder(H)                           | 2                 |
| 13        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 17        | G150 1089 | Retaining Ring-E                        | 4                 |
| 18        | G155 1573 | Idler Pulley                            | 2                 |
| 19        | G155 2097 | Spacer                                  | 2                 |
| 21        | G155 1689 | Lift Tensioner Base Ass'y               | 1                 |
| 22        | G155 6044 | Idler Pulley A Ass'y (RoHS)             | 1                 |
|           | G155 2044 | Idler Pulley A Ass'y                    | 1                 |
| 23        | G150 1089 | Retaining Ring-E                        | 1                 |
| 26        | G155 1690 | Lift Tensioner Base Ass'y               | 1                 |
| 27        | G155 6044 | Idler Pulley A Ass'y (RoHS)             | 1                 |
|           | G155 2044 | Idler Pulley A Ass'y                    | 1                 |
| 28        | G150 1089 | Retaining Ring-E                        | 1                 |
| 31        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 34        | G155 1383 | Fork Position Sensor Plate H            | 1                 |
| 35        | G150 5098 | Photo Interrupter (RoHS)                | 5                 |
|           | G150 1098 | Photo Interrupter                       | 5                 |
| 36        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 40        | G155 5449 | Table Drive Ass'y (St) (RoHS)           | 1                 |
|           | G155 1449 | Table Drive Ass'y (St)                  | 1                 |
| 41        | G155 1272 | Gear Housing(C)                         | 1                 |
| 42        | G155 1057 | B.B                                     | 2                 |
| 43        | G155 2254 | Table Worm Gear Ass'y                   | 1                 |
| 44        | G155 1108 | Retaining Ring(Hole)                    | 1                 |
| 45        | G155 1425 | Table Drive Shaft(H)                    | 1                 |
| 46        | G155 6255 | Table Worm Wheel Ass'y (RoHS)           | 1                 |
|           | G155 2255 | Table Worm Wheel Ass'y                  | 1                 |
| 47        | G155 5112 | Retaining Ring-E (RoHS)                 | 2                 |
|           | G155 1112 | Retaining Ring-E                        | 2                 |
| 48        | G155 1216 | B.B (6002 Vvcm)                         | 2                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 49        | G155 1107 | Retaining Ring(Hole)                   | 2                 |
| 50        | G155 1201 | 3X3X12 Key                             | 1                 |
| 51        | G155 1340 | Stepping Motor With Gear1              | 1                 |
| 52        | G851 1021 | Spring Washer,D4                       | 4                 |
| 53        | G155 1424 | Lift Motor Base Plate                  | 1                 |
| 56        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 60        | G155 1062 | B.B                                    | 2                 |
| 61        | G155 2367 | B.B Holder(H)                          | 2                 |
| 62        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 65        | G150 1089 | Retaining Ring-E                       | 2                 |
| 66        | G155 1574 | Arm Drive Pulley                       | 2                 |
| 69        | G155 1021 | Tight Ring                             | 2                 |
| 70        | G155 1032 | M4X16 Hex Socket Bolt With Sw          | 2                 |
| 73        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 76        | G155 1116 | Timing Belt                            | 2                 |
| 77        | G155 1094 | Extension Spring                       | 2                 |
| 82        | G155 1328 | Container Fork Weld Ass'y(H2)          | 1                 |
| 85        | G155 1763 | Cam Follower                           | 4                 |
| 86        | G155 1183 | Spring Washer,D6                       | 4                 |
| 89        | G155 1762 | Wire Hook B.B                          | 1                 |
| 92        | G155 2196 | Fork Sense Plate(2)                    | 1                 |
| 93        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 96        | G155 1563 | Wire Rope (D) Ass'y                    | 1                 |
| 97        | G851 1022 | External Tooth Washer, D4              | 1                 |
| 98        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |
| 101       | G155 1381 | Fork Adjustment Plate(H)               | 1                 |
| 102       | G155 1382 | Fork Adjustment Plate(H)               | 1                 |
| 103       | G155 1028 | M4X10 Hex Socket Bolt With SW & W      | 6                 |
| 109       | G155 1984 | Belt Clamper Holder(4)                 | 2                 |
| 110       | G155 2341 | Belt Clamper(2) W Ass'y                | 2                 |
| 112       | G155 1028 | M4X10 Hex Socket Bolt With SW & W      | 8                 |
| 116       | G851 1022 | External Tooth Washer, D4              | 1                 |
| 117       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |



## 43. Feeder Ass'y 1 (G155)



### 43. Feeder Ass'y 1 (G155)

| Index No. | Part No.  | Description                              | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------|-------------------|
| 7         | G155 2546 | Pick Unit Assy                           | 2                 |
| 8         | G155 1939 | Pick Unit Hanger(1) Assy                 | 2                 |
| 9         | G155 2431 | Pick Unit Hanger                         | 2                 |
| 10        | G150 5100 | Photo Sensor (RoHS)                      | 2                 |
|           | G150 1100 | Photo Sensor                             | 2                 |
| 11        | G150 1157 | Screw,M3X16 Pan Hd.Phillips With SW & W  | 2                 |
| 19        | G155 1979 | Eliminate Sheet(Ap) Assy                 | 2                 |
| 20        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 4                 |
| 23        | G155 1958 | Press Shaft (Ap)                         | 2                 |
| 24        | G155 2357 | Phase Adjuster                           | 2                 |
| 25        | G150 1010 | M3X8 Bind Screw                          | 2                 |
| 26        | G150 1087 | Retaining Ring-E                         | 4                 |
| 28        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W   | 2                 |
| 29        | G155 2016 | Press Support Plate (F)                  | 2                 |
| 30        | G155 2017 | Press Support Plate (R)                  | 2                 |
| 31        | G150 5084 | Retaning Ring-E (RoHS)                   | 4                 |
|           | G150 1084 | Retaining Ring-E                         | 4                 |
| 32        | G155 2018 | Press Plate                              | 4                 |
| 33        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W   | 2                 |
| 34        | G155 1086 | Extension Spring                         | 2                 |
| 35        | G851 1095 | Gate Link (A)                            | 2                 |
| 36        | G851 1099 | Link (A)                                 | 2                 |
| 37        | G150 5421 | Solenoid A (RoHS)                        | 2                 |
|           | G150 1421 | Solenoid A                               | 2                 |
| 38        | G155 1959 | Solenoid Holder(Ap)                      | 2                 |
| 39        | G150 1009 | M3X6 Bind Screw                          | 8                 |
| 43        | G155 2547 | Pick Belt Unit                           | 2                 |
| 44        | G155 2548 | Pick Belt Frame Assy                     | 2                 |
| 51        | G155 1850 | Pick Pulley(B) Rework                    | 2                 |
| 52        | G155 1062 | B.B                                      | 2                 |
| 53        | G155 1058 | B.B                                      | 2                 |
| 54        | G150 1000 | VF Washer                                | 4                 |
| 55        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 4                 |
| 56        | G155 2280 | Ring Keeper                              | 2                 |
| 57        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W   | 2                 |


| Index No. | Part No.  | Description                              | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------|-------------------|
| 60        | G155 1849 | Pick Pulley(B) Rework                    | 2                 |
| 61        | G155 1062 | B.B                                      | 4                 |
| 62        | G155 1200 | 3X3X10 Key                               | 2                 |
| 63        | G155 2041 | Mp Drive Pulley                          | 2                 |
| 64        | G150 1000 | VF Washer                                | 4                 |
| 65        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 4                 |
| 66        | G155 1319 | Pick Belt(Ap)                            | 2                 |
| 67        | G155 1013 | Sleeve Cap                               | 2                 |
| 68        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 69        | G155 1118 | Timing Belt                              | 1                 |
| 73        | G155 1940 | Pick Motor Assy(1)                       | 1                 |
| 74        | G155 1343 | Stepping Motor 6                         | 1                 |
| 75        | G155 2271 | Pully Assy                               | 1                 |
| 78        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 2                 |
| 79        | G851 1010 | Extension Spring                         | 1                 |
| 80        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 2                 |
| 81        | G155 1117 | Timing Belt                              | 1                 |
| 85        | G155 2508 | Pick Motor Assy (Lh)                     | 1                 |
| 86        | G155 1343 | Stepping Motor 6                         | 1                 |
| 87        | G155 2271 | Pully Assy                               | 1                 |
| 89        | G155 2491 | Pick Motor Holder(Lh)                    | 1                 |
| 90        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 2                 |
| 91        | G851 1010 | Extension Spring                         | 1                 |
| 96        | G155 1321 | Swing Unit(1)                            | 2                 |
| 97        | G155 1230 | Swing Base (1)                           | 2                 |
| 98        | G155 1024 | Poly Slider                              | 4                 |
| 99        | G150 1085 | Retaining Ring-E                         | 16                |
| 100       | G155 1847 | Swing Shaft                              | 4                 |
| 101       | G155 1024 | Poly Slider                              | 4                 |
| 105       | G155 2061 | Arm Spring                               | 4                 |
| 106       | G155 2272 | Swing Arm (2)                            | 8                 |
| 109       | G155 1229 | Ceiling Plate                            | 2                 |
| 110       | G155 2273 | Guide Wire                               | 2                 |
| 111       | G155 2274 | Guide Wire                               | 10                |
| 112       | G155 2275 | Guide Wire                               | 4                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 113       | G150 1083 | Retaining Ring-E                        | 18                |
| 116       | G155 1129 | Plug Cushion Rubber                     | 8                 |
| 117       | G150 5099 | Photo Interrupter (RoHS)                | 2                 |
|           | G150 1099 | Photo Interrupter                       | 2                 |
| 118       | G155 1536 | Bank(2)                                 | 2                 |
| 119       | G155 2353 | Bank Shaft                              | 2                 |
| 120       | G150 1058 | Compression Spring                      | 2                 |
| 122       | G150 1001 | Shoulder Screw                          | 8                 |
| 124       | G155 1957 | Separation Gate                         | 2                 |
| 125       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 128       | G155 1523 | Separation Nozzle Assy                  | 2                 |
| 135       | G155 2550 | Shutter Plate                           | 2                 |
| 136       | G155 2551 | Shutter Turn Plate                      | 2                 |
| 137       | G155 2552 | Washer D4                               | 2                 |
| 138       | G150 5084 | Retaning Ring-E (RoHS)                  | 2                 |
|           | G150 1084 | Retaning Ring-E                         | 2                 |
| 139       | G150 1063 | Extension Spring                        | 2                 |
| 140       | G155 2549 | Extension Spring                        | 2                 |
| 143       | G155 1013 | Sleeve Cap                              | 2                 |
| 144       | G155 1548 | Entrance Paper Guide Assy               | 2                 |
| 145       | G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 2                 |
| 146       | G155 1190 | Screw,M3X8 Flat Hd.Phillips             | 2                 |
| 147       | G155 1203 | Screw,M4X55 Flat Hd.Phillips With Sw    | 4                 |
| 153       | G155 1938 | Guide Tube Assy                         | 2                 |
| 155       | G155 1848 | Guide Tube Cramper(2)                   | 2                 |
| 156       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 157       | G150 5099 | Photo Interrupter (RoHS)                | 2                 |
|           | G150 1099 | Photo Interrupter                       | 2                 |
| 160       | G155 1990 | Pipe (S2) Assy                          | 2                 |
| 161       | G155 1989 | Pipe(S2)Weld Assy                       | 2                 |
| 162       | G155 2366 | Pipe Joint Seal                         | 2                 |
| 163       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 6                 |
| 200       | G155 5512 | Slide Rail(5800) (RoHS)                 | 4                 |
|           | G155 1512 | Slide Rail(5800)                        | 4                 |
| 201       | G155 1500 | SL Joint(R)                             | 2                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 202       | G155 1501 | SL Joint(L)                             | 2                 |
| 203       | G155 1044 | M5X8 Bind Screw                         | 12                |
| 204       | G155 2278 | EOF Sensor Stand                        | 4                 |
| 205       | G150 5106 | EOF Sensor (RoHS)                       | 4                 |
|           | G150 1106 | EOF Sensor                              | 4                 |
| 206       | G150 1157 | Screw,M3X16 Pan Hd.Phillips With SW & W | 4                 |
| 207       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 4                 |
| 210       | G155 2441 | Indicate Sensor Holder(Lh)              | 2                 |
| 211       | G150 5099 | Photo Interrupter (RoHS)                | 6                 |
|           | G150 1099 | Photo Interrupter                       | 6                 |
| 212       | G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 8                 |
| 215       | G155 5146 | Push Switch (RoHS)                      | 2                 |
|           | G155 1146 | Push Switch                             | 2                 |
| 245       | G155 2420 | Inner Cover(Lh)                         | 1                 |
| 246       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 250       | G851 5019 | Push Switch (RoHS)                      | 2                 |
|           | G851 1019 | Push Switch                             | 2                 |
| 333       | G155 2020 | Latch Base                              | 2                 |
| 334       | G155 2019 | Latch Plate                             | 2                 |
| 335       | G150 5421 | Solenoid A (RoHS)                       | 2                 |
|           | G150 1421 | Solenoid A                              | 2                 |
| 336       | G155 2021 | Latch Cover                             | 2                 |
| 337       | G155 1074 | Compression Spring                      | 2                 |
| 338       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 339       | G150 1010 | M3X8 Bind Screw                         | 8                 |



## 44. Feeder Ass'y 2 (G155)




#### 44. Feeder Ass'y 2 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 4         | G155 2424 | Feeder Frame Assy                      | 1                 |
| 164       | G155 2453 | Valve (Lh) Assy                        | 1                 |
| 165       | G155 2443 | Valve Holder(Lh) W Assy                | 1                 |
| 166       | G155 5526 | Multiple Valve Assy (RoHS)             | 1                 |
|           | G155 1526 | Multiple Valve Assy                    | 1                 |
| 167       | G155 1495 | Base Cylinder Assy                     | 1                 |
| 168       | G155 2397 | D3X12 Roll Pin                         | 1                 |
| 171       | G155 1527 | Valve Rotor Assy                       | 1                 |
| 172       | G155 1498 | Valve Motor Holder                     | 1                 |
| 173       | G150 5099 | Photo Interrupter (RoHS)               | 2                 |
|           | G150 1099 | Photo Interrupter                      | 2                 |
| 174       | G155 5333 | Stepping Motor (RoHS)                  | 1                 |
|           | G155 1333 | Stepping Motor                         | 1                 |
| 175       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 176       | G155 1170 | Edging                                 | 1                 |
| 177       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 181       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 182       | G155 1845 | Valve Band(2)                          | 2                 |
| 183       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 2                 |
| 184       | G155 1568 | Hose (B)                               | 2                 |
| 185       | G155 2469 | Hose (B)                               | 1                 |
| 186       | G155 2468 | Hose (B)                               | 1                 |
| 187       | G155 2467 | Hose (B)                               | 1                 |
| 188       | G155 1566 | Hose (B)                               | 1                 |
| 191       | G155 2466 | Hose (A)                               | 1                 |
| 192       | G155 1565 | Hose (A)                               | 1                 |
| 193       | G155 1010 | Wire Band                              | 8                 |
| 194       | G155 1008 | Wire Band                              | 2                 |
| 219       | G155 2507 | Blower (Lh) Assy                       | 1                 |
| 220       | G155 2492 | Blower Holder Assy                     | 1                 |
| 223       | G155 2520 | Pick Blower Assy                       | 1                 |
| 224       | G155 2396 | M8X16 Hex Socket Bolt                  | 4                 |
| 230       | G155 1826 | Filter Case                            | 1                 |
| 231       | G155 2298 | Filter                                 | 1                 |
| 232       | G155 1841 | Filter Box Cover                       | 1                 |

| Index No. | Part No.  | Description                              | Q'ty Per Assembly |
|-----------|-----------|------------------------------------------|-------------------|
| 233       | G155 2297 | Filter Box Seal                          | 1                 |
| 234       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 2                 |
| 235       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 3                 |
| 236       | G155 1842 | P Blower Joint                           | 2                 |
| 237       | G155 1569 | Hose (B)                                 | 2                 |
| 238       | G155 1571 | Hose (B)                                 | 1                 |
| 239       | G155 1010 | Wire Band                                | 4                 |
| 240       | G155 1209 | Screw, M5X10 Pan Hd.Phillips With SW & W | 3                 |
| 253       | G851 5017 | Switching Regulator (RoHS)               | 1                 |
|           | G851 1017 | Switching Regulator                      | 1                 |
| 254       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 3                 |
| 255       | G155 6461 | Hopper Control Board 1 (RoHS)            | 1                 |
|           | G155 2692 | Hopper Control Board 1 MG155027 X/O      | 1                 |
|           | G155 2461 | HS104 Assy                               | 1                 |
| 257       | G155 6463 | HP122 Assy (RoHS)                        | 1                 |
|           | G155 2463 | HP122 Assy                               | 1                 |
| 259       | G150 1008 | M3X5 Bind Screw                          | 4                 |
| 262       | G150 1553 | Fan Assy (1)                             | 1                 |
| 263       | G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W  | 2                 |
| 264       | G155 1187 | Nut, M3                                  | 2                 |



## 45. Feeder Ass'y 3 (G155)




#### 45. Feeder Ass'y 3 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 269       | G155 2487 | Hinge(LI)W Assy                        | 1                 |
| 270       | G155 2072 | Hinge Bush                             | 1                 |
| 271       | G155 2423 | Front Cover (L) Assy                   | 1                 |
| 272       | G155 2432 | Front Cover(L)R W Assy                 | 1                 |
| 273       | G155 1669 | Flat Drawer Pulls                      | 1                 |
| 277       | G150 1120 | Magnet Catch                           | 2                 |
| 278       | G150 1095 | Plug Cushion Rubber                    | 2                 |
| 280       | G155 2465 | Panel Holder(Lc)R                      | 2                 |
| 281       | G155 1423 | Panel Sheet(H)                         | 2                 |
| 282       | G155 1372 | Pn011 Assy                             | 2                 |
| 283       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 284       | G155 1944 | Shading Piece                          | 2                 |
| 285       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 9                 |
| 289       | G155 1004 | Copper Wire Gnd Cable(B) Ass'y         | 1                 |
| 290       | G851 1022 | External Tooth Washer, D4              | 1                 |
| 292       | G155 2484 | Hinge(Lu) W Assy                       | 1                 |
| 293       | G155 1935 | Pivot(Inner)                           | 1                 |
| 295       | G155 2482 | F Cover Hinge (Lc) W Assy              | 1                 |
| 296       | G155 2072 | Hinge Bush                             | 2                 |
| 299       | G155 2452 | Front Open Cover (Lc) Assy             | 1                 |
| 300       | G155 2440 | Front Open Cover (Lc) W Assy           | 1                 |
| 301       | G155 1669 | Flat Drawer Pulls                      | 1                 |
| 303       | G155 1004 | Copper Wire Gnd Cable(B) Ass'y         | 1                 |
| 304       | G155 1044 | M5X8 Bind Screw                        | 1                 |
| 305       | G155 2402 | Spring Washer,D5                       | 1                 |
| 306       | G155 2403 | Bolt Washer,D5                         | 1                 |
| 307       | G155 1186 | Teeth Washer                           | 1                 |
| 308       | G150 1120 | Magnet Catch                           | 2                 |
| 309       | G150 1425 | FD Cover Band                          | 2                 |
| 310       | G155 2067 | FD Cover Support 2                     | 2                 |
| 311       | G150 1009 | M3X6 Bind Screw                        | 4                 |
| 315       | G155 2483 | F Cover Hinge (Lc) W Assy              | 1                 |
| 318       | G150 1014 | M4X8 Bind Screw                        | 19                |
| 319       | G155 2406 | Top Cover (Lh)                         | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 320       | G155 8404 | Rear Cover (Lh) Assy (RoHS) X/X        | 1                 |
|           | G155 2404 | Rear Cover (Lh) Assy                   | 1                 |
| 321       | G155 2417 | Front Cover(R)                         | 1                 |
| 322       | G155 2405 | Side Cover (R)                         | 1                 |
| 324       | G155 2505 | Hopper Cover (Lh1) Assy                | 1                 |
| 325       | G155 2418 | Hopper Cover (Lh1)                     | 1                 |
| 326       | G155 2435 | Pocket                                 | 1                 |
| 327       | G155 2506 | Hopper Cover (Lh2) Assy                | 1                 |
| 328       | G155 2419 | Hopper Cover (Lh2) W Assy              | 1                 |
| 329       | G155 2435 | Pocket                                 | 1                 |
| 330       | G155 2066 | FD Cover Support 2                     | 2                 |
| 331       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |



## 46. Feeder Path 1 Ass'y 1 (G155)




#### 46. Feeder Path 1 Ass'y 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 2                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 2                 |
| 2         | G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS)       | 1                 |
|           | G155 2006 | RTN Feed Roller (Sgp) Assy              | 3                 |
| 4         | G155 2367 | B.B Holder (H)                          | 5                 |
| 5         | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 10                |
| 10        | G155 6048 | Carbon Electrode (RoHS)                 | 5                 |
|           | G155 2048 | Carbon Electrode                        | 5                 |
| 13        | G155 1805 | pF Out(2) Motor Plate                   | 3                 |
| 14        | G155 1343 | Stepping Motor 6                        | 3                 |
| 15        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 6                 |
| 16        | G155 1988 | Motor Gear (Z53-D8) Assy                | 3                 |
| 17        | G155 2109 | Gnd Plate(Ph)                           | 3                 |
| 18        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 3                 |
| 19        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 9                 |
| 20        | G155 1000 | FP Washer                               | 9                 |
| 21        | G155 1051 | M4X4 Hex Socket Screw                   | 6                 |
| 22        | G155 1197 | Bolt Washer D3 MG155001                 | 3                 |
| 24        | G155 2226 | Gnd Plate Holder(Phr)                   | 2                 |
| 25        | G155 2109 | Gnd Plate(Ph)                           | 2                 |
| 26        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 2                 |
| 27        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 28        | G155 1197 | Bolt Washer D3 MG115001                 | 2                 |
| 62        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 67        | G155 2444 | Angle Paper Guide                       | 1                 |
| 68        | G150 1095 | Plug Cushion Rubber                     | 1                 |
| 69        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 72        | G155 2398 | Timing Belt                             | 2                 |
| 73        | G155 1951 | Tension Pulley(G) Assy                  | 2                 |
| 74        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 75        | G851 1010 | Extension Spring                        | 2                 |
| 81        | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 1                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 1                 |
| 82        | G155 2367 | B.B Holder(H)                           | 1                 |
| 83        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 88        | G155 6048 | Carbon Electrode (RoHS)                 | 1                 |
|           | G155 2048 | Carbon Electrode                        | 1                 |
| 91        | G155 2226 | Gnd Plate Holder(Phr)                   | 1                 |
| 92        | G155 2109 | Gnd Plate(Ph)                           | 1                 |
| 93        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 1                 |
| 94        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 95        | G155 1197 | Bolt Washer D3 MG155001                 | 1                 |
| 97        | G155 2264 | Open Guide Latch Pin                    | 1                 |
| 98        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 101       | G155 2422 | Paper Guide(U1)                         | 1                 |
| 102       | G150 1344 | Sensor Holder                           | 1                 |
| 103       | G150 5100 | Photo Sensor (RoHS)                     | 1                 |
|           | G150 1100 | Photo Sensor                            | 1                 |
| 104       | G155 1164 | Locking Wire Saddle                     | 2                 |
| 105       | G150 1095 | Plug Cushion Rubber                     | 1                 |
| 106       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 128       | G150 1085 | Retaining Ring-E                        | 1                 |
| 132       | G155 2398 | Timing Belt                             | 1                 |
| 133       | G155 1951 | Tension Pulley(G) Assy                  | 1                 |
| 134       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 135       | G851 1010 | Extension Spring                        | 1                 |

## 47. Feeder Path 1 Ass'y 2 (G155)



## 47. Feeder Path 1 Ass'y 2 (G155)

| Index No. | Part No.  | Description                    | Q'ty Per Assembly |
|-----------|-----------|--------------------------------|-------------------|
| 32        | G155 2446 | Paper Guide(L2) W Assy         | 1                 |
| 33        | G155 5769 | pF Pressuer Roller Assy (RoHS) | 5                 |
|           | G155 1769 | pF Pressuer Roller Assy        | 5                 |
| 34        | G155 5771 | pF Pressuer Roller Assy (RoHS) | 5                 |
|           | G155 1771 | pF Pressuer Roller Assy        | 5                 |
| 38        | G150 1065 | Extension Spring               | 10                |
| 39        | G155 2534 | Latch Pin                      | 1                 |
| 40        | G155 2464 | Open Lever (L2) R              | 1                 |
| 41        | G150 1085 | Retaining Ring-E               | 2                 |
| 42        | G155 1091 | Extension Spring               | 2                 |
| 45        | G155 1130 | Plug Cushion Rubber            | 2                 |
| 46        | G150 1043 | Derlin Bearing                 | 2                 |
| 50        | G155 2451 | Paper Guide(U2) W Assy         | 1                 |
| 51        | G150 1344 | Sensor Holder                  | 2                 |
| 52        | G150 5100 | Photo Sensor (RoHS)            | 2                 |
|           | G150 1100 | Photo Sensor                   | 2                 |
| 53        | G155 2533 | Latch Pin                      | 1                 |
| 54        | G155 2496 | Paper Guide Latch(L2)          | 1                 |
| 55        | G150 1085 | Retaining Ring-E               | 2                 |
| 56        | G155 1164 | Locking Wire Saddle            | 4                 |
| 57        | G155 1091 | Extension Spring               | 1                 |
| 58        | G155 2531 | Paper Guide Hinge(L2)          | 1                 |
| 59        | G150 1085 | Retaining Ring-E               | 1                 |
| 60        | G155 2498 | Rope Tension Spring            | 2                 |
| 61        | G155 2472 | Wire                           | 2                 |
| 109       | G155 2407 | Paper Guide(L1)                | 1                 |
| 110       | G155 5769 | pF Pressuer Roller Assy (RoHS) | 1                 |
|           | G155 1769 | pF Pressuer Roller Assy        | 1                 |
| 111       | G155 5771 | pF Pressuer Roller Assy (RoHS) | 1                 |
|           | G155 1771 | pF Pressuer Roller Assy        | 1                 |
| 113       | G150 1065 | Extension Spring               | 2                 |
| 114       | G155 2447 | Paper Guide Latch(L1)          | 1                 |
| 115       | G155 2445 | Release Lever(L1)              | 1                 |
| 116       | G155 2263 | PG Handle Shaft                | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 117       | G150 5084 | Retaning Ring-E (RoHS)                  | 1                 |
|           | G150 1084 | Retaining Ring-E                        | 1                 |
| 118       | G155 1091 | Extension Spring                        | 3                 |
| 119       | G150 1544 | Phd Knob                                | 1                 |
| 123       | G155 2497 | Torsion Spring(L1)                      | 1                 |
| 124       | G150 1156 | Screw,M3X12 Pan Hd.Phillips With SW & W | 2                 |
| 125       | G155 2535 | Buffer Spring(L1)                       | 1                 |
| 126       | G155 2532 | Hinge Shaft(L1)                         | 1                 |
| 127       | G150 1087 | Retaining Ring-E                        | 2                 |
| 137       | G155 5964 | Eliminator Assy(Exit) (RoHS)            | 2                 |
|           | G155 1964 | Eliminator Assy (Exit)                  | 2                 |
| 138       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 4                 |

This exploded view diagram illustrates the assembly of a server chassis. The main chassis is shown on the left, with various internal components and their assembly sequence indicated by numbered callouts (1 through 59). The components are organized into several sub-assemblies, each enclosed in a dashed box:

- Top Sub-assembly (Top Right):** Includes components 1 through 14, showing the installation of a top cover or fan assembly.
- Front Panel Sub-assembly (Middle Right):** Includes components 15 through 21, showing the installation of a front panel or door.
- Internal Component Sub-assemblies (Bottom Right):** Includes components 22 through 59, showing the installation of internal components such as drives, fans, and power supplies.


The diagram uses dashed lines to show the relative positions and assembly paths of the components, ensuring they are correctly aligned during installation.

#### 48. Feeder Path 2 Ass'y 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 4         | G155 2501 | Motor Holder(Lp2) Assy                  | 2                 |
| 5         | G155 2437 | Motor Holder(Lp2)                       | 2                 |
| 6         | G155 1343 | Stepping Motor 6                        | 2                 |
| 7         | G155 1988 | Motor Gear (Z53-D8) Assy                | 2                 |
| 8         | G155 2109 | Gnd Plate(Ph)                           | 4                 |
| 9         | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 10        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 4                 |
| 11        | G155 1051 | M4X4 Hex Socket Screw                   | 4                 |
| 12        | G155 1197 | Bolt Washer D3 MG155001                 | 4                 |
| 13        | G155 1000 | FP Washer                               | 6                 |
| 14        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 6                 |
| 17        | G155 2536 | Gnd Plate Holder(Lp2) Assy              | 2                 |
| 18        | G155 2477 | Gnd Plate Holder(Lp2)                   | 2                 |
| 19        | G155 2109 | Gnd Plate(Ph)                           | 4                 |
| 20        | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 4                 |
| 21        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 22        | G155 1197 | Bolt Washer D3 MG155001                 | 4                 |
| 24        | G155 6499 | Pick Feed Roller(Ap) Assy (RoHS)        | 2                 |
|           | G155 2499 | Pick Feed Roller(Ap) Assy               | 2                 |
| 27        | G155 6504 | Idler Shaft(Lp2) Assy (RoHS)            | 2                 |
|           | G155 2504 | Idler Shaft(Lp2) Assy                   | 2                 |
| 30        | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 2                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 2                 |
| 33        | G155 6004 | RTN Feed Roller(Lgp) Assy (RoHS)        | 2                 |
|           | G155 2004 | RTN Feed Roller(Lgp) Assy               | 2                 |
| 36        | G150 1594 | Tension Roller B                        | 1                 |
| 37        | G150 1042 | Ball Bearing                            | 2                 |
| 38        | G150 1411 | Gear Stopper                            | 1                 |
| 41        | G155 6048 | Carbon Electrode (RoHS)                 | 8                 |
|           | G155 2048 | Carbon Electrode                        | 8                 |
| 45        | G155 2367 | B.B Holder(H)                           | 4                 |
| 46        | G155 2280 | Ring Keeper                             | 4                 |
| 47        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 12                |
| 50        | G155 2399 | Timing Belt                             | 1                 |
| 51        | G155 2400 | Timing Belt                             | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 52        | G155 1951 | Tension Pulley(G) Assy                  | 1                 |
| 53        | G155 1582 | Tension Roller Assy                     | 1                 |
| 56        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 57        | G851 1010 | Extension Spring                        | 2                 |
| 59        | G150 1587 | Feed Roller Knob                        | 2                 |

## 49. Feeder Path 2 Ass'y 2 (G155)



## 49. Feeder Path 2 Ass'y 2 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 62        | G155 2450 | Exit Pg(Lp2) Assy                       | 2                 |
| 63        | G155 2480 | Under Paper Guide Lp2 W Assy            | 2                 |
| 66        | G155 2478 | Upper Paper Guide Lp2 W Assy            | 2                 |
| 67        | G155 5769 | pF Pressuer Roller Assy (RoHS)          | 2                 |
|           | G155 1769 | pF Pressuer Roller Assy                 | 2                 |
| 70        | G150 1065 | Extension Spring                        | 2                 |
| 71        | G150 5817 | Sensor Assy (RoHS)                      | 2                 |
|           | G150 1817 | Sensor Assy                             | 2                 |
| 72        | G150 1344 | Sensor Holder                           | 2                 |
| 73        | G150 5100 | Photo Sensor (RoHS)                     | 2                 |
|           | G150 1100 | Photo Sensor                            | 2                 |
| 77        | G150 1013 | M4X6 Bind Screw                         | 4                 |
| 78        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 79        | G155 2490 | Ct3 Sns Relay Cable Assy                | 2                 |
| 82        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 4                 |
| 83        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 84        | G155 2522 | Fixing Plate                            | 1                 |
| 85        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 88        | G155 2503 | R Paper Guide Assy                      | 1                 |
| 89        | G155 2416 | R Paper Guide                           | 1                 |
| 90        | G155 2401 | Plug Cushion Rubber                     | 3                 |
| 91        | G155 1131 | Plug Cushion Rubber                     | 2                 |
| 94        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 95        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 96        | G150 1013 | M4X6 Bind Screw                         | 1                 |
| 99        | G155 2502 | Open Paper Guide(2) Assy                | 1                 |
| 100       | G155 2479 | Open Pg(2) W Assy                       | 1                 |
| 103       | G155 2481 | Hinge Shaft-2(Lp2)                      | 1                 |
| 104       | G155 2174 | PG1L Spring                             | 1                 |
| 105       | G155 2175 | PG1L Spring                             | 1                 |
| 106       | G150 1544 | Phd Knob                                | 1                 |
| 107       | G150 1086 | Retaining Ring-E                        | 2                 |
| 110       | G150 1086 | Retaining Ring-E                        | 1                 |
| 112       | G155 2449 | V Paper Guide Assy                      | 1                 |
| 113       | G155 2438 | V Paper Guide W Assy                    | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 114       | G155 2533 | Latch Pin                              | 1                 |
| 115       | G155 2496 | Paper Guide Latch(L2)                  | 1                 |
| 116       | G150 1085 | Retaining Ring-E                       | 2                 |
| 117       | G155 1091 | Extension Spring                       | 1                 |
| 119       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 3                 |
| 120       | G150 1013 | M4X6 Bind Screw                        | 3                 |
| 123       | G155 2448 | Open Paper Guide(1) Assy               | 1                 |
| 124       | G155 2439 | Open Pg(1) W Assy                      | 1                 |
| 127       | G155 2415 | Hinge Holder(Lp2) Rivet Assy           | 1                 |
| 128       | G155 2476 | Hinge Shaft(Lp2)                       | 1                 |
| 129       | G155 5769 | pF Pressuer Roller Assy (RoHS)         | 3                 |
|           | -----     | MG155021                               | 3                 |
|           | G155 1769 | pF Pressuer Roller Assy                | 4                 |
| 130       | G155 5771 | pF Pressuer Roller Assy (RoHS)         | 1                 |
|           | -----     | MG155021                               | 3                 |
|           | G155 1771 | pF Pressuer Roller Assy                | 4                 |
| 131       | G150 1065 | Extension Spring                       | 8                 |
| 132       | G155 6001 | pF Pressure Roller2 Assy (RoHS)        | 1                 |
|           | G155 2001 | MG155021                               | 1                 |
| 133       | G155 6002 | pF Pressure Roller2 Assy (RoHS)        | 1                 |
|           | G155 2002 | MG155021                               | 1                 |
| 134       | G155 2464 | Open Lever(L2)R                        | 1                 |
| 135       | G155 2541 | Hinge Holder Adjuster                  | 1                 |
| 138       | G155 2534 | Latch Pin                              | 1                 |
| 139       | G155 1130 | Plug Cushion Rubber                    | 2                 |
| 140       | G150 1085 | Retaining Ring-E                       | 3                 |
| 141       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 4                 |
| 144       | G155 1091 | Extension Spring                       | 2                 |
| 145       | G155 2454 | Cable Cover-2(Lp2)                     | 1                 |
| 146       | G150 1013 | M4X6 Bind Screw                        | 2                 |
| 149       | G150 5817 | Sensor Assy (RoHS)                     | 1                 |
|           | G150 1817 | Sensor Assy                            | 1                 |
| 150       | G150 1344 | Sensor Holder                          | 1                 |
| 151       | G150 5100 | Photo Sensor (RoHS)                    | 1                 |
|           | G150 1100 | Photo Sensor                           | 1                 |




| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 155       | G150 1016 | M4X12 Bind Screw                       | 2                 |
| 156       | G155 2436 | Cable Cover(Lp2)                       | 1                 |
| 157       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 50. Feeder Hopper Ass'y 1 (G155)



## 50. Feeder Hopper Ass'y 1 (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 2411 | Feeder Hopper Assy                      | 1                 |
| 3         | G155 2434 | Frame Staking (Ah) (2) Assy             | 1                 |
| 6         | G155 5140 | Photo Interrupter (RoHS)                | 1                 |
|           | G155 1140 | Photo Interrupter                       | 1                 |
| 7         | G150 5099 | Photo Interrupter (RoHS)                | 2                 |
|           | G150 1099 | Photo Interrupter                       | 2                 |
| 8         | G150 5106 | EOF Sensor (RoHS)                       | 2                 |
|           | G150 1106 | EOF Sensor                              | 2                 |
| 9         | G150 1157 | Screw, M3X16 Pan Hd. Phillips With Sw&W | 2                 |
| 13        | G155 1130 | Plug Cushion Rubber                     | 2                 |
| 104       | G155 2024 | Guide Angle                             | 1                 |
| 105       | G150 1009 | M3X6 Bind Screw                         | 4                 |
| 106       | G155 1558 | Table(Ap) Ass'y 2                       | 1                 |
| 108       | G155 2495 | TS Spring                               | 4                 |
| 109       | G155 1879 | Shutter (Ap)                            | 1                 |
| 110       | G155 2699 | Shutter Plate(H) MG155028 X/O           | 1                 |
|           | G155 1303 | Shutter Plate(1)                        | 1                 |
| 111       |           | MG155013                                |                   |
|           | G155 1876 | Shutter Plate(2)                        | 1                 |
| 112       | G150 1790 | Guide Roller                            | 2                 |
| 113       | G150 1085 | Retaining Ring-E                        | 2                 |
| 114       | G155 1987 | Paper Lift Sheet Assy                   | 1                 |
| 115       | G155 2699 | Shutter Plate(H) MG155028 X/O           | 1                 |
| 116       | G155 6470 | Wire (RoHS)                             | 2                 |
|           | G155 2470 | Wire                                    | 2                 |
| 117       | G155 6471 | Wire (RoHS)                             | 2                 |
|           | G155 2471 | Wire                                    | 2                 |
| 118       | G150 1153 | Screw, M3X6 Pan Hd. Phillips With Sw&W  | 4                 |
| 121       | G150 1044 | Derlin Bearing                          | 4                 |
| 122       | G150 1160 | Screw, M4X8 Pan Hd. Phillips With Sw&W  | 2                 |
| 123       | G150 1014 | M4X8 Bind Screw                         | 1                 |
| 125       | G155 1892 | Table Drive Shaft Assy                  | 1                 |
| 131       | G155 2036 | Thrust Washer                           | 1                 |
| 132       | G150 1150 | D3X16 Pin                               | 4                 |
| 133       | G155 1878 | Spinning Wheel(1)                       | 4                 |


| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 134       | G150 1089 | Retaining Ring-E                        | 1                 |
| 137       | G155 1201 | 3X3X12 Key                              | 1                 |
| 170       | G155 2291 | Side Nozzle(2)                          | 1                 |
| 174       | G155 1873 | Joint Tube                              | 1                 |
| 175       | G150 1161 | Screw, M4X10 Pan Hd. Phillips With Sw&W | 2                 |
| 176       | G155 1564 | Hose (A)                                | 1                 |
| 180       | G155 1963 | Pully Cover(R)                          | 1                 |
| 183       | G155 1888 | Flexible Arm Assy                       | 1                 |
| 184       | G155 1503 | Flexible Arm                            | 2                 |
| 185       | G155 1885 | Clamper(1)                              | 1                 |
| 186       | G155 2294 | Pivot                                   | 1                 |
| 187       | G150 1046 | Sleeve Bearing                          | 2                 |
| 188       | G155 2295 | Pivot                                   | 1                 |
| 189       | G150 1085 | Retaining Ring-E                        | 4                 |
| 190       | G155 2294 | Pivot                                   | 1                 |
| 191       | G150 1046 | Sleeve Bearing                          | 2                 |
| 192       | G150 1085 | Retaining Ring-E                        | 2                 |
| 198       | G155 6292 | Damper Holder Staking Assy (RoHS)       | 1                 |
|           | G155 2292 | Damper Holder Staking Assy              | 1                 |
| 199       | G155 1069 | Rotary Damper                           | 1                 |
| 200       | G150 1160 | Screw, M4X8 Pan Hd. Phillips With Sw&W  | 2                 |
| 201       | G155 2283 | D Latch Shaft                           | 1                 |
| 202       | G150 1459 | Drive Gear                              | 1                 |
| 203       | G150 1047 | Sleeve Bearing                          | 2                 |
| 204       | G150 1086 | Retaining Ring-E                        | 2                 |
| 205       | G155 1092 | Extension Spring                        | 1                 |
| 206       | G150 1075 | Extension Spring                        | 1                 |
| 209       | G155 2442 | Indicate Arm (Lh)                       | 1                 |
| 211       | G155 1351 | Slide Bush                              | 1                 |
| 212       | G155 2421 | Side Cover(Lh)                          | 1                 |
| 213       | G150 1014 | M4X8 Bind Screw                         | 3                 |
| 214       | G150 1709 | Hook Ring B                             | 1                 |
| 215       | G150 1072 | Extension Spring                        | 1                 |
| 217       | G155 1980 | CP Slider                               | 1                 |
| 218       | G150 1154 | Screw, M3X8 Pan Hd. Phillips With Sw&W  | 2                 |

| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 221       | G155 1886 | CP Slider(2)                          | 1                 |
| 222       | G150 1015 | M4X10 Bind Screw                      | 1                 |
| 223       | G155 1008 | Wire Band                             | 2                 |
| 229       | G155 6345 | Custom Size Switch Assy (RoHS)        | 1                 |
|           | G155 2345 | Custom Size Switch Assy               | 1                 |
| 230       | G155 2013 | Lever Switch Holder                   | 1                 |
| 231       | G150 1009 | M3X6 Bind Screw                       | 4                 |
| 234       | G155 1331 | Partition Plate (2-2)                 | 1                 |
| 235       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 236       | G155 1559 | Cable Cover                           | 1                 |
| 237       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 1                 |
| 238       | G155 5138 | Photo Sensor (RoHS)                   | 1                 |
|           | G155 1138 | Photo Sensor                          | 1                 |
| 239       | G155 1994 | Sensor Cover                          | 1                 |
| 240       | G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W | 1                 |
| 241       | G150 1010 | M3X8 Bind Screw                       | 2                 |
| 243       | G155 1595 | Smoother                              | 4                 |
| 245       | G155 1064 | Delurine Bearing                      | 1                 |
| 247       | G155 2519 | Rh Side Plate (Ah)                    | 1                 |
| 248       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 6                 |
| 250       | G155 2028 | Finger Protector (L)                  | 1                 |
| 253       | G155 2029 | Finger Protector (R)                  | 1                 |
| 254       | G150 1010 | M3X8 Bind Screw                       | 1                 |
| 258       | G155 2517 | AHP Hopper Relay Cable Assy           | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



## 51. Feeder Hopper Ass'y 2 (G155)



## 51. Feeder Hopper Ass'y 2 (G155)

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 1         | G155 2411 | Feeder Hopper Assy                     | 1                 |
| 24        | G155 1881 | Rail Shaft                             | 1                 |
| 25        | G155 1883 | Rail Shaft(L)                          | 1                 |
| 26        | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 30        | G155 2408 | Slide Base(H)                          | 1                 |
| 31        | G155 1063 | Slide Ball Bearing                     | 2                 |
| 32        | G150 1154 | Screw, M3X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 33        | G155 1352 | Slide Bush                             | 1                 |
| 34        | G155 2282 | Lock Plate Stopper                     | 1                 |
| 35        | G155 1036 | M3X10 Bind Screw                       | 1                 |
| 37        | G155 2290 | Joint(A)                               | 1                 |
| 38        | G155 2119 | Lock Plate                             | 1                 |
| 39        | G851 1009 | Extension Spring                       | 1                 |
| 40        | G155 2493 | Paper Supporter(L)W Ass'y MG155028 X/X | 1                 |
|           | G155 2741 | Paper Supporter (L) Ass'y MG155013 X/O | 1                 |
|           | G155 2493 | Paper Supporter(L) W Assy              | 1                 |
| 41        | G155 1036 | M3X10 Bind Screw                       | 2                 |
| 42        | G150 1016 | M4X12 Bind Screw                       | 2                 |
| 46        | G155 1887 | Height Sensor Assy                     | 1                 |
| 47        | G155 1880 | Sensor Base Staking Assy               | 1                 |
| 48        | G155 5608 | Skew Sns Assy (RoHS)                   | 1                 |
|           | G155 1608 | Skew Sns Assy                          | 1                 |
| 49        | G155 1071 | Compression Spring                     | 2                 |
| 51        | G155 2352 | Height Sense Hook Weld Assy            | 1                 |
| 52        | G155 2354 | Guide Collar                           | 2                 |
| 53        | G155 2350 | Hook Roller                            | 2                 |
| 54        | G155 2351 | Hook Roller Shaft                      | 1                 |
| 55        | G155 1109 | Retaining Ring-E                       | 2                 |
| 56        | G150 5084 | Retaning Ring-E (RoHS)                 | 2                 |
|           | G150 1084 | Retaining Ring-E                       | 2                 |
| 57        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 1                 |
| 61        | G155 1086 | Extension Spring                       | 1                 |
| 62        | G150 1010 | M3X8 Bind Screw                        | 2                 |
| 63        | G155 6035 | EOF Spring (RoHS)                      | 1                 |
|           | G155 2035 | EOF Spring                             | 1                 |

| Index No. | Part No.  | Description                            | Q'ty Per Assembly |
|-----------|-----------|----------------------------------------|-------------------|
| 64        | G155 1038 | M3X18 Bind Screw                       | 1                 |
| 65        | G155 1996 | Knob(A)                                | 1                 |
| 66        | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 67        | G150 1544 | Phd Knob                               | 1                 |
| 69        | G155 2697 | PG Back Cover(L2) MG155028 X/X         | 1                 |
|           | G155 2494 | Pg Back Cover (L)                      | 1                 |
| 70        | G150 1010 | M3X8 Bind Screw                        | 4                 |
| 71        | G155 2697 | PG Back Cover(L2) MG155028 X/X         | 1                 |
| 73        | G155 1882 | Rail Shaft                             | 1                 |
| 74        | G155 1884 | Rail Shaft(L)                          | 1                 |
| 81        | G155 1063 | Slide Ball Bearing                     | 2                 |
| 82        | G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 2                 |
| 83        | G155 1352 | Slide Bush                             | 1                 |
| 84        | G155 2282 | Lock Plate Stopper                     | 1                 |
| 85        | G155 1036 | M3X10 Bind Screw                       | 1                 |
| 86        | G155 2525 | P Guide Shaft(W) Sub Assy              | 1                 |
| 87        | G155 2289 | Joint(A)                               | 1                 |
| 88        | G155 2119 | Lock Plate                             | 1                 |
| 89        | G851 1009 | Extension Spring                       | 1                 |
| 90        | G155 2518 | Paper Supporter(V) W Assy              | 1                 |
| 94        | G150 1016 | M4X12 Bind Screw                       | 2                 |
| 95        | G150 1086 | Retaining Ring-E                       | 1                 |
| 96        | G155 1995 | Knob(A)                                | 1                 |
| 97        | G150 1009 | M3X6 Bind Screw                        | 1                 |
| 98        | G155 2025 | Actuator (Hp)3                         | 1                 |
| 99        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 1                 |
| 100       | G150 1544 | Phd Knob                               | 1                 |
| 101       | G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W | 4                 |
| 110       | G155 2699 | Shutter Plate(H) MG155028 X/O          | 1                 |
|           | G155 1303 | Shutter Plate(1)                       | 1                 |
| 111       |           | MG155013                               |                   |
|           | G155 1876 | Shutter Plate(2)                       | 1                 |
| 115       | G155 2699 | Shutter Plate(H) MG155028 X/O          | 1                 |
| 129       | G851 1192 | B.B Holder (S)                         | 1                 |
| 130       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W   | 2                 |




| Index No. | Part No.  | Description                           | Q'ty Per Assembly |
|-----------|-----------|---------------------------------------|-------------------|
| 133       | G155 1878 | Spinning Wheel(1)                     | 4                 |
| 135       | G155 2318 | Table Drive Gear(S) Assy              | 1                 |
| 136       | G155 2319 | TS Collar                             | 1                 |
| 138       | G150 1089 | Retaining Ring-E                      | 1                 |
| 139       | G150 1047 | Sleeve Bearing                        | 1                 |
| 144       | G155 5504 | Table Drive Sub Assy (RoHS)           | 1                 |
|           | G155 1504 | Table Drive Sub Assy                  | 1                 |
| 145       | G155 1272 | Gear Housing(C)                       | 1                 |
| 146       | G155 1057 | B.B                                   | 2                 |
| 147       | G155 2254 | Table Worm Gear Assy                  | 1                 |
| 150       | G155 1108 | Retaining Ring(Hole)                  | 1                 |
| 151       | G155 1201 | 3X3X12 Key                            | 1                 |
| 152       | G155 1340 | Stepping Motor With Gear1             | 1                 |
| 153       | G155 2320 | Table Worm Wheel(2)                   | 1                 |
| 154       | G155 2321 | Worm Wheel Shaft(H)                   | 1                 |
| 155       | G155 1201 | 3X3X12 Key                            | 1                 |
| 156       | G155 5112 | Retaining Ring-E (RoHS)               | 1                 |
|           | G155 1112 | Retaining Ring-E                      | 1                 |
| 157       | G155 1216 | B.B                                   | 2                 |
| 158       | G155 1107 | Retaining Ring(Hole)                  | 2                 |
| 159       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 2                 |
| 160       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W | 2                 |
| 161       | G155 2293 | Table Idler Gear(L) Assy              | 1                 |
| 164       | G155 2281 | Table Idler Shaft                     | 1                 |
| 165       | G155 1111 | Retaining Ring-E                      | 3                 |
| 166       | G155 1301 | Table Gear Housing(1)                 | 1                 |
| 167       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W  | 3                 |
| 180       | G155 1963 | Pully Cover(R)                        | 1                 |
| 226       | G155 1992 | Size Guide Cap                        | 1                 |
| 227       | G155 1993 | Size Guide Cap                        | 1                 |
| 228       | G150 1009 | M3X6 Bind Screw                       | 2                 |
| 244       | G155 2370 | Slider Guide                          | 1                 |
| 262       | G155 2701 | Height Sensor Ass'y MG155019          | 1                 |
| 263       | G155 2703 | HeightSensorHookWeldAss'y MG155019    | 1                 |
| 264       | G155 2700 | Sensor Base Staking Ass'y MG155019    | 1                 |

| Index No. | Part No.  | Description                 | Q'ty Per Assembly |
|-----------|-----------|-----------------------------|-------------------|
| 265       | G155 2702 | Shutter Film Guide MG155019 | 1                 |
| 266       | G155 2704 | Shutter Film MG155019       | 1                 |
| 267       | G150 1009 | Bind Screw M3X6 MG155019    | 1                 |



52.Transit Ass'y (G155)



## 52.Transit Ass'y (G155)

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 1         | G155 2414 | LT Frame Assy                           | 1                 |
| 2         | G155 2430 | Front Cover Assy                        | 1                 |
| 3         | G155 2426 | Front Cover (Lt) Rivet Assy             | 1                 |
| 4         | G155 2474 | Flat Drawer Pulls                       | 1                 |
| 5         | G155 1004 | Copper Wire Gnd Cable(B) Ass'y          | 1                 |
| 6         | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 7         | G851 1022 | External Tooth Washer, D4               | 1                 |
| 8         | G155 2708 | PACKING (LT) MG155011                   | 1                 |
| 9         | G155 2072 | Hinge Bush                              | 2                 |
| 12        | G155 2425 | Top Cover (Lt)                          | 1                 |
| 13        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 16        | G155 2671 | Rear Cover(LT2) MG155008 X/O            | 1                 |
|           | G155 2413 | Rear Cover (Lt)                         | 1                 |
| 17        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 20        | G155 2428 | Opening Box                             | 1                 |
| 21        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 23        | G155 2514 | Cover Stopper (Lt)                      | 1                 |
| 24        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 26        | G155 2537 | U Hinge (Lt) W Assy                     | 1                 |
| 27        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 29        | G155 2538 | L Hinge (Lt) W Assy                     | 1                 |
| 30        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 33        | G851 5019 | Push Switch (RoHS)                      | 1                 |
|           | G851 1019 | Push Switch                             | 1                 |
| 34        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 36        | G155 2458 | Lower Inner Cover                       | 1                 |
| 37        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 2                 |
| 39        | G155 2673 | Exhaust Duct MG155008                   | 1                 |
| 40        | G150 1160 | Screw M4X8 MG155008                     | 2                 |
| 46        | G155 2460 | Middle Paper Guide Assy                 | 1                 |
| 47        | G155 2459 | Middle Paper Guide W Assy               | 1                 |
| 49        | G155 6001 | pF Pressure Roller2 Assy (RoHS)         | 3                 |
|           | G155 2001 | pF Pressuer Roller 2 Assy               | 3                 |
| 50        | G155 6002 | pF Pressure Roller2 Assy (RoHS)         | 3                 |
|           | G155 2002 | pF Pressuer Roller 2 Assy               | 3                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 51        | G150 1065 | Extension Spring                        | 6                 |
| 53        | G155 2427 | Open Pg (Lt)Latch                       | 1                 |
| 54        | G155 2455 | Open Pg (Lt) Handle                     | 1                 |
| 55        | G155 2512 | Open Pg (Lt) Shaft                      | 1                 |
| 56        | G150 5084 | Retaning Ring-E (RoHS)                  | 1                 |
|           | G150 1084 | Retaining Ring-E                        | 1                 |
| 57        | G155 1091 | Extension Spring                        | 3                 |
| 58        | G155 2511 | Link Shaft                              | 1                 |
| 59        | G155 2510 | Link Plate                              | 2                 |
| 60        | G150 1087 | Retaining Ring-E                        | 2                 |
| 61        | G155 2489 | T Spring(Lt)3                           | 1                 |
| 63        | G155 2195 | PG5 Hinge Shaft                         | 1                 |
| 64        | G155 2527 | Spring Lt Paper Guide                   | 1                 |
| 65        | G155 2528 | Spring Lt Paper Guide                   | 1                 |
| 66        | G150 1087 | Retaining Ring-E                        | 2                 |
| 69        | G155 2539 | MG155008                                | 1                 |
|           | G155 2539 | Inner Cover(Lt Pass)                    | 2                 |
| 70        | G150 1162 | MG155008                                | 3                 |
|           | G150 1162 | Screw M4x12                             | 6                 |
| 73        | G155 2429 | TU Frame Assy                           | 1                 |
| 74        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 3                 |
| 76        | G150 5100 | Photo Sensor (RoHS)                     | 3                 |
|           | G150 1100 | Photo Sensor                            | 3                 |
| 85        | G155 2456 | Bottom Paper Guide(Lt)                  | 1                 |
| 86        | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 2                 |
| 88        | G155 2540 | Link Shaft (2)                          | 1                 |
| 89        | G150 1085 | Retaining Ring-E                        | 1                 |
| 90        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 1                 |
| 92        | G155 6007 | RTN Feed Roller(Sg) Assy (RoHS)         | 1                 |
|           | G155 2007 | RTN Feed Roller (Sg) Assy               | 1                 |
| 93        | G155 2367 | B.B Holder (H)                          | 3                 |
| 94        | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 6                 |
| 95        | G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS)       | 1                 |
|           | G155 2006 | RTN Feed Roller (Sgp) Assy              | 1                 |

| Index No. | Part No.  | Description                             | Q'ty Per Assembly |
|-----------|-----------|-----------------------------------------|-------------------|
| 98        | G155 5768 | RTN Feed Roller(S) Assy (RoHS)          | 1                 |
|           | G155 1768 | RTN Feed Roller(S) Assy                 | 1                 |
| 101       | G155 2048 | Carbon Electrode                        | 3                 |
| 103       | G155 2513 | LT Motor Holder Assy                    | 1                 |
| 104       | G155 1343 | Stepping Motor 6                        | 2                 |
| 105       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 4                 |
| 106       | G155 2457 | LT Motor Holder                         | 1                 |
| 107       | G155 1988 | Motor Gear (Z53-D8) Assy                | 2                 |
| 108       | G155 2109 | Gnd Plate(Ph)                           | 3                 |
| 109       | G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W  | 3                 |
| 110       | G155 1051 | M4X4 Hex Screw                          | 4                 |
| 111       | G155 1006 | Washer                                  | 3                 |
| 112       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 114       | G155 1951 | Tension Pulley(G) Assy                  | 1                 |
| 115       | G851 1010 | Extension Spring                        | 1                 |
| 116       | G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 3                 |
| 118       | G155 2523 | Gnd Plate Holder(Phr)Assy               | 1                 |
| 119       | G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 1                 |
| 122       | G155 2398 | Timing Belt                             | 1                 |

| Index No. | Part No. | Description | Q'ty Per Assembly |
|-----------|----------|-------------|-------------------|
|           |          |             |                   |



# Parts Index

## Parts Index

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 1000 | FP Washer                      | 47 - 111           |
| G155 1000 | FP Washer                      | 79 - 49            |
| G155 1000 | FP Washer                      | 91 - 155           |
| G155 1000 | FP Washer                      | 53 - 224           |
| G155 1000 | FP Washer                      | 79 - 54            |
| G155 1000 | FP Washer                      | 71 - 294           |
| G155 1000 | FP Washer                      | 47 - 152           |
| G155 1000 | FP Washer                      | 49 - 14            |
| G155 1000 | FP Washer                      | 53 - 239           |
| G155 1000 | FP Washer                      | 47 - 114           |
| G155 1000 | FP Washer                      | 59 - 110           |
| G155 1000 | FP Washer                      | 75 - 37            |
| G155 1000 | FP Washer                      | 75 - 22            |
| G155 1000 | FP Washer                      | 47 - 140           |
| G155 1000 | FP Washer                      | 59 - 92            |
| G155 1000 | FP Washer                      | 31 - 9             |
| G155 1000 | FP Washer                      | 47 - 127           |
| G155 1000 | FP Washer                      | 115 - 13           |
| G155 1000 | FP Washer                      | 111 - 20           |
| G155 1000 | FP Washer                      | 75 - 34            |
| G155 1001 | Toner Bag Ass'y                | 17 - 288           |
| G155 1003 | Copper Wire Gnd Cable(B) Ass'y | 89 - 187           |
| G155 1004 | Copper Wire Gnd Cable(B) Ass'y | 123 - 5            |
| G155 1004 | Copper Wire Gnd Cable(B) Ass'y | 83 - 71            |
| G155 1004 | Copper Wire Gnd Cable(B) Ass'y | 109 -289           |
| G155 1004 | Copper Wire Gnd Cable(B) Ass'y | 83 - 38            |
| G155 1004 | Copper Wire Gnd Cable(B) Ass'y | 89 - 179           |
| G155 1004 | Copper Wire Gnd Cable(B) Ass'y | 109 -303           |
| G155 1005 | Press Washer                   | 13 - 67            |
| G155 1006 | Washer                         | 91 - 169           |
| G155 1006 | Washer                         | 97 - 12            |
| G155 1006 | Washer                         | 71 - 334           |
| G155 1006 | Washer                         | 71 - 321           |
| G155 1006 | Washer                         | 87 - 85            |
| G155 1006 | Washer                         | 69 - 212           |

| Part No.  | Description            | Page and Index No. |
|-----------|------------------------|--------------------|
| G155 1006 | MG155012               | 87 - 85            |
| G155 1006 | Washer                 | 123 -111           |
| G155 1006 | Washer                 | 91 - 182           |
| G155 1006 | Washer                 | 71 - 301           |
| G155 1007 | Distance Piece         | 13 - 359           |
| G155 1008 | Wire Band              | 35 - 223           |
| G155 1008 | Wire Band              | 39 - 223           |
| G155 1008 | Wire Band              | 107 -194           |
| G155 1008 | Wire Band              | 119 -223           |
| G155 1009 | Wire Band              | 21 - 90            |
| G155 1009 | Wire Band              | 13 - 357           |
| G155 1009 | Wire Band              | 17 - 357           |
| G155 1010 | Wire Band              | 107 -239           |
| G155 1010 | Wire Band              | 17 - 46            |
| G155 1010 | Wire Band              | 107 -193           |
| G155 1011 | Cover Latch Spring (B) | 83 - 67            |
| G155 1012 | Cover Latch Spring (B) | 83 - 12            |
| G155 1013 | Sleeve Cap             | 105 -143           |
| G155 1013 | Sleeve Cap             | 25 - 51            |
| G155 1013 | Sleeve Cap             | 17 - 283           |
| G155 1013 | Sleeve Cap             | 13 - 300           |
| G155 1013 | Sleeve Cap             | 21 - 85            |
| G155 1013 | Sleeve Cap             | 21 - 94            |
| G155 1013 | Sleeve Cap             | 105 - 67           |
| G155 1013 | Sleeve Cap             | 81 - 39            |
| G155 1014 | Paper Clamp Spring B   | 59 - 153           |
| G155 1015 | Suction Hose           | 17 - 376           |
| G155 1016 | Suction Hose           | 21 - 91            |
| G155 1016 | Suction Hose           | 13 - 356           |
| G155 1017 | Suction Hose           | 17 - 377           |
| G155 1018 | Silicon Rubber Hose    | 13 - 273           |
| G155 1019 | Silicon Rubber Hose    | 13 - 447           |
| G155 1020 | Silicon Rubber Hose    | 13 - 272           |
| G155 1021 | Tight Ring             | 103 - 69           |
| G155 1022 | Cleaner Cap            | 81 - 21            |



| Part No.  | Description                       | Page and Index No. |
|-----------|-----------------------------------|--------------------|
| G155 1023 | Poly Slider                       | 83 - 15            |
| G155 1023 | Poly Slider                       | 83 - 75            |
| G155 1024 | Poly Slider                       | 105 - 98           |
| G155 1024 | Poly Slider                       | 105 -101           |
| G155 1024 | Poly Slider                       | 27 - 90            |
| G155 1025 | M3X10 Hex Socket Bolt             | 75 - 41            |
| G155 1026 | M4X8 Hex Socket Bolt              | 13 - 259           |
| G155 1027 | M8X20 Hex Socket Bolt             | 17 - 47            |
| G155 1028 | M4X10 Hex Socket Bolt With SW & W | 103 -112           |
| G155 1028 | M4X10 Hex Socket Bolt With SW & W | 71 - 320           |
| G155 1028 | M4X10 Hex Socket Bolt With SW & W | 103 -103           |
| G155 1028 | M4X10 Hex Socket Bolt With SW & W | 71 - 302           |
| G155 1028 | Hex Socket Bolt                   | 55 - 12            |
| G155 1028 | M4X10 Hex Socket Bolt With SW & W | 73 - 5             |
| G155 1029 | M4X16 Hex Socket Bolt With SW & W | 17 - 415           |
| G155 1030 | M5X12 Hex Socket Bolt With Sw& W  | 13 - 66            |
| G155 1031 | M5X20 Hex Socket Bolt With SW & W | 71 - 350           |
| G155 1031 | M5X20 Hex Socket Bolt With SW & W | 67 - 345           |
| G155 1032 | M4X16 Hex Socket Bolt With Sw     | 103 - 70           |
| G155 1034 | Hex Socket Bolt                   | 13 - 231           |
| G155 1035 | M3X4 Bind Screw                   | 13 - 31            |
| G155 1035 | M3X4 Bind Screw                   | 51 - 108           |
| G155 1035 | M3X4 Bind Screw                   | 53 - 154           |
| G155 1035 | M3X4 Bind Screw                   | 71 - 267           |
| G155 1035 | M3X4 Bind Screw                   | 13 - 117           |
| G155 1035 | M3X4 Bind Screw                   | 53 - 204           |
| G155 1035 | M3X4 Bind Screw                   | 17 - 388           |
| G155 1035 | M3X4 Bind Screw                   | 13 - 393           |
| G155 1035 | M3X4 Bind Screw                   | 55 - 319           |
| G155 1035 | M3X4 Bind Screw                   | 53 - 174           |
| G155 1035 | M3X4 Bind Screw                   | 55 - 36            |
| G155 1035 | M3X4 Bind Screw                   | 13 - 208           |
| G155 1035 | M3X4 Bind Screw                   | 63 - 59            |
| G155 1035 | M3X4 Bind Screw                   | 13 - 213           |
| G155 1035 | M3X4 Bind Screw                   | 33 - 106           |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 1035 | M3X4 Bind Screw                | 71 - 291           |
| G155 1036 | M3X10 Bind Screw               | 121 - 35           |
| G155 1036 | M3X10 Bind Screw               | 37 - 41            |
| G155 1036 | M3X10 Bind Screw               | 121 - 41           |
| G155 1036 | M3X10 Bind Screw               | 41 - 35            |
| G155 1036 | M3X10 Bind Screw               | 37 - 85            |
| G155 1036 | M3X10 Bind Screw               | 41 - 41            |
| G155 1036 | M3X10 Bind Screw               | 121 - 85           |
| G155 1036 | M3X10 Bind Screw               | 37 - 35            |
| G155 1036 | M3X10 Bind Screw               | 41 - 85            |
| G155 1036 | M3X10 Bind Screw               | 69 - 263           |
| G155 1037 | M3X16 Bind Screw               | 101 - 22           |
| G155 1037 | M3X16 Bind Screw               | 85 - 29            |
| G155 1038 | M3X18 Bind Screw               | 121 - 64           |
| G155 1038 | M3X18 Bind Screw               | 37 - 64            |
| G155 1038 | M3X18 Bind Screw               | 41 - 64            |
| G155 1039 | M4X14 Bind Screw               | 73 - 31            |
| G155 1040 | M4X35 Bind Screw               | 83 - 31            |
| G155 1040 | Bind Screw M3x35 MG155008      | 13 - 463           |
| G155 1041 | M4X40 Bind Screw               | 13 - 150           |
| G155 1042 | M4X45 Bind Screw               | 17 - 155           |
| G155 1042 | M4X45 Bind Screw               | 13 - 419           |
| G155 1043 | M5X6 Bind Screw                | 85 - 33            |
| G155 1044 | M5X8 Bind Screw                | 85 - 32            |
| G155 1044 | M5X8 Bind Screw                | 23 - 222           |
| G155 1044 | M5X8 Bind Screw                | 23 - 205           |
| G155 1044 | M5X8 Bind Screw                | 109 -304           |
| G155 1044 | M5X8 Bind Screw                | 105 -203           |
| G155 1045 | M5X20 Bind Screw               | 23 - 223           |
| G155 1046 | M3X5 Tap Screw                 | 63 - 35            |
| G155 1047 | M4 Tap Screw                   | 85 - 150           |
| G155 1048 | Set Screw, M3X3 Hex Socket Hea | 71 - 309           |
| G155 1048 | Set Screw, M3X3 Hex Socket Hea | 63 - 116           |
| G155 1049 | M3X4 Hex Socket Set Screw      | 77 - 63            |
| G155 1050 | M3X6 Hex Socket Set Screw      | 23 - 62            |

| Part No.  | Description                         | Page and Index No. |
|-----------|-------------------------------------|--------------------|
| G155 1050 | M3X6 Hex Socket Set Screw With Sw&W | 23 - 76            |
| G155 1051 | M4X4 Hex Socket Screw               | 111 - 21           |
| G155 1051 | M4 □ 4Hex Socket Set Screw          | 31 - 4             |
| G155 1051 | M4X4 Hex Socket Screw               | 49 - 13            |
| G155 1051 | M4X4 Hex Socket Screw               | 47 - 115           |
| G155 1051 | M4X4 Hex Socket Screw               | 59 - 167           |
| G155 1051 | M4X4 Hex Socket Screw               | 97 - 29            |
| G155 1051 | M4X4 Hex Socket Screw               | 59 - 111           |
| G155 1051 | M4X4 Hex Socket Screw               | 97 - 21            |
| G155 1051 | M4X4 Hex Socket Screw               | 49 - 25            |
| G155 1051 | M4X4 Hex Socket Screw               | 91 - 152           |
| G155 1051 | M4X4 Hex Socket Screw               | 47 - 141           |
| G155 1051 | M4X4 Hex Screw                      | 123 - 110          |
| G155 1051 | M4X4 Hex Socket Screw               | 47 - 128           |
| G155 1051 | M4X4 Hex Socket Screw               | 91 - 179           |
| G155 1051 | M4X4 Hex Socket Screw               | 115 - 11           |
| G155 1051 | M4X4 Hex Socket Screw               | 47 - 155           |
| G155 1052 | B.B                                 | 75 - 84            |
| G155 1052 | B.B                                 | 75 - 91            |
| G155 1053 | Ball Bearing                        | 71 - 298           |
| G155 1054 | B.B                                 | 73 - 61            |
| G155 1054 | Ball Bearing                        | 69 - 269           |
| G155 1055 | B.B                                 | 81 - 17            |
| G155 1055 | Ball Bearing                        | 71 - 328           |
| G155 1056 | Ball Bearing                        | 55 - 207           |
| G155 1057 | B.B                                 | 41 - 146           |
| G155 1057 | B.B                                 | 121 - 146          |
| G155 1057 | B.B                                 | 37 - 146           |
| G155 1057 | B.B                                 | 103 - 42           |
| G155 1058 | B.B                                 | 105 - 53           |
| G155 1058 | B.B                                 | 25 - 39            |
| G155 1059 | B.B                                 | 79 - 48            |
| G155 1060 | B.B                                 | 79 - 53            |
| G155 1061 | Ball Bearing                        | 71 - 317           |
| G155 1062 | B.B                                 | 103 - 11           |

| Part No.  | Description        | Page and Index No. |
|-----------|--------------------|--------------------|
| G155 1062 | B.B                | 25 - 45            |
| G155 1062 | B.B                | 105 - 52           |
| G155 1062 | B.B                | 103 - 60           |
| G155 1062 | B.B                | 25 - 38            |
| G155 1062 | B.B                | 105 - 61           |
| G155 1063 | Slide Ball Bearing | 121 - 31           |
| G155 1063 | Slide Ball Bearing | 37 - 81            |
| G155 1063 | Slide Ball Bearing | 41 - 81            |
| G155 1063 | Slide Ball Bearing | 41 - 31            |
| G155 1063 | Slide Ball Bearing | 37 - 31            |
| G155 1063 | Slide Ball Bearing | 121 - 81           |
| G155 1064 | Delurine Bearing   | 35 - 245           |
| G155 1064 | Delurine Bearing   | 119 - 245          |
| G155 1065 | Sleeve Bearing     | 55 - 182           |
| G155 1065 | Sleeve Bearing     | 43 - 13            |
| G155 1066 | Sleeve Bearing     | 47 - 58            |
| G155 1067 | Sleeve Bearing     | 55 - 302           |
| G155 1068 | Sleeve Bearing     | 79 - 44            |
| G155 1069 | Rotary Damper      | 39 - 199           |
| G155 1069 | Rotary Damper      | 119 - 199          |
| G155 1069 | Rotary Damper      | 35 - 199           |
| G155 1070 | Compression Spring | 63 - 174           |
| G155 1071 | Compression Spring | 37 - 49            |
| G155 1071 | Compression Spring | 43 - 15            |
| G155 1071 | Compression Spring | 41 - 49            |
| G155 1071 | Compression Spring | 121 - 49           |
| G155 1072 | Compression Spring | 55 - 311           |
| G155 1073 | Compression Spring | 73 - 12            |
| G155 1074 | Compression Spring | 23 - 232           |
| G155 1074 | Compression Spring | 105 - 337          |
| G155 1075 | Compression Spring | 53 - 216           |
| G155 1075 | Compression Spring | 71 - 362           |
| G155 1076 | Compression Spring | 63 - 128           |
| G155 1077 | Compression Spring | 55 - 289           |
| G155 1078 | Compression Spring | 85 - 148           |

| Part No.  | Description         | Page and Index No. |
|-----------|---------------------|--------------------|
| G155 1079 | Compression Spring  | 65 - 3             |
| G155 1080 | Compression Spring  | 81 - 28            |
| G155 1081 | Compression Spring  | 79 - 11            |
| G155 1082 | Compression Spring  | 53 - 215           |
| G155 1083 | Compression Spring  | 71 - 293           |
| G155 1084 | Extension Spring    | 13 - 253           |
| G155 1085 | Extension Spring    | 55 - 237           |
| G155 1086 | Extension Spring    | 37 - 61            |
| G155 1086 | Extension Spring    | 41 - 61            |
| G155 1086 | Extension Spring    | 105 - 34           |
| G155 1086 | Extension Spring    | 121 - 61           |
| G155 1086 | Extension Spring    | 25 - 22            |
| G155 1087 | Extension Spring    | 63 - 33            |
| G155 1088 | Extension Spring    | 43 - 276           |
| G155 1088 | Extension Spring    | 99 - 74            |
| G155 1089 | Extension Spring    | 43 - 30            |
| G155 1090 | Extension Spring    | 85 - 126           |
| G155 1090 | Extension Spring    | 53 - 212           |
| G155 1090 | Extension Spring    | 59 - 122           |
| G155 1091 | Extension Spring    | 113 - 42           |
| G155 1091 | Extension Spring    | 45 - 246           |
| G155 1091 | Extension Spring    | 45 - 193           |
| G155 1091 | Extension Spring    | 113 - 118          |
| G155 1091 | Extension Spring    | 117 - 117          |
| G155 1091 | Extension Spring    | 113 - 57           |
| G155 1091 | Extension Spring    | 117 - 144          |
| G155 1091 | Extension Spring    | 123 - 57           |
| G155 1091 | Extension Spring    | 33 - 94            |
| G155 1092 | Extension Spring    | 119 - 205          |
| G155 1092 | Extension Spring    | 35 - 205           |
| G155 1092 | Extension Spring    | 39 - 205           |
| G155 1093 | Extension Spring    | 33 - 95            |
| G155 1094 | Plug Cushion Rubber | 85 - 123           |
| G155 1094 | Extension Spring    | 103 - 77           |
| G155 1095 | Extension Spring    | 13 - 261           |

| Part No.  | Description          | Page and Index No. |
|-----------|----------------------|--------------------|
| G155 1096 | Compression Spring   | 29 - 172           |
| G155 1097 | O Ring               | 55 - 246           |
| G155 1098 | O Ring               | 69 - 226           |
| G155 1099 | O Ring               | 29 - 174           |
| G155 1100 | One-Touch Bushing    | 59 - 48            |
| G155 1100 | One Touch Bushing    | 45 - 290           |
| G155 1100 | One-Touch Bushing    | 43 - 33            |
| G155 1101 | One-Touch Bushing    | 53 - 219           |
| G155 1101 | One-Touch Bushing    | 95 - 43            |
| G155 1101 | One Touch Bush       | 83 - 27            |
| G155 1101 | One Touch Bush       | 21 - 21            |
| G155 1102 | One Touch Bush       | 21 - 20            |
| G155 1103 | Retaining Ring-C     | 75 - 76            |
| G155 1103 | Retaining Ring-C     | 47 - 99            |
| G155 1103 | Retaining Ring-C     | 91 - 145           |
| G155 1103 | Retaining Ring-C     | 75 - 72            |
| G155 1104 | Retaining Ring-C     | 73 - 73            |
| G155 1105 | Retaining Ring(Hole) | 69 - 268           |
| G155 1105 | Retaining Ring(Hole) | 73 - 62            |
| G155 1106 | Retaining Ring(Hole) | 71 - 296           |
| G155 1106 | EOF Sensor           | 23 - 214           |
| G155 1107 | Retaining Ring(Hole) | 41 - 158           |
| G155 1107 | Retaining Ring(Hole) | 37 - 158           |
| G155 1107 | Retaining Ring(Hole) | 121 - 158          |
| G155 1107 | Retaining Ring(Hole) | 103 - 49           |
| G155 1108 | Retaining Ring(Hole) | 121 - 150          |
| G155 1108 | Retaining Ring(Hole) | 37 - 150           |
| G155 1108 | Retaining Ring(Hole) | 41 - 150           |
| G155 1108 | Retaining Ring(Hole) | 103 - 44           |
| G155 1109 | Retaining Ring-E     | 41 - 55            |
| G155 1109 | Retaining Ring-E     | 121 - 55           |
| G155 1109 | Retaining Ring-E     | 37 - 55            |
| G155 1110 | Retaining Ring-E     | 29 - 177           |
| G155 1111 | Retaining Ring-E     | 37 - 165           |
| G155 1111 | Retaining Ring-E     | 41 - 165           |

| Part No.  | Description         | Page and Index No. |
|-----------|---------------------|--------------------|
| G155 1111 | Retaining Ring-E    | 121 - 165          |
| G155 1112 | Retaining Ring-E    | 121 - 156          |
| G155 1112 | Retaining Ring-E    | 37 - 156           |
| G155 1112 | Retaining Ring-E    | 41 - 156           |
| G155 1112 | Retaining Ring-E    | 103 - 47           |
| G155 1113 | Pierce Ring         | 51 - 129           |
| G155 1114 | Pierce Ring         | 65 - 8             |
| G155 1115 | Stopper Washer      | 75 - 11            |
| G155 1116 | Timing Belt         | 103 - 76           |
| G155 1117 | Timing Belt         | 105 - 81           |
| G155 1117 | Timing Belt         | 23 - 81            |
| G155 1118 | Timing Belt         | 105 - 69           |
| G155 1118 | Timing Belt         | 23 - 67            |
| G155 1119 | Timing Belt         | 71 - 333           |
| G155 1120 | Timing Belt         | 49 - 49            |
| G155 1121 | Timing Belt         | 71 - 275           |
| G155 1122 | Timing Belt         | 63 - 120           |
| G155 1123 | Timing Belt         | 47 - 154           |
| G155 1123 | Timing Belt         | 49 - 48            |
| G155 1123 | Timing Belt         | 97 - 44            |
| G155 1123 | Timing Belt         | 31 - 31            |
| G155 1124 | Timing Belt         | 47 - 153           |
| G155 1124 | Timing Belt         | 31 - 30            |
| G155 1125 | Timing Belt         | 101 - 66           |
| G155 1126 | Timing Belt         | 101 - 54           |
| G155 1127 | Shock Mount         | 21 - 69            |
| G155 1128 | Shock Mount         | 21 - 8             |
| G155 1129 | Plug Cushion Rubber | 105 - 116          |
| G155 1129 | Plug Cushion Rubber | 27 - 107           |
| G155 1129 | MG155003            | 85 - 123           |
| G155 1130 | Plug Cushion Rubber | 119 - 13           |
| G155 1130 | Plug Cushion Rubber | 35 - 13            |
| G155 1130 | Plug Cushion Rubber | 117 - 139          |
| G155 1130 | Plug Cushion Rubber | 39 - 13            |
| G155 1130 | Plug Cushion Rubber | 99 - 83            |

| Part No.  | Description             | Page and Index No. |
|-----------|-------------------------|--------------------|
| G155 1130 | Plug Cushion Rubber     | 113 - 45           |
| G155 1131 | Plug Cushion Rubber     | 33 - 67            |
| G155 1131 | Plug Cushion Rubber     | 117 - 91           |
| G155 1132 | Plug Cushion Rubber     | 51 - 68            |
| G155 1133 | Line Filter             | 13 - 83            |
| G155 1134 | Switching Regulator     | 87 - 66            |
| G155 1135 | Switching Regulator     | 13 - 95            |
| G155 1136 | Photo Interrupter       | 85 - 7             |
| G155 1136 | Photo Interrupter       | 17 - 167           |
| G155 1137 | Photo Interrupter       | 17 - 172           |
| G155 1137 | Photo Interrupter       | 101 - 16           |
| G155 1138 | Photo Sensor            | 53 - 148           |
| G155 1138 | Photo Sensor            | 43 - 20            |
| G155 1138 | Photo Sensor            | 39 - 238           |
| G155 1138 | Photo Sensor            | 35 - 238           |
| G155 1138 | Photo Sensor            | 119 - 238          |
| G155 1140 | Photo Interrupter       | 119 - 6            |
| G155 1140 | Photo Interrupter       | 35 - 6             |
| G155 1140 | Photo Interrupter       | 59 - 8             |
| G155 1140 | Photo Interrupter       | 101 - 11           |
| G155 1140 | Photo Interrupter       | 39 - 6             |
| G155 1141 | Thermopile Module       | 17 - 222           |
| G155 1142 | Electrostatic Voltmeter | 13 - 132           |
| G155 1143 | LED Eraser              | 63 - 58            |
| G155 1144 | Relay                   | 13 - 103           |
| G155 1145 | Relay                   | 13 - 302           |
| G155 1146 | Push Switch             | 105 - 215          |
| G155 1146 | Push Switch             | 23 - 226           |
| G155 1147 | Push Switch             | 13 - 121           |
| G155 1148 | Paddle Switch           | 17 - 323           |
| G155 1149 | Circuit Protector       | 13 - 84            |
| G155 1150 | Circuit Protector       | 13 - 77            |
| G155 1151 | Terminal Block          | 13 - 104           |
| G155 1152 | DC Fan                  | 13 - 35            |
| G155 1152 | DC Fan                  | 79 - 4             |

| Part No.  | Description         | Page and Index No. |
|-----------|---------------------|--------------------|
| G155 1152 | DC Fan              | 13 - 334           |
| G155 1152 | DC Fan              | 17 - 330           |
| G155 1152 | DC Fan              | 17 - 187           |
| G155 1152 | DC Fan              | 13 - 201           |
| G155 1152 | DC Fan              | 13 - 330           |
| G155 1153 | DC Fan              | 17 - 414           |
| G155 1154 | Finger Guard        | 17 - 157           |
| G155 1154 | Finger Guard        | 13 - 422           |
| G155 1155 | Gauge               | 17 - 371           |
| G155 1156 | Magnet Catch        | 93 - 74            |
| G155 1156 | Magnet Catch        | 99 - 84            |
| G155 1157 | Board Spacer        | 71 - 290           |
| G155 1158 | Nylon Clip          | 13 - 358           |
| G155 1159 | Cable Clamp         | 55 - 112           |
| G155 1160 | Cable Clamp         | 79 - 14            |
| G155 1161 | Cable Clamp         | 45 - 289           |
| G155 1162 | Cable Clamp         | 21 - 106           |
| G155 1163 | Locking Wire Saddle | 59 - 4             |
| G155 1163 | Locking Wire Saddle | 55 - 270           |
| G155 1163 | Locking Wire Saddle | 43 - 277           |
| G155 1163 | Locking Wire Saddle | 79 - 17            |
| G155 1163 | Locking Wire Saddle | 45 - 200           |
| G155 1164 | Locking Wire Saddle | 59 - 70            |
| G155 1164 | Locking Wire Saddle | 113 - 56           |
| G155 1164 | Locking Wire Saddle | 43 - 16            |
| G155 1164 | Locking Wire Saddle | 45 - 199           |
| G155 1164 | Locking Wire Saddle | 111 - 104          |
| G155 1164 | Locking Wire Saddle | 59 - 5             |
| G155 1164 | Locking Wire Saddle | 43 - 222           |
| G155 1164 | Locking Wire Saddle | 59 - 42            |
| G155 1164 | Locking Wire Saddle | 33 - 49            |
| G155 1165 | Locking Wire Saddle | 21 - 43            |
| G155 1166 | Locking Wire Saddle | 47 - 122           |
| G155 1166 | Locking Wire Saddle | 59 - 108           |
| G155 1166 | Locking Wire Saddle | 47 - 112           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 1166 | Locking Wire Saddle       | 47 - 138           |
| G155 1167 | Locking Wire Saddle       | 21 - 104           |
| G155 1168 | Cord Lock                 | 13 - 105           |
| G155 1169 | Cord Lock(Nut)            | 13 - 108           |
| G155 1170 | Edging                    | 45 - 198           |
| G155 1170 | Edging                    | 107 - 176          |
| G155 1170 | Edging                    | 75 - 113           |
| G155 1170 | Edging                    | 75 - 123           |
| G155 1170 | Edging                    | 59 - 107           |
| G155 1170 | Edging                    | 79 - 15            |
| G155 1170 | Edging                    | 59 - 6             |
| G155 1171 | Edging                    | 33 - 68            |
| G155 1172 | Electrostatic Eraser      | 95 - 52            |
| G155 1172 | Electrostatic Eraser      | 59 - 150           |
| G155 1172 | Electrostatic Eraser      | 43 - 278           |
| G155 1172 | Electrostatic Eraser      | 55 - 194           |
| G155 1173 | Electrostatic Eraser      | 101 - 102          |
| G155 1174 | Hose Band                 | 39 - 233           |
| G155 1175 | Joint                     | 71 - 287           |
| G155 1175 | Joint                     | 21 - 37            |
| G155 1177 | Joint                     | 21 - 54            |
| G155 1178 | Joint                     | 21 - 63            |
| G155 1179 | Joint                     | 17 - 372           |
| G155 1179 | Joint                     | 21 - 52            |
| G155 1179 | Joint                     | 21 - 77            |
| G155 1180 | Joint                     | 21 - 65            |
| G155 1181 | Joint                     | 21 - 53            |
| G155 1182 | Silencer                  | 21 - 61            |
| G155 1183 | Spring Washer,D6          | 103 - 86           |
| G155 1183 | Spring Washer,D6          | 73 - 79            |
| G155 1184 | Spring Washer,D8          | 17 - 48            |
| G155 1185 | External Tooth Washer, D4 | 83 - 39            |
| G155 1185 | External Tooth Washer, D4 | 83 - 72            |
| G155 1186 | External Tooth Washer, D5 | 89 - 192           |
| G155 1186 | Teeth Washer              | 109 - 307          |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 1186 | Teeth Washer                   | 13 - 413           |
| G155 1187 | Nut, M3                        | 87 - 58            |
| G155 1187 | Nut, M3                        | 107 -264           |
| G155 1188 | Screw,M4X10 Pan Hd.Phillips    | 73 - 10            |
| G155 1189 | Screw, M3X6 Flat Head Screw    | 39 - 171           |
| G155 1189 | Screw, M3X6 Flat Head Screw    | 35 - 171           |
| G155 1190 | Screw,M3X8 Flat Hd.Phillips    | 25 - 128           |
| G155 1190 | Screw,M3X8 Flat Hd.Phillips    | 105 -146           |
| G155 1192 | Screw,M6X12 Flat Hd.Phillips   | 21 - 10            |
| G155 1193 | Screw, M3X5 Pan Hd. Phillips B | 75 - 131           |
| G155 1194 | Screw,M4X6 Pan Hd.Phillips B   | 75 - 128           |
| G155 1195 | Washer D8                      | 65 - 68            |
| G155 1196 | Bolt Washer, D4,Brass          | 73 - 11            |
| G155 1197 | Bolt Washer D3 MG115001        | 49 - 36            |
| G155 1197 | Bolt Washer D3 MG155001        | 111 - 95           |
| G155 1197 | Bolt Washer D3 MG155001        | 49 - 29            |
| G155 1197 | Bolt Washer D3 MG155001        | 49 - 16            |
| G155 1197 | Bolt Washer D3 MG155001        | 91 - 39            |
| G155 1197 | Bolt Washer D3 MG155001        | 47 - 156           |
| G155 1197 | Bolt Washer D3 MG155001        | 97 - 33            |
| G155 1197 | Bolt Washer D3 MG155001        | 59 - 112           |
| G155 1197 | Bolt Washer D3 MG155001        | 91 - 171           |
| G155 1197 | Bolt Washer D3 MG155001        | 97 - 24            |
| G155 1197 | Bolt Washer D3 MG155001        | 97 - 52            |
| G155 1197 | Bolt Washer D3 MG155001        | 95 - 93            |
| G155 1197 | Bolt Washer D3 MG155001        | 47 - 174           |
| G155 1197 | Bolt Washer D3 MG155001        | 31 - 11            |
| G155 1197 | Bolt Washer D3 MG155001        | 47 - 129           |
| G155 1197 | Bolt Washer D3 MG155001        | 115 - 22           |
| G155 1197 | Bolt Washer D3 (RoHS) ADDED    | 73 - 113           |
| G155 1197 | Bolt Washer D3 MG155001        | 115 - 12           |
| G155 1197 | Bolt Washer,D3                 | 73 - 55            |
| G155 1197 | Bolt Washer D3 MG155001        | 59 - 86            |
| G155 1197 | Bolt Washer D3 MG155001        | 31 - 17            |
| G155 1197 | Bolt Washer D3 MG115001        | 111 - 28           |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G155 1197 | Bolt Washer D3 MG155001                 | 91 - 184           |
| G155 1197 | Bolt Washer D3 MG155001                 | 47 - 142           |
| G155 1197 | Bolt Washer D3 MG155001                 | 111 - 22           |
| G155 1198 | Bolt Washer D10                         | 71 - 297           |
| G155 1198 | Bolt Washer,D10                         | 73 - 85            |
| G155 1199 | 3X3X8 Key                               | 75 - 45            |
| G155 1199 | 3X3X8 Key                               | 71 - 326           |
| G155 1199 | 3X3X8 Key                               | 75 - 88            |
| G155 1199 | 3X3X8 Key                               | 71 - 300           |
| G155 1199 | 3X3X8 Key                               | 55 - 25            |
| G155 1200 | 3X3X10 Key                              | 55 - 76            |
| G155 1200 | 3X3X10 Key                              | 25 - 46            |
| G155 1200 | 3X3X10 Key                              | 105 - 62           |
| G155 1201 | 3X3X12 Key                              | 69 - 271           |
| G155 1201 | 3X3X12 Key                              | 103 - 50           |
| G155 1201 | 3X3X12 Key                              | 119 -137           |
| G155 1201 | 3X3X12 Key                              | 121 -151           |
| G155 1201 | 3X3X12 Key                              | 35 - 137           |
| G155 1201 | 3X3X12 Key                              | 37 - 155           |
| G155 1201 | 3X3X12 Key                              | 41 - 155           |
| G155 1201 | 3X3X12 Key                              | 37 - 151           |
| G155 1201 | 3X3X12 Key                              | 39 - 137           |
| G155 1201 | 3X3X12 Key                              | 121 -155           |
| G155 1201 | 3X3X12 Key                              | 75 - 82            |
| G155 1201 | 3X3X12 Key                              | 41 - 151           |
| G155 1202 | 4X4X8 Key                               | 71 - 316           |
| G155 1203 | Screw,M4X55 Flat Hd.Phillips With Sw    | 105 -147           |
| G155 1203 | Screw M4X55 With Sw                     | 25 - 129           |
| G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 79 - 6             |
| G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 87 - 57            |
| G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 107 -263           |
| G155 1204 | Screw,M3X35 Pan Hd.Phillips             | 17 - 194           |
| G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 13 - 36            |
| G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 17 - 188           |
| G155 1204 | Screw,M3X35 Pan Hd.Phillips With SW & W | 45 - 287           |

| Part No.  | Description                              | Page and Index No. |
|-----------|------------------------------------------|--------------------|
| G155 1205 | Screw,M4X16 Pan Hd.Phillips With SW & W  | 17 - 141           |
| G155 1206 | Screw,M4X20 Pan Hd.Phillips With SW & W  | 81 - 16            |
| G155 1206 | Screw,M4X20 Pan Hd.Phillips With SW & W  | 75 - 119           |
| G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W  | 81 - 38            |
| G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W  | 103 - 6            |
| G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W  | 13 - 360           |
| G155 1207 | Screw,M4X25 Pan Hd.Phillips With SW & W  | 75 - 55            |
| G155 1208 | Screw,M4X40 Pan Hd.Phillips With SW & W  | 13 - 329           |
| G155 1208 | Screw,M4X40 Pan Hd.Phillips With SW & W  | 17 - 329           |
| G155 1209 | Screw, M5X10 Pan Hd.Phillips             | 71 - 352           |
| G155 1209 | Screw, M5X10 Pan Hd.Phillips With SW & W | 13 - 412           |
| G155 1209 | Screw, M5X10 Pan Hd.Phillips With SW & W | 13 - 107           |
| G155 1209 | Screw, M5X10 Pan Hd.Phillips With SW & W | 107 -240           |
| G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 21 - 55            |
| G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 13 - 383           |
| G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 17 - 275           |
| G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 21 - 67            |
| G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 13 - 232           |
| G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 17 - 379           |
| G155 1210 | Screw,M5X12 Pan Hd.Phillips With SW & W  | 21 - 78            |
| G155 1211 | Screw,M5X16 Pan Hd.Phillips With SW & W  | 73 - 93            |
| G155 1213 | Screw,M6X12 Pan Hd.Phillips With SW & W  | 21 - 9             |
| G155 1214 | B.B.                                     | 59 - 91            |
| G155 1215 | B.B                                      | 73 - 33            |
| G155 1216 | B.B                                      | 121 -157           |
| G155 1216 | B.B                                      | 41 - 157           |
| G155 1216 | B.B (6002 Vvcm)                          | 103 - 48           |
| G155 1216 | B.B                                      | 37 - 157           |
| G155 1217 | Regist Cover W Assy(T)                   | 53 - 178           |
| G155 1218 | Drum Hold Plate (Eh)                     | 73 - 69            |
| G155 1219 | Top Cover (H) W Assy                     | 89 - 165           |
| G155 1220 | SB Paper Guide(H)                        | 43 - 216           |
| G155 1221 | RTN Vertical Guide(H2)                   | 45 - 231           |
| G155 1222 | RTN Open Guide(4)                        | 45 - 182           |
| G155 1223 | HP PK Holder                             | 17 - 386           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 1224 | Inner Cover(Opt)          | 83 - 151           |
| G155 1225 | Cable Cover(CI)           | 83 - 51            |
| G155 1226 | Hopper Cover(S)           | 83 - 134           |
| G155 1227 | Hopper Cover(L)           | 83 - 135           |
| G155 1229 | Ceiling Plate             | 27 - 102           |
| G155 1229 | Ceiling Plate             | 105 -109           |
| G155 1230 | Swing Base (1)            | 27 - 89            |
| G155 1230 | Swing Base (1)            | 105 - 97           |
| G155 1231 | Frame Staking Assy(Sh)    | 39 - 3             |
| G155 1232 | Slide Base(H)             | 41 - 30            |
| G155 1233 | Slide Base(V)             | 41 - 80            |
| G155 1234 | Stacker Frame Assy(H)     | 85 - 3             |
| G155 1235 | Frame Assy                | 13 - 1             |
| G155 1236 | Large Hopper Assy         | 37 - 1             |
| G155 1236 | Large Hopper Assy         | 35 - 1             |
| G155 1237 | OPT Unit Assy             | 17 - 145           |
| G155 1238 | DEV Unit Assy             | 75 - 1             |
| G155 1239 | Toner Hopper Assy         | 77 - 1             |
| G155 1240 | Small Hopper Assy         | 41 - 1             |
| G155 1240 | Small Hopper Assy         | 39 - 1             |
| G155 1241 | Top Cover(R)2 W Assy      | 83 - 104           |
| G155 1242 | Corotron Case (F)         | 79 - 77            |
| G155 1243 | Container Tray(M)         | 85 - 105           |
| G155 1244 | Wire Holder R             | 63 - 153           |
| G155 1245 | Wire Holder F             | 63 - 152           |
| G155 1246 | Back Up Roll              | 55 - 117           |
| G155 1247 | DC Cover                  | 65 - 97            |
| G155 1248 | Paper Guide 1 (L)         | 93 - 41            |
| G155 1249 | Paper Guide 2 (S)         | 93 - 47            |
| G155 1250 | PG5 Latch Plate           | 93 - 127           |
| G155 1251 | Lift Frame Rivet Ass'y(S) | 103 - 3            |
| G155 1252 | Fan Holder(Sh)            | 87 - 15            |
| G155 1253 | Cable Cover(II)           | 85 - 92            |
| G155 1254 | Front Stay(S)             | 85 - 95            |
| G155 1255 | Off Set Paper Guide (L)   | 95 - 42            |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 1256 | Offset Frame Weld Assy    | 95 - 2             |
| G155 1257 | Drawer Rivet Assy         | 85 - 121           |
| G155 1258 | Drawer Latch Handle       | 85 - 125           |
| G155 1259 | S Motor Holder            | 101 - 85           |
| G155 1260 | SJ Paper Guide (U)        | 101 - 101          |
| G155 1261 | HR Mecha Frame Ass'y      | 55 - 136           |
| G155 1262 | PH Motor Holder(H)        | 49 - 1             |
| G155 1263 | Paper Guide (Adu)         | 53 - 175           |
| G155 1264 | Paper Guide(H1)           | 33 - 66            |
| G155 1265 | Paper Guide(V2)           | 33 - 58            |
| G155 1266 | Open Pg(2) Handle         | 33 - 85            |
| G155 1267 | Paper Guide(H2)           | 33 - 84            |
| G155 1268 | Open Pg(2) Latch          | 33 - 86            |
| G155 1269 | Paper Guide(V1)           | 33 - 61            |
| G155 1270 | RTN Paper Guide(Dh)R      | 51 - 80            |
| G155 1271 | Cable Guard(H1)           | 51 - 74            |
| G155 1272 | Gear Housing(C)           | 103 - 41           |
| G155 1272 | Gear Housing(C)           | 37 - 145           |
| G155 1272 | Gear Housing(C)           | 41 - 145           |
| G155 1272 | Gear Housing(C)           | 121 - 145          |
| G155 1273 | Rear Cover Assy (H)       | 89 - 162           |
| G155 1274 | PHS Frame (2) Rivet Ass'y | 59 - 3             |
| G155 1275 | Side Cover(Rh) Assy       | 89 - 195           |
| G155 1276 | Drum Unit Assy            | 73 - 1             |
| G155 1277 | Top Board (H)             | 85 - 112           |
| G155 1278 | DEV Bottom Cover          | 75 - 146           |
| G155 1279 | DEV Motor Holder(2)       | 75 - 109           |
| G155 1280 | Container Lift (H) Ass'y  | 103 - 1            |
| G155 1281 | Fan Holder                | 17 - 153           |
| G155 1282 | RTN In Paper Guide C2     | 45 - 211           |
| G155 1283 | SB Paper Guide(I)         | 43 - 217           |
| G155 1284 | Sb Paper Guide(L)         | 43 - 228           |
| G155 1285 | Toner Hopper Sub Assy     | 77 - 3             |
| G155 1286 | LPS Holder                | 13 - 92            |
| G155 1287 | HD Holder Cover (2)       | 13 - 214           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 1288 | Relay Board Holder          | 13 - 113           |
| G155 1289 | EX Duct(Eh)                 | 13 - 341           |
| G155 1290 | EX Fan Holder Assy          | 13 - 345           |
| G155 1291 | Panel Holder(CI)            | 83 - 17            |
| G155 1292 | Front Cover(L)W Assy        | 83 - 2             |
| G155 1293 | Front Cover(R)W Ass'y       | 83 - 57            |
| G155 1294 | Top Cover(L)W Assy          | 83 - 91            |
| G155 1295 | Side Cover L(W) Assy        | 83 - 131           |
| G155 1296 | Panel Lower Cover(H)        | 17 - 12            |
| G155 1297 | Rear Cover(L)W Assy         | 83 - 117           |
| G155 1298 | CE Box Cover                | 13 - 429           |
| G155 1299 | Basket Assy(H)              | 85 - 104           |
| G155 1300 | Filter Box Welding Assy     | 13 - 52            |
| G155 1301 | Table Gear Housing(1)       | 121 - 166          |
| G155 1301 | Table Gear Housing(1)       | 37 - 166           |
| G155 1302 | Side Cover(L)               | 35 - 212           |
| G155 1303 | Shutter Plate(1)            | 119 - 110          |
| G155 1303 | Shutter Plate(1)            | 37 - 115           |
| G155 1303 | Shutter Plate(1)            | 37 - 110           |
| G155 1303 | Shutter Plate(1)            | 35 - 110           |
| G155 1303 | Shutter Plate(1)            | 121 - 110          |
| G155 1303 | Shutter Plate(1)            | 39 - 110           |
| G155 1304 | Side Cover(S)               | 39 - 212           |
| G155 1305 | Table Gear Housing(2)       | 41 - 166           |
| G155 1306 | PK Box Assy                 | 13 - 28            |
| G155 1307 | Charger                     | 63 - 150           |
| G155 1308 | Motor Base Sub Ass'y        | 69 - 210           |
| G155 1308 | Motor Base Sub Ass'y        | 71 - 210           |
| G155 1309 | Transfer Belt Assy          | 79 - 31            |
| G155 1310 | Inverter Assy               | 59 - 1             |
| G155 1311 | Fuser Drive Base Sub Ass'y  | 69 - 280           |
| G155 1312 | Discharger Ass'y            | 65 - 90            |
| G155 1313 | DEV Frame Ass'y             | 75 - 3             |
| G155 1314 | Bottle Tray Ass'y           | 77 - 66            |
| G155 1315 | Web Cassette Ass'y MG155024 | 55 - 281           |



| Part No.  | Description                   | Page and Index No. |
|-----------|-------------------------------|--------------------|
| G155 1316 | Top Cover(L)Ass'y             | 83 - 90            |
| G155 1317 | Flont Cover(L) Ass'y          | 83 - 1             |
| G155 1318 | Front Cover(R)Ass'y           | 83 - 56            |
| G155 1319 | Pick Belt(Ap)                 | 105 - 66           |
| G155 1319 | Pick Belt(Ap)                 | 25 - 50            |
| G155 1321 | Swing Unit(1)                 | 105 - 96           |
| G155 1321 | Swing Unit(1)                 | 27 - 87            |
| G155 1322 | B.B Holder                    | 55 - 206           |
| G155 1323 | Inner Cover (Cf)              | 13 - 3             |
| G155 1324 | Partition Plate               | 39 - 234           |
| G155 1325 | Md Cooling Duct               | 17 - 403           |
| G155 1326 | Corotron (W) Assy             | 79 - 75            |
| G155 1327 | Web Case Ass'y                | 55 - 284           |
| G155 1328 | Container Fork Weld Ass'y(H2) | 103 - 82           |
| G155 1329 | Ozone Filter Box (2)          | 21 - 26            |
| G155 1330 | Frame(Lh) (2) Staking Assy    | 35 - 3             |
| G155 1331 | Partition Plate (2-2)         | 119 - 234          |
| G155 1331 | Partition Plate (2-2)         | 35 - 234           |
| G155 1332 | Pleclean Connector            | 67 - 190           |
| G155 1333 | Stepping Motor                | 29 - 168           |
| G155 1333 | Stepping Motor                | 95 - 89            |
| G155 1333 | Stepping Motor                | 107 - 174          |
| G155 1334 | Slide Rail(1)                 | 17 - 404           |
| G155 1335 | CF Door W Assy                | 13 - 243           |
| G155 1336 | CF Case Weld Assy             | 13 - 233           |
| G155 1337 | Drum Handle                   | 73 - 92            |
| G155 1338 | Wind Gear(3)                  | 73 - 42            |
| G155 1339 | Stepping Motor 2              | 71 - 305           |
| G155 1339 | Stepping Motor 2              | 71 - 356           |
| G155 1340 | Stepping Motor With Gear1     | 121 - 152          |
| G155 1340 | Stepping Motor With Gear1     | 41 - 152           |
| G155 1340 | Stepping Motor With Gear1     | 37 - 152           |
| G155 1340 | Stepping Motor With Gear1     | 103 - 51           |
| G155 1341 | Charger Socket                | 69 - 228           |
| G155 1342 | Charger Socket                | 67 - 177           |

| Part No.  | Description          | Page and Index No. |
|-----------|----------------------|--------------------|
| G155 1343 | Stepping Motor 6     | 59 - 99            |
| G155 1343 | Stepping Motor 6     | 47 - 133           |
| G155 1343 | Stepping Motor 6     | 23 - 74            |
| G155 1343 | Stepping Motor 6     | 31 - 2             |
| G155 1343 | Stepping Motor 6     | 105 - 74           |
| G155 1343 | Stepping Motor 6     | 23 - 60            |
| G155 1343 | Stepping Motor 6     | 91 - 176           |
| G155 1343 | Stepping Motor 6     | 69 - 250           |
| G155 1343 | Stepping Motor 6     | 115 - 6            |
| G155 1343 | Stepping Motor 6     | 105 - 86           |
| G155 1343 | Stepping Motor 6     | 111 - 14           |
| G155 1343 | Stepping Motor 6     | 49 - 19            |
| G155 1343 | Stepping Motor 6     | 97 - 18            |
| G155 1343 | Stepping Motor 6     | 123 - 104          |
| G155 1343 | Stepping Motor 6     | 49 - 2             |
| G155 1344 | Fine Filter          | 13 - 230           |
| G155 1345 | Drum Rear Inner Cap  | 73 - 17            |
| G155 1346 | Air Tank             | 17 - 369           |
| G155 1347 | Relief Valve         | 21 - 75            |
| G155 1348 | Air Filter           | 21 - 51            |
| G155 1349 | Relief Valve Ass'y   | 21 - 74            |
| G155 1350 | Br Separator         | 55 - 234           |
| G155 1351 | Slide Bush           | 119 - 211          |
| G155 1351 | Slide Bush           | 35 - 211           |
| G155 1351 | Slide Bush           | 39 - 211           |
| G155 1352 | Slide Bush           | 121 - 83           |
| G155 1352 | Slide Bush           | 41 - 33            |
| G155 1352 | Slide Bush           | 37 - 83            |
| G155 1352 | Slide Bush           | 121 - 33           |
| G155 1352 | Slide Bush           | 37 - 33            |
| G155 1352 | Slide Bush           | 41 - 83            |
| G155 1353 | Sensor Holder(Th)    | 77 - 31            |
| G155 1354 | TC Sensor Holder (R) | 75 - 5             |
| G155 1355 | FB Duct (M)          | 81 - 37            |
| G155 1356 | Compressor Tray      | 21 - 66            |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 1357 | Compressor                     | 21 - 60            |
| G155 1359 | Leb Blacket                    | 87 - 65            |
| G155 1360 | Diaphragm Kit                  | 21 - 62            |
| G155 1361 | Blower                         | 21 - 6             |
| G155 1362 | Trans                          | 13 - 71            |
| G155 1363 | High-Voltage Power Supply 3    | 13 - 207           |
| G155 1364 | AC Pk Cover                    | 13 - 99            |
| G155 1365 | Blower Base 2                  | 21 - 7             |
| G155 1366 | Heater Driver                  | 13 - 215           |
| G155 1367 | PS141 Assy                     | 53 - 197           |
| G155 1368 | HP 121 Assy                    | 17 - 387           |
| G155 1369 | Auto Transformer               | 13 - 65            |
| G155 1370 | DV141 Assy                     | 13 - 30            |
| G155 1371 | RB321 Assy                     | 13 - 112           |
| G155 1372 | Pn011 Assy                     | 109 -282           |
| G155 1372 | PN011 Assy                     | 83 - 18            |
| G155 1372 | PN011 Assy                     | 85 - 42            |
| G155 1373 | D Sensor Guide(H)              | 53 - 143           |
| G155 1374 | Magnet Roll (D16) L            | 75 - 13            |
| G155 1375 | Magnet Roll (D30) L            | 75 - 43            |
| G155 1376 | Magnet Roll (D30) L            | 75 - 44            |
| G155 1377 | Hinge Holder (Pg6) Rivet Ass'y | 93 - 83            |
| G155 1378 | PG3 Cable Cover                | 93 - 61            |
| G155 1379 | Paper Guide 4 (W) Ass'y        | 93 - 73            |
| G155 1380 | Paper Guide 6(W) Ass'y         | 93 - 82            |
| G155 1381 | Fork Adjustment Plate(H)       | 103 -101           |
| G155 1382 | Fork Adjustment Plate(H)       | 103 -102           |
| G155 1383 | Fork Position Sensor Plate H   | 103 - 34           |
| G155 1384 | SL Latch Holder(H)             | 87 - 21            |
| G155 1385 | SL Latch                       | 87 - 22            |
| G155 1386 | S Panel SW Bracket             | 85 - 47            |
| G155 1387 | S Package Box W Ass'y          | 87 - 50            |
| G155 1388 | Cable Cover(S)                 | 87 - 62            |
| G155 1389 | Side Frame Cover(U)            | 85 - 74            |
| G155 1390 | Inner Cover(HI)                | 85 - 86            |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| G155 1391 | Inner Cover(Hr)            | 85 - 89            |
| G155 1392 | Drawer Holder (SI)         | 85 - 31            |
| G155 1393 | F-J Motor Holder           | 101 - 44           |
| G155 1394 | R-J Motor Holder           | 101 - 58           |
| G155 1395 | Wire Guide Holder(H)       | 101 - 5            |
| G155 1396 | Jam Sensor Holder(H)       | 101 - 15           |
| G155 1397 | HR Paper Guide Ass'y       | 55 - 150           |
| G155 1398 | Paper Guide In             | 55 - 128           |
| G155 1399 | Paper Guide In Holder      | 55 - 124           |
| G155 1400 | BR Paper Guide Ass'y       | 55 - 154           |
| G155 1401 | Lamp Cable Holder          | 55 - 110           |
| G155 1402 | Front Cover Bottom Ass'y   | 55 - 259           |
| G155 1403 | Rear Cover Bottom Ass'y    | 55 - 273           |
| G155 1404 | Holder Guide(H) W Assy     | 51 - 122           |
| G155 1405 | R Holder(Fh)               | 51 - 106           |
| G155 1406 | Pressure Paper Guide(H)    | 51 - 121           |
| G155 1407 | RTN Paper Guide (Gu)       | 51 - 58            |
| G155 1408 | CCD Fan Holder             | 17 - 186           |
| G155 1409 | Sensor House W Assy(Ht)    | 53 - 196           |
| G155 1410 | Seal Holder Box(As)        | 21 - 82            |
| G155 1411 | FB Motor Holder            | 71 - 277           |
| G155 1412 | Belt Cover                 | 71 - 337           |
| G155 1413 | Drum Earth Rod Holder      | 63 - 108           |
| G155 1414 | Led Guide Rail             | 63 - 41            |
| G155 1415 | Flicker Bar                | 81 - 23            |
| G155 1416 | Drum Coupling              | 73 - 4             |
| G155 1417 | PTV Motor Holder           | 31 - 1             |
| G155 1418 | Cable Guard(Dh)            | 51 - 101           |
| G155 1419 | RTN Paper Guide (Bh)W Assy | 51 - 69            |
| G155 1420 | Sp1 Motor Plate            | 91 - 164           |
| G155 1421 | Timing Driven Roller(H)    | 53 - 162           |
| G155 1422 | LED Holder (CI)            | 63 - 56            |
| G155 1423 | Panel Seat(H)              | 83 - 20            |
| G155 1423 | Panel Seat(H)              | 85 - 44            |
| G155 1423 | Panel Sheet(H)             | 109 -281           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 1424 | Lift Motor Base Plate       | 103 - 53           |
| G155 1425 | Table Drive Shaft(H)        | 103 - 45           |
| G155 1426 | Path Gate(4) Assy           | 59 - 126           |
| G155 1427 | Path Gate(4) Ass'y          | 91 - 15            |
| G155 1428 | Sub Path Gate(3) Assy       | 47 - 85            |
| G155 1429 | Entrance Gate(3) Assy       | 47 - 62            |
| G155 1430 | Cleaning Brush              | 81 - 25            |
| G155 1431 | DEV Temp Stay               | 17 - 136           |
| G155 1432 | TR Input Guide(L)           | 53 - 151           |
| G155 1433 | Frame Assy(S)               | 21 - 1             |
| G155 1434 | Cover L(S) Weld Assy        | 21 - 3             |
| G155 1435 | Cover R(S)                  | 21 - 2             |
| G155 1436 | DEV Bias Cover              | 75 - 158           |
| G155 1437 | FL Latch(2)                 | 59 - 37            |
| G155 1438 | Drum Cap Assy               | 73 - 13            |
| G155 1439 | Inverter Valve Piece(2)     | 59 - 152           |
| G155 1440 | Inner Paper Guide(3) W Assy | 59 - 115           |
| G155 1441 | Open Guide(2) W Assy        | 59 - 32            |
| G155 1442 | Top Paper Guide(L2)         | 59 - 147           |
| G155 1443 | PHS Motor Plate(2)          | 59 - 98            |
| G155 1444 | E-Brush Holder              | 33 - 44            |
| G155 1445 | Bias Plate(2)               | 75 - 51            |
| G155 1446 | pF Motor Plate(2)           | 47 - 119           |
| G155 1447 | pF Rtn Motor Plate(2)       | 47 - 132           |
| G155 1448 | Hert Roll Gear              | 55 - 211           |
| G155 1449 | Table Drive Ass'y (St)      | 103 - 40           |
| G155 1450 | Stir Plate(2)               | 77 - 48            |
| G155 1451 | Stir Plate(2)               | 77 - 50            |
| G155 1452 | Beat Plate(2)               | 77 - 26            |
| G155 1453 | TH Shutter(2)               | 77 - 69            |
| G155 1454 | DC Guide Holder             | 65 - 104           |
| G155 1455 | HV Holder (Dc)              | 67 - 202           |
| G155 1456 | Conector Holder (Tr)        | 13 - 363           |
| G155 1457 | HVPS Holder Assy            | 13 - 127           |
| G155 1458 | Line Filter Cover           | 13 - 82            |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 1459 | PK Box W Assy             | 13 - 29            |
| G155 1460 | DEV Fan Holder(2) Assy    | 17 - 192           |
| G155 1461 | Line Filter Holder        | 13 - 81            |
| G155 1462 | Tr Hvps Holder            | 13 - 206           |
| G155 1463 | SNS Cooling Duct(Uh)      | 13 - 200           |
| G155 1464 | Cable Holder Assy         | 13 - 88            |
| G155 1465 | Seal Holder Box           | 17 - 297           |
| G155 1465 | Seal Holder Box           | 13 - 297           |
| G155 1466 | PA Stopper Holder         | 13 - 120           |
| G155 1467 | Air Tank Holder           | 17 - 367           |
| G155 1468 | AC Parts Holder           | 13 - 102           |
| G155 1469 | CF Casing Welding Assy    | 13 - 239           |
| G155 1470 | SW Holder                 | 17 - 322           |
| G155 1471 | Relay Board Cover         | 13 - 115           |
| G155 1472 | Relay Cover               | 13 - 303           |
| G155 1473 | Hinge (Ct)                | 83 - 85            |
| G155 1474 | Supply Cover W Assy       | 83 - 93            |
| G155 1475 | Latch Shaft               | 83 - 4             |
| G155 1475 | Latch Shaft               | 83 - 59            |
| G155 1476 | Paper Guide Latch(L)      | 45 - 189           |
| G155 1477 | Paper Guide Lever(L)      | 45 - 191           |
| G155 1478 | Out(2) Pg(L) Rivet Assy   | 43 - 253           |
| G155 1479 | CE Box Ass'y (Ehp)        | 13 - 427           |
| G155 1480 | Out Paper Guide(U) W Assy | 43 - 255           |
| G155 1481 | Paper Guide Lever(V)      | 45 - 243           |
| G155 1482 | Rear Side Cover W Assy    | 83 - 121           |
| G155 1483 | SF Cover Assy             | 83 - 124           |
| G155 1484 | Paper Guide Latch(V)      | 45 - 242           |
| G155 1485 | Upper Gate Plate(3)       | 43 - 9             |
| G155 1486 | Open Lever(U3)            | 43 - 29            |
| G155 1487 | Jogger Base Assy          | 101 - 2            |
| G155 1488 | Transfer Belt             | 79 - 73            |
| G155 1489 | TR Bottom Plate Sub Assy  | 79 - 1             |
| G155 1490 | Th Retract Shaft          | 65 - 62            |
| G155 1491 | Front Cover(SI)Assy       | 89 - 178           |

| Part No.  | Description                   | Page and Index No. |
|-----------|-------------------------------|--------------------|
| G155 1492 | Front Cover(Adp) Assy         | 89 - 186           |
| G155 1493 | Blower Tray Assy              | 17 - 40            |
| G155 1494 | Pick Belt Frame Assy          | 25 - 32            |
| G155 1495 | Base Cylinder Assy            | 29 - 161           |
| G155 1495 | Base Cylinder Assy            | 107 -167           |
| G155 1497 | Valve Holder Welding Assy     | 29 - 157           |
| G155 1498 | Valve Motor Holder            | 29 - 166           |
| G155 1498 | Valve Motor Holder            | 107 -172           |
| G155 1499 | Valve Roter                   | 29 - 165           |
| G155 1500 | SL Joint(R)                   | 105 -201           |
| G155 1500 | SL Joint(R)                   | 23 - 203           |
| G155 1501 | SL Joint(L)                   | 23 - 204           |
| G155 1501 | SL Joint(L)                   | 105 -202           |
| G155 1502 | Indicate Arm (L)              | 35 - 209           |
| G155 1503 | Flexible Arm                  | 119 -184           |
| G155 1503 | Flexible Arm                  | 35 - 184           |
| G155 1503 | Flexible Arm                  | 39 - 184           |
| G155 1504 | Table Drive Sub Assy          | 37 - 144           |
| G155 1504 | Table Drive Sub Assy          | 121 -144           |
| G155 1504 | Table Drive Sub Assy          | 41 - 144           |
| G155 1505 | HD Holder Rivet Assy          | 13 - 212           |
| G155 1506 | Seal Holder Assy              | 13 - 296           |
| G155 1507 | Thermo Fan Assy               | 13 - 332           |
| G155 1508 | FB Housing Assy               | 81 - 5             |
| G155 1509 | Opc Roll                      | 73 - 40            |
| G155 1510 | Erase Wire Ass'y              | 63 - 26            |
| G155 1511 | MGR Flange(F2)                | 75 - 49            |
| G155 1512 | Slide Rail(5800)              | 105 -200           |
| G155 1512 | Slide Rail(5800)              | 23 - 202           |
| G155 1512 | Slide Rail(5800)              | 85 - 30            |
| G155 1513 | Fan Holder Assy               | 17 - 152           |
| G155 1514 | Panel Assy                    | 17 - 13            |
| G155 1515 | EX Fan Assy                   | 13 - 344           |
| G155 1516 | High-Voltage Power Supply(Ch) | 13 - 129           |
| G155 1517 | DEV Upper Cover Ass'y         | 75 - 163           |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 1518 | Heat Roll Ass'y MG155024       | 55 - 200           |
| G155 1519 | Heat Roll                      | 55 - 202           |
| G155 1520 | Top Cover (L)                  | 55 - 140           |
| G155 1521 | Heater Lamp Ass'y MG155024     | 55 - 230           |
| G155 1522 | Pick Belt Unit                 | 25 - 30            |
| G155 1523 | Separation Nozzle Assy         | 25 - 122           |
| G155 1523 | Separation Nozzle Assy         | 105 -128           |
| G155 1524 | Ceiling Plate Assy             | 27 - 100           |
| G155 1525 | Valve Assy                     | 29 - 156           |
| G155 1526 | Multiple Valve Assy            | 29 - 159           |
| G155 1526 | Multiple Valve Assy            | 107 -166           |
| G155 1527 | Valve Rotor Assy               | 29 - 163           |
| G155 1527 | Valve Rotor Assy               | 107 -171           |
| G155 1528 | Grid                           | 63 - 171           |
| G155 1529 | High-Voltage Power Supply(Dtc) | 13 - 394           |
| G155 1530 | B Unit Stopper Shaft           | 65 - 47            |
| G155 1531 | PS Cover (2)                   | 13 - 5             |
| G155 1532 | Corotron Case (R)              | 79 - 81            |
| G155 1533 | Corotron Cover (R)             | 79 - 110           |
| G155 1534 | LD Cooling Duct                | 13 - 410           |
| G155 1535 | OC342 Assy                     | 13 - 34            |
| G155 1536 | Bank(2)                        | 27 - 109           |
| G155 1536 | Bank(2)                        | 105 -118           |
| G155 1537 | Pick Unit Assy                 | 25 - 3             |
| G155 1538 | Optics Board                   | 13 - 33            |
| G155 1539 | Stacker Controlboard           | 87 - 51            |
| G155 1541 | Corotron Cover(F)              | 79 - 111           |
| G155 1542 | Geared Pm Stepping Motor 1     | 79 - 96            |
| G155 1543 | IF651 Assy                     | 13 - 454           |
| G155 1544 | Cable Holder                   | 55 - 121           |
| G155 1545 | Paper Guide In Hinge Plate     | 55 - 125           |
| G155 1546 | Toner Bag Box B Assy           | 17 - 267           |
| G155 1547 | Top Cover (U)                  | 55 - 141           |
| G155 1548 | Entrance Paper Guide Assy      | 105 -144           |
| G155 1548 | Entrance Paper Guide Assy      | 25 - 126           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 1549 | Fan Holder (V)              | 45 - 285           |
| G155 1550 | R Paper Guide(H)S           | 51 - 119           |
| G155 1551 | Fan Holder R                | 13 - 420           |
| G155 1552 | Paper Guide (Belt)          | 65 - 50            |
| G155 1553 | Regist Pressure Roller      | 53 - 157           |
| G155 1554 | Upper Tray Rack Assy        | 83 - 107           |
| G155 1555 | Ozone Filter Cover (2)      | 21 - 27            |
| G155 1556 | PS Cover (1) Aasy           | 13 - 6             |
| G155 1557 | Pressure Sensor Holder Assy | 13 - 443           |
| G155 1558 | Table(Ap) Ass'y 2           | 119 - 106          |
| G155 1558 | Table (Ap) Ass'y 2          | 35 - 106           |
| G155 1558 | Table (Ap) Ass'y 2          | 39 - 106           |
| G155 1559 | Cable Cover                 | 35 - 236           |
| G155 1559 | Cable Cover                 | 119 - 236          |
| G155 1560 | HR Actuator                 | 55 - 181           |
| G155 1561 | Nozzle Base                 | 55 - 248           |
| G155 1562 | BR Web Drive Cover          | 71 - 355           |
| G155 1563 | Wire Rope (D) Ass'y         | 103 - 96           |
| G155 1564 | Hose (A)                    | 119 - 176          |
| G155 1564 | Hose (A)                    | 39 - 176           |
| G155 1565 | Hose (A)                    | 107 - 192          |
| G155 1566 | Hose (B)                    | 107 - 188          |
| G155 1568 | Hose (B)                    | 107 - 184          |
| G155 1569 | Hose (B)                    | 107 - 237          |
| G155 1570 | Hose (B)                    | 17 - 44            |
| G155 1571 | Hose (B)                    | 107 - 238          |
| G155 1572 | Cyclone Cover (M2)          | 13 - 298           |
| G155 1572 | Cyclone Cover (M2)          | 21 - 92            |
| G155 1572 | Cyclone Cover (M2)          | 13 - 315           |
| G155 1572 | Cyclone Cover (M2)          | 21 - 84            |
| G155 1572 | Cyclone Cover (M2)          | 13 - 351           |
| G155 1573 | Idler Pulley                | 103 - 18           |
| G155 1574 | Arm Drive Pulley            | 103 - 66           |
| G155 1575 | Paper Bag (S) Assy          | 17 - 289           |
| G155 1576 | Varistor Condenser Pack     | 73 - 19            |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G155 1577 | Gear(3)                  | 77 - 18            |
| G155 1577 | Gear(3)                  | 77 - 44            |
| G155 1578 | Gear                     | 53 - 163           |
| G155 1578 | Gear                     | 53 - 158           |
| G155 1579 | Sensor Holder            | 53 - 147           |
| G155 1579 | Sensor Holder            | 43 - 19            |
| G155 1580 | Pressure Spring (U)      | 51 - 128           |
| G155 1581 | Tension Roller Ass'y     | 91 - 25            |
| G155 1582 | Tension Roller Ass'y     | 91 - 26            |
| G155 1582 | Tension Roller Assy      | 115 - 53           |
| G155 1582 | Tension Roller Assy      | 47 - 158           |
| G155 1582 | Tension Roller Assy      | 97 - 37            |
| G155 1583 | Tension Roller Assy      | 31 - 33            |
| G155 1584 | Sensor Holder            | 75 - 143           |
| G155 1585 | Stock Sprocket           | 73 - 32            |
| G155 1586 | Plunger Housing(2)       | 85 - 147           |
| G155 1587 | CF Latch Catch           | 13 - 235           |
| G155 1588 | CF Door Latch            | 13 - 247           |
| G155 1589 | G Plate                  | 73 - 45            |
| G155 1590 | CF Door Latch Spring     | 13 - 246           |
| G155 1591 | Ex Pipe(2)               | 71 - 340           |
| G155 1592 | EX Pipe(2)               | 13 - 338           |
| G155 1593 | Drum Drive Gear (60)2    | 71 - 327           |
| G155 1594 | Drum Driven Gear (60)2   | 71 - 319           |
| G155 1595 | Smoother                 | 119 - 243          |
| G155 1595 | Smoother                 | 35 - 243           |
| G155 1595 | Smoother                 | 39 - 243           |
| G155 1596 | Retract Arm(40)          | 65 - 2             |
| G155 1597 | TC Wire Holder (L)       | 63 - 32            |
| G155 1598 | TC Wire Holder Cover (R) | 63 - 31            |
| G155 1599 | CWB Drive Gear 1         | 71 - 357           |
| G155 1600 | CWB Drive Gear 3         | 71 - 363           |
| G155 1601 | CWB Drive Gear 4         | 71 - 364           |
| G155 1602 | Cwb Drive Gear 6         | 63 - 129           |
| G155 1603 | Wire                     | 35 - 117           |

| Part No.  | Description             | Page and Index No. |
|-----------|-------------------------|--------------------|
| G155 1604 | Wire                    | 39 - 116           |
| G155 1605 | Wire                    | 39 - 117           |
| G155 1606 | Wire                    | 35 - 116           |
| G155 1607 | Interception Plate      | 55 - 189           |
| G155 1608 | Skew Sns Assy           | 41 - 48            |
| G155 1608 | Skew Sns Assy           | 37 - 48            |
| G155 1608 | Skew Sns Assy           | 121 - 48           |
| G155 1610 | Sr Pivot (3)            | 55 - 288           |
| G155 1611 | Collar (S)              | 55 - 203           |
| G155 1612 | Motor Pulley            | 63 - 115           |
| G155 1613 | Driven Pulley           | 63 - 126           |
| G155 1614 | Drive Shaft             | 63 - 123           |
| G155 1615 | Corotron Wire           | 63 - 27            |
| G155 1616 | FB Driven Pulley        | 69 - 270           |
| G155 1617 | FB Drive Cone           | 69 - 216           |
| G155 1618 | Solenoid Valve          | 21 - 36            |
| G155 1619 | Fix Plate(2)            | 77 - 23            |
| G155 1619 | Fix Plate(2)            | 77 - 7             |
| G155 1620 | Drum Rear End Cap       | 73 - 7             |
| G155 1621 | Mgr Adjuster Cam        | 73 - 81            |
| G155 1622 | Pm Clamp Screw          | 73 - 76            |
| G155 1623 | Wrap Sensor Holder      | 63 - 195           |
| G155 1624 | Toner Bag Sensor Arm(E) | 17 - 268           |
| G155 1625 | FL Retract Sp Plate(2)  | 59 - 121           |
| G155 1626 | Fuser Drive Gear 1      | 71 - 299           |
| G155 1627 | Gear Box Plate          | 71 - 323           |
| G155 1628 | Terminal Holder         | 69 - 242           |
| G155 1629 | Drive Shaft Holder      | 63 - 122           |
| G155 1630 | Wire Terminal           | 63 - 154           |
| G155 1631 | Grid Terminal           | 63 - 156           |
| G155 1632 | Drum Drive Pulley       | 71 - 332           |
| G155 1633 | Tube                    | 21 - 45            |
| G155 1634 | Tube                    | 21 - 48            |
| G155 1635 | Tube                    | 21 - 47            |
| G155 1636 | Tube                    | 21 - 64            |

| Part No.  | Description             | Page and Index No. |
|-----------|-------------------------|--------------------|
| G155 1637 | Tube                    | 21 - 46            |
| G155 1638 | Tube                    | 17 - 378           |
| G155 1639 | Drum Center Shaft Ass'y | 71 - 315           |
| G155 1640 | Drum Motor Ass'y        | 71 - 338           |
| G155 1641 | Fuser Motor Ass'y       | 71 - 281           |
| G155 1642 | Charger Wire            | 63 - 167           |
| G155 1643 | Air Filter Ass'y        | 21 - 50            |
| G155 1644 | Idle Gear (Z14-39)      | 75 - 83            |
| G155 1645 | TH Drive Gear           | 77 - 62            |
| G155 1646 | Solenoid Valve Assy     | 71 - 349           |
| G155 1647 | Powder Limiter          | 29 - 175           |
| G155 1648 | Wire Cleaner Ass'y      | 63 - 164           |
| G155 1649 | Wire Cleaner Ass'y      | 63 - 163           |
| G155 1650 | Thermistor Ass'y        | 55 - 42            |
| G155 1651 | Thermistor Ass'y        | 55 - 46            |
| G155 1652 | FB Motor Ass'y          | 71 - 276           |
| G155 1653 | Valve Holder            | 21 - 38            |
| G155 1654 | B Seal                  | 21 - 18            |
| G155 1655 | Hose Connector Spacer   | 21 - 83            |
| G155 1655 | Hose Connector Spacer   | 13 - 299           |
| G155 1655 | Hose Connector Spacer   | 21 - 93            |
| G155 1655 | Hose Connector Spacer   | 13 - 314           |
| G155 1655 | Hose Connector Spacer   | 13 - 352           |
| G155 1655 | Hose Connector Spacer   | 17 - 299           |
| G155 1656 | Drain Valve Assy        | 21 - 35            |
| G155 1657 | Cyclone Assy            | 17 - 278           |
| G155 1658 | Transfer Gear           | 69 - 251           |
| G155 1659 | Latch Base(S)           | 85 - 155           |
| G155 1660 | Ozone Filter (E)        | 21 - 29            |
| G155 1661 | Latch Plate (S)         | 85 - 129           |
| G155 1662 | Compressor Assy         | 21 - 59            |
| G155 1663 | Inter Lock Holder (S)   | 85 - 11            |
| G155 1664 | Auger B Gear(Z37)       | 75 - 75            |
| G155 1665 | Auger B Gear(Z45)       | 75 - 74            |
| G155 1666 | Sensor Holder           | 79 - 91            |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| G155 1667 | TR Cleaner Screw             | 79 - 85            |
| G155 1668 | Supply Cover Shaft           | 83 - 94            |
| G155 1669 | Flat Drawer Pulls            | 83 - 125           |
| G155 1669 | Flat Drawer Pulls            | 109 -301           |
| G155 1669 | Flat Drawer Pulls            | 109 -273           |
| G155 1670 | Feed Motor Gear              | 95 - 91            |
| G155 1671 | PS Cover (S)                 | 87 - 70            |
| G155 1672 | Side Frame Cover             | 85 - 77            |
| G155 1673 | PS Assy                      | 13 - 123           |
| G155 1674 | HR Sensor Assy               | 17 - 221           |
| G155 1675 | Fan Assy (Ce)                | 13 - 431           |
| G155 1676 | Inter Lock Plate (Sd)        | 85 - 146           |
| G155 1677 | Inter Lock Plate Holder (Sd) | 85 - 145           |
| G155 1678 | Attention Light Assy         | 13 - 453           |
| G155 1679 | DS041 Assy                   | 53 - 173           |
| G155 1680 | LD431 Assy                   | 51 - 107           |
| G155 1680 | LD431 Assy                   | 17 - 181           |
| G155 1681 | Linear Sleeve A              | 101 - 38           |
| G155 1682 | PG5 Latch Plate(S)           | 93 - 124           |
| G155 1683 | PG5 Latch Shaft              | 93 - 125           |
| G155 1684 | PG5 Stopper                  | 93 - 136           |
| G155 1685 | Middle Cover(S)              | 93 - 69            |
| G155 1686 | Paper Guide 5(W)Ass'y        | 93 - 117           |
| G155 1687 | Paper Guide 3 Rivet Assy     | 93 - 58            |
| G155 1688 | Paper Guide 2 (W) Assy       | 93 - 51            |
| G155 1689 | Lift Tensioner Base Ass'y    | 103 - 21           |
| G155 1690 | Lift Tensioner Base Ass'y    | 103 - 26           |
| G155 1691 | Fork Idler Shaft             | 103 - 10           |
| G155 1692 | S Panel Base                 | 85 - 41            |
| G155 1693 | Jam Sensor Holder(H)         | 85 - 6             |
| G155 1694 | Offset Base                  | 95 - 6             |
| G155 1695 | Offset Pg (U) W Assy         | 95 - 47            |
| G155 1696 | Offset Motor Holder (C)      | 95 - 65            |
| G155 1697 | Offset Motor Holder (D)      | 95 - 86            |
| G155 1698 | Offset Spacer                | 95 - 5             |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| G155 1699 | Jogger Plate (F) W Ass'y     | 101 -129           |
| G155 1700 | Jogger Holder                | 101 -130           |
| G155 1700 | Jogger Holder                | 101 -122           |
| G155 1701 | Jogger Plate (R) W Ass'y     | 101 -121           |
| G155 1702 | Stopper Plate W Ass'y        | 101 -108           |
| G155 1703 | PG Open Lever                | 99 - 70            |
| G155 1703 | PG Open Lever                | 43 - 272           |
| G155 1704 | HR Actuator Holder           | 55 - 180           |
| G155 1705 | HR Drive Gear                | 55 - 75            |
| G155 1706 | Solenoid Base                | 55 - 57            |
| G155 1707 | Thermistor Shaft             | 55 - 40            |
| G155 1708 | BR Arm Rear                  | 55 - 17            |
| G155 1709 | BR Arm Front                 | 55 - 7             |
| G155 1710 | Connector Holder             | 55 - 92            |
| G155 1711 | Lamp Holder Rear             | 55 - 223           |
| G155 1712 | Fuser Latch                  | 17 - 449           |
| G155 1713 | Lock Shaft                   | 55 - 165           |
| G155 1714 | BR Cam Shaft                 | 55 - 24            |
| G155 1715 | Lamp Holder F Ass'y          | 55 - 221           |
| G155 1716 | Air Connector                | 55 - 173           |
| G155 1717 | Regist Paper Guide W Assy(H) | 53 - 141           |
| G155 1718 | R Holder(Rh)                 | 51 - 113           |
| G155 1719 | Regist Motor Holder(H)       | 49 - 18            |
| G155 1720 | RTN Paper Guide(G) Assy      | 51 - 57            |
| G155 1721 | RTN Cable Cover(G)           | 51 - 63            |
| G155 1722 | Vertical Paper Guide W Assy  | 53 - 180           |
| G155 1723 | Cover Latch Shaft(Hs)        | 53 - 209           |
| G155 1724 | FB Drive Holder              | 69 - 221           |
| G155 1725 | FB Duct Flange               | 71 - 285           |
| G155 1726 | BR Web Drive Shaft           | 71 - 359           |
| G155 1727 | BR Web Gear Holder W Assy    | 71 - 354           |
| G155 1728 | F Drive Gear Cover           | 71 - 283           |
| G155 1729 | Fuser Drive Coupling         | 71 - 292           |
| G155 1730 | Drum Earth Rod               | 63 - 185           |
| G155 1731 | TC Reflector Ass'y           | 63 - 28            |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| G155 1732 | LED Base Ass'y               | 63 - 55            |
| G155 1733 | LED Hook                     | 63 - 57            |
| G155 1734 | Screw                        | 63 - 159           |
| G155 1735 | Charger Shield Ass'y         | 63 - 151           |
| G155 1736 | Front Hub Holder             | 81 - 2             |
| G155 1737 | Hinge Shaft(1)               | 33 - 78            |
| G155 1738 | Gnd Plate Holder(Ptv)        | 31 - 13            |
| G155 1739 | Open Pg(1) W Assy            | 33 - 73            |
| G155 1740 | Open Pg(2) Handle Shaft      | 33 - 88            |
| G155 1741 | Open Pg(2) Shaft             | 33 - 87            |
| G155 1742 | Open Pg(2) W Assy            | 33 - 83            |
| G155 1743 | Under Paper Guide W Assy     | 33 - 40            |
| G155 1744 | Upper Paper Guide W Assy     | 33 - 41            |
| G155 1745 | T-Spring                     | 33 - 89            |
| G155 1746 | RTN Paper Guide(Ah)S Assy    | 51 - 67            |
| G155 1747 | RTN Paper Guide(Ch) W Assy   | 51 - 79            |
| G155 1748 | R Paper Guide(H) Assy        | 51 - 137           |
| G155 1749 | Paper Guide 1(U) R Ass'y     | 93 - 101           |
| G155 1750 | Regist Pulley                | 49 - 44            |
| G155 1751 | Hinge Shaft(H)               | 51 - 126           |
| G155 1752 | BB Holder Mgr(U)             | 69 - 235           |
| G155 1753 | BB Holder Mgr(L)             | 69 - 234           |
| G155 1754 | Pleclean Connector Holder Rw | 67 - 189           |
| G155 1755 | Feed Roller Phs(L) Assy      | 59 - 12            |
| G155 1756 | Drawer Cover(Lh)             | 89 - 168           |
| G155 1757 | F Cover Hinge (Rh) W Assy    | 89 - 204           |
| G155 1758 | Cover Hinge (Lu) W Assy      | 89 - 201           |
| G155 1759 | F Cover Hinge (Lh) W Assy    | 89 - 207           |
| G155 1760 | Cover Hinge (Li) W Assy      | 89 - 198           |
| G155 1761 | Joint Plate                  | 87 - 4             |
| G155 1762 | Wire Hook B.B                | 103 - 89           |
| G155 1763 | Cam Follwer                  | 103 - 85           |
| G155 1764 | Off Set Roller Holder Assy   | 95 - 17            |
| G155 1765 | Feed Roller Phs(S) Assy      | 59 - 13            |
| G155 1766 | Feed Roller Si(L) Assy       | 47 - 70            |

| Part No.  | Description             | Page and Index No. |
|-----------|-------------------------|--------------------|
| G155 1767 | Feed Roller Si(S) Assy  | 47 - 71            |
| G155 1768 | RTN Feed Roller(S) Assy | 91 - 2             |
| G155 1768 | RTN Feed Roller(S) Assy | 31 - 21            |
| G155 1768 | RTN Feed Roller(S) Assy | 123 - 98           |
| G155 1768 | RTN Feed Roller(S) Assy | 115 - 30           |
| G155 1768 | RTN Feed Roller(S) Assy | 111 - 1            |
| G155 1768 | RTN Feed Roller(S) Assy | 49 - 40            |
| G155 1768 | RTN Feed Roller(S) Assy | 97 - 1             |
| G155 1768 | RTN Feed Roller(S) Assy | 111 - 81           |
| G155 1768 | RTN Feed Roller(S) Assy | 47 - 72            |
| G155 1769 | pF Pressuer Roller Assy | 99 - 75            |
| G155 1769 | pF Pressuer Roller Assy | 33 - 42            |
| G155 1769 | pF Pressuer Roller Assy | 113 - 33           |
| G155 1769 | pF Pressuer Roller Assy | 51 - 97            |
| G155 1769 | pF Pressuer Roller Assy | 117 - 129          |
| G155 1769 | pF Pressuer Roller Assy | 93 - 90            |
| G155 1769 | pF Pressuer Roller Assy | 43 - 262           |
| G155 1769 | pF Pressuer Roller Assy | 93 - 121           |
| G155 1769 | pF Pressuer Roller Assy | 51 - 70            |
| G155 1769 | pF Pressuer Roller Assy | 117 - 67           |
| G155 1769 | pF Pressuer Roller Assy | 33 - 90            |
| G155 1769 | pF Pressuer Roller Assy | 113 - 110          |
| G155 1769 | pF Pressuer Roller Assy | 51 - 81            |
| G155 1769 | pF Pressuer Roller Assy | 33 - 74            |
| G155 1769 | pF Pressuer Roller Assy | 93 - 104           |
| G155 1770 | pF Pressuer Roller Assy | 45 - 233           |
| G155 1770 | pF Pressuer Roller Assy | 59 - 140           |
| G155 1770 | pF Pressuer Roller Assy | 59 - 71            |
| G155 1770 | pF Pressuer Roller Assy | 43 - 2             |
| G155 1770 | pF Pressuer Roller Assy | 59 - 57            |
| G155 1770 | pF Pressuer Roller Assy | 45 - 183           |
| G155 1771 | pF Pressuer Roller Assy | 33 - 91            |
| G155 1771 | pF Pressuer Roller Assy | 113 - 111          |
| G155 1771 | pF Pressuer Roller Assy | 51 - 82            |
| G155 1771 | pF Pressuer Roller Assy | 99 - 76            |



| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 1771 | pF Pressuer Roller Assy     | 93 - 105           |
| G155 1771 | pF Pressuer Roller Assy     | 43 - 263           |
| G155 1771 | pF Pressuer Roller Assy     | 113 - 34           |
| G155 1771 | pF Pressuer Roller Assy     | 51 - 98            |
| G155 1771 | pF Pressuer Roller Assy     | 51 - 71            |
| G155 1771 | pF Pressuer Roller Assy     | 93 - 91            |
| G155 1771 | pF Pressuer Roller Assy     | 117 - 130          |
| G155 1771 | pF Pressuer Roller Assy     | 33 - 75            |
| G155 1771 | pF Pressuer Roller Assy     | 93 - 122           |
| G155 1772 | pF Pressuer Roller Assy     | 43 - 3             |
| G155 1772 | pF Pressuer Roller Assy     | 45 - 234           |
| G155 1772 | pF Pressuer Roller Assy     | 45 - 184           |
| G155 1772 | pF Pressuer Roller Assy     | 59 - 72            |
| G155 1772 | pF Pressuer Roller Assy     | 59 - 141           |
| G155 1772 | pF Pressuer Roller Assy     | 59 - 56            |
| G155 1773 | Motor Gear(Z34-D5)          | 91 - 167           |
| G155 1773 | Motor Gear(Z34-D5)          | 59 - 104           |
| G155 1774 | As Stopper Plate            | 21 - 14            |
| G155 1775 | Ozone Duct B(S) Assy        | 21 - 23            |
| G155 1776 | Seal Holder Box (As) Assy   | 21 - 81            |
| G155 1777 | Drum Blank Details          | 73 - 3             |
| G155 1778 | Stacker Sensor Holder(2)    | 87 - 107           |
| G155 1779 | Basket Sense Plate Holder 2 | 85 - 135           |
| G155 1780 | Basket Sense Plate(2)       | 85 - 136           |
| G155 1781 | Cable Cover U(Sp1)          | 93 - 187           |
| G155 1782 | FI Hinge Holder(L)          | 59 - 161           |
| G155 1783 | HR Out Link Spring          | 93 - 119           |
| G155 1784 | Path Gate (4) Arm           | 59 - 127           |
| G155 1785 | FL Cam Sensor Holder (2)    | 59 - 170           |
| G155 1786 | Web Drive Gear              | 71 - 360           |
| G155 1787 | FI Paper Guide(4) W Assy    | 59 - 69            |
| G155 1788 | B.B Holder(T2)              | 59 - 81            |
| G155 1789 | Tray Out Paper Guide(2)     | 59 - 149           |
| G155 1790 | FL Cam Motor Plate(2)       | 59 - 22            |
| G155 1791 | DEV Draw Stay(2)            | 75 - 165           |

| Part No.  | Description             | Page and Index No. |
|-----------|-------------------------|--------------------|
| G155 1792 | TR Gear (2)             | 75 - 71            |
| G155 1793 | Cr Clutch Arm(2)        | 75 - 69            |
| G155 1794 | Driver Holder(2)        | 75 - 122           |
| G155 1795 | Auger Separate Plate(2) | 75 - 161           |
| G155 1796 | Upper Scraper(2)        | 75 - 127           |
| G155 1797 | CR Scraper(2)           | 75 - 9             |
| G155 1798 | Scraper Fix Plate(2)    | 75 - 10            |
| G155 1799 | Driven Roller           | 79 - 47            |
| G155 1800 | B Guide Roller          | 79 - 42            |
| G155 1801 | C Roller                | 79 - 52            |
| G155 1802 | Gate Mortor Plate(2)    | 47 - 104           |
| G155 1802 | Gate Mortor Plate(2)    | 91 - 148           |
| G155 1803 | Path Gate Arm(2)        | 47 - 90            |
| G155 1803 | Path Gate Arm(2)        | 91 - 19            |
| G155 1803 | Path Gate Arm(2)        | 59 - 134           |
| G155 1804 | RTN Guide(U2) W Assy    | 45 - 181           |
| G155 1805 | pF Out(2) Motor Plate   | 111 - 13           |
| G155 1805 | pF Out(2) Motor Plate   | 47 - 145           |
| G155 1805 | pF Out(2) Motor Plate   | 97 - 17            |
| G155 1805 | pF Out(2) Motor Plate   | 91 - 175           |
| G155 1805 | pF Out(2) Motor Plate   | 97 - 26            |
| G155 1806 | Ph Cable Cover          | 43 - 268           |
| G155 1807 | V Guide Torsion Spring  | 45 - 247           |
| G155 1808 | Open Pg T Spring        | 45 - 194           |
| G155 1809 | AS Hinge Assy           | 13 - 382           |
| G155 1810 | AS Hinge Assy           | 13 - 381           |
| G155 1811 | LED Holder(F)           | 17 - 180           |
| G155 1812 | Inner Cover(Cl)         | 17 - 400           |
| G155 1813 | Toner Bag Base Assy     | 17 - 276           |
| G155 1814 | SNS Cooling Duct(Lh)    | 13 - 199           |
| G155 1815 | Trans Base (2)          | 13 - 68            |
| G155 1816 | PK Box Stopper          | 13 - 326           |
| G155 1817 | CP Holder               | 13 - 76            |
| G155 1818 | TR Sensor Holder (2)    | 17 - 171           |
| G155 1819 | CH-CL Sensor Holder     | 17 - 162           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 1820 | Toner Feed Shaft          | 77 - 10            |
| G155 1821 | Lake Plate W Assy(2)      | 77 - 21            |
| G155 1822 | Stir Shaft(2)             | 77 - 37            |
| G155 1823 | Toner Feed Shaft Cover(2) | 77 - 5             |
| G155 1824 | Lifting Shaft             | 65 - 1             |
| G155 1825 | Cleaning Bar              | 65 - 94            |
| G155 1826 | Filter Case               | 13 - 55            |
| G155 1826 | Filter Case               | 107 -230           |
| G155 1827 | Trans Base                | 13 - 73            |
| G155 1828 | Finger Guard              | 13 - 148           |
| G155 1829 | Thermo Fan Holder Assy    | 13 - 333           |
| G155 1830 | Cyclone Holder            | 17 - 294           |
| G155 1831 | TR Sensor Holder          | 17 - 166           |
| G155 1832 | Entrance Gate Link        | 47 - 59            |
| G155 1833 | Inner Cover(Fu) Assy      | 83 - 139           |
| G155 1834 | Inner Cover(Ru)W Assy     | 83 - 145           |
| G155 1835 | Hinge (Rb) W Assy         | 83 - 80            |
| G155 1836 | Hinge (Rb) W Assy         | 83 - 47            |
| G155 1838 | Hinge (Rt) W Assy         | 83 - 76            |
| G155 1839 | Pocket Rework             | 83 - 136           |
| G155 1840 | Hinge (Lt) W Assy         | 83 - 43            |
| G155 1841 | Filter Box Cover          | 107 -232           |
| G155 1841 | Filter Box Cover          | 13 - 57            |
| G155 1842 | P Blower Joint            | 107 -236           |
| G155 1844 | Pick Motor Holder(2)      | 23 - 77            |
| G155 1845 | Valve Band(2)             | 29 - 183           |
| G155 1845 | Valve Band(2)             | 107 -182           |
| G155 1846 | Sub Rotor                 | 29 - 176           |
| G155 1847 | Swing Shaft               | 27 - 92            |
| G155 1847 | Swing Shaft               | 105 -100           |
| G155 1848 | Guide Tube Cramper(2)     | 105 -155           |
| G155 1848 | Guide Tube Cramper(2)     | 23 - 139           |
| G155 1849 | Pick Pulley(B) Rework     | 25 - 44            |
| G155 1849 | Pick Pulley(B) Rework     | 105 - 60           |
| G155 1850 | Pick Pulley(B) Rework     | 105 - 51           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G155 1850 | Pick Pulley(B) Rework                  | 25 - 37            |
| G155 1851 | Duct Seal(1)                           | 13 - 346           |
| G155 1852 | PA Seal                                | 13 - 301           |
| G155 1853 | DC Holder (F)                          | 65 - 74            |
| G155 1854 | Paper Guide(U3) W Assy                 | 43 - 1             |
| G155 1855 | HV Holder (Dr)                         | 69 - 142           |
| G155 1856 | Paper Guide(U3) Hinge                  | 43 - 17            |
| G155 1857 | Spring Clamp                           | 43 - 26            |
| G155 1858 | Leak Protector(Mgr)                    | 75 - 99            |
| G155 1858 | Leak Protector(Mgr)                    | 75 - 102           |
| G155 1859 | Torsion Spring(U3)                     | 43 - 27            |
| G155 1860 | Paper Guide(L3) W Assy                 | 47 - 52            |
| G155 1861 | Stopper Ass'y (H)                      | 101 -107           |
| G155 1862 | Lift Base                              | 43 - 38            |
| G155 1863 | Lift Arm Assy                          | 43 - 44            |
| G155 1864 | B.B Holder (Drh)                       | 65 - 81            |
| G155 1865 | B.B Holder (R)                         | 67 - 19            |
| G155 1866 | SJ Paper Guide(U) Assy                 | 101 -100           |
| G155 1867 | Side Plate (Ri)                        | 79 - 33            |
| G155 1868 | Gate Cam Assy(3)                       | 47 - 98            |
| G155 1868 | Gate Cam Assy(3)                       | 93 - 144           |
| G155 1869 | Off Set Roller Shaft Assy(H)           | 95 - 8             |
| G155 1870 | Off Set Bar Assy(H)                    | 95 - 26            |
| G155 1871 | Drawer Cover Assy(H)                   | 89 - 171           |
| G155 1872 | Front Cover(Sr)Assy(H)                 | 89 - 174           |
| G155 1873 | Joint Tube                             | 35 - 174           |
| G155 1873 | Joint Tube                             | 39 - 174           |
| G155 1873 | Joint Tube                             | 119 -174           |
| G155 1874 | Paper Suppoter(L) W Ass'y MG155028 X/X | 37 - 40            |
| G155 1874 | Paper Supporter(L) W Assy              | 37 - 40            |
| G155 1875 | Pg Back Cover (L)                      | 37 - 69            |
| G155 1876 | Shutter Plate(2)                       | 121 -111           |
| G155 1876 | Shutter Plate(2)                       | 119 -111           |
| G155 1876 | Shutter Plate(2)                       | 37 - 111           |
| G155 1876 | Shutter Plate(2)                       | 39 - 111           |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G155 1876 | Shutter Plate(2) Delete  | 35 - 111           |
| G155 1877 | Actuator(Hp)2            | 41 - 98            |
| G155 1878 | Spinning Wheel(1)        | 35 - 133           |
| G155 1878 | Spinning Wheel(1)        | 119 -133           |
| G155 1878 | Spinning Wheel(1)        | 39 - 133           |
| G155 1878 | Spinning Wheel(1)        | 37 - 133           |
| G155 1878 | Spinning Wheel(1)        | 121 -133           |
| G155 1879 | Shutter (Ap)             | 35 - 109           |
| G155 1879 | Shutter (Ap)             | 119 -109           |
| G155 1879 | Shutter (Ap)             | 39 - 109           |
| G155 1880 | Sensor Base Staking Assy | 121 - 47           |
| G155 1880 | Sensor Base Staking Assy | 37 - 47            |
| G155 1880 | Sensor Base Staking Assy | 41 - 47            |
| G155 1881 | Rail Shaft               | 121 - 24           |
| G155 1881 | Rail Shaft               | 37 - 24            |
| G155 1881 | Rail Shaft               | 41 - 24            |
| G155 1882 | Rail Shaft               | 41 - 73            |
| G155 1882 | Rail Shaft               | 121 - 73           |
| G155 1882 | Rail Shaft               | 37 - 73            |
| G155 1883 | Rail Shaft(L)            | 121 - 25           |
| G155 1883 | Rail Shaft(L)            | 41 - 25            |
| G155 1883 | Rail Shaft(L)            | 37 - 25            |
| G155 1884 | Rail Shaft(L)            | 121 - 74           |
| G155 1884 | Rail Shaft(L)            | 41 - 74            |
| G155 1884 | Rail Shaft(L)            | 37 - 74            |
| G155 1885 | Clamper(1)               | 35 - 185           |
| G155 1885 | Clamper(1)               | 39 - 185           |
| G155 1885 | Clamper(1)               | 119 -185           |
| G155 1886 | CP Slider(2)             | 39 - 221           |
| G155 1886 | CP Slider(2)             | 35 - 221           |
| G155 1886 | CP Slider(2)             | 119 -221           |
| G155 1887 | Height Sensor Assy       | 37 - 46            |
| G155 1887 | Height Sensor Assy       | 41 - 46            |
| G155 1887 | Height Sensor Assy       | 121 - 46           |
| G155 1888 | Flexible Arm Assy        | 39 - 183           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 1888 | Flexible Arm Assy           | 35 - 183           |
| G155 1888 | Flexible Arm Assy           | 119 -183           |
| G155 1890 | Paper Supporter (L2) W Assy | 41 - 40            |
| G155 1891 | Paper Supporter (W2) W Assy | 41 - 90            |
| G155 1892 | Table Drive Shaft Assy      | 119 -125           |
| G155 1892 | Table Drive Shaft Assy      | 39 - 125           |
| G155 1892 | Table Drive Shaft Assy      | 35 - 125           |
| G155 1893 | Heat Roll Ring (R)          | 55 - 216           |
| G155 1894 | CI Roller                   | 55 - 287           |
| G155 1895 | Thermopile Cover Assy       | 17 - 225           |
| G155 1896 | CCD Fan Holder Assy         | 17 - 185           |
| G155 1897 | DEV Fan Assy                | 17 - 191           |
| G155 1898 | Fan Clamper                 | 13 - 348           |
| G155 1899 | HVPS Assy                   | 13 - 126           |
| G155 1900 | Jam Clear Shaft Assy        | 31 - 22            |
| G155 1901 | Open Pg Handle(2) Assy      | 59 - 33            |
| G155 1902 | Carrier Hold Bar Assy       | 73 - 39            |
| G155 1903 | Pick Feed Roller Assy       | 31 - 19            |
| G155 1904 | Pick Feed Roller Assy       | 31 - 20            |
| G155 1905 | FL Cam Shaft(2) Assy        | 59 - 85            |
| G155 1906 | Preclean Cover Ass'y        | 63 - 72            |
| G155 1907 | Corotron Wire               | 65 - 98            |
| G155 1908 | Corotron Wire               | 79 - 105           |
| G155 1909 | DEV Temp Stay Assy          | 17 - 135           |
| G155 1910 | Retraction Roller(3) Assy   | 59 - 119           |
| G155 1911 | LH Fan Assy                 | 13 - 147           |
| G155 1912 | Regist Roller Assy(H)       | 49 - 38            |
| G155 1913 | Support Plate               | 79 - 35            |
| G155 1914 | Drive Roller Assy           | 79 - 57            |
| G155 1915 | Timing Roller Assy(H)       | 49 - 39            |
| G155 1916 | Filter Box Assy             | 13 - 51            |
| G155 1917 | DEV Bottom Plate Assy(H)    | 53 - 228           |
| G155 1918 | Toner Hopper Cable Assy     | 77 - 76            |
| G155 1919 | DEV Cable Assy              | 75 - 115           |
| G155 1920 | Dev Connect Cable Ass'y     | 69 - 240           |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G155 1921 | Fuser Connect Cable Assy | 69 - 346           |
| G155 1922 | AC Change Cable Assy     | 13 - 79            |
| G155 1923 | TR Gnd Cable Assy        | 79 - 23            |
| G155 1924 | Tr Gnd Cable Assy        | 79 - 67            |
| G155 1925 | Fuser Drawer Cable Ass'y | 55 - 89            |
| G155 1926 | BuFfer Spring(U3)        | 43 - 31            |
| G155 1927 | TR Ass'y                 | 75 - 18            |
| G155 1928 | Auger Screw(B) Ass'y     | 75 - 27            |
| G155 1929 | Auger Screw(A) Ass'y     | 75 - 25            |
| G155 1930 | Bias Seal Plate Ass'y    | 75 - 130           |
| G155 1931 | DEV Duct Assy            | 75 - 35            |
| G155 1932 | HR Actuator Ass'y        | 55 - 179           |
| G155 1933 | Pick Blower Assy         | 17 - 41            |
| G155 1934 | Top Latch Ass'y          | 55 - 145           |
| G155 1935 | Pivot(Inner)             | 109 -293           |
| G155 1935 | Pivot(Inner)             | 83 - 46            |
| G155 1936 | Front Cover (T)          | 55 - 266           |
| G155 1937 | Rear Cover (T)           | 55 - 277           |
| G155 1938 | Guide Tube Assy          | 23 - 137           |
| G155 1938 | Guide Tube Assy          | 105 -153           |
| G155 1939 | Pick Unit Hanger(1) Assy | 105 - 8            |
| G155 1939 | Pick Unit Hanger(1) Assy | 25 - 5             |
| G155 1940 | Pick Motor Assy(1)       | 23 - 59            |
| G155 1940 | Pick Motor Assy(1)       | 105 - 73           |
| G155 1941 | Pick Motor Assy(2)       | 23 - 73            |
| G155 1942 | Cable Cover(Eof)         | 85 - 116           |
| G155 1943 | Terminal Plate           | 73 - 18            |
| G155 1944 | Shading Piece            | 85 - 45            |
| G155 1944 | Shading Piece            | 83 - 19            |
| G155 1944 | Shading Piece            | 109 -284           |
| G155 1945 | Eliminator-Ptv Assy      | 33 - 105           |
| G155 1946 | Eliminator-Phr Assy      | 53 - 153           |
| G155 1948 | Rear Cover (R) Assy      | 83 - 110           |
| G155 1949 | TR-HVPS (2) Assy         | 13 - 395           |
| G155 1950 | I/O Panel Assy (E3)      | 13 - 440           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 1951 | Tension Pulley(G) Assy      | 47 - 164           |
| G155 1951 | Tension Pulley(G) Assy      | 115 - 52           |
| G155 1951 | Tension Pulley(G) Assy      | 123 -114           |
| G155 1951 | Tension Pulley(G) Assy      | 31 - 32            |
| G155 1951 | Tension Pulley(G) Assy      | 97 - 36            |
| G155 1951 | Tension Pulley(G) Assy      | 111 - 73           |
| G155 1951 | Tension Pulley(G) Ass'y     | 91 - 24            |
| G155 1951 | Tension Pulley(G) Assy      | 49 - 50            |
| G155 1951 | Tension Pulley(G) Assy      | 111 -133           |
| G155 1952 | B Guide Roller (D10)        | 79 - 43            |
| G155 1953 | Handling Plate              | 67 - 181           |
| G155 1954 | Swing Holder                | 67 - 176           |
| G155 1955 | Slide Rail                  | 55 - 34            |
| G155 1956 | Press Roller Adjuster       | 53 - 229           |
| G155 1957 | Separation Gate             | 105 -124           |
| G155 1957 | Separation Gate             | 25 - 117           |
| G155 1958 | Press Shaft (Ap)            | 25 - 14            |
| G155 1958 | Press Shaft (Ap)            | 105 - 23           |
| G155 1959 | Solenoid Holder(Ap)         | 105 - 38           |
| G155 1959 | Solenoid Holder(Ap)         | 25 - 26            |
| G155 1960 | Hopper PK Cover             | 17 - 401           |
| G155 1961 | Panel Holder Assy           | 17 - 23            |
| G155 1962 | Pully Cover (F)             | 41 - 179           |
| G155 1963 | Pully Cover(R)              | 119 -180           |
| G155 1963 | Pully Cover(R)              | 121 -180           |
| G155 1963 | Pully Cover(R)              | 35 - 180           |
| G155 1963 | Pully Cover(R)              | 39 - 180           |
| G155 1964 | Eliminator Assy (Exit)      | 113 -137           |
| G155 1964 | Eliminator Assy(Exit)       | 33 - 46            |
| G155 1965 | Cleaning Bar(Tr)            | 79 - 101           |
| G155 1966 | Screw Joint                 | 79 - 95            |
| G155 1967 | Screw Shaft (H)             | 79 - 83            |
| G155 1968 | Gear Cover(H)               | 79 - 97            |
| G155 1969 | DDR DIMM Assy               | 13 - 438           |
| G155 1970 | Controller Board Assy (Ehp) | 13 - 436           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 1971 | HDD Maintenance Assy (Ehp)  | 13 - 432           |
| G155 1972 | Web Case Latch Handle Ass'y | 55 - 310           |
| G155 1973 | Solenoid Valve Holder       | 71 - 351           |
| G155 1974 | HR Sensor Holder Rework     | 17 - 223           |
| G155 1975 | Cover Stopper Plate (1)     | 53 - 236           |
| G155 1976 | Cover Stopper Plate (2)     | 53 - 237           |
| G155 1977 | Thermo Fan Holder(3)        | 13 - 336           |
| G155 1978 | Cover (F)                   | 17 - 458           |
| G155 1979 | Eliminate Sheet(Ap) Assy    | 105 - 19           |
| G155 1979 | Eliminate Sheet(Ap) Assy    | 25 - 10            |
| G155 1980 | CP Slider                   | 119 -217           |
| G155 1980 | CP Slider                   | 35 - 217           |
| G155 1981 | Inner Cover(RI)Assy         | 83 - 148           |
| G155 1982 | Inner Cover(L)Assy          | 83 - 142           |
| G155 1983 | Shield Plate Weld Assy      | 79 - 76            |
| G155 1984 | Belt Clamper Holder(4)      | 103 -109           |
| G155 1985 | Bottle Guide(2)             | 77 - 70            |
| G155 1986 | Bottle Guide(2)             | 77 - 73            |
| G155 1987 | Paper Lift Sheet Assy       | 119 -114           |
| G155 1987 | Paper Lift Sheet Assy       | 35 - 114           |
| G155 1987 | Paper Lift Sheet Assy       | 39 - 114           |
| G155 1988 | Motor Gear (Z53-D8) Ass'y   | 91 - 178           |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 47 - 147           |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 59 - 101           |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 115 - 7            |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 97 - 28            |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 47 - 124           |
| G155 1988 | Motor Gear(Z53-D8) Assy     | 49 - 4             |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 123 -107           |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 97 - 20            |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 47 - 135           |
| G155 1988 | Motor Gear (Z53-D8)Assy     | 31 - 3             |
| G155 1988 | Motor Gear (Z53-D8) Assy    | 111 - 16           |
| G155 1989 | Pipe(S2)Weld Assy           | 23 - 148           |
| G155 1989 | Pipe(S2)Weld Assy           | 105 -161           |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| G155 1990 | Pipe (S2) Assy             | 105 -160           |
| G155 1990 | Pipe (S2) Assy             | 23 - 147           |
| G155 1991 | Paper Guide(Dh)L-R Assy    | 51 - 93            |
| G155 1992 | Size Guide Cap             | 121 -226           |
| G155 1992 | Size Guide Cap             | 41 - 226           |
| G155 1992 | Size Guide Cap             | 37 - 226           |
| G155 1993 | Size Guide Cap             | 121 -227           |
| G155 1993 | Size Guide Cap             | 37 - 227           |
| G155 1993 | Size Guide Cap             | 41 - 227           |
| G155 1994 | Sensor Cover               | 35 - 239           |
| G155 1994 | Sensor Cover               | 39 - 239           |
| G155 1994 | Sensor Cover               | 119 -239           |
| G155 1995 | Knob(A)                    | 121 - 96           |
| G155 1995 | Knob(A)                    | 41 - 96            |
| G155 1995 | Knob(A)                    | 37 - 96            |
| G155 1996 | Knob(A)                    | 121 - 65           |
| G155 1996 | Knob(A)                    | 41 - 65            |
| G155 1996 | Knob(A)                    | 37 - 65            |
| G155 1997 | Interlock SW Holder        | 17 - 319           |
| G155 1998 | TR Cable Cover             | 79 - 28            |
| G155 1999 | Gate Motor Gear Ass'y      | 91 - 151           |
| G155 1999 | Gate Motor Gear Assy       | 59 - 165           |
| G155 1999 | Gate Motor Gear Assy       | 47 - 108           |
| G155 2000 | Fun Holder                 | 83 - 30            |
| G155 2001 | MG155021                   | 117 -132           |
| G155 2001 | pF Pressure Roller 2 Assy  | 53 - 181           |
| G155 2001 | pF Pressuer Roller 2 Assy  | 123 - 49           |
| G155 2002 | MG155021                   | 117 -133           |
| G155 2002 | pF Pressuer Roller 2 Assy  | 123 - 50           |
| G155 2002 | pF Pressure Roller 2 Assy  | 53 - 182           |
| G155 2003 | Side Plate (Fi)            | 79 - 32            |
| G155 2004 | RTN Feed Roller(Lgp) Assy  | 115 - 33           |
| G155 2004 | RTN Feed Roller(Lgp) Assy  | 49 - 41            |
| G155 2005 | RTN Feed Roller(Lg) Assy   | 91 - 1             |
| G155 2006 | RTN Feed Roller(Sgp) Ass'y | 97 - 2             |

| Part No.  | Description                   | Page and Index No. |
|-----------|-------------------------------|--------------------|
| G155 2006 | RTN Feed Roller(Sgp) Assy     | 91 - 3             |
| G155 2006 | RTN Feed Roller (Sgp) Assy    | 123 - 95           |
| G155 2006 | RTN Feed Roller(Sgp) Assy     | 31 - 23            |
| G155 2006 | RTN Feed Roller (Sgp) Assy    | 111 - 2            |
| G155 2006 | Rin Feed Roller (Sgp) Assy    | 47 - 69            |
| G155 2007 | RTN Feed Roller (Sg) Assy     | 123 - 92           |
| G155 2007 | RTN Feed Roller(Sg) Assy      | 49 - 42            |
| G155 2008 | Feed Roller Si (Sgp) Assy     | 47 - 67            |
| G155 2009 | Feed Roller Si (Sg) Assy      | 47 - 68            |
| G155 2010 | Cover Latch 2                 | 83 - 8             |
| G155 2010 | Cover Latch 2                 | 83 - 62            |
| G155 2011 | Cover Latch 2                 | 83 - 9             |
| G155 2011 | Cover Latch 2                 | 83 - 64            |
| G155 2012 | Motor Pulley(A1) Assy         | 49 - 20            |
| G155 2013 | Lever Switch Holder           | 35 - 230           |
| G155 2013 | Lever Switch Holder           | 39 - 230           |
| G155 2013 | Lever Switch Holder           | 119 -230           |
| G155 2014 | Ozone Duct (2) Assy           | 21 - 28            |
| G155 2015 | Discharger Case Ass'y         | 65 - 91            |
| G155 2016 | Press Support Plate (F)       | 25 - 34            |
| G155 2016 | Press Support Plate (F)       | 105 - 29           |
| G155 2017 | Press Support Plate (R)       | 105 - 30           |
| G155 2017 | Press Support Plate (R)       | 25 - 33            |
| G155 2018 | Press Plate                   | 105 - 32           |
| G155 2018 | Press Plate                   | 25 - 18            |
| G155 2019 | Latch Plate                   | 105 -334           |
| G155 2019 | Latch Plate                   | 23 - 229           |
| G155 2020 | Latch Base                    | 23 - 228           |
| G155 2020 | Latch Base                    | 105 -333           |
| G155 2021 | Latch Cover                   | 23 - 231           |
| G155 2021 | Latch Cover                   | 105 -336           |
| G155 2022 | Nozzle Plate                  | 55 - 249           |
| G155 2023 | Regist Paper Guide(Lh) W Assy | 53 - 142           |
| G155 2024 | Guide Angle                   | 119 -104           |
| G155 2024 | Gude Angle                    | 39 - 104           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 2024 | Guide Angle               | 35 - 104           |
| G155 2025 | Actuator(Hp)3             | 37 - 98            |
| G155 2025 | Actuator (Hp)3            | 121 - 98           |
| G155 2026 | Paper Supporter(V) W Assy | 37 - 90            |
| G155 2027 | Rh Side Plate (Lh)        | 35 - 247           |
| G155 2028 | Finger Protector (L)      | 119 -250           |
| G155 2028 | Finger Protector (L)      | 35 - 250           |
| G155 2029 | Finger Protector (R)      | 119 -253           |
| G155 2029 | Finger Protector (R)      | 35 - 253           |
| G155 2030 | Motore Hoder Support      | 59 - 178           |
| G155 2031 | E Brush Holder Ass'y      | 55 - 192           |
| G155 2032 | ST Input Guide            | 101 -104           |
| G155 2033 | Toner Control Sensor      | 75 - 142           |
| G155 2034 | Doctor Blade(2)           | 75 - 62            |
| G155 2035 | EOF Spring                | 37 - 63            |
| G155 2035 | EOF Spring                | 41 - 63            |
| G155 2035 | EOF Spring                | 121 - 63           |
| G155 2036 | Thrust Washer             | 39 - 131           |
| G155 2036 | Thrust Washer             | 119 -131           |
| G155 2036 | Thrust Washer             | 35 - 131           |
| G155 2037 | Silicone Tube D           | 81 - 40            |
| G155 2038 | Pressure Switch Ass'y     | 13 - 228           |
| G155 2039 | Reflector Spring (3)      | 63 - 43            |
| G155 2040 | Drum Roller               | 65 - 84            |
| G155 2041 | Mp Drive Pulley           | 105 - 63           |
| G155 2041 | Mp Drive Pully            | 25 - 47            |
| G155 2043 | Silencer (2)              | 21 - 76            |
| G155 2044 | Idler Pulley A Ass'y      | 103 - 22           |
| G155 2044 | Idler Pulley A Ass'y      | 103 - 27           |
| G155 2045 | Guide Pulley              | 79 - 62            |
| G155 2046 | T Corotron Spring         | 79 - 107           |
| G155 2046 | T Corotron Spring         | 65 - 95            |
| G155 2047 | Drum Roller               | 65 - 138           |
| G155 2047 | Drum Roller               | 81 - 11            |
| G155 2048 | Carbon Electrode          | 31 - 24            |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| G155 2048 | Carbon Electrode           | 79 - 72            |
| G155 2048 | Carbon Electrode           | 91 - 10            |
| G155 2048 | Carbon Electrode           | 59 - 166           |
| G155 2048 | Carbon Electrode           | 111 - 88           |
| G155 2048 | Carbon Electrode           | 59 - 18            |
| G155 2048 | Carbon Electrode           | 95 - 83            |
| G155 2048 | Carbon Electrode           | 47 - 82            |
| G155 2048 | Carbon Electrode           | 115 - 41           |
| G155 2048 | Carbon Electrode           | 123 -101           |
| G155 2048 | Carbon Electrode           | 111 - 10           |
| G155 2048 | Carbon Electrode           | 53 - 43            |
| G155 2048 | Carbon Electrode           | 73 - 47            |
| G155 2048 | Carbon Electrode           | 49 - 43            |
| G155 2048 | Carbon Electrode           | 97 - 9             |
| G155 2049 | Thrust Washer              | 73 - 65            |
| G155 2050 | Drum Cap Front Holder      | 73 - 59            |
| G155 2051 | G Spring                   | 73 - 88            |
| G155 2052 | G Press Plate              | 73 - 87            |
| G155 2053 | Nylon Bearing D6           | 51 - 127           |
| G155 2054 | Retract Roller Shaft       | 65 - 6             |
| G155 2055 | Tension Spring (30)        | 69 - 257           |
| G155 2056 | Retract Roller             | 65 - 5             |
| G155 2057 | Retract Spring Arm         | 65 - 4             |
| G155 2058 | Register Assy              | 73 - 20            |
| G155 2059 | Regist Roller Sp           | 53 - 161           |
| G155 2060 | DEV Earth Plate            | 75 - 111           |
| G155 2061 | Arm Spring                 | 105 -105           |
| G155 2061 | Arm Spring                 | 27 - 95            |
| G155 2062 | Rolled Roller Cap          | 73 - 34            |
| G155 2063 | B Unit Stopper (2)         | 65 - 48            |
| G155 2064 | BR Spring (130)            | 55 - 19            |
| G155 2065 | Overlap Roller Holder Assy | 95 - 50            |
| G155 2066 | FD Cover Support 2         | 109 -330           |
| G155 2066 | FD Cover Support 2         | 89 - 211           |
| G155 2067 | FD Cover Support 2         | 109 -310           |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G155 2067 | FD Cover Support 2       | 89 - 212           |
| G155 2068 | Wire Holder C            | 83 - 126           |
| G155 2069 | Wire Holder C            | 83 - 127           |
| G155 2070 | Rewind Spring            | 73 - 21            |
| G155 2071 | Eccentric Plate          | 55 - 9             |
| G155 2072 | Hinge Bush               | 83 - 78            |
| G155 2072 | Hinge Bush               | 83 - 81            |
| G155 2072 | Hinge Bush               | 123 - 9            |
| G155 2072 | Hinge Bush               | 89 - 216           |
| G155 2072 | Hinge Bush               | 109 -296           |
| G155 2072 | Hinge Bush               | 109 -270           |
| G155 2072 | Hinge Bush               | 83 - 48            |
| G155 2073 | Bar Seal                 | 79 - 102           |
| G155 2074 | Pressure Spring(2)       | 51 - 135           |
| G155 2075 | D Cam                    | 73 - 77            |
| G155 2076 | CF Latch Shaft           | 13 - 248           |
| G155 2077 | CF Latch Pin             | 13 - 251           |
| G155 2078 | CF Door Hinge            | 13 - 254           |
| G155 2079 | Toner Bag Seal (2U)      | 17 - 285           |
| G155 2080 | Drum Front Center Shaft  | 73 - 64            |
| G155 2081 | Brake Pad                | 73 - 56            |
| G155 2082 | Friction Plate           | 73 - 67            |
| G155 2083 | Stock Roll Guide Ass'y   | 73 - 41            |
| G155 2084 | Drum Drive Shaft Ass'y   | 71 - 325           |
| G155 2085 | Stock Roll Guide Collar  | 73 - 46            |
| G155 2086 | B.B Housing              | 71 - 330           |
| G155 2087 | Clamp Screw              | 81 - 33            |
| G155 2088 | Drum Gnd Plate(1)        | 73 - 89            |
| G155 2089 | Clamp Screw(1)           | 73 - 53            |
| G155 2090 | Drum Roller Holder (2)D  | 65 - 139           |
| G155 2091 | Drum Brake Spring(60)    | 73 - 54            |
| G155 2092 | Earth Spring Assy(5)     | 79 - 38            |
| G155 2093 | Rolled Drive Gear (60-2) | 73 - 49            |
| G155 2094 | TC Wire Holder Cover (L) | 63 - 37            |
| G155 2095 | Foot Holder(2)           | 21 - 39            |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G155 2096 | Plug Plate (2)           | 63 - 30            |
| G155 2097 | Spacer                   | 103 - 19           |
| G155 2098 | TC Wire Holder (R) Ass'y | 63 - 29            |
| G155 2099 | Auger B Flange (F) Ass'y | 75 - 32            |
| G155 2099 | Auger B Flange (F) Ass'y | 75 - 21            |
| G155 2100 | Mg Sensor Callar         | 73 - 72            |
| G155 2101 | Grid Contact Spring      | 63 - 157           |
| G155 2102 | Wire Contact Spring      | 65 - 96            |
| G155 2103 | DEV Draw Spring          | 75 - 166           |
| G155 2104 | BB Holder Plate          | 75 - 29            |
| G155 2105 | Charger Spring           | 63 - 172           |
| G155 2105 | Charger Spring           | 63 - 166           |
| G155 2106 | CH Cleaner Gear          | 63 - 162           |
| G155 2107 | Screw Bearing            | 63 - 161           |
| G155 2108 | Gate Cam Roller          | 59 - 154           |
| G155 2109 | Gnd Plate(Ph)            | 91 - 168           |
| G155 2109 | Gnd Plate(Ph)            | 123 - 108          |
| G155 2109 | Gnd Plate(Ph)            | 47 - 120           |
| G155 2109 | Gnd Plate(Ph)            | 49 - 33            |
| G155 2109 | Gnd Plate(Ph)            | 47 - 136           |
| G155 2109 | Gnd Plate(Ph)            | 59 - 82            |
| G155 2109 | Gnd Plate(Ph)            | 47 - 148           |
| G155 2109 | Gnd Plate(Ph)            | 31 - 6             |
| G155 2109 | Gnd Plate(Ph)            | 31 - 14            |
| G155 2109 | Gnd Plate(Ph)            | 111 - 92           |
| G155 2109 | Gnd Plate(Ph)            | 115 - 19           |
| G155 2109 | Gnd Plate(Ph)            | 97 - 49            |
| G155 2109 | Gnd Plate(Ph)            | 91 - 36            |
| G155 2109 | Gnd Plate(Ph)            | 97 - 30            |
| G155 2109 | Gnd Plate(Ph)            | 49 - 22            |
| G155 2109 | Gnd Plate(Ph)            | 111 - 25           |
| G155 2109 | Gnd Plate(Ph)            | 49 - 10            |
| G155 2109 | Gnd Plate(Ph)            | 91 - 180           |
| G155 2109 | Gnd Plate(Ph)            | 47 - 171           |
| G155 2109 | Gnd Plate(Ph)            | 115 - 8            |

| Part No.  | Description           | Page and Index No. |
|-----------|-----------------------|--------------------|
| G155 2109 | Gnd Plate(Ph)         | 95 - 87            |
| G155 2109 | Gnd Plate(Ph)         | 111 - 17           |
| G155 2109 | Gnd Plate(Ph)         | 97 - 22            |
| G155 2109 | Gnd Plate(Ph)         | 59 - 105           |
| G155 2110 | Pressure Leaf Spring  | 43 - 7             |
| G155 2110 | Pressure Leaf Spring  | 59 - 142           |
| G155 2110 | Pressure Leaf Spring  | 59 - 76            |
| G155 2110 | Pressure Leaf Spring  | 59 - 55            |
| G155 2111 | FB Slide Shaft (F)    | 81 - 29            |
| G155 2112 | FB Slide Shaft (R)    | 69 - 217           |
| G155 2113 | FB Sensor Holder      | 69 - 223           |
| G155 2114 | Cleaner Cam           | 71 - 308           |
| G155 2115 | Doctor Fix Plate (E)  | 75 - 40            |
| G155 2116 | DEV Side Seal         | 75 - 152           |
| G155 2117 | BB Holder Plate (Tr2) | 75 - 19            |
| G155 2118 | Suport Plate (Mgr)    | 75 - 66            |
| G155 2119 | Lock Plate            | 41 - 38            |
| G155 2119 | Lock Plate            | 121 - 88           |
| G155 2119 | Lock Plate            | 37 - 88            |
| G155 2119 | Lock Plate            | 121 - 38           |
| G155 2119 | Lock Plate            | 37 - 38            |
| G155 2119 | Lock Plate            | 41 - 88            |
| G155 2120 | Photo Sensor Holder   | 55 - 82            |
| G155 2121 | Shaft Cover Seal      | 21 - 31            |
| G155 2122 | Feed Roll Seal        | 77 - 11            |
| G155 2123 | Sub Lake Plate        | 77 - 22            |
| G155 2124 | Feed Roll Cover       | 77 - 6             |
| G155 2125 | Mg Inshuretor Rework  | 73 - 71            |
| G155 2126 | Mgr Holder (F)        | 73 - 70            |
| G155 2127 | Drum Cap Terminal (2) | 73 - 6             |
| G155 2128 | SV Sensor Holder      | 17 - 137           |
| G155 2129 | FL Open Pg Spring(F2) | 59 - 47            |
| G155 2130 | FL Open Pg Spring(R2) | 59 - 46            |
| G155 2131 | CF Sensor Plate(E)    | 13 - 250           |
| G155 2132 | Mg Sensor Holder 2    | 69 - 246           |



| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 2133 | Drum Sensor Holder 2      | 69 - 230           |
| G155 2134 | CH Press Spring           | 71 - 288           |
| G155 2135 | F Drive Gear Cover 2      | 69 - 262           |
| G155 2136 | Retract Sensor Holder     | 69 - 264           |
| G155 2137 | Motor Holder              | 63 - 114           |
| G155 2138 | Charger Cover F           | 63 - 169           |
| G155 2139 | Charger Cover R           | 63 - 170           |
| G155 2140 | Drum Roller Shaft         | 65 - 85            |
| G155 2141 | Idler Shaft (3) Assy      | 75 - 78            |
| G155 2142 | Idler Shaft (2) Assy      | 75 - 87            |
| G155 2143 | B.B Holder (F) Ass'y      | 77 - 14            |
| G155 2144 | B.B Holder (P) Ass'y      | 77 - 40            |
| G155 2145 | Air Filter                | 13 - 335           |
| G155 2146 | Air Filter                | 79 - 5             |
| G155 2147 | FB Drive Shaft Ass'y      | 69 - 215           |
| G155 2148 | Fuser Drive Shaft Ass'y 2 | 71 - 295           |
| G155 2149 | Mr L Adjust Ass'y         | 69 - 237           |
| G155 2150 | Mr U Adjust Ass'y         | 69 - 238           |
| G155 2151 | Tes Scraper               | 77 - 49            |
| G155 2152 | TH Idle Gear (2)Assy      | 77 - 58            |
| G155 2153 | TH Idle Gear (1) Assy     | 77 - 54            |
| G155 2154 | Bias Cap                  | 73 - 82            |
| G155 2155 | BB Holder Seal            | 77 - 39            |
| G155 2155 | BB Holder Seal            | 77 - 13            |
| G155 2156 | Empty Sensor Holder Seal  | 77 - 30            |
| G155 2157 | Grid Cleaner Ass'y        | 63 - 168           |
| G155 2158 | Cleaner Holder Ass'y      | 63 - 158           |
| G155 2159 | Drum Roller Holder (E)    | 75 - 58            |
| G155 2160 | Drum Roller Holder (E)    | 75 - 59            |
| G155 2161 | Drawer Tapping Screw      | 69 - 241           |
| G155 2162 | FB Driven Cone Assy       | 81 - 30            |
| G155 2163 | CF Packing                | 13 - 245           |
| G155 2164 | Jogger Pulley Stand       | 101 - 62           |
| G155 2164 | Jogger Pulley Stand       | 101 - 50           |
| G155 2164 | Jogger Pulley Stand       | 101 - 87           |

| Part No.  | Description             | Page and Index No. |
|-----------|-------------------------|--------------------|
| G155 2165 | Element                 | 21 - 56            |
| G155 2166 | Drum Roller Holder (R)  | 65 - 83            |
| G155 2167 | SP Stand                | 79 - 9             |
| G155 2168 | J.P Roller Assy         | 101 - 25           |
| G155 2168 | J.P Roller Assy         | 101 - 109          |
| G155 2169 | Web Drive Gear (5)      | 71 - 361           |
| G155 2170 | Supply Cover Spring     | 83 - 95            |
| G155 2171 | Top Cover R Seal        | 83 - 98            |
| G155 2172 | TR Cleaner Assy         | 79 - 86            |
| G155 2173 | Top Cover R Seal 2      | 83 - 99            |
| G155 2174 | PG1L Spring             | 93 - 111           |
| G155 2174 | PG1L Spring             | 117 - 104          |
| G155 2174 | Pg1L Spring             | 51 - 103           |
| G155 2175 | PG1L Spring             | 93 - 112           |
| G155 2175 | PG1L Spring             | 117 - 105          |
| G155 2175 | Pg1L Spring             | 51 - 104           |
| G155 2176 | Holder(D-B)             | 93 - 93            |
| G155 2177 | PG 8 Hinge Shaft        | 93 - 84            |
| G155 2178 | Latch Roller Assy(2)    | 85 - 156           |
| G155 2179 | Shaft Stopper           | 59 - 156           |
| G155 2180 | Pulley Stand Assy(R)    | 79 - 61            |
| G155 2181 | Pulley Stand Assy(F)    | 79 - 60            |
| G155 2182 | Latch Shaft (SI)        | 87 - 24            |
| G155 2183 | BR Arm Bushing          | 55 - 11            |
| G155 2184 | Solenoid ( Thermistor ) | 55 - 56            |
| G155 2185 | MG Off Lever W Ass'y    | 93 - 87            |
| G155 2186 | Drawer Latch Roller     | 85 - 131           |
| G155 2187 | Drawer Latch Shaft      | 85 - 130           |
| G155 2188 | BR Arm Nut Plate        | 55 - 10            |
| G155 2189 | G/Y 12M5 Earth Cable    | 13 - 411           |
| G155 2190 | Charger Front Cover     | 63 - 173           |
| G155 2192 | Fan Mask                | 79 - 7             |
| G155 2193 | Hopper Side Seal        | 21 - 102           |
| G155 2194 | PG1 Hinge Shaft         | 93 - 102           |
| G155 2194 | Pg1 Hinge Shaft         | 51 - 94            |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 2195 | PG5 Hinge Shaft           | 123 - 63           |
| G155 2195 | PG5 Hinge Shaft           | 93 - 118           |
| G155 2196 | Fork Sense Plate(2)       | 103 - 92           |
| G155 2197 | Offset Cam Encorder(H)    | 95 - 69            |
| G155 2198 | Offset Cam                | 95 - 70            |
| G155 2199 | Offset Arm Sub Assy       | 95 - 57            |
| G155 2200 | Drawer Intelock Plunger   | 85 - 149           |
| G155 2201 | Sensor Holder (J)         | 101 - 46           |
| G155 2201 | Sensor Holder (J)         | 101 - 92           |
| G155 2201 | Sensor Holder (J)         | 101 - 67           |
| G155 2202 | Stopper Shaft Holder      | 101 - 31           |
| G155 2203 | Jogger Shaft              | 101 - 32           |
| G155 2204 | Jogger Shaft              | 101 - 33           |
| G155 2205 | Jogger Shaft              | 101 - 34           |
| G155 2206 | Belt Clamper              | 101 - 134          |
| G155 2207 | Wire Guide(H)             | 101 - 6            |
| G155 2208 | H Sensor Holder W Assy    | 101 - 10           |
| G155 2209 | Out(2) Pg Release Shaft   | 43 - 39            |
| G155 2209 | Out(2) Pg Release Shaft   | 99 - 72            |
| G155 2209 | Out(2) Pg Release Shaft   | 43 - 274           |
| G155 2210 | Thermistor Holder         | 55 - 47            |
| G155 2211 | Thermistor Holder F       | 55 - 43            |
| G155 2212 | B.B Stopper               | 55 - 208           |
| G155 2213 | Air Pipe                  | 55 - 245           |
| G155 2214 | Heat Roll Stay            | 55 - 212           |
| G155 2215 | Hinge Shaft Holder        | 55 - 160           |
| G155 2216 | Lock Plate                | 55 - 166           |
| G155 2217 | BR Cam                    | 55 - 26            |
| G155 2218 | Br Separator Holder Ass'y | 55 - 235           |
| G155 2219 | BR Nip Adjuster           | 55 - 8             |
| G155 2220 | Solenoid Arm              | 55 - 61            |
| G155 2221 | Web Cassette Shaft        | 55 - 30            |
| G155 2222 | Web Sensor Holder Ass'y   | 55 - 101           |
| G155 2223 | Hinge Shaft               | 55 - 159           |
| G155 2224 | Center Shaft(H)           | 51 - 123           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 2225 | Regist Cover Shaft(H)     | 53 - 190           |
| G155 2226 | Gnd Plate Holder(Phr)     | 91 - 35            |
| G155 2226 | Gnd Plate Holder(Phr)     | 47 - 170           |
| G155 2226 | Gnd Plate Holder(Phr)     | 111 - 91           |
| G155 2226 | Gnd Plate Holder(Phr)     | 49 - 32            |
| G155 2226 | Gnd Plate Holder(Phr)     | 111 - 24           |
| G155 2226 | Gnd Plate Holder(Phr)     | 97 - 48            |
| G155 2227 | Sensor Plate              | 53 - 217           |
| G155 2228 | Tension Arm W Ass'y       | 69 - 253           |
| G155 2229 | Motor Plate Holder        | 71 - 306           |
| G155 2230 | F Position Shaft          | 69 - 211           |
| G155 2231 | Drum Earth Terminal Ass'y | 63 - 184           |
| G155 2232 | Housing Stopper Shaft     | 81 - 7             |
| G155 2233 | Latch Pin                 | 33 - 101           |
| G155 2234 | Pressure Spring (L2H)     | 51 - 124           |
| G155 2235 | CCD Cover(H)              | 53 - 198           |
| G155 2236 | Web Sensor Arm Ass'y      | 55 - 103           |
| G155 2237 | Sleeve Bearing            | 63 - 175           |
| G155 2238 | PS Holder                 | 13 - 89            |
| G155 2239 | PHR Cover SW Holder       | 13 - 176           |
| G155 2240 | Inner Cover(Lb)           | 13 - 399           |
| G155 2241 | FL Cam Position Plate     | 59 - 89            |
| G155 2242 | Path Gate Spring(2)       | 59 - 133           |
| G155 2243 | Open Guide Hinge(2)       | 59 - 39            |
| G155 2244 | FL Latch Shaft(R4)        | 59 - 36            |
| G155 2245 | Input Guide Shaft(4)      | 59 - 155           |
| G155 2246 | FL Roller Open Gear       | 59 - 90            |
| G155 2247 | FI Hinge Holder(S)        | 59 - 162           |
| G155 2248 | BB Holder Plate (Mgr2)    | 75 - 65            |
| G155 2249 | TR Bias Screw             | 75 - 23            |
| G155 2250 | DEV Seal(F2)              | 75 - 150           |
| G155 2251 | DEV Seal(R2)              | 75 - 149           |
| G155 2252 | MGR Gear(Z22)             | 75 - 103           |
| G155 2253 | MGR Gear(Z19)             | 75 - 98            |
| G155 2254 | Table Worm Gear Assy      | 41 - 147           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 2254 | Table Worm Gear Ass'y       | 103 - 43           |
| G155 2254 | Table Worm Gear Assy        | 37 - 147           |
| G155 2254 | Table Worm Gear Assy        | 121 - 147          |
| G155 2255 | Table Worm Wheel Ass'y      | 103 - 46           |
| G155 2256 | Gate Sensor Holder(2)       | 91 - 153           |
| G155 2256 | Gate Sensor Holder(2)       | 47 - 109           |
| G155 2257 | Upper Gate Hinge Stopper(2) | 43 - 11            |
| G155 2258 | Upper Gate Shaft Holder     | 43 - 12            |
| G155 2259 | RTN Open Hinge Shaft(2)     | 45 - 196           |
| G155 2260 | Upper Gate Hinge(2)         | 43 - 10            |
| G155 2261 | Out(2) Paper Guide Shaft    | 43 - 281           |
| G155 2262 | V Paper Guide Shaft         | 45 - 248           |
| G155 2263 | PG Handle Shaft             | 45 - 190           |
| G155 2263 | PG Handle Shaft             | 45 - 244           |
| G155 2263 | PG Handle Shaft             | 113 - 116          |
| G155 2264 | Open Guide Latch Pin        | 111 - 97           |
| G155 2264 | Open Guide Latch Pin        | 43 - 213           |
| G155 2265 | DC Stopper                  | 65 - 75            |
| G155 2266 | Sub Path Gate Link Assy     | 47 - 61            |
| G155 2267 | Retract Drive Gear (H)      | 49 - 5             |
| G155 2268 | Retract Gear (H)            | 65 - 14            |
| G155 2269 | Sensor Shutter              | 65 - 9             |
| G155 2270 | D Rod Press Sp              | 83 - 36            |
| G155 2271 | Pully Assy                  | 105 - 75           |
| G155 2271 | Pully Assy                  | 105 - 87           |
| G155 2271 | Pully Assy                  | 23 - 61            |
| G155 2271 | Pully Assy                  | 23 - 75            |
| G155 2272 | Swing Arm (2)               | 105 - 106          |
| G155 2272 | Swing Arm (2)               | 27 - 96            |
| G155 2273 | Guide Wire                  | 27 - 103           |
| G155 2273 | Guide Wire                  | 105 - 110          |
| G155 2274 | Guide Wire                  | 27 - 104           |
| G155 2274 | Guide Wire                  | 105 - 111          |
| G155 2275 | Guide Wire                  | 105 - 112          |
| G155 2275 | Guide Wire                  | 27 - 105           |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| G155 2278 | EOF Sensor Stand           | 23 - 210           |
| G155 2278 | EOF Sensor Stand           | 105 - 204          |
| G155 2279 | Pick Motor Holder(1)       | 23 - 63            |
| G155 2280 | Ring Keeper                | 115 - 46           |
| G155 2280 | Ring Keeper                | 25 - 42            |
| G155 2280 | Ring Keeper                | 105 - 56           |
| G155 2281 | Table Idler Shaft          | 37 - 164           |
| G155 2281 | Table Idler Shaft          | 121 - 164          |
| G155 2281 | Table Idler Shaft          | 41 - 164           |
| G155 2282 | Lock Plate Stopper         | 121 - 84           |
| G155 2282 | Lock Plate Stopper         | 121 - 34           |
| G155 2282 | Lock Plate Stopper         | 37 - 84            |
| G155 2282 | Lock Plate Stopper         | 41 - 84            |
| G155 2282 | Lock Plate Stopper         | 41 - 34            |
| G155 2282 | Lock Plate Stopper         | 37 - 34            |
| G155 2283 | D Latch Shaft              | 35 - 201           |
| G155 2283 | D Latch Shaft              | 39 - 201           |
| G155 2283 | D Latch Shaft              | 119 - 201          |
| G155 2284 | P Guide Shaft(W) Sub Assy  | 41 - 86            |
| G155 2285 | P Guide Shaft(W) Sub Assy  | 37 - 86            |
| G155 2286 | P Guide Shaft(L) Sub Assy  | 41 - 36            |
| G155 2287 | P Guide Shaft(L) Sub Assy  | 37 - 36            |
| G155 2289 | Joint(A)                   | 37 - 87            |
| G155 2289 | Joint(A)                   | 121 - 87           |
| G155 2289 | Joint(A)                   | 41 - 87            |
| G155 2290 | Joint(A)                   | 41 - 37            |
| G155 2290 | Joint(A)                   | 37 - 37            |
| G155 2290 | Joint(A)                   | 121 - 37           |
| G155 2291 | Side Nozzle(2)             | 39 - 170           |
| G155 2291 | Side Nozzle(2)             | 119 - 170          |
| G155 2291 | Side Nozzle(2)             | 35 - 170           |
| G155 2292 | Damper Holder Staking Assy | 39 - 198           |
| G155 2292 | Damper Holder Staking Assy | 119 - 198          |
| G155 2292 | Damper Holder Staking Assy | 35 - 198           |
| G155 2293 | Table Idler Gear(L) Assy   | 41 - 161           |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G155 2293 | Table Idler Gear(L) Assy | 37 - 161           |
| G155 2293 | Table Idler Gear(L) Assy | 121 -161           |
| G155 2294 | Pivot                    | 39 - 186           |
| G155 2294 | Pivot                    | 119 -186           |
| G155 2294 | Pivot                    | 35 - 186           |
| G155 2294 | Pivot                    | 35 - 190           |
| G155 2294 | Pivot                    | 119 -190           |
| G155 2294 | Pivot                    | 39 - 190           |
| G155 2295 | Pivot                    | 35 - 188           |
| G155 2295 | Pivot                    | 119 -188           |
| G155 2295 | Pivot                    | 39 - 188           |
| G155 2296 | Indicate Arm(S)          | 39 - 209           |
| G155 2297 | Filter Box Seal          | 107 -233           |
| G155 2297 | Filter Box Seal          | 13 - 58            |
| G155 2298 | Filter                   | 13 - 56            |
| G155 2298 | Filter                   | 107 -231           |
| G155 2299 | Seal                     | 13 - 54            |
| G155 2300 | HV Plate (Dc)            | 67 - 203           |
| G155 2301 | HV Holder (Dc) Cover     | 67 - 204           |
| G155 2302 | Sensor Holder            | 67 - 20            |
| G155 2303 | HV Plate (Dr)            | 69 - 143           |
| G155 2304 | Lift Up Link Assy        | 43 - 45            |
| G155 2305 | Lift Up Spring           | 43 - 47            |
| G155 2306 | Bottom Smooth Sheet      | 79 - 26            |
| G155 2307 | Heat Roll Ring (L) Ass'y | 55 - 215           |
| G155 2308 | Lamp Holder Clamper      | 55 - 225           |
| G155 2309 | Regist Cover SW Assy     | 13 - 175           |
| G155 2310 | TR Sensor Assy           | 17 - 165           |
| G155 2311 | TR Sensor Assy (2)       | 17 - 170           |
| G155 2312 | LED Holder (Ahp) Assy    | 17 - 179           |
| G155 2313 | CH-CL Sensor Assy        | 17 - 161           |
| G155 2314 | MGR Gear Stopper         | 75 - 97            |
| G155 2314 | MGR Gear Stopper         | 75 - 104           |
| G155 2315 | Front Cap Holder Assy    | 81 - 10            |
| G155 2316 | FB Front Cap Sub Assy    | 81 - 27            |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| G155 2317 | Cam Follower Stand Assy    | 81 - 15            |
| G155 2318 | Table Drive Gear(S) Assy   | 121 -135           |
| G155 2318 | Table Drive Gear(S) Assy   | 37 - 135           |
| G155 2318 | Table Drive Gear(S) Assy   | 41 - 135           |
| G155 2319 | TS Collar                  | 121 -136           |
| G155 2319 | TS Collar                  | 41 - 136           |
| G155 2319 | TS Collar                  | 37 - 136           |
| G155 2320 | Table Worm Wheel(2)        | 121 -153           |
| G155 2320 | Table Worm Wheel(2)        | 37 - 153           |
| G155 2320 | Table Worm Wheel(2)        | 41 - 153           |
| G155 2321 | Worm Wheel Shaft(H)        | 121 -154           |
| G155 2321 | Worm Wheel Shaft(H)        | 37 - 154           |
| G155 2321 | Worm Wheel Shaft(H)        | 41 - 154           |
| G155 2322 | Tension Pulley Ass'y       | 69 - 254           |
| G155 2323 | CCD Spring Assy(H)         | 53 - 199           |
| G155 2324 | DEV Suport Sp(2) Assy      | 17 - 143           |
| G155 2325 | Cable Stay Assy            | 13 - 364           |
| G155 2326 | Th Handle (H) Assy         | 55 - 263           |
| G155 2326 | Th Handle (H) Ass'y        | 65 - 69            |
| G155 2327 | Stopper Plate              | 65 - 63            |
| G155 2328 | Latch(U3) Assy             | 43 - 23            |
| G155 2329 | MGR Seal Ass'y             | 75 - 48            |
| G155 2330 | Idler Gear(Z16/Z28) Ass'y  | 75 - 90            |
| G155 2331 | Idler Gear(Z21L) Ass'y     | 75 - 94            |
| G155 2332 | Idler Gear(Z18/21) Ass'y   | 75 - 95            |
| G155 2333 | DEV Gear Cover Ass'y       | 75 - 154           |
| G155 2334 | DEV Motor Ass'y            | 75 - 118           |
| G155 2335 | One Way Gear(Z29) Ass'y    | 75 - 79            |
| G155 2336 | HR Drive Gear Shaft Ass'y  | 55 - 74            |
| G155 2337 | HR Drive Gear Holder Ass'y | 55 - 70            |
| G155 2338 | Web Sensor Spring          | 55 - 105           |
| G155 2339 | Arm Spring                 | 55 - 183           |
| G155 2340 | DC Cleaner Ass'y           | 65 - 93            |
| G155 2341 | Belt Clamper(2) W Ass'y    | 103 -110           |
| G155 2342 | Air System Unit Stopper    | 21 - 99            |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G155 2343 | Capton Sheet(Stopper)       | 101 - 112          |
| G155 2344 | Transfer Spring             | 65 - 65            |
| G155 2345 | Custom Size Switch Assy     | 35 - 229           |
| G155 2345 | Custom Size Switch Assy     | 119 - 229          |
| G155 2345 | Custom Size Switch Assy     | 39 - 229           |
| G155 2346 | Return Spring               | 67 - 179           |
| G155 2347 | Shield Fix Plate            | 79 - 78            |
| G155 2348 | Swing Hinge Pin             | 67 - 178           |
| G155 2349 | Duct Seal(Md)               | 17 - 409           |
| G155 2350 | Hook Roller                 | 37 - 53            |
| G155 2350 | Hook Roller                 | 41 - 53            |
| G155 2350 | Hook Roller                 | 121 - 53           |
| G155 2351 | Hook Roller Shaft           | 41 - 54            |
| G155 2351 | Hook Roller Shaft           | 37 - 54            |
| G155 2351 | Hook Roller Shaft           | 121 - 54           |
| G155 2352 | Height Sense Hook Weld Assy | 41 - 51            |
| G155 2352 | Height Sense Hook Weld Assy | 37 - 51            |
| G155 2352 | Height Sense Hook Weld Assy | 121 - 51           |
| G155 2353 | Bank Shaft                  | 27 - 110           |
| G155 2353 | Bank Shaft                  | 105 - 119          |
| G155 2354 | Guide Collar                | 37 - 52            |
| G155 2354 | Guide Collar                | 41 - 52            |
| G155 2354 | Guide Collar                | 121 - 52           |
| G155 2355 | Timing Roller Holder        | 53 - 231           |
| G155 2356 | Cover Stopper Pin           | 53 - 222           |
| G155 2357 | Phase Adjuster              | 105 - 24           |
| G155 2357 | Phase Adjuster              | 25 - 15            |
| G155 2358 | Wire Cleaner Assy           | 79 - 100           |
| G155 2359 | Stopper Pin                 | 53 - 240           |
| G155 2360 | Regist Cover Spring         | 53 - 242           |
| G155 2361 | Drawer In Sensor Holder     | 87 - 98            |
| G155 2362 | Push Switch Holder(S)       | 87 - 82            |
| G155 2363 | Cover Stopper Pin (R)       | 53 - 225           |
| G155 2364 | Drawer Plate                | 85 - 142           |
| G155 2365 | Paper Guide In Hinge Shaft  | 55 - 130           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G155 2366 | Pipe Joint Seal           | 23 - 149           |
| G155 2366 | Pipe Joint Seal           | 105 - 162          |
| G155 2367 | B.B Holder(H)             | 97 - 5             |
| G155 2367 | B.B Holder (H)            | 111 - 4            |
| G155 2367 | B.B Holder(H)             | 111 - 82           |
| G155 2367 | B.B Holder(H)             | 103 - 12           |
| G155 2367 | B.B Holder(H)             | 49 - 45            |
| G155 2367 | B.B Holder (H)            | 123 - 93           |
| G155 2367 | B.B Holder(H)             | 103 - 61           |
| G155 2367 | B.B Holder(H)             | 115 - 45           |
| G155 2367 | B.B Holder(H)             | 47 - 73            |
| G155 2367 | B.B Holder(H)             | 95 - 13            |
| G155 2367 | B.B Holder(H)             | 31 - 26            |
| G155 2367 | B.B Holder(H)             | 91 - 6             |
| G155 2367 | B.B Holder(H)             | 59 - 14            |
| G155 2368 | Pressure Sensor (CI) Assy | 13 - 442           |
| G155 2369 | Cover Latch Handle 2      | 83 - 60            |
| G155 2369 | Cover Latch Handle 2      | 83 - 5             |
| G155 2370 | Slider Guide              | 41 - 244           |
| G155 2370 | Slider Guide              | 121 - 244          |
| G155 2371 | CWB Drive Gear 3 Assy     | 71 - 371           |
| G155 2372 | Spring Holder             | 59 - 144           |
| G155 2372 | Spring Holder             | 59 - 75            |
| G155 2373 | Web Shaft                 | 55 - 301           |
| G155 2374 | CI Roll Spring Holder 2   | 55 - 290           |
| G155 2375 | Hose (B)                  | 17 - 43            |
| G155 2376 | MD272 Assy                | 17 - 144           |
| G155 2377 | B.B                       | 29 - 178           |
| G155 2378 | Slide Base(H)             | 37 - 30            |
| G155 2379 | Slide Base(V)             | 37 - 80            |
| G155 2380 | TS Spring                 | 35 - 108           |
| G155 2381 | Hopper Relay Cable Assy   | 39 - 258           |
| G155 2381 | Hopper Relay Cable Assy   | 35 - 258           |
| G155 2382 | Drum Roller Holder        | 65 - 80            |
| G155 2383 | M4X12 Bind Screw          | 71 - 331           |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| G155 2383 | M4X12 Bind Screw             | 71 - 324           |
| G155 2384 | Bias Plate D                 | 75 - 50            |
| G155 2385 | Wire Contact Spring (H)      | 79 - 106           |
| G155 2386 | HP Panel Cable Assy          | 83 - 34            |
| G155 2387 | Extension Spring             | 99 - 92            |
| G155 2388 | Timing Belt                  | 97 - 43            |
| G155 2389 | Paper Guide(L1)              | 99 - 54            |
| G155 2390 | Paper Guide(Add) Ass'y       | 99 - 66            |
| G155 2391 | BuFfer Plate(2)              | 99 - 55            |
| G155 2392 | Paper Guide(U4) W Ass'y      | 99 - 69            |
| G155 2393 | Paper Guide(L4) Rivet Assy   | 99 - 88            |
| G155 2394 | Path Cable Cover             | 99 - 59            |
| G155 2394 | Path Cable Cover             | 99 - 80            |
| G155 2395 | Paper Path Hinge Shaft       | 99 - 89            |
| G155 2396 | M8X16 Hex Socket Bolt        | 107 -224           |
| G155 2397 | D3X12 Roll Pin               | 107 -168           |
| G155 2398 | Timing Belt                  | 111 -132           |
| G155 2398 | Timing Belt                  | 123 -122           |
| G155 2398 | Timing Belt                  | 111 - 72           |
| G155 2399 | Timing Belt                  | 115 - 50           |
| G155 2400 | Timing Belt                  | 115 - 51           |
| G155 2401 | Plug Cushion Rubber          | 117 - 90           |
| G155 2402 | Spring Washer,D5             | 109 -305           |
| G155 2403 | Bolt Washer,D5               | 109 -306           |
| G155 2404 | Rear Cover (Lh) Assy         | 109 -320           |
| G155 2405 | Side Cover (R)               | 109 -322           |
| G155 2406 | Top Cover (Lh)               | 109 -319           |
| G155 2407 | Paper Guide(L1)              | 113 -109           |
| G155 2408 | Slide Base(H)                | 121 - 30           |
| G155 2411 | Feeder Hopper Assy           | 121 - 1            |
| G155 2411 | Feeder Hopper Assy           | 119 - 1            |
| G155 2413 | Rear Cover (Lt)              | 123 - 16           |
| G155 2414 | LT Frame Assy                | 123 - 1            |
| G155 2415 | Hinge Holder(Lp2) Rivet Assy | 117 -127           |
| G155 2416 | R Paper Guide                | 117 - 89           |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| G155 2417 | Front Cover(R)               | 109 -321           |
| G155 2418 | Hopper Cover (Lh1)           | 109 -325           |
| G155 2419 | Hopper Cover (Lh2) W Assy    | 109 -328           |
| G155 2420 | Inner Cover(Lh)              | 105 -245           |
| G155 2421 | Side Cover(Lh)               | 119 -212           |
| G155 2422 | Paper Guide(U1)              | 111 -101           |
| G155 2423 | Front Cover (L) Assy         | 109 -271           |
| G155 2424 | Feeder Frame Assy            | 107 - 4            |
| G155 2425 | Top Cover (Lt)               | 123 - 12           |
| G155 2426 | Front Cover (Lt) Rivet Assy  | 123 - 3            |
| G155 2427 | Open Pg (Lt)Latch            | 123 - 53           |
| G155 2428 | Opening Box                  | 123 - 20           |
| G155 2429 | TU Frame Assy                | 123 - 73           |
| G155 2430 | Front Cover Assy             | 123 - 2            |
| G155 2431 | Pick Unit Hanger             | 105 - 9            |
| G155 2432 | Front Cover(L)R W Assy       | 109 -272           |
| G155 2434 | Frame Staking (Ah) (2) Assy  | 119 - 3            |
| G155 2435 | Pocket                       | 109 -326           |
| G155 2435 | Pocket                       | 109 -329           |
| G155 2436 | Cable Cover(Lp2)             | 117 -156           |
| G155 2437 | Motor Holder(Lp2)            | 115 - 5            |
| G155 2438 | V Paper Guide W Assy         | 117 -113           |
| G155 2439 | Open Pg(1) W Assy            | 117 -124           |
| G155 2440 | Front Open Cover (Lc) W Assy | 109 -300           |
| G155 2441 | Indicate Sensor Holder(Lh)   | 105 -210           |
| G155 2442 | Indicate Arm (Lh)            | 119 -209           |
| G155 2443 | Valve Holder(Lh) W Assy      | 107 -165           |
| G155 2444 | Angle Paper Guide            | 111 - 67           |
| G155 2445 | Release Lever(L1)            | 113 -115           |
| G155 2446 | Paper Guide(L2) W Assy       | 113 - 32           |
| G155 2447 | Paper Guide Latch(L1)        | 113 -114           |
| G155 2448 | Open Paper Guide(1) Assy     | 117 -123           |
| G155 2449 | V Paper Guide Assy           | 117 -112           |
| G155 2450 | Exit Pg(Lp2) Assy            | 117 - 62           |
| G155 2451 | Paper Guide(U2) W Assy       | 113 - 50           |

| Part No.  | Description                  | Page and Index No. |
|-----------|------------------------------|--------------------|
| G155 2452 | Front Open Cover (Lc) Assy   | 109 -299           |
| G155 2453 | Valve (Lh) Assy              | 107 -164           |
| G155 2454 | Cable Cover-2(Lp2)           | 117 -145           |
| G155 2455 | Open Pg (Lt) Handle          | 123 - 54           |
| G155 2456 | Bottom Paper Guide(Lt)       | 123 - 85           |
| G155 2457 | LT Motor Holder              | 123 -106           |
| G155 2458 | Lower Inner Cover            | 123 - 36           |
| G155 2459 | Middle Paper Guide W Assy    | 123 - 47           |
| G155 2460 | Middle Paper Guide Assy      | 123 - 46           |
| G155 2461 | HS104 Assy                   | 107 -255           |
| G155 2463 | HP122 Assy                   | 107 -257           |
| G155 2464 | Open Lever (L2) R            | 113 - 40           |
| G155 2464 | Open Lever(L2)R              | 117 -134           |
| G155 2465 | Panel Holder(Lc)R            | 109 -280           |
| G155 2466 | Hose (A)                     | 107 -191           |
| G155 2467 | Hose (B)                     | 107 -187           |
| G155 2468 | Hose (B)                     | 107 -186           |
| G155 2469 | Hose (B)                     | 107 -185           |
| G155 2470 | Wire                         | 119 -116           |
| G155 2471 | Wire                         | 119 -117           |
| G155 2472 | Wire                         | 113 - 61           |
| G155 2474 | Flat Drawer Pulls            | 123 - 4            |
| G155 2476 | Hinge Shaft(Lp2)             | 117 -128           |
| G155 2477 | Gnd Plate Holder(Lp2)        | 115 - 18           |
| G155 2478 | Upper Paper Guide Lp2 W Assy | 117 - 66           |
| G155 2479 | Open Pg(2) W Assy            | 117 -100           |
| G155 2480 | Under Paper Guide Lp2 W Assy | 117 - 63           |
| G155 2481 | Hinge Shaft-2(Lp2)           | 117 -103           |
| G155 2482 | F Cover Hinge (Lc) W Assy    | 109 -295           |
| G155 2483 | F Cover Hinge (Lc) W Assy    | 109 -315           |
| G155 2484 | Hinge(Lu) W Assy             | 109 -292           |
| G155 2487 | Hinge(Ll)W Assy              | 109 -269           |
| G155 2489 | T Spring(Lt)3                | 123 - 61           |
| G155 2490 | Ct3 Sns Relay Cable Assy     | 117 - 79           |
| G155 2491 | Pick Motor Holder(Lh)        | 105 - 89           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G155 2492 | Blower Holder Assy                     | 107 -220           |
| G155 2493 | Paper Supporter(L)W Ass'y MG155028 X/X | 121 - 40           |
| G155 2493 | Paper Supporter(L) W Assy              | 121 - 40           |
| G155 2494 | Pg Back Cover (L)                      | 121 - 69           |
| G155 2495 | TS Spring                              | 119 -108           |
| G155 2496 | Paper Guide Latch(L2)                  | 117 -115           |
| G155 2496 | Paper Guide Latch(L2)                  | 113 - 54           |
| G155 2497 | Torsion Spring(L1)                     | 113 -123           |
| G155 2498 | Rope Tension Spring                    | 113 - 60           |
| G155 2499 | Pick Feed Roller(Ap) Assy              | 115 - 24           |
| G155 2501 | Motor Holder(Lp2) Assy                 | 115 - 4            |
| G155 2502 | Open Paper Guide(2) Assy               | 117 - 99           |
| G155 2503 | R Paper Guide Assy                     | 117 - 88           |
| G155 2504 | Idler Shaft(Lp2) Assy                  | 115 - 27           |
| G155 2505 | Hopper Cover (Lh1) Assy                | 109 -324           |
| G155 2506 | Hopper Cover (Lh2) Assy                | 109 -327           |
| G155 2507 | Blower (Lh) Assy                       | 107 -219           |
| G155 2508 | Pick Motor Assy (Lh)                   | 105 - 85           |
| G155 2510 | Link Plate                             | 123 - 59           |
| G155 2511 | Link Shaft                             | 123 - 58           |
| G155 2512 | Open Pg (Lt) Shaft                     | 123 - 55           |
| G155 2513 | LT Motor Holder Assy                   | 123 -103           |
| G155 2514 | Cover Stopper (Lt)                     | 123 - 23           |
| G155 2517 | AHP Hopper Relay Cable Assy            | 119 -258           |
| G155 2518 | Paper Supporter(V) W Assy              | 121 - 90           |
| G155 2519 | Rh Side Plate (Ah)                     | 119 -247           |
| G155 2520 | Pick Blower Assy                       | 107 -223           |
| G155 2522 | Fixing Plate                           | 117 - 84           |
| G155 2523 | Gnd Plate Holder(Phr)Assy              | 123 -118           |
| G155 2525 | P Guide Shaft(W) Sub Assy              | 121 - 86           |
| G155 2527 | Spring Lt Paper Guide                  | 123 - 64           |
| G155 2528 | Spring Lt Paper Guide                  | 123 - 65           |
| G155 2531 | Paper Guide Hinge(L2)                  | 113 - 58           |
| G155 2532 | Hinge Shaft(L1)                        | 113 -126           |
| G155 2533 | Latch Pin                              | 113 - 53           |

| Part No.  | Description                        | Page and Index No. |
|-----------|------------------------------------|--------------------|
| G155 2533 | Latch Pin                          | 117 - 114          |
| G155 2534 | Latch Pin                          | 113 - 39           |
| G155 2534 | Latch Pin                          | 117 - 138          |
| G155 2535 | BuFfer Spring(L1)                  | 113 - 125          |
| G155 2536 | Gnd Plate Holder(Lp2) Assy         | 115 - 17           |
| G155 2537 | U Hinge (Lt) W Assy                | 123 - 26           |
| G155 2538 | L Hinge (Lt) W Assy                | 123 - 29           |
| G155 2539 | Inner Cover(Lt Pass)               | 123 - 69           |
| G155 2539 | MG155008                           | 123 - 69           |
| G155 2540 | Link Shaft (2)                     | 123 - 88           |
| G155 2541 | Hinge Holder Adjuster              | 117 - 135          |
| G155 2546 | Pick Unit Assy                     | 105 - 7            |
| G155 2547 | Pick Belt Unit                     | 105 - 43           |
| G155 2548 | Pick Belt Frame Assy               | 105 - 44           |
| G155 2549 | Extension Spring                   | 105 - 140          |
| G155 2549 | Extension Spring                   | 23 - 136           |
| G155 2550 | Shutter Plate                      | 105 - 135          |
| G155 2550 | Shutter Plate                      | 23 - 142           |
| G155 2551 | Shutter Turn Plate                 | 105 - 136          |
| G155 2551 | Shutter Turn Plate                 | 23 - 143           |
| G155 2552 | Washer D4                          | 105 - 137          |
| G155 2552 | Washer D4                          | 23 - 144           |
| G155 2563 | HV Holder Base                     | 67 - 188           |
| G155 2564 | M4X20 Tap Screw                    | 75 - 52            |
| G155 2565 | Offset pF Assy(H)                  | 95 - 1             |
| G155 2566 | Jogger Unit Assy(H)                | 101 - 1            |
| G155 2664 | Pressure Roll Spring2 MG155006 X/O | 93 - 106           |
| G155 2664 | Pressure Roll Spring2 MG155006 X/O | 93 - 92            |
| G155 2664 | Pressure Roll Spring2 X/O MG155006 | 93 - 123           |
| G155 2665 | DEV Fan(2) Holder MG155008         | 13 - 461           |
| G155 2666 | LH Blind Plate MG155008            | 13 - 468           |
| G155 2667 | Edgine MG155008                    | 13 - 465           |
| G155 2668 | Thermopile Holder MG155030 X/X     | 17 - 223           |
| G155 2670 | MG155030 X/X                       | 17 - 221           |
| G155 2671 | Rear Cover(LT2) MG155008 X/O       | 123 - 16           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G155 2672 | DEV Bottom Plate Assy(H2) MG115008 X/O | 53 - 228           |
| G155 2673 | Exhaust Duct MG155008                  | 123 - 39           |
| G155 2674 | MG155008 X/O                           | 83 - 131           |
| G155 2675 | Gate Spring (RoHS) MG155016 X/O        | 43 - 15            |
| G155 2676 | Paddle MG155015 X/O                    | 95 - 22            |
| G155 2678 | Fuser Ass'y                            | 55 - 3             |
| G155 2680 | Toner Shield(S1) MG155018              | 17 - 196           |
| G155 2681 | Toner Shield(S2) MG155018              | 17 - 197           |
| G155 2682 | CL SENSOR GUARD MG155018               | 69 - 227           |
| G155 2683 | EOF Sensor Assy X/O MG155009           | 23 - 214           |
| G155 2688 | X/O MG155004                           | 81 - 23            |
| G155 2689 | BR Cam (RoHS)                          | 55 - 26            |
| G155 2690 | MG155007 X/O                           | 13 - 34            |
| G155 2691 | MG155027 X/O                           | 87 - 51            |
| G155 2692 | Hopper Control Board 1 MG155027 X/O    | 107 - 255          |
| G155 2693 | Optics Board (RoHS) MG155030 X/X       | 13 - 33            |
| G155 2694 | MG115024 X/O                           | 55 - 117           |
| G155 2695 | X/O MG155010                           | 17 - 449           |
| G155 2696 | PG Back Cover(L2) MG155028 X/X         | 37 - 69            |
| G155 2696 | PG Back Cover(L2) MG155028 X/X         | 37 - 71            |
| G155 2697 | PG Back Cover(L2) MG155028 X/X         | 121 - 71           |
| G155 2697 | PG Back Cover(L2) MG155028 X/X         | 121 - 69           |
| G155 2699 | Shutter Plate(H) MG155028 X/O          | 39 - 110           |
| G155 2699 | Shutter Plate(H) MG155028 X/O          | 121 - 110          |
| G155 2699 | Shutter Plate(H) MG155028 X/O          | 121 - 115          |
| G155 2699 | Shutter Plate(H) (RoHS)                | 35 - 115           |
| G155 2699 | Shutter Plate(H) MG155028 X/O          | 119 - 115          |
| G155 2699 | Shutter Plate(H) MG155028 X/O          | 37 - 110           |
| G155 2699 | Shutter Plate(H) MG155028 X/O          | 37 - 115           |
| G155 2699 | Shutter Plate(H) MG155028              | 39 - 115           |
| G155 2699 | Shutter Plate(H) (RoHS)                | 35 - 110           |
| G155 2699 | Shutter Plate(H) MG155028 X/O          | 119 - 110          |
| G155 2700 | Sensor Base Staking Ass'y MG155019     | 37 - 264           |
| G155 2700 | Sensor Base Staking Ass'y MG155019     | 121 - 264          |
| G155 2700 | Sensor Base Staking Ass'y MG155019     | 41 - 264           |



| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G155 2701 | Height Sensor Ass'y MG155019           | 121 -262           |
| G155 2701 | Height Sensor Ass'y MG155019           | 37 - 262           |
| G155 2701 | Height Sensor Ass'y MG155019           | 41 - 262           |
| G155 2702 | Shutter Film Guide MG155019            | 37 - 265           |
| G155 2702 | Shutter Film Guide MG155019            | 121 -265           |
| G155 2702 | Shutter Film Guide MG155019            | 41 - 265           |
| G155 2703 | HeightSensorHookWeldAss'y MG155019     | 37 - 263           |
| G155 2703 | HeightSensorHookWeldAss'y MG155019     | 121 -263           |
| G155 2703 | HeightSensorHookWeld Ass'y MG155019    | 41 - 263           |
| G155 2704 | Shutter Film MG155019                  | 41 - 266           |
| G155 2704 | Shutter Film MG155019                  | 121 -266           |
| G155 2704 | Shutter Film MG155019                  | 37 - 266           |
| G155 2707 | ST Sensor Cable Cover MG155012         | 87 - 88            |
| G155 2708 | PACKING (LT) MG155011                  | 123 - 8            |
| G155 2718 | MG155023 X/O                           | 79 - 111           |
| G155 2719 | DC Cover MG155023 X/O                  | 65 - 97            |
| G155 2720 | MG155023 X/O                           | 79 - 28            |
| G155 2723 | MG155017 X/O                           | 83 - 1             |
| G155 2724 | Toner Supply Unit MG155022 O/O         | 77 - 1             |
| G155 2725 | Toner Bank Sub Assy MG155022 O/O       | 77 - 3             |
| G155 2726 | MG155018 X/O                           | 75 - 163           |
| G155 2727 | MG155018 X/O                           | 75 - 1             |
| G155 2728 | MG155014 X/O                           | 93 - 73            |
| G155 2729 | MG155025 O/O                           | 99 - 88            |
| G155 2730 | MG155026 X/O                           | 75 - 150           |
| G155 2731 | Cyclone Assy (RoHS)                    | 17 - 278           |
| G155 2732 | MG155026 X/O                           | 75 - 1             |
| G155 2740 | Paper Supporter(L) Ass'y MG155013 X/O  | 37 - 40            |
| G155 2741 | Paper Supporter (L) Ass'y MG155013 X/O | 121 - 40           |
| G155 2742 | MG155023 X/O                           | 65 - 90            |
| G155 2743 | MG155023 X/O                           | 79 - 75            |
| G155 5056 | Ball Bearing (RoHS)                    | 55 - 207           |
| G155 5061 | Ball Bearing (RoHS)                    | 71 - 317           |
| G155 5096 | Compression Spring (RoHS)              | 29 - 172           |
| G155 5112 | Retaining Ring-E (RoHS)                | 41 - 156           |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 5112 | Retaining Ring-E (RoHS)        | 37 - 156           |
| G155 5112 | Retaining Ring-E (RoHS)        | 121 -156           |
| G155 5112 | Retaining Ring-E (RoHS)        | 103 - 47           |
| G155 5133 | Line Filter (RoHS)             | 13 - 83            |
| G155 5134 | Switching Regulator (RoHS)     | 87 - 66            |
| G155 5135 | Switching Regulator (RoHS)     | 13 - 95            |
| G155 5136 | Photo Interrupter (RoHS)       | 85 - 7             |
| G155 5136 | Photo Interrupter (RoHS)       | 17 - 167           |
| G155 5137 | Photo Interrupter (RoHS)       | 101 - 16           |
| G155 5137 | Photo Interrupter (RoHS)       | 17 - 172           |
| G155 5138 | Photo Sensor (RoHS)            | 119 -238           |
| G155 5138 | Photo Sensor (RoHS)            | 39 - 238           |
| G155 5138 | Photo Sensor (RoHS)            | 53 - 148           |
| G155 5138 | Photo Sensor (RoHS)            | 35 - 238           |
| G155 5138 | Photo Sensor (RoHS)            | 43 - 20            |
| G155 5140 | Photo Interrupter (RoHS)       | 101 - 11           |
| G155 5140 | Photo Interrupter (RoHS)       | 35 - 6             |
| G155 5140 | Photo Interrupter (RoHS)       | 39 - 6             |
| G155 5140 | Photo Interrupter (RoHS)       | 59 - 8             |
| G155 5140 | Photo Interrupter (RoHS)       | 119 - 6            |
| G155 5142 | Electrostatic Voltmeter (RoHS) | 13 - 132           |
| G155 5143 | LED Eraser (RoHS)              | 63 - 58            |
| G155 5145 | Relay (RoHS)                   | 13 - 302           |
| G155 5146 | Push Switch (RoHS)             | 23 - 226           |
| G155 5146 | Push Switch (RoHS)             | 105 -215           |
| G155 5147 | Push Switch (RoHS)             | 13 - 121           |
| G155 5148 | Paddle Switch (RoHS)           | 17 - 323           |
| G155 5149 | Circuit Protector (RoHS)       | 13 - 84            |
| G155 5150 | Circuit Protector (RoHS)       | 13 - 77            |
| G155 5152 | DC Fan (RoHS)                  | 17 - 187           |
| G155 5152 | DC Fan (RoHS)                  | 17 - 330           |
| G155 5152 | DC Fan (RoHS)                  | 13 - 201           |
| G155 5152 | DC Fan (RoHS)                  | 13 - 334           |
| G155 5152 | DC Fan (RoHS)                  | 13 - 330           |
| G155 5152 | DC Fan (RoHS)                  | 79 - 4             |

| Part No.  | Description                        | Page and Index No. |
|-----------|------------------------------------|--------------------|
| G155 5152 | DC Fan (RoHS)                      | 13 - 35            |
| G155 5153 | DC Fan (RoHS)                      | 17 - 414           |
| G155 5155 | Gauge (RoHS)                       | 17 - 371           |
| G155 5237 | OPT Unit Assy (RoHS)               | 17 - 145           |
| G155 5238 | Dev Unit Ass'y (RoHS)              | 75 - 1             |
| G155 5276 | Drum Unit Assy (RoHS)              | 73 - 1             |
| G155 5307 | Charger (RoHS)                     | 63 - 150           |
| G155 5309 | Transfer Belt Assy (RoHS)          | 79 - 31            |
| G155 5312 | Discharger Ass'y (RoHS)            | 65 - 90            |
| G155 5315 | Web Cassette Ass'y (RoHS)          | 55 - 281           |
| G155 5326 | Corotron(W) Assy (RoHS)            | 79 - 75            |
| G155 5333 | Stepping Motor (RoHS)              | 107 - 174          |
| G155 5333 | Stepping Motor (RoHS)              | 29 - 168           |
| G155 5333 | Stepping Motor (RoHS)              | 95 - 89            |
| G155 5339 | Stepping Motor 2 (RoHS)            | 71 - 305           |
| G155 5339 | Stepping Motor 2 (RoHS)            | 71 - 356           |
| G155 5341 | Charger Socket (RoHS)              | 69 - 228           |
| G155 5343 | Stepping Motor 6 (RoHS)            | 59 - 99            |
| G155 5343 | Stepping Motor 6 (RoHS)            | 49 - 2             |
| G155 5343 | Stepping Motor 6 (RoHS)            | 91 - 176           |
| G155 5343 | Stepping Motor 6 (RoHS)            | 31 - 2             |
| G155 5343 | Stepping Motor 6 (RoHS)            | 47 - 133           |
| G155 5343 | Stepping Motor 6 (RoHS)            | 49 - 19            |
| G155 5343 | Stepping Motor 6 (RoHS)            | 23 - 74            |
| G155 5343 | Stepping Motor 6 (RoHS)            | 23 - 60            |
| G155 5343 | Stepping Motor 6 (RoHS)            | 69 - 250           |
| G155 5343 | Stepping Motor 6 (RoHS)            | 97 - 18            |
| G155 5349 | Relief Valve Ass'y (RoHS)          | 21 - 74            |
| G155 5360 | Diaphragm Kit (RoHS)               | 21 - 62            |
| G155 5361 | Blower (RoHS)                      | 21 - 6             |
| G155 5362 | Trans (RoHS)                       | 13 - 71            |
| G155 5363 | High-Voltage Power Supply 3 (RoHS) | 13 - 207           |
| G155 5366 | Heater Driver (RoHS)               | 13 - 215           |
| G155 5367 | PS141 Assy (RoHS)                  | 53 - 197           |
| G155 5368 | HP 121 Assy (RoHS)                 | 17 - 387           |

| Part No.  | Description                           | Page and Index No. |
|-----------|---------------------------------------|--------------------|
| G155 5369 | Auto Transformer (RoHS)               | 13 - 65            |
| G155 5370 | DV141 Assy (RoHS)                     | 13 - 30            |
| G155 5371 | RB321 Assy (RoHS)                     | 13 - 112           |
| G155 5372 | PN011 Assy (RoHS)                     | 83 - 18            |
| G155 5372 | PN011 Assy (RoHS)                     | 85 - 42            |
| G155 5421 | Timing Driven Roller(H) (RoHS)        | 53 - 162           |
| G155 5449 | Table Drive Ass'y (St) (RoHS)         | 103 - 40           |
| G155 5504 | Table Drive Sub Assy (RoHS)           | 121 - 144          |
| G155 5504 | Table Drive Sub Assy (RoHS)           | 41 - 144           |
| G155 5504 | Table Drive Sub Assy (RoHS)           | 37 - 144           |
| G155 5510 | Erase Wire Ass'y (RoHS)               | 63 - 26            |
| G155 5512 | Slide Rail(5800) (RoHS)               | 105 - 200          |
| G155 5512 | Slide Rail(5800) (RoHS)               | 85 - 30            |
| G155 5512 | Slide Rail(5800) (RoHS)               | 23 - 202           |
| G155 5516 | High-Voltage Power Supply(Ch) (RoHS)  | 13 - 129           |
| G155 5518 | Heat Roll Ass'y (RoHS)                | 55 - 200           |
| G155 5521 | Heater Lamp Ass'y (RoHS)              | 55 - 230           |
| G155 5526 | Multiple Valve Assy (RoHS)            | 29 - 159           |
| G155 5526 | Multiple Valve Assy (RoHS)            | 107 - 166          |
| G155 5529 | High-Voltage Power Supply(Dtc) (RoHS) | 13 - 394           |
| G155 5535 | OC342 Ass'y (RoHS)                    | 13 - 34            |
| G155 5539 | Stacker Controlboard (RoHS)           | 87 - 51            |
| G155 5542 | Geared Pm Stepping Motor 1 (RoHS)     | 79 - 96            |
| G155 5543 | IF651 Assy (RoHS)                     | 13 - 454           |
| G155 5585 | Stock Sprocket (RoHS)                 | 73 - 32            |
| G155 5603 | Wire (RoHS)                           | 35 - 117           |
| G155 5604 | Wire (RoHS)                           | 39 - 116           |
| G155 5605 | Wire (RoHS)                           | 39 - 117           |
| G155 5606 | Wire (RoHS)                           | 35 - 116           |
| G155 5608 | Skew Sns Assy (RoHS)                  | 41 - 48            |
| G155 5608 | Skew Sns Assy (RoHS)                  | 121 - 48           |
| G155 5608 | Skew Sns Assy (RoHS)                  | 37 - 48            |
| G155 5615 | Corotron Wire (RoHS)                  | 63 - 27            |
| G155 5633 | Tube (RoHS)                           | 21 - 45            |
| G155 5634 | Tube (RoHS)                           | 21 - 48            |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 5635 | Tube (RoHS)                    | 21 - 47            |
| G155 5636 | Tube (RoHS)                    | 21 - 64            |
| G155 5637 | Tube (RoHS)                    | 21 - 46            |
| G155 5638 | Tube (RoHS)                    | 17 - 378           |
| G155 5640 | Drum Motor Ass'y (RoHS)        | 71 - 338           |
| G155 5641 | Fuser Motor Ass'y (RoHS)       | 71 - 281           |
| G155 5643 | Air Filter Ass'y (RoHS)        | 21 - 50            |
| G155 5646 | Solenoid Valve Assy (RoHS)     | 71 - 349           |
| G155 5650 | Thermistor Ass'y (RoHS)        | 55 - 42            |
| G155 5651 | Thermistor Ass'y (RoHS)        | 55 - 46            |
| G155 5652 | FB Motor Ass'y (RoHS)          | 71 - 276           |
| G155 5656 | Drain Valve Assy (RoHS)        | 21 - 35            |
| G155 5662 | Compressor Assy (RoHS)         | 21 - 59            |
| G155 5667 | TR Cleaner Screw (RoHS)        | 79 - 85            |
| G155 5673 | PS Assy (RoHS)                 | 13 - 123           |
| G155 5675 | Fan Assy(Ce) (RoHS)            | 13 - 431           |
| G155 5678 | Attention Light Assy (RoHS)    | 13 - 453           |
| G155 5679 | DS041 Assy (RoHS)              | 53 - 173           |
| G155 5680 | LD431Assy (RoHS)               | 51 - 107           |
| G155 5680 | LD431Assy (RoHS)               | 17 - 181           |
| G155 5734 | Screw (RoHS)                   | 63 - 159           |
| G155 5755 | Feed Roller Phs(L) Assy (RoHS) | 59 - 12            |
| G155 5765 | Feed Roller Phs(S) Assy (RoHS) | 59 - 13            |
| G155 5766 | Feed Roller Si(L) Assy (RoHS)  | 47 - 70            |
| G155 5767 | Feed Roller Si(S) Assy (RoHS)  | 47 - 71            |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 111 - 1            |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 115 - 30           |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 123 - 98           |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 49 - 40            |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 97 - 1             |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 91 - 2             |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 47 - 72            |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 31 - 21            |
| G155 5768 | RTN Feed Roller(S) Assy (RoHS) | 111 - 81           |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 117 - 67           |

| Part No.  | Description                    | Page and Index No. |
|-----------|--------------------------------|--------------------|
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 113 - 33           |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 51 - 70            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 99 - 75            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 33 - 42            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 51 - 81            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 43 - 262           |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 93 - 121           |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 33 - 90            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 93 - 90            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 93 - 104           |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 117 - 129          |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 51 - 97            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 33 - 74            |
| G155 5769 | pF Pressuer Roller Assy (RoHS) | 113 - 110          |
| G155 5770 | pF Pressuer Roller Assy (RoHS) | 45 - 233           |
| G155 5770 | pF Pressuer Roller Assy (RoHS) | 59 - 71            |
| G155 5770 | pF Pressuer Roller Assy (RoHS) | 43 - 2             |
| G155 5770 | pF Pressuer Roller Assy (RoHS) | 45 - 183           |
| G155 5770 | pF Pressuer Roller Assy (RoHS) | 59 - 57            |
| G155 5770 | pF Pressuer Roller Assy (RoHS) | 59 - 140           |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 117 - 130          |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 113 - 34           |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 51 - 71            |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 33 - 91            |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 99 - 76            |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 43 - 263           |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 93 - 91            |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 63 - 98            |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 33 - 75            |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 113 - 111          |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 93 - 122           |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 51 - 98            |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 93 - 105           |
| G155 5771 | pF Pressuer Roller Assy (RoHS) | 51 - 82            |
| G155 5772 | pF Pressuer Roller Assy (RoHS) | 45 - 184           |

| Part No.  | Description                         | Page and Index No. |
|-----------|-------------------------------------|--------------------|
| G155 5772 | pF Pressuer Roller Assy (RoHS)      | 59 - 141           |
| G155 5772 | pF Pressuer Roller Assy (RoHS)      | 45 - 234           |
| G155 5772 | pF Pressuer Roller Assy (RoHS)      | 59 - 72            |
| G155 5772 | pF Pressuer Roller Assy (RoHS)      | 59 - 56            |
| G155 5772 | pF Pressuer Roller Assy (RoHS)      | 43 - 3             |
| G155 5861 | Stopper Ass'y (H) (RoHS)            | 101 - 107          |
| G155 5868 | Gate Cam Assy(3) (RoHS)             | 93 - 144           |
| G155 5868 | Gate Cam Assy(3) (RoHS)             | 47 - 98            |
| G155 5869 | Off Set Roller Shaft Assy(H) (RoHS) | 95 - 8             |
| G155 5900 | Jam Clear Shaft Assy (RoHS)         | 31 - 22            |
| G155 5903 | Pick Feed Roller Assy (RoHS)        | 31 - 19            |
| G155 5904 | Pick Feed Roller Assy (RoHS)        | 31 - 20            |
| G155 5905 | FL Cam Shaft(2) Assy (RoHS)         | 59 - 85            |
| G155 5910 | Retraction Roller(3) Assy (RoHS)    | 59 - 119           |
| G155 5912 | Regist Roller Assy(H) (RoHS)        | 49 - 38            |
| G155 5914 | Drive Roller Assy (RoHS)            | 79 - 57            |
| G155 5915 | Timing Roller Assy(H) (RoHS)        | 49 - 39            |
| G155 5920 | Dev Connect Cable Ass'y (RoHS)      | 69 - 240           |
| G155 5921 | Fuser Connect Cable Assy (RoHS)     | 69 - 346           |
| G155 5927 | TR Ass'y (RoHS)                     | 75 - 18            |
| G155 5928 | Auger Screw(B) Ass'y (RoHS)         | 75 - 27            |
| G155 5929 | Auger Screw(A) Ass'y (RoHS)         | 75 - 25            |
| G155 5931 | DEV Duct Assy (RoHS)                | 75 - 35            |
| G155 5932 | HR Actuator Ass'y (RoHS)            | 55 - 179           |
| G155 5933 | Pick Blower Assy (RoHS)             | 17 - 41            |
| G155 5945 | Eliminator-Ptv Assy (RoHS)          | 33 - 105           |
| G155 5946 | Eliminator-Phr Assy (RoHS)          | 53 - 153           |
| G155 5964 | Eliminator Assy(Exit) (RoHS)        | 113 - 137          |
| G155 5964 | Eliminator Assy(Exit) (RoHS)        | 33 - 46            |
| G155 5967 | Screw Shaft(H) (RoHS)               | 79 - 83            |
| G155 5971 | HDD Maintenance Assy (Ehp) (RoHS)   | 13 - 432           |
| G155 5979 | Eliminate Sheet(Ap) Assy (RoHS)     | 25 - 10            |
| G155 6001 | pF Pressure Roller2 Assy (RoHS)     | 117 - 132          |
| G155 6001 | pF Pressure Roller2 Assy (RoHS)     | 123 - 49           |
| G155 6001 | pF Pressure Roller2 Assy (RoHS)     | 53 - 181           |

| Part No.  | Description                       | Page and Index No. |
|-----------|-----------------------------------|--------------------|
| G155 6002 | pF Pressure Roller2 Assy (RoHS)   | 123 - 50           |
| G155 6002 | pF Pressure Roller2 Assy (RoHS)   | 53 - 182           |
| G155 6002 | pF Pressure Roller2 Assy (RoHS)   | 117 - 133          |
| G155 6004 | RTN Feed Roller(Lgp) Assy (RoHS)  | 49 - 41            |
| G155 6004 | RTN Feed Roller(Lgp) Assy (RoHS)  | 115 - 33           |
| G155 6005 | RTN Feed Roller(Lg) Assy (RoHS)   | 91 - 1             |
| G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS) | 47 - 69            |
| G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS) | 91 - 3             |
| G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS) | 111 - 2            |
| G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS) | 31 - 23            |
| G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS) | 97 - 2             |
| G155 6006 | RTN Feed Roller(Sgp) Ass'y (RoHS) | 123 - 95           |
| G155 6007 | RTN Feed Roller(Sg) Assy (RoHS)   | 123 - 92           |
| G155 6007 | RTN Feed Roller(Sg) Assy (RoHS)   | 49 - 42            |
| G155 6008 | Feed Roller Si(Sgp) Assy (RoHS)   | 47 - 67            |
| G155 6009 | Feed Roller Si(Sg) Assy (RoHS)    | 47 - 68            |
| G155 6033 | Toner Control Sensor (RoHS)       | 75 - 142           |
| G155 6035 | EOF Spring (RoHS)                 | 37 - 63            |
| G155 6035 | EOF Spring (RoHS)                 | 121 - 63           |
| G155 6035 | EOF Spring (RoHS)                 | 41 - 63            |
| G155 6043 | Silencer-2 (RoHS)                 | 21 - 76            |
| G155 6044 | Idler Pulley A Ass'y (RoHS)       | 103 - 27           |
| G155 6044 | Idler Pulley A Ass'y (RoHS)       | 103 - 22           |
| G155 6048 | Carbon Electrode (RoHS)           | 53 - 43            |
| G155 6048 | Carbon Electrode (RoHS)           | 73 - 47            |
| G155 6048 | Carbon Electrode (RoHS)           | 49 - 43            |
| G155 6048 | Carbon Electrode (RoHS)           | 95 - 83            |
| G155 6048 | Carbon Electrode (RoHS)           | 59 - 18            |
| G155 6048 | Carbon Electrode (RoHS)           | 59 - 166           |
| G155 6048 | Carbon Electrode (RoHS)           | 111 - 10           |
| G155 6048 | Carbon Electrode (RoHS)           | 97 - 9             |
| G155 6048 | Carbon Electrode (RoHS)           | 111 - 88           |
| G155 6048 | Carbon Electrode (RoHS)           | 31 - 24            |
| G155 6048 | Carbon Electrode (RoHS)           | 47 - 82            |
| G155 6048 | Carbon Electrode (RoHS)           | 91 - 10            |

| Part No.  | Description                           | Page and Index No. |
|-----------|---------------------------------------|--------------------|
| G155 6048 | Carbon Electrode (RoHS)               | 115 - 41           |
| G155 6048 | Carbon Electrode (RoHS)               | 79 - 72            |
| G155 6060 | DEV Earth Plate (RoHS)                | 75 - 111           |
| G155 6084 | Drum Drive Shaft Ass'y (RoHS)         | 71 - 325           |
| G155 6092 | Earth Spring Assy(5) (RoHS)           | 79 - 38            |
| G155 6152 | TH Idle Gear(2) Assy (RoHS)           | 77 - 58            |
| G155 6153 | TH Idle Gear-1 Assy (RoHS)            | 77 - 54            |
| G155 6162 | FB Driven Cone Assy (RoHS)            | 81 - 30            |
| G155 6165 | Element (RoHS)                        | 21 - 56            |
| G155 6184 | Solenoid(Thermistor) (RoHS)           | 55 - 56            |
| G155 6255 | Table Worm Wheel Ass'y (RoHS)         | 103 - 46           |
| G155 6292 | Damper Holder Staking Assy (RoHS)     | 119 -198           |
| G155 6292 | Damper Holder Staking Assy (RoHS)     | 35 - 198           |
| G155 6292 | Damper Holder Staking Assy (RoHS)     | 39 - 198           |
| G155 6334 | DEV Motor Ass'y (RoHS)                | 75 - 118           |
| G155 6345 | Custom Size Switch Assy (RoHS)        | 119 -229           |
| G155 6345 | Custom Size Switch Assy (RoHS)        | 35 - 229           |
| G155 6345 | Custom Size Switch Assy (RoHS)        | 39 - 229           |
| G155 6461 | Hopper Control Board 1 (RoHS)         | 107 -255           |
| G155 6463 | HP122 Assy (RoHS)                     | 107 -257           |
| G155 6470 | Wire (RoHS)                           | 119 -116           |
| G155 6471 | Wire (RoHS)                           | 119 -117           |
| G155 6499 | Pick Feed Roller(Ap) Assy (RoHS)      | 115 - 24           |
| G155 6504 | Idler Shaft(Lp2) Assy (RoHS)          | 115 - 27           |
| G155 6678 | Fuser Ass'y (RoHS)                    | 55 - 3             |
| G155 6694 | Back Up Roll (RoHS)                   | 55 - 117           |
| G155 8141 | MG155030 X/X                          | 17 - 222           |
| G155 8241 | Top Cover(R)2 W Assy (RoHS) X/X       | 83 - 104           |
| G155 8273 | Rear Cover Assy (H) (RoHS) X/X        | 89 - 162           |
| G155 8404 | Rear Cover (Lh) Assy (RoHS) X/X       | 109 -320           |
| G155 8514 | Panel Assy (RoHS) X/X                 | 17 - 13            |
| G155 8538 | Optics Board (RoHS)                   | 13 - 33            |
| G155 8969 | DDRDIMM Assy (RoHS) X/X               | 13 - 438           |
| G155 8970 | Controller Board Assy(Ehp) (RoHS) X/X | 13 - 436           |

| Part No.  | Description                       | Page and Index No. |
|-----------|-----------------------------------|--------------------|
| G150 1000 | VF Washer                         | 69 - 272           |
| G150 1000 | VF Washer                         | 25 - 40            |
| G150 1000 | VF Washer                         | 65 - 17            |
| G150 1000 | VF Washer                         | 25 - 48            |
| G150 1000 | VF Washer                         | 73 - 24            |
| G150 1000 | VF Washer                         | 105 - 54           |
| G150 1000 | VF Washer                         | 21 - 40            |
| G150 1000 | VF Washer                         | 75 - 136           |
| G150 1000 | VF Washer                         | 105 - 64           |
| G150 1001 | Shoulder Screw                    | 85 - 127           |
| G150 1001 | Shoulder Screw                    | 105 -122           |
| G150 1001 | Sholder Screw                     | 17 - 451           |
| G150 1001 | Sholder Screw                     | 27 - 113           |
| G150 1001 | Shoulder Screw                    | 67 - 180           |
| G150 1001 | Shoulder Screw                    | 93 - 89            |
| G150 1001 | Shoulder Screw                    | 99 - 56            |
| G150 1001 | Shoulder Screw                    | 85 - 152           |
| G150 1001 | Shoulder Screw                    | 53 - 205           |
| G150 1002 | Poly Slider                       | 101 -123           |
| G150 1002 | Poly Slider                       | 75 - 80            |
| G150 1002 | Poly Slider                       | 101 -131           |
| G150 1004 | M3X6 Hex Socket Bolt              | 75 - 63            |
| G150 1005 | M3X14 Hex Socket Bolt             | 75 - 54            |
| G150 1006 | M3X12 Hex Socket Bolt With SW & W | 65 - 70            |
| G150 1006 | M3X12 Hex Socket Bolt With SW & W | 71 - 335           |
| G150 1008 | M3X5 Bind Screw                   | 107 -259           |
| G150 1008 | M3X5 Bind Screw                   | 87 - 54            |
| G150 1008 | M3X5 Bind Screw                   | 13 - 444           |
| G150 1009 | M3X6 Bind Screw                   | 53 - 206           |
| G150 1009 | M3X6 Bind Screw                   | 41 - 97            |
| G150 1009 | M3X6 Bind Screw                   | 25 - 27            |
| G150 1009 | M3X6 Bind Screw                   | 109 -311           |
| G150 1009 | M3X6 Bind Screw                   | 41 - 228           |
| G150 1009 | M3X6 Bind Screw                   | 89 - 214           |
| G150 1009 | M3X6 Bind Screw                   | 89 - 169           |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G150 1009 | M3X6 Bind Screw          | 53 - 214           |
| G150 1009 | M3X6 Bind Screw          | 121 - 97           |
| G150 1009 | Bind Screw M3X6 MG155019 | 41 - 267           |
| G150 1009 | M3X6 Bind Screw          | 119 -231           |
| G150 1009 | M3X6 Bind Screw          | 53 - 218           |
| G150 1009 | M3X6 Bind Screw          | 13 - 133           |
| G150 1009 | M3X6 Bind Screw          | 17 - 182           |
| G150 1009 | M3X6 Bind Screw          | 35 - 231           |
| G150 1009 | M3X6 Bind Screw          | 55 - 291           |
| G150 1009 | M3X6 Bind Screw          | 13 - 455           |
| G150 1009 | M3X6 Bind Screw          | 37 - 66            |
| G150 1009 | M3X6 Bind Screw          | 121 - 66           |
| G150 1009 | M3X6 Bind Screw          | 119 -105           |
| G150 1009 | M3X6 Bind Screw          | 37 - 97            |
| G150 1009 | M3X6 Bind Screw          | 17 - 142           |
| G150 1009 | M3X6 Bind Screw          | 13 - 78            |
| G150 1009 | M3X6 Bind Screw          | 37 - 228           |
| G150 1009 | Bind Screw M3X6 MG155019 | 37 - 267           |
| G150 1009 | Bind Screw M3X6 MG155019 | 121 -267           |
| G150 1009 | M3X6 Bind Screw          | 35 - 105           |
| G150 1009 | M3X6 Bind Screw          | 39 - 105           |
| G150 1009 | M3X6 Bind Screw          | 85 - 87            |
| G150 1009 | M3X6 Bind Screw          | 85 - 90            |
| G150 1009 | M3X6 Bind Screw          | 51 - 133           |
| G150 1009 | M3X6 Bind Screw          | 121 -228           |
| G150 1009 | M3X6 Bind Screw          | 39 - 210           |
| G150 1009 | M3X6 Bind Screw          | 13 - 130           |
| G150 1009 | M3X6 Bind Screw          | 105 - 39           |
| G150 1009 | M3X6 Bind Screw          | 39 - 231           |
| G150 1009 | M3X6 Bind Screw          | 41 - 66            |
| G150 1009 | M3X6 Bind Screw          | 95 - 33            |
| G150 1010 | M3X8 Bind Screw          | 39 - 241           |
| G150 1010 | M3X8 Bind Screw          | 59 - 116           |
| G150 1010 | M3X8 Bind Screw          | 41 - 62            |
| G150 1010 | M3X8 Bind Screw          | 37 - 70            |

| Part No.  | Description     | Page and Index No. |
|-----------|-----------------|--------------------|
| G150 1010 | M3X8 Bind Screw | 119 -254           |
| G150 1010 | M3X8 Bind Screw | 25 - 16            |
| G150 1010 | M3X8 Bind Screw | 37 - 62            |
| G150 1010 | M3X8 Bind Screw | 121 - 70           |
| G150 1010 | M3X8 Bind Screw | 13 - 96            |
| G150 1010 | M3X8 Bind Screw | 41 - 70            |
| G150 1010 | M3X8 Bind Screw | 35 - 254           |
| G150 1010 | M3X8 Bind Screw | 35 - 251           |
| G150 1010 | M3X8 Bind Screw | 105 -339           |
| G150 1010 | M3X8 Bind Screw | 105 - 25           |
| G150 1010 | M3X8 Bind Screw | 23 - 234           |
| G150 1010 | M3X8 Bind Screw | 35 - 241           |
| G150 1010 | M3X8 Bind Screw | 121 - 62           |
| G150 1010 | M3X8 Bind Screw | 119 -241           |
| G150 1010 | M3X8 Bind Screw | 55 - 146           |
| G150 1013 | M4X6 Bind Screw | 55 - 35            |
| G150 1013 | M4X6 Bind Screw | 53 - 192           |
| G150 1013 | M4X6 Bind Screw | 51 - 102           |
| G150 1013 | M4X6 Bind Screw | 117 -146           |
| G150 1013 | M4X6 Bind Screw | 117 - 77           |
| G150 1013 | M4X6 Bind Screw | 117 -120           |
| G150 1013 | M4X6 Bind Screw | 69 - 239           |
| G150 1013 | M4X6 Bind Screw | 33 - 50            |
| G150 1013 | M4X6 Bind Screw | 51 - 76            |
| G150 1013 | M4X6 Bind Screw | 77 - 67            |
| G150 1013 | M4X6 Bind Screw | 55 - 197           |
| G150 1013 | M4X6 Bind Screw | 55 - 318           |
| G150 1013 | M4X6 Bind Screw | 117 - 96           |
| G150 1014 | M4X8 Bind Screw | 75 - 67            |
| G150 1014 | M4X8 Bind Screw | 13 - 146           |
| G150 1014 | M4X8 Bind Screw | 33 - 70            |
| G150 1014 | M4X8 Bind Screw | 119 -123           |
| G150 1014 | M4X8 Bind Screw | 39 - 213           |
| G150 1014 | M4X8 Bind Screw | 89 - 172           |
| G150 1014 | M4X8 Bind Screw | 17 - 459           |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G150 1014 | Screw,M4X8 Bind          | 21 - 4             |
| G150 1014 | M4X8 Bind Screw          | 87 - 59            |
| G150 1014 | M4X8 Bind Screw          | 89 - 163           |
| G150 1014 | M4X8 Bind Screw          | 89 - 166           |
| G150 1014 | M4X8 Bind Screw          | 89 - 175           |
| G150 1014 | M4X8 Bind Screw          | 89 - 196           |
| G150 1014 | M4X8 Bind Screw          | 89 - 213           |
| G150 1014 | M4X8 Bind Screw          | 93 - 18            |
| G150 1014 | M4X8 Bind Screw          | 79 - 55            |
| G150 1014 | M4X8 Bind Screw          | 109 - 318          |
| G150 1014 | M4X8 Bind Screw          | 33 - 102           |
| G150 1014 | M4X8 Bind Screw          | 35 - 123           |
| G150 1014 | M4X8 Bind Screw          | 17 - 146           |
| G150 1014 | M4X8 Bind Screw          | 35 - 213           |
| G150 1014 | Screw,M4X8 Bind          | 83 - 33            |
| G150 1014 | Screw,M4X8 Bind          | 83 - 52            |
| G150 1014 | Screw,M4X8 Bind          | 83 - 61            |
| G150 1014 | M4X8 Bind Screw          | 13 - 24            |
| G150 1014 | M4X8 Bind Screw          | 119 - 213          |
| G150 1014 | Bind Screw M4x8 MG155008 | 13 - 466           |
| G150 1014 | Bind Screw M4x8 MG155008 | 13 - 469           |
| G150 1014 | M4X8 Bind Screw          | 83 - 101           |
| G150 1014 | M4X8 Bind Screw          | 83 - 105           |
| G150 1014 | M4X8 Bind Screw          | 83 - 119           |
| G150 1014 | Screw,M4X8 Bind          | 83 - 132           |
| G150 1014 | Screw,M4X8 Bind          | 83 - 6             |
| G150 1014 | M4X8 Bind Screw          | 83 - 137           |
| G150 1014 | M4X8 Bind Screw          | 75 - 60            |
| G150 1014 | M4X8 Bind Screw          | 33 - 62            |
| G150 1014 | M4X8 Bind Screw          | 85 - 96            |
| G150 1014 | M4X8 Bind Screw          | 39 - 123           |
| G150 1015 | M4X10 Bind Screw         | 35 - 222           |
| G150 1015 | M4X10 Bind Screw         | 53 - 241           |
| G150 1015 | M4X10 Bind Screw         | 39 - 222           |
| G150 1015 | M4X10 Bind Screw         | 119 - 222          |

| Part No.  | Description                           | Page and Index No. |
|-----------|---------------------------------------|--------------------|
| G150 1016 | M4X12 Bind Screw                      | 117 - 155          |
| G150 1016 | M4X12 Bind Screw                      | 121 - 42           |
| G150 1016 | M4X12 Bind Screw                      | 93 - 96            |
| G150 1016 | M4X12 Bind Screw                      | 121 - 94           |
| G150 1016 | M4X12 Bind Screw                      | 13 - 430           |
| G150 1016 | M4X12 Bind Screw                      | 37 - 42            |
| G150 1016 | M4X12 Bind Screw                      | 13 - 445           |
| G150 1016 | Screw,M4X12 Bind                      | 83 - 149           |
| G150 1016 | M4X12 Bind Screw                      | 41 - 42            |
| G150 1016 | M4X12 Bind Screw                      | 83 - 146           |
| G150 1016 | M4X12 Bind Screw                      | 37 - 94            |
| G150 1016 | Screw,M4X12 Bind                      | 83 - 143           |
| G150 1016 | Screw,M4X12 Bind                      | 83 - 140           |
| G150 1016 | M4X12 Bind Screw                      | 41 - 94            |
| G150 1016 | Screw,M4X12 Bind                      | 83 - 122           |
| G150 1021 | M3X6 Tap Screw                        | 67 - 182           |
| G150 1021 | Tap Screw,M3X6                        | 79 - 92            |
| G150 1021 | Tap Screw,M3X6                        | 79 - 98            |
| G150 1021 | Tap Screw,M3X6                        | 79 - 112           |
| G150 1021 | M3X6 Tap Screw                        | 69 - 144           |
| G150 1021 | Tap Screw,M3X6                        | 79 - 79            |
| G150 1021 | M3X6 Tap Screw                        | 67 - 206           |
| G150 1021 | M3X6 Tap Screw                        | 65 - 99            |
| G150 1022 | Tap Screw                             | 75 - 20            |
| G150 1022 | Tap Screw                             | 75 - 30            |
| G150 1022 | M4X12 Tap Screw                       | 75 - 38            |
| G150 1022 | M4X12 Tap Screw                       | 73 - 27            |
| G150 1022 | M4X12 Tap Screw                       | 75 - 137           |
| G150 1024 | Tap Screw,M3X8 Pan Hd.Phillips With W | 77 - 35            |
| G150 1024 | M3X8 Tap Screw                        | 65 - 77            |
| G150 1024 | M3X8 Tap Screw                        | 63 - 155           |
| G150 1026 | M3X8 Tap Screw                        | 95 - 62            |
| G150 1026 | M3X8 Tap Screw                        | 95 - 51            |
| G150 1026 | M3X8 Tap Screw                        | 95 - 49            |
| G150 1034 | Flange Nut                            | 45 - 288           |

| Part No.  | Description         | Page and Index No. |
|-----------|---------------------|--------------------|
| G150 1034 | Flange Nut          | 13 - 37            |
| G150 1034 | Flange Nut          | 17 - 189           |
| G150 1034 | Flange Nut          | 51 - 130           |
| G150 1035 | Flange Nut          | 83 - 32            |
| G150 1035 | Flange Nut MG155008 | 13 - 464           |
| G150 1035 | Flange Nut          | 17 - 156           |
| G150 1035 | Flange Nut          | 99 - 82            |
| G150 1035 | Flange Nut          | 13 - 151           |
| G150 1035 | Flange Nut          | 99 - 61            |
| G150 1042 | Ball Bearing        | 115 - 37           |
| G150 1042 | Ball Bearing        | 95 - 58            |
| G150 1043 | Derlin Bearing      | 113 - 46           |
| G150 1043 | Derlin Bearing      | 93 - 94            |
| G150 1044 | Derlin Bearing      | 119 -121           |
| G150 1044 | Derlin Bearing      | 35 - 121           |
| G150 1044 | Derlin Bearing      | 39 - 121           |
| G150 1045 | Sleeve Bearing      | 71 - 366           |
| G150 1045 | Sleeve Bearing      | 91 - 16            |
| G150 1045 | Sleeve Bearing      | 47 - 87            |
| G150 1045 | Sleeve Bearing      | 59 - 131           |
| G150 1045 | Sleeve Bearing      | 65 - 66            |
| G150 1045 | Sleeve Bearing      | 65 - 15            |
| G150 1045 | Sleeve Bearing      | 63 - 124           |
| G150 1046 | Sleeve Bearing      | 39 - 191           |
| G150 1046 | Sleeve Bearing      | 35 - 187           |
| G150 1046 | Sleeve Bearing      | 91 - 17            |
| G150 1046 | Sleeve Bearing      | 95 - 60            |
| G150 1046 | Sleeve Bearing      | 35 - 191           |
| G150 1046 | Sleeve Bearing      | 119 -191           |
| G150 1046 | Sleeve Bearing      | 39 - 187           |
| G150 1046 | Sleeve Bearing      | 75 - 14            |
| G150 1046 | Sleeve Bearing      | 47 - 88            |
| G150 1046 | Sleeve Bearing      | 47 - 57            |
| G150 1046 | Sleeve Bearing      | 59 - 129           |
| G150 1046 | Sleeve Bearing      | 119 -187           |

| Part No.  | Description        | Page and Index No. |
|-----------|--------------------|--------------------|
| G150 1047 | Sleeve Bearing     | 121 -139           |
| G150 1047 | Sleeve Bearing     | 39 - 203           |
| G150 1047 | Sleeve Bearing     | 119 -203           |
| G150 1047 | Sleeve Bearing     | 35 - 203           |
| G150 1047 | Sleeve Bearing     | 41 - 139           |
| G150 1047 | Sleeve Bearing     | 55 - 23            |
| G150 1047 | Sleeve Bearing     | 37 - 139           |
| G150 1049 | Rivet              | 69 - 244           |
| G150 1055 | Compression Spring | 63 - 186           |
| G150 1058 | Compression Spring | 105 -120           |
| G150 1058 | Compression Spring | 27 - 111           |
| G150 1060 | Compression Spring | 69 - 218           |
| G150 1063 | Extension Spring   | 23 - 135           |
| G150 1063 | Extension Spring   | 105 -139           |
| G150 1065 | Extension Spring   | 33 - 43            |
| G150 1065 | Extension Spring   | 45 - 241           |
| G150 1065 | Extension Spring   | 93 - 92            |
| G150 1065 | Extension Spring   | 99 - 77            |
| G150 1065 | Extension Spring   | 45 - 188           |
| G150 1065 | Extension Spring   | 33 - 93            |
| G150 1065 | Extension Spring   | 43 - 267           |
| G150 1065 | Extension Spring   | 33 - 76            |
| G150 1065 | Extension Spring   | 113 -113           |
| G150 1065 | Extension Spring   | 123 - 51           |
| G150 1065 | Extension Spring   | 53 - 183           |
| G150 1065 | Extension Spring   | 117 - 70           |
| G150 1065 | Extension Spring   | 51 - 99            |
| G150 1065 | Extension Spring   | 51 - 83            |
| G150 1065 | Extension Spring   | 113 - 38           |
| G150 1065 | Extension Spring   | 51 - 72            |
| G150 1065 | Extension Spring   | 93 - 129           |
| G150 1065 | Extension Spring   | 93 - 123           |
| G150 1065 | Extension Spring   | 117 -131           |
| G150 1065 | Extension Spring   | 93 - 106           |
| G150 1067 | Extension Spring   | 47 - 96            |



| Part No.  | Description      | Page and Index No. |
|-----------|------------------|--------------------|
| G150 1067 | Extension Spring | 55 - 63            |
| G150 1067 | Extension Spring | 91 - 161           |
| G150 1072 | Extension Spring | 35 - 215           |
| G150 1072 | Extension Spring | 119 -215           |
| G150 1072 | Extension Spring | 39 - 108           |
| G150 1073 | Extension Spring | 55 - 132           |
| G150 1074 | Extension Spring | 85 - 160           |
| G150 1075 | Extension Spring | 35 - 206           |
| G150 1075 | Extension Spring | 119 -206           |
| G150 1075 | Extension Spring | 39 - 206           |
| G150 1076 | Extension Spring | 45 - 293           |
| G150 1083 | Retaining Ring-E | 27 - 115           |
| G150 1083 | Retaining Ring-E | 63 - 160           |
| G150 1083 | Retaining Ring-E | 79 - 45            |
| G150 1083 | Retaining Ring-E | 13 - 252           |
| G150 1083 | Retaining Ring-E | 83 - 96            |
| G150 1083 | Retaining Ring-E | 85 - 132           |
| G150 1083 | Retaining Ring-E | 105 -113           |
| G150 1083 | Retaining Ring-E | 55 - 236           |
| G150 1083 | Retaining Ring-E | 55 - 190           |
| G150 1083 | Retaining Ring-E | 55 - 184           |
| G150 1083 | Retaining Ring-E | 27 - 106           |
| G150 1083 | Retaining Ring-E | 79 - 88            |
| G150 1084 | Retaining Ring-E | 55 - 303           |
| G150 1084 | Retaining Ring-E | 73 - 52            |
| G150 1084 | Retaining Ring-E | 63 - 165           |
| G150 1084 | Retaining Ring-E | 45 - 245           |
| G150 1084 | Retaining Ring-E | 59 - 38            |
| G150 1084 | Retaining Ring-E | 105 -138           |
| G150 1084 | Retaining Ring-E | 63 - 127           |
| G150 1084 | Retaining Ring-E | 37 - 56            |
| G150 1084 | Retaining Ring-E | 13 - 249           |
| G150 1084 | Retaining Ring-E | 79 - 63            |
| G150 1084 | Retaining Ring-E | 47 - 55            |
| G150 1084 | Retaining Ring-E | 81 - 34            |

| Part No.  | Description      | Page and Index No. |
|-----------|------------------|--------------------|
| G150 1084 | Retaining Ring-E | 99 - 73            |
| G150 1084 | Retaining Ring-E | 121 - 56           |
| G150 1084 | Retaining Ring-E | 25 - 13            |
| G150 1084 | Retaining Ring-E | 71 - 365           |
| G150 1084 | Retaining Ring-E | 33 - 98            |
| G150 1084 | Retaining Ring-E | 51 - 136           |
| G150 1084 | Retaining Ring-E | 55 - 217           |
| G150 1084 | Retaining Ring-E | 113 -117           |
| G150 1084 | Retaining Ring-E | 43 - 282           |
| G150 1084 | Retaining Ring-E | 123 - 56           |
| G150 1084 | Retaining Ring-E | 63 - 187           |
| G150 1084 | Retaining Ring-E | 87 - 25            |
| G150 1084 | Retaining Ring-E | 41 - 56            |
| G150 1084 | Retaining Ring-E | 43 - 40            |
| G150 1084 | Retaining Ring-E | 45 - 192           |
| G150 1084 | Retaining Ring-E | 23 - 145           |
| G150 1084 | Retaining Ring-E | 99 - 90            |
| G150 1084 | Retaining Ring-E | 105 - 31           |
| G150 1084 | Retaining Ring-E | 43 - 275           |
| G150 1084 | Retaining Ring-E | 59 - 65            |
| G150 1085 | Retaining Ring-E | 113 - 55           |
| G150 1085 | Retaining Ring-E | 51 - 125           |
| G150 1085 | Retaining Ring-E | 45 - 197           |
| G150 1085 | Retaining Ring-E | 55 - 312           |
| G150 1085 | Retaining Ring-E | 93 - 85            |
| G150 1085 | Retaining Ring-E | 105 - 99           |
| G150 1085 | Retaining Ring-E | 77 - 45            |
| G150 1085 | Retaining Ring-E | 65 - 7             |
| G150 1085 | Retaining Ring-E | 39 - 189           |
| G150 1085 | Retaining Ring-E | 71 - 368           |
| G150 1085 | Retaining Ring-E | 39 - 192           |
| G150 1085 | Retaining Ring-E | 55 - 131           |
| G150 1085 | Retaining Ring-E | 81 - 31            |
| G150 1085 | Retaining Ring-E | 91 - 18            |
| G150 1085 | Retaining Ring-E | 35 - 189           |

| Part No.  | Description      | Page and Index No. |
|-----------|------------------|--------------------|
| G150 1085 | Retaining Ring-E | 35 - 113           |
| G150 1085 | Retaining Ring-E | 119 - 189          |
| G150 1085 | Retaining Ring-E | 111 - 128          |
| G150 1085 | Retaining Ring-E | 123 - 89           |
| G150 1085 | Retaining Ring-E | 69 - 255           |
| G150 1085 | Retaining Ring-E | 59 - 40            |
| G150 1085 | Retaining Ring-E | 47 - 56            |
| G150 1085 | Retaining Ring-E | 113 - 59           |
| G150 1085 | Retaining Ring-E | 93 - 103           |
| G150 1085 | Retaining Ring-E | 79 - 10            |
| G150 1085 | Retaining Ring-E | 35 - 192           |
| G150 1085 | Retaining Ring-E | 27 - 94            |
| G150 1085 | Retaining Ring-E | 113 - 41           |
| G150 1085 | Retaining Ring-E | 93 - 108           |
| G150 1085 | Retaining Ring-E | 51 - 96            |
| G150 1085 | Retaining Ring-E | 77 - 19            |
| G150 1085 | Retaining Ring-E | 43 - 22            |
| G150 1085 | Retaining Ring-E | 117 - 116          |
| G150 1085 | Retaining Ring-E | 43 - 34            |
| G150 1085 | Retaining Ring-E | 59 - 120           |
| G150 1085 | Retaining Ring-E | 117 - 140          |
| G150 1085 | Retaining Ring-E | 95 - 61            |
| G150 1085 | Retaining Ring-E | 27 - 91            |
| G150 1085 | Retaining Ring-E | 55 - 104           |
| G150 1085 | Retaining Ring-E | 47 - 60            |
| G150 1085 | Retaining Ring-E | 51 - 100           |
| G150 1085 | Retaining Ring-E | 59 - 130           |
| G150 1085 | Retaining Ring-E | 119 - 113          |
| G150 1085 | Retaining Ring-E | 93 - 131           |
| G150 1085 | Retaining Ring-E | 27 - 97            |
| G150 1085 | Retaining Ring-E | 55 - 167           |
| G150 1085 | Retaining Ring-E | 47 - 89            |
| G150 1085 | Retaining Ring-E | 65 - 86            |
| G150 1085 | Retaining Ring-E | 93 - 132           |
| G150 1085 | Retaining Ring-E | 119 - 192          |

| Part No.  | Description      | Page and Index No. |
|-----------|------------------|--------------------|
| G150 1085 | Retaining Ring-E | 39 - 113           |
| G150 1086 | Retaining Ring-E | 101 - 65           |
| G150 1086 | Retaining Ring-E | 85 - 151           |
| G150 1086 | Retaining Ring-E | 45 - 251           |
| G150 1086 | Retaining Ring-E | 121 - 95           |
| G150 1086 | Retaining Ring-E | 33 - 80            |
| G150 1086 | Retaining Ring-E | 117 - 110          |
| G150 1086 | Retaining Ring-E | 41 - 95            |
| G150 1086 | Retaining Ring-E | 117 - 107          |
| G150 1086 | Retaining Ring-E | 119 - 204          |
| G150 1086 | Retaining Ring-E | 39 - 204           |
| G150 1086 | Retaining Ring-E | 37 - 95            |
| G150 1086 | Retaining Ring-E | 37 - 43            |
| G150 1086 | Retaining Ring-E | 101 - 35           |
| G150 1086 | Retaining Ring-E | 73 - 48            |
| G150 1086 | Retaining Ring-E | 101 - 90           |
| G150 1086 | Retaining Ring-E | 101 - 53           |
| G150 1086 | Retaining Ring-E | 55 - 31            |
| G150 1086 | Retaining Ring-E | 41 - 43            |
| G150 1086 | Retaining Ring-E | 35 - 204           |
| G150 1086 | Retaining Ring-E | 75 - 15            |
| G150 1087 | Retaining Ring-E | 55 - 168           |
| G150 1087 | Retaining Ring-E | 69 - 219           |
| G150 1087 | Retaining Ring-E | 33 - 96            |
| G150 1087 | Retaining Ring-E | 77 - 55            |
| G150 1087 | Retaining Ring-E | 113 - 127          |
| G150 1087 | Retaining Ring-E | 105 - 26           |
| G150 1087 | Retaining Ring-E | 77 - 16            |
| G150 1087 | Retaining Ring-E | 53 - 193           |
| G150 1087 | Retaining Ring-E | 65 - 16            |
| G150 1087 | Retaining Ring-E | 53 - 191           |
| G150 1087 | Retaining Ring-E | 77 - 42            |
| G150 1087 | Retaining Ring-E | 95 - 11            |
| G150 1087 | Retaining Ring-E | 101 - 132          |
| G150 1087 | Retaining Ring-E | 33 - 79            |

| Part No.  | Description       | Page and Index No. |
|-----------|-------------------|--------------------|
| G150 1087 | Retaining Ring-E  | 55 - 60            |
| G150 1087 | Retaining Ring-E  | 71 - 369           |
| G150 1087 | Retaining Ring-E  | 81 - 8             |
| G150 1087 | Retaining Ring-E  | 59 - 132           |
| G150 1087 | Retaining Ring-E  | 81 - 18            |
| G150 1087 | Retaining Ring-E  | 25 - 17            |
| G150 1087 | Retaining Ring-E  | 123 - 66           |
| G150 1087 | Retaining Ring-E  | 101 - 124          |
| G150 1087 | Retaining Ring-E  | 77 - 59            |
| G150 1087 | Retaining Ring-E  | 43 - 21            |
| G150 1087 | Retaining Ring-E  | 55 - 18            |
| G150 1087 | Retaining Ring-E  | 65 - 67            |
| G150 1087 | Retaining Ring-E  | 55 - 13            |
| G150 1087 | Retaining Ring-E  | 53 - 220           |
| G150 1087 | Retaining Ring-E  | 93 - 120           |
| G150 1087 | Retaining Ring-E  | 95 - 59            |
| G150 1087 | Retaining Ring-E  | 45 - 249           |
| G150 1087 | Retaining Ring-E  | 123 - 60           |
| G150 1088 | Retaining Ring-E  | 75 - 105           |
| G150 1088 | Retaining Ring-E  | 55 - 27            |
| G150 1088 | Retaining Ring-E  | 83 - 16            |
| G150 1088 | Retaining Ring-E  | 55 - 77            |
| G150 1088 | Retaining Ring -E | 83 - 74            |
| G150 1088 | Retaining Ring-E  | 75 - 100           |
| G150 1089 | Retaining Ring-E  | 103 - 23           |
| G150 1089 | Retaining Ring-E  | 103 - 65           |
| G150 1089 | Retaining Ring-E  | 119 - 134          |
| G150 1089 | Retaining Ring-E  | 103 - 28           |
| G150 1089 | Retaining Ring-E  | 73 - 86            |
| G150 1089 | Retaining Ring-E  | 41 - 138           |
| G150 1089 | Retaining Ring-E  | 121 - 138          |
| G150 1089 | Retaining Ring-E  | 39 - 134           |
| G150 1089 | Retaining Ring-E  | 35 - 134           |
| G150 1089 | Retaining Ring-E  | 103 - 17           |
| G150 1089 | Retaining Ring-E  | 37 - 138           |

| Part No.  | Description         | Page and Index No. |
|-----------|---------------------|--------------------|
| G150 1092 | Timing Belt         | 101 - 91           |
| G150 1095 | Plug Cushion Rubber | 111 - 68           |
| G150 1095 | Plug Cushion Rubber | 83 - 14            |
| G150 1095 | Plug Cushion Rubber | 93 - 75            |
| G150 1095 | Plug Cushion Rubber | 109 - 278          |
| G150 1095 | Plug Cushion Rubber | 111 - 105          |
| G150 1095 | Plug Cushion Rubber | 83 - 69            |
| G150 1095 | Plug Cushion Rubber | 93 - 191           |
| G150 1095 | Plug Cushion Rubber | 93 - 63            |
| G150 1095 | Plug Cushion Rubber | 51 - 86            |
| G150 1095 | Plug Cushion Rubber | 53 - 144           |
| G150 1095 | Plug Cushion Rubber | 93 - 130           |
| G150 1096 | Switching Regulator | 13 - 93            |
| G150 1097 | Switching Regulator | 13 - 94            |
| G150 1098 | Photo Interrupter   | 55 - 83            |
| G150 1098 | Photo Interrupter   | 101 - 48           |
| G150 1098 | Photo Interrupter   | 55 - 102           |
| G150 1098 | Photo Interrupter   | 95 - 73            |
| G150 1098 | Photo Interrupter   | 103 - 35           |
| G150 1098 | Photo Interrupter   | 91 - 154           |
| G150 1098 | Photo Interrupter   | 87 - 108           |
| G150 1098 | Photo Interrupter   | 101 - 93           |
| G150 1098 | Photo Interrupter   | 101 - 68           |
| G150 1098 | Photo Interrupter   | 69 - 231           |
| G150 1099 | Photo Interrupter   | 87 - 99            |
| G150 1099 | Photo Interrupter   | 69 - 265           |
| G150 1099 | Photo Interrupter   | 23 - 220           |
| G150 1099 | Photo Interrupter   | 67 - 21            |
| G150 1099 | Photo Interrupter   | 105 - 157          |
| G150 1099 | Photo Interrupter   | 119 - 7            |
| G150 1099 | Photo Interrupter   | 69 - 224           |
| G150 1099 | Photo Interrupter   | 17 - 270           |
| G150 1099 | Photo Interrupter   | 107 - 173          |
| G150 1099 | Photo Interrupter   | 13 - 241           |
| G150 1099 | Photo Interrupter   | 13 - 177           |

| Part No.  | Description                 | Page and Index No. |
|-----------|-----------------------------|--------------------|
| G150 1099 | Photo Interrupter           | 47 - 110           |
| G150 1099 | Photo Interrupter           | 29 - 167           |
| G150 1099 | Photo Interrupter           | 59 - 171           |
| G150 1099 | Photo Interrupter           | 69 - 247           |
| G150 1099 | Photo Interrupter           | 27 - 108           |
| G150 1099 | Photo Interrupter           | 39 - 7             |
| G150 1099 | Photo Interrupter           | 17 - 163           |
| G150 1099 | Photo Interrupter           | 105 -211           |
| G150 1099 | Photo Interrupter           | 59 - 7             |
| G150 1099 | Photo Interrupter           | 23 - 141           |
| G150 1099 | Photo Interrupter           | 35 - 7             |
| G150 1099 | Photo Interrupter           | 105 -117           |
| G150 1100 | Photo Sensor                | 99 - 79            |
| G150 1100 | Photo Sensor                | 105 - 10           |
| G150 1100 | Photo Sensor                | 99 - 58            |
| G150 1100 | Photo Sensor                | 51 - 85            |
| G150 1100 | Photo Sensor                | 45 - 205           |
| G150 1100 | Photo Sensor                | 93 - 77            |
| G150 1100 | Photo Sensor                | 93 - 60            |
| G150 1100 | Photo Sensor                | 93 - 53            |
| G150 1100 | Photo Sensor                | 43 - 261           |
| G150 1100 | Photo Sensor                | 43 - 221           |
| G150 1100 | Photo Sensor                | 59 - 64            |
| G150 1100 | Photo Sensor                | 51 - 60            |
| G150 1100 | Photo Sensor                | 117 - 73           |
| G150 1100 | Photo Sensor                | 113 - 52           |
| G150 1100 | Photo Sensor                | 53 - 146           |
| G150 1100 | Photo Sensor                | 53 - 185           |
| G150 1100 | Photo Sensor                | 53 - 201           |
| G150 1100 | Photo Sensor                | 25 - 6             |
| G150 1100 | Photo Sensor                | 117 -151           |
| G150 1100 | Photo Sensor                | 123 - 76           |
| G150 1100 | Photo Sensor                | 111 -103           |
| G150 1100 | Photo Sensor                | 33 - 48            |
| G150 1104 | Temperature Humidity Sensor | 17 - 140           |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G150 1105 | Toner Sensor              | 77 - 34            |
| G150 1106 | EOF Sensor                | 35 - 8             |
| G150 1106 | EOF Sensor                | 39 - 8             |
| G150 1106 | EOF Sensor                | 101 - 21           |
| G150 1106 | EOF Sensor                | 119 - 8            |
| G150 1106 | EOF Sensor                | 59 - 175           |
| G150 1106 | EOF Sensor                | 23 - 211           |
| G150 1106 | EOF Sensor                | 105 -205           |
| G150 1106 | EOF Sensor                | 85 - 28            |
| G150 1111 | Push Switch               | 17 - 320           |
| G150 1112 | Micro Switch              | 75 - 139           |
| G150 1114 | DC Fan                    | 17 - 193           |
| G150 1114 | DC Fan                    | 45 - 286           |
| G150 1114 | DC Fun                    | 83 - 29            |
| G150 1115 | DC Fan                    | 13 - 418           |
| G150 1115 | DC Fan                    | 87 - 16            |
| G150 1115 | DC Fan                    | 13 - 347           |
| G150 1115 | DC Fan                    | 17 - 154           |
| G150 1116 | DC Fan - 3.4W MG155008    | 13 - 462           |
| G150 1116 | DC Fan - 3.4W             | 13 - 149           |
| G150 1120 | Magnet Catch              | 83 - 118           |
| G150 1120 | Magnet Catch              | 109 -277           |
| G150 1120 | Magnet Catch              | 109 -308           |
| G150 1120 | Magnet Catch              | 43 - 270           |
| G150 1133 | Spring Washer,D3          | 55 - 147           |
| G150 1134 | External Tooth Washer, D3 | 51 - 131           |
| G150 1136 | Nut,M6                    | 73 - 80            |
| G150 1143 | Washer,D3                 | 95 - 24            |
| G150 1144 | Bolt Washer,D4            | 13 - 262           |
| G150 1146 | Bolt Washer,D8            | 17 - 49            |
| G150 1147 | D3X12 Pin                 | 63 - 34            |
| G150 1148 | D3X12 Pin                 | 65 - 13            |
| G150 1150 | D3X16 Pin                 | 35 - 132           |
| G150 1150 | D3X16 Pin                 | 39 - 132           |
| G150 1150 | D3X16 Pin                 | 119 -132           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1151 | D3X28 Parallel Pin                     | 53 - 213           |
| G150 1152 | O Ring                                 | 75 - 107           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 47 - 137           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 123 -109           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 75 - 144           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 31 - 15            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W   | 41 - 130           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 87 - 67            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 55 - 94            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 75 - 124           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips             | 77 - 15            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 101 -103           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 21 - 42            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 31 - 8             |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W   | 119 -118           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 47 - 121           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 55 - 62            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 111 - 26           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 47 - 172           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 55 - 58            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 63 - 113           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 91 - 37            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 91 - 150           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 59 - 83            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 79 - 70            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips             | 77 - 41            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 91 - 166           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips             | 77 - 64            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 91 - 181           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 43 - 279           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 101 - 26           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 101 -135           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 59 - 103           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 79 - 39            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 59 - 106           |

| Part No.  | Description                              | Page and Index No. |
|-----------|------------------------------------------|--------------------|
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 79 - 65            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 111 - 18           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 115 - 10           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 55 - 250           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 95 - 88            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 17 - 318           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 69 - 266           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 55 - 226           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W     | 35 - 118           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips SW & W        | 49 - 34            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 71 - 307           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 95 - 71            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 55 - 195           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips SW & W        | 49 - 12            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 111 - 93           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 105 - 20           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 113 -138           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 47 - 149           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 13 - 85            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 55 - 50            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 97 - 23            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips               | 71 - 358           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 115 - 20           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips SW & W        | 49 - 23            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 63 - 36            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W     | 25 - 11            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W     | 37 - 130           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 97 - 31            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 85 - 9             |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W     | 39 - 118           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 101 -110           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & ' W | 59 - 24            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W   | 97 - 50            |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With Sw&W     | 121 -130           |
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & ' W | 59 - 27            |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1153 | Screw,M3X6 Pan Hd.Phillips With SW & W | 47 - 106           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 77 - 8             |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 73 - 66            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 25 - 43            |
| G150 1154 | Screw, M3X8 Pan Hd.Phillips With Sw&W  | 41 - 32            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 119 -218           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 59 - 135           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw& W  | 101 - 70           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 105 - 57           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 41 - 57            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 105 - 33           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 75 - 112           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 41 - 82            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 59 - 151           |
| G150 1154 | Screw, M3X8 Pan Hd.Phillips With Sw&W  | 121 - 32           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 39 - 218           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw& W  | 101 - 45           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 91 - 20            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 77 - 24            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw& W  | 101 - 95           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 77 - 27            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 77 - 32            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 33 - 51            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 55 - 142           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 77 - 71            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 77 - 74            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 95 - 44            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 105 -207           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 79 - 29            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 79 - 40            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 95 - 53            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W   | 35 - 218           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 69 - 232           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 47 - 91            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W | 55 - 193           |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 69 - 245           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 95 - 7             |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 55 - 209           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 23 - 213           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 69 - 248           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 55 - 222           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 55 - 224           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 59 - 128           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 95 - 75            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips              | 71 - 303           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 25 - 28            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 65 - 49            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 55 - 251           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 25 - 19            |
| G150 1154 | Screw, M3X8 Pan Hd.Phillips With Sw&W   | 37 - 32            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 37 - 57            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 37 - 82            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 121 - 57           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 25 - 21            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 105 - 28           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 13 - 437           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 105 -212           |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 73 - 29            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With SW & W  | 73 - 35            |
| G150 1154 | Screw,M3X8 Pan Hd.Phillips With Sw&W    | 121 - 82           |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 55 - 49            |
| G150 1155 | Screw,M3 □ 10 Pan Hd.Phillips With SW&W | 101 -133           |
| G150 1155 | Screw,M3 □ 10 Pan Hd.Phillips With SW&W | 101 -125           |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 75 - 36            |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 75 - 33            |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With Sw&W   | 25 - 127           |
| G150 1155 | Screw,M3 □ 10 Pan Hd.Phillips With SW&W | 101 -114           |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 75 - 6             |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 17 - 173           |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 85 - 8             |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 105 -145           |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 101 - 36           |
| G150 1155 | Screw,M3X10 Pan Hd.Phillips With SW & W | 101 - 17           |
| G150 1156 | Screw,M3X12 Pan Hd.Phillips With SW & W | 113 -124           |
| G150 1156 | Screw,M3X12 Pan Hd.Phillips With SW & W | 75 - 116           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With SW & W | 59 - 176           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With SW & W | 105 -206           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With SW & W | 105 - 11           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 39 - 240           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 39 - 9             |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 25 - 7             |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 119 -240           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 35 - 240           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 119 - 9            |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips             | 69 - 347           |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 35 - 9             |
| G150 1157 | Screw,M3X16 Pan Hd.Phillips With Sw&W   | 23 - 212           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 87 - 109           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W       | 51 - 90            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 13 - 7             |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 105 -246           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 63 - 118           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 43 - 229           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 17 - 291           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 13 - 124           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 101 - 97           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 63 - 130           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 17 - 324           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 17 - 365           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 17 - 385           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 59 - 77            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 17 - 397           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 17 - 405           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W  | 17 - 407           |
| G150 1160 | Screw M4X8 MG155008                     | 123 - 40           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 14            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 63 - 196           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 21 - 11            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 20            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 62           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 28            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 21 - 30            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 65 - 18            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 131           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 21 - 34            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 80            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 21 - 41            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 53 - 176           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 21 - 70            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 65 - 76            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 117 - 82           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 65 - 82            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 7            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 21 - 100           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 65 - 103           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 65 - 140           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 159           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 23 - 52            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 67 - 22            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 67 - 107           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 84            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 109 -285           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips             | 67 - 183           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 67 - 191           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 67 - 205           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 75            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 119 -200           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 69 - 145           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 269           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 48            |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 214           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 119 -235           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 23 - 140           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 72           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 116           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 97            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 203           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 105 -338           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 119 -122           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 19            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 23 - 150           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 42            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 209           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 216           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips             | 13 - 219           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 111 - 94           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 48            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 117 - 85           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 89            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 107 -175           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 54            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 117 - 94           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 72            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 37           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 23 - 233           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 62            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 121 - 99           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 283           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 64            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 70            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 73           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 55           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 105 -156           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 256           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 78            |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 25 - 4             |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 109 -331           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 86            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 53 - 150           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 264           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 107 -177           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 93           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 53 - 230           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 53 - 232           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 107 -181           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips             | 71 - 370           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 53 - 238           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 282           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 99 - 60            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 291           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 306           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 45 - 210           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 45 - 212           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 73 - 43            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 107 -183           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 115 - 21           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 119 -237           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 73 - 60            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 95            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 99 - 62            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 138           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 89 - 181           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 327           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 111 - 5            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 59            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 89 - 193           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 98           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 337           |
| G150 1160 | Screw M4X8 Pan Hd.Phillips With Sw&W   | 25 - 132           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 100           |



| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 45 - 291           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 107 -234           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 123 - 86           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 342           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 27 - 114           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 107 -235           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 29 - 169           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 29 - 179           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 29 - 182           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 29 - 184           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 85            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 92            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 111 - 83           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW &W  | 111 - 98           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 86            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 84            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 114           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 126           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 63 - 110           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 95            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 125           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 349           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 47 - 63            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 354           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 31 - 16            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 17 - 159           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 91            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 99 - 91            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 365           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 147           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 155           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 159           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 137           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 93 - 188           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 75 - 170           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 106           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 111           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 113           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 12           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 122           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 126           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 397           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 119 -248           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 47 - 173           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 408           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 105 - 68           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 33 - 52            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 33 - 54            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips             | 17 - 219           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 33 - 59            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 95 - 10            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 33 - 63            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 143           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 118           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 33 - 69            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 151           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 155           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 161           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 105 -163           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 79 - 21            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 79 - 24            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 105 -125           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 79 - 36            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 95 - 14            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 148           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 121 -159           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 79 - 50            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 33 - 99            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 79 - 58            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 115 - 47           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 53 - 155           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 421           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 79 - 68            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 186           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 107 -254           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 423           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 121 -167           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 157           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 49 - 35            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 123 - 74           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 227           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 111 - 27           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 35 - 122           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 117 -119           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 218           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 13           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 35 - 167           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 123 -119           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 163           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 35 - 200           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 -106           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 238           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 260           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 24            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 35 - 235           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 115           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 35 - 237           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 267           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 95 - 54            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 45            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 49            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 35 - 248           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 17 - 266           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 17 - 269           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 274           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 111 - 62           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 55 - 278           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 77            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 82            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 86            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 428           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 37 - 99            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 31           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 111           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 106           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 18           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 123 - 6            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 128           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 129           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 37 - 159           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 -117           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 37 - 167           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 134           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 95 - 74            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 74            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 83 - 152           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 111 -106           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 120           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 15            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 17 - 20            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 13            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 39 - 122           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 59            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 43            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 46            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 48            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 75            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 78            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 94           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 39 - 167           |

| Part No.  | Description                            | Page and Index No. |
|-----------|----------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 93            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 117 - 141          |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 113           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 117           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 39 - 200           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 25            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 133           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 39 - 235           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 64            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 13 - 61            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 140           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 143           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 69           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 63 - 45            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 153           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 63 - 73            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 53 - 152           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 85 - 159           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 109 - 283          |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 87 - 5             |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 17 - 124           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 111 - 69           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 56           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 101 - 47           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 117 - 157          |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 87 - 27            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 59 - 58            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips SW & W      | 51 - 62            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W   | 41 - 99            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 103 - 36           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 87 - 63            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 99 - 81            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 87 - 68            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 87 - 71            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W | 43 - 227           |

| Part No.  | Description                              | Page and Index No. |
|-----------|------------------------------------------|--------------------|
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 17 - 138           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 87 - 84            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With Sw&W     | 41 - 159           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 97 - 51            |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 87 - 100           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 117 - 78           |
| G150 1160 | Screw,M4X8 Pan Hd.Phillips With SW & W   | 43 - 8             |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 37 - 26            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 41 - 101           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 119 - 175          |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 105 - 55           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 41 - 26            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 95 - 92            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 95 - 90            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 39 - 175           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 37 - 101           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 121 - 26           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 35 - 175           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 105 - 80           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 25 - 49            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 25 - 41            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With SW & W | 105 - 65           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 23 - 138           |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 23 - 80            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 23 - 66            |
| G150 1161 | Screw, M4X10 Pan Hd.Phillips With Sw&W   | 121 - 101          |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 55 - 174           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 83 - 40            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W    | 47 - 134           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 47 - 126           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 47 - 125           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 83 - 10            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 89 - 199           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 123 - 37           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W  | 105 - 78           |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W   | 121 -160           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 115 - 56           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 33 - 100           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 47 - 113           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 -105           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 89 - 202           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 55 - 169           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 99 - 93            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 33 - 60            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 33 - 55            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 49 - 26            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 94           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 31 - 34            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 111 - 19           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & S | 75 - 167           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 47 - 74            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 31 - 27            |
| G150 1162 | Screw M4x12                             | 123 - 70           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 31 - 10            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 55 - 93            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 111 -134           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 63 - 101           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 13           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 97 - 38            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 30           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 47 - 159           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W   | 41 - 160           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 97 - 27            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 91 - 7             |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 97 - 19            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 97 - 13            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 97 - 6             |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 -116           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 83 - 63            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 53 - 156           |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 89 - 208           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 49 - 51            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 47 - 151           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 49 - 46            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W   | 37 - 160           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 17           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 105 - 90           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 59 - 172           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 89 - 205           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 83 - 73            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 47 - 146           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 47 - 139           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 17 - 286           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 91 - 156           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 13 - 236           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips             | 93 - 44            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 49 - 15            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 115 - 9            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 47 - 165           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 91 - 183           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 59 - 100           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 91 - 177           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 91 - 170           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 49 - 11            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 34           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 59 - 93            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 69 - 225           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 24           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 69 - 213           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 117 - 83           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W   | 23 - 78            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw&W   | 23 - 64            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 21 - 95            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 91 - 38            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 21 - 86            |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 65 - 64            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 21 - 24            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With Sw& W  | 91 - 27            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 21 - 15            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 -112           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 90           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 31 - 7             |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 71 - 339           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 55 - 71            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 13 - 339           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 111 - 15           |
| G150 1162 | MG155008                                | 123 - 70           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 49 - 24            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 75 - 7             |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 13 - 313           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 13 - 307           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 111 - 74           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 73 - 30            |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips SW & W      | 53 - 223           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 71 - 341           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 69 - 256           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 59 - 109           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 117 - 95           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 71 - 310           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips             | 71 - 289           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 71 - 286           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 71 - 284           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 71 - 282           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 71 - 278           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 69 - 273           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 21           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 123 - 27           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 115 - 14           |
| G150 1162 | Screw,M4X12 Pan Hd.Phillips With SW & W | 13 - 63            |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 73 - 78            |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 81 - 12            |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 81 - 3             |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips SW & W      | 49 - 27            |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 75 - 120           |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 69 - 222           |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 13 - 308           |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips             | 73 - 26            |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 69 - 252           |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 69 - 236           |
| G150 1163 | Screw,M4X16 Pan Hd.Phillips With SW & W | 69 - 229           |
| G150 1263 | Stepping Motor 4                        | 59 - 23            |
| G150 1263 | Stepping Motor 4                        | 101 - 59           |
| G150 1263 | Stepping Motor 4                        | 47 - 105           |
| G150 1263 | Stepping Motor 4                        | 91 - 149           |
| G150 1263 | Stepping Motor 4                        | 77 - 61            |
| G150 1263 | Stepping Motor 4                        | 95 - 66            |
| G150 1263 | Stepping Motor 4                        | 101 - 82           |
| G150 1263 | Stepping Motor 4                        | 63 - 117           |
| G150 1263 | Stepping Motor 4                        | 101 - 41           |
| G150 1269 | DEV Duct Cap                            | 75 - 135           |
| G150 1278 | Dev Duct Switch Cover                   | 75 - 140           |
| G150 1344 | Sensor Holder                           | 33 - 47            |
| G150 1344 | Sensor Holder                           | 99 - 57            |
| G150 1344 | Sensor Holder                           | 45 - 204           |
| G150 1344 | Sensor Holder                           | 93 - 76            |
| G150 1344 | Sensor Holder                           | 93 - 59            |
| G150 1344 | Sensor Holder                           | 93 - 52            |
| G150 1344 | Sensor Holder                           | 43 - 260           |
| G150 1344 | Sensor Holder                           | 43 - 220           |
| G150 1344 | Sensor Holder                           | 117 - 72           |
| G150 1344 | Sensor Holder                           | 99 - 78            |
| G150 1344 | Sensor Holder                           | 117 -150           |
| G150 1344 | Sensor Holder                           | 113 - 51           |
| G150 1344 | Sensor Holder                           | 59 - 63            |
| G150 1344 | Sensor Holder                           | 111 -102           |

| Part No.  | Description           | Page and Index No. |
|-----------|-----------------------|--------------------|
| G150 1344 | Sensor Holder         | 53 - 200           |
| G150 1344 | Sensor Holder         | 53 - 184           |
| G150 1344 | Sensor Holder         | 51 - 84            |
| G150 1344 | Sensor Holder         | 51 - 59            |
| G150 1365 | Stepping Motor 8      | 47 - 123           |
| G150 1365 | Stepping Motor 8      | 47 - 150           |
| G150 1365 | Stepping Motor 8      | 97 - 32            |
| G150 1365 | Stepping Motor 8      | 49 - 3             |
| G150 1383 | CV Lever              | 53 - 208           |
| G150 1411 | Gear Stopper          | 115 - 38           |
| G150 1412 | Gate Link(B)          | 59 - 28            |
| G150 1415 | Spring Holder         | 53 - 166           |
| G150 1415 | Spring Holder         | 53 - 160           |
| G150 1421 | Solenoid A            | 105 - 37           |
| G150 1421 | Solenoid A            | 59 - 26            |
| G150 1421 | Solenoid A            | 105 -335           |
| G150 1421 | Solenoid A            | 23 - 230           |
| G150 1421 | Solenoid A            | 25 - 25            |
| G150 1422 | CR Flange(F)          | 75 - 16            |
| G150 1425 | FD Cover Band         | 89 - 210           |
| G150 1425 | FD Cover Band         | 109 -309           |
| G150 1456 | Lock Plate            | 53 - 210           |
| G150 1457 | Lock Plate            | 53 - 211           |
| G150 1459 | Drive Gear            | 35 - 202           |
| G150 1459 | Drive Gear            | 39 - 202           |
| G150 1459 | Drive Gear            | 119 -202           |
| G150 1538 | Wrap Sensor (1) Ass'y | 63 - 194           |
| G150 1544 | Phd Knob              | 121 - 67           |
| G150 1544 | Phd Knob              | 93 - 88            |
| G150 1544 | Phd Knob              | 45 - 195           |
| G150 1544 | Phd Knob              | 43 - 273           |
| G150 1544 | Phd Knob              | 121 -100           |
| G150 1544 | PHD Knob              | 93 - 107           |
| G150 1544 | Phd Knob              | 43 - 32            |
| G150 1544 | Phd Knob              | 41 - 100           |

| Part No.  | Description        | Page and Index No. |
|-----------|--------------------|--------------------|
| G150 1544 | Phd Knob           | 41 - 67            |
| G150 1544 | Phd Knob           | 37 - 100           |
| G150 1544 | Phd Knob           | 37 - 67            |
| G150 1544 | Phd Knob           | 93 - 128           |
| G150 1544 | Phd Knob           | 45 - 250           |
| G150 1544 | Phd Knob           | 33 - 92            |
| G150 1544 | Phd Knob           | 33 - 77            |
| G150 1544 | Phd Knob           | 117 -106           |
| G150 1544 | Phd Knob           | 99 - 71            |
| G150 1544 | Phd Knob           | 113 -119           |
| G150 1544 | PHD Nob            | 17 - 450           |
| G150 1544 | Phd Knob           | 59 - 51            |
| G150 1544 | Phd Knob           | 51 - 95            |
| G150 1544 | Phd Knob           | 51 - 73            |
| G150 1553 | Fan Assy (1)       | 107 -262           |
| G150 1553 | Fan Assy (1)       | 87 - 56            |
| G150 1555 | DEV Duct Sub-Assy  | 75 - 133           |
| G150 1568 | Dev Bias Terminal  | 69 - 243           |
| G150 1587 | Feed Roller Knob   | 47 - 177           |
| G150 1587 | Feed Roller Knob   | 49 - 54            |
| G150 1587 | Feed Roller Knob   | 91 - 12            |
| G150 1587 | Feed Roller Knob   | 115 - 59           |
| G150 1587 | Feed Roller Knob   | 31 - 37            |
| G150 1587 | Feed Roller Knob   | 59 - 164           |
| G150 1594 | Tension Roller B   | 115 - 36           |
| G150 1627 | Sensor Ass'y       | 79 - 90            |
| G150 1676 | AC011Ass'y         | 13 - 98            |
| G150 1709 | Hook Ring B        | 35 - 214           |
| G150 1709 | Hook Ring B        | 85 - 158           |
| G150 1709 | Hook Ring B        | 85 - 138           |
| G150 1709 | Hook Ring B        | 119 -214           |
| G150 1709 | Hook Ring B        | 43 - 46            |
| G150 1709 | Hook Ring B        | 59 - 50            |
| G150 1710 | Latch Roller Shaft | 85 - 137           |
| G150 1710 | Latch Roller Shaft | 85 - 157           |

| Part No.  | Description                     | Page and Index No. |
|-----------|---------------------------------|--------------------|
| G150 1713 | Timing Roller Sp                | 53 - 167           |
| G150 1716 | Counter Assy                    | 17 - 391           |
| G150 1748 | Lan Adapter Ass'y MG155029      | 13 - 435           |
| G150 1774 | B.B Holder Mgr Assy             | 75 - 46            |
| G150 1790 | Guide Roller                    | 39 - 112           |
| G150 1790 | Guide Roller                    | 119 - 112          |
| G150 1798 | Guide Roller                    | 35 - 112           |
| G150 1817 | Sensor Assy                     | 117 - 149          |
| G150 1817 | Sensor Assy                     | 117 - 71           |
| G150 1821 | Drum Guide Roller Assy          | 75 - 57            |
| G150 1841 | Doctor Holder D                 | 75 - 39            |
| G150 1857 | Inch Screw (6-32,Type)          | 13 - 434           |
| G150 1858 | Flat Screw MG155029             | 13 - 424           |
| G150 1871 | M2.5X8 Fan Hd. Screw            | 13 - 425           |
| G150 1871 | M2.5x8 Screw MG155029           | 13 - 426           |
| G150 1893 | Serial Connector Cover MG155029 | 13 - 417           |
| G150 5084 | Retaning Ring-E (RoHS)          | 43 - 282           |
| G150 5084 | Retaning Ring-E (RoHS)          | 23 - 145           |
| G150 5084 | Retaning Ring-E (RoHS)          | 25 - 13            |
| G150 5084 | Retaning Ring-E (RoHS)          | 123 - 56           |
| G150 5084 | Retaning Ring-E (RoHS)          | 55 - 303           |
| G150 5084 | Retaning Ring-E (RoHS)          | 33 - 98            |
| G150 5084 | Retaning Ring-E (RoHS)          | 37 - 56            |
| G150 5084 | Retaning Ring-E (RoHS)          | 41 - 56            |
| G150 5084 | Retaning Ring-E (RoHS)          | 43 - 40            |
| G150 5084 | Retaning Ring-E (RoHS)          | 71 - 365           |
| G150 5084 | Retaning Ring-E (RoHS)          | 43 - 275           |
| G150 5084 | Retaning Ring-E (RoHS)          | 121 - 56           |
| G150 5084 | Retaning Ring-E (RoHS)          | 45 - 192           |
| G150 5084 | Retaning Ring-E (RoHS)          | 73 - 52            |
| G150 5084 | Retaning Ring-E (RoHS)          | 45 - 245           |
| G150 5084 | Retaning Ring-E (RoHS)          | 79 - 63            |
| G150 5084 | Retaning Ring-E (RoHS)          | 47 - 55            |
| G150 5084 | Retaning Ring-E (RoHS)          | 105 - 31           |
| G150 5084 | Retaning Ring-E (RoHS)          | 99 - 73            |

| Part No.  | Description                | Page and Index No. |
|-----------|----------------------------|--------------------|
| G150 5084 | Retaning Ring-E (RoHS)     | 81 - 34            |
| G150 5084 | Retaning Ring-E (RoHS)     | 87 - 25            |
| G150 5084 | Retaning Ring-E (RoHS)     | 51 - 136           |
| G150 5084 | Retaning Ring-E (RoHS)     | 99 - 90            |
| G150 5084 | Retaning Ring-E (RoHS)     | 55 - 217           |
| G150 5084 | Retaning Ring-E (RoHS)     | 63 - 187           |
| G150 5084 | Retaning Ring-E (RoHS)     | 63 - 127           |
| G150 5084 | Retaning Ring-E (RoHS)     | 63 - 165           |
| G150 5084 | Retaning Ring-E (RoHS)     | 105 - 138          |
| G150 5084 | Retaning Ring-E (RoHS)     | 13 - 249           |
| G150 5084 | Retaning Ring-E (RoHS)     | 59 - 65            |
| G150 5084 | Retaning Ring-E (RoHS)     | 59 - 38            |
| G150 5084 | Retaning Ring-E (RoHS)     | 113 - 117          |
| G150 5096 | Switching Regulator (RoHS) | 13 - 93            |
| G150 5097 | Switching Regulator (RoHS) | 13 - 94            |
| G150 5098 | Photo Interrupter (RoHS)   | 101 - 93           |
| G150 5098 | Photo Interrupter (RoHS)   | 101 - 68           |
| G150 5098 | Photo Interrupter (RoHS)   | 91 - 154           |
| G150 5098 | Photo Interrupter (RoHS)   | 95 - 73            |
| G150 5098 | Photo Interrupter (RoHS)   | 69 - 231           |
| G150 5098 | Photo Interrupter (RoHS)   | 55 - 83            |
| G150 5098 | Photo Interrupter (RoHS)   | 103 - 35           |
| G150 5098 | Photo Interrupter (RoHS)   | 55 - 102           |
| G150 5098 | Photo Interrupter (RoHS)   | 101 - 48           |
| G150 5098 | Photo Interrupter (RoHS)   | 87 - 108           |
| G150 5099 | Photo Interrupter (RoHS)   | 13 - 177           |
| G150 5099 | Photo Interrupter (RoHS)   | 87 - 99            |
| G150 5099 | Photo Interrupter (RoHS)   | 47 - 110           |
| G150 5099 | Photo Interrupter (RoHS)   | 59 - 7             |
| G150 5099 | Photo Interrupter (RoHS)   | 119 - 7            |
| G150 5099 | Photo Interrupter (RoHS)   | 105 - 117          |
| G150 5099 | Photo Interrupter (RoHS)   | 27 - 108           |
| G150 5099 | Photo Interrupter (RoHS)   | 23 - 141           |
| G150 5099 | Photo Interrupter (RoHS)   | 13 - 241           |
| G150 5099 | Photo Interrupter (RoHS)   | 105 - 157          |

| Part No.  | Description              | Page and Index No. |
|-----------|--------------------------|--------------------|
| G150 5099 | Photo Interrupter (RoHS) | 59 - 171           |
| G150 5099 | Photo Interrupter (RoHS) | 69 - 265           |
| G150 5099 | Photo Interrupter (RoHS) | 69 - 247           |
| G150 5099 | Photo Interrupter (RoHS) | 39 - 7             |
| G150 5099 | Photo Interrupter (RoHS) | 17 - 163           |
| G150 5099 | Photo Interrupter (RoHS) | 35 - 7             |
| G150 5099 | Photo Interrupter (RoHS) | 105 - 211          |
| G150 5099 | Photo Interrupter (RoHS) | 29 - 167           |
| G150 5099 | Photo Interrupter (RoHS) | 17 - 270           |
| G150 5099 | Photo Interrupter (RoHS) | 69 - 224           |
| G150 5099 | Photo Interrupter (RoHS) | 107 - 173          |
| G150 5099 | Photo Interrupter (RoHS) | 23 - 220           |
| G150 5099 | Photo Interrupter (RoHS) | 67 - 21            |
| G150 5100 | Photo Sensor (RoHS)      | 25 - 6             |
| G150 5100 | Photo Sensor (RoHS)      | 53 - 201           |
| G150 5100 | Photo Sensor (RoHS)      | 53 - 185           |
| G150 5100 | Photo Sensor (RoHS)      | 53 - 146           |
| G150 5100 | Photo Sensor (RoHS)      | 117 - 73           |
| G150 5100 | Photo Sensor (RoHS)      | 105 - 10           |
| G150 5100 | Photo Sensor (RoHS)      | 51 - 85            |
| G150 5100 | Photo Sensor (RoHS)      | 117 - 151          |
| G150 5100 | Photo Sensor (RoHS)      | 51 - 60            |
| G150 5100 | Photo Sensor (RoHS)      | 99 - 79            |
| G150 5100 | Photo Sensor (RoHS)      | 99 - 58            |
| G150 5100 | Photo Sensor (RoHS)      | 45 - 205           |
| G150 5100 | Photo Sensor (RoHS)      | 43 - 261           |
| G150 5100 | Photo Sensor (RoHS)      | 43 - 221           |
| G150 5100 | Photo Sensor (RoHS)      | 111 - 103          |
| G150 5100 | Photo Sensor (RoHS)      | 33 - 48            |
| G150 5100 | Photo Sensor (RoHS)      | 93 - 53            |
| G150 5100 | Photo Sensor (RoHS)      | 93 - 77            |
| G150 5100 | Photo Sensor (RoHS)      | 123 - 76           |
| G150 5100 | Photo Sensor (RoHS)      | 93 - 60            |
| G150 5100 | Photo Sensor (RoHS)      | 59 - 64            |
| G150 5100 | Photo Sensor (RoHS)      | 113 - 52           |

| Part No.  | Description                        | Page and Index No. |
|-----------|------------------------------------|--------------------|
| G150 5104 | Temperature Humidity Sensor (RoHS) | 17 - 140           |
| G150 5105 | Toner Sensor (RoHS)                | 77 - 34            |
| G150 5106 | EOF Sensor (RoHS)                  | 39 - 8             |
| G150 5106 | EOF Sensor (RoHS)                  | 105 - 205          |
| G150 5106 | EOF Sensor (RoHS)                  | 85 - 28            |
| G150 5106 | EOF Sensor (RoHS)                  | 59 - 175           |
| G150 5106 | EOF Sensor (RoHS)                  | 23 - 211           |
| G150 5106 | EOF Sensor (RoHS)                  | 101 - 21           |
| G150 5106 | EOF Sensor (RoHS)                  | 35 - 8             |
| G150 5106 | EOF Sensor (RoHS)                  | 119 - 8            |
| G150 5111 | Push Switch (RoHS)                 | 17 - 320           |
| G150 5112 | Micro Switch (RoHS)                | 75 - 139           |
| G150 5114 | DC Fan (RoHS)                      | 45 - 286           |
| G150 5114 | DC Fan (RoHS)                      | 83 - 29            |
| G150 5114 | DC Fan (RoHS)                      | 17 - 193           |
| G150 5115 | DC Fan (RoHS)                      | 17 - 154           |
| G150 5115 | DC Fan (RoHS)                      | 87 - 16            |
| G150 5115 | DC Fan (RoHS)                      | 13 - 418           |
| G150 5115 | DC Fan (RoHS)                      | 13 - 347           |
| G150 5116 | DC Fan - 3.4W (RoHS)               | 13 - 462           |
| G150 5116 | DC Fan - 3.4W (RoHS)               | 13 - 149           |
| G150 5263 | Stepping Motor 4 (RoHS)            | 59 - 23            |
| G150 5263 | Stepping Motor 4 (RoHS)            | 63 - 117           |
| G150 5263 | Stepping Motor 4 (RoHS)            | 101 - 82           |
| G150 5263 | Stepping Motor 4 (RoHS)            | 95 - 66            |
| G150 5263 | Stepping Motor 4 (RoHS)            | 77 - 61            |
| G150 5263 | Stepping Motor 4 (RoHS)            | 47 - 105           |
| G150 5263 | Stepping Motor 4 (RoHS)            | 101 - 41           |
| G150 5263 | Stepping Motor 4 (RoHS)            | 101 - 59           |
| G150 5263 | Stepping Motor 4 (RoHS)            | 91 - 149           |
| G150 5365 | Stepping Motor 8 (RoHS)            | 97 - 32            |
| G150 5365 | Stepping Motor 8 (RoHS)            | 47 - 123           |
| G150 5365 | Stepping Motor 8 (RoHS)            | 47 - 150           |
| G150 5365 | Stepping Motor 8 (RoHS)            | 49 - 3             |
| G150 5421 | Solenoid A (RoHS)                  | 59 - 26            |



| Part No.  | Description                      | Page and Index No. |
|-----------|----------------------------------|--------------------|
| G150 5421 | Solenoid A (RoHS)                | 105 - 335          |
| G150 5421 | Solenoid A (RoHS)                | 23 - 230           |
| G150 5421 | Solenoid A (RoHS)                | 25 - 25            |
| G150 5421 | Solenoid A (RoHS)                | 105 - 37           |
| G150 5538 | Wrap Sensor (1) Ass'y (RoHS)     | 63 - 194           |
| G150 5553 | Fan Assy (1) (RoHS)              | 87 - 56            |
| G150 5568 | Dev Bias Terminal (RoHS)         | 69 - 243           |
| G150 5627 | Sensor Ass'y (RoHS)              | 79 - 90            |
| G150 5676 | AC011Ass'y (RoHS)                | 13 - 98            |
| G150 5716 | Counter Assy (RoHS)              | 17 - 391           |
| G150 5817 | Sensor Assy (RoHS)               | 117 - 149          |
| G150 5817 | Sensor Assy (RoHS)               | 117 - 71           |
| G151 1000 | M3X8 Hex Socket Bolt With SW & W | 47 - 64            |
| G151 1001 | Extension Spring                 | 59 - 41            |
| G151 1002 | One-Touch Bushing                | 79 - 16            |
| G151 1028 | Stepping Motor 40                | 59 - 102           |
| G151 1028 | Stepping Motor 40                | 91 - 165           |
| G151 5028 | Stepping Motor 40 (RoHS)         | 59 - 102           |
| G151 5028 | Stepping Motor 40 (RoHS)         | 91 - 165           |
| G152 1006 | Extension Spring                 | 87 - 23            |
| G851 1000 | Set Screw, M3X3 Hex Socket Hea   | 95 - 72            |
| G851 1000 | Set Screw, M3X3 Hex Socket Hea   | 101 - 43           |
| G851 1000 | Set Screw, M3X3 Hex Socket Hea   | 101 - 61           |
| G851 1000 | Set Screw, M3X3 Hex Socket Hea   | 101 - 84           |
| G851 1001 | B.B.                             | 95 - 9             |
| G851 1001 | B.B                              | 29 - 180           |
| G851 1002 | Sleeve Bearing                   | 53 - 159           |
| G851 1002 | Sleeve Bearing                   | 71 - 367           |
| G851 1002 | Sleeve Bearing                   | 63 - 125           |
| G851 1002 | Sleeve Bearing                   | 95 - 28            |
| G851 1002 | Sleeve Bearing                   | 53 - 164           |
| G851 1003 | Compression Spring               | 95 - 29            |
| G851 1006 | Extension Spring                 | 85 - 139           |
| G851 1008 | Spring                           | 81 - 19            |
| G851 1009 | Extension Spring                 | 41 - 39            |

| Part No.  | Description               | Page and Index No. |
|-----------|---------------------------|--------------------|
| G851 1009 | Extension Spring          | 37 - 89            |
| G851 1009 | Extension Spring          | 37 - 39            |
| G851 1009 | Extension Spring          | 121 - 39           |
| G851 1009 | Extension Spring          | 121 - 89           |
| G851 1009 | Extension Spring          | 41 - 89            |
| G851 1010 | Extension Spring          | 105 - 79           |
| G851 1010 | Extension Spring          | 123 - 115          |
| G851 1010 | Extension Spring          | 115 - 57           |
| G851 1010 | Extension Spring          | 23 - 65            |
| G851 1010 | Extension Spring          | 91 - 31            |
| G851 1010 | Extension Spring          | 97 - 45            |
| G851 1010 | Extension Spring          | 23 - 79            |
| G851 1010 | Extension Spring          | 111 - 135          |
| G851 1010 | Extension Spring          | 111 - 75           |
| G851 1010 | Extension Spring          | 31 - 35            |
| G851 1010 | Extension Spring          | 105 - 91           |
| G851 1010 | Extension Spring          | 49 - 52            |
| G851 1010 | Extension Spring          | 49 - 28            |
| G851 1010 | Extension Spring          | 47 - 166           |
| G851 1010 | Extension Spring          | 47 - 160           |
| G851 1016 | Timing Belt               | 91 - 30            |
| G851 1017 | Switching Regulator       | 107 - 253          |
| G851 1019 | Push Switch               | 123 - 33           |
| G851 1019 | Push Switch               | 85 - 12            |
| G851 1019 | Push Switch               | 87 - 83            |
| G851 1019 | Push Switch               | 105 - 250          |
| G851 1020 | Electrostatic Eraser      | 65 - 52            |
| G851 1021 | Spring Washer, D4         | 103 - 52           |
| G851 1021 | Spring Washer, D4         | 13 - 260           |
| G851 1022 | External Tooth Washer, D4 | 75 - 169           |
| G851 1022 | External Tooth Washer, D4 | 17 - 22            |
| G851 1022 | External Tooth Washer, D4 | 109 - 290          |
| G851 1022 | External Tooth Washer, D4 | 51 - 132           |
| G851 1022 | External Tooth Washer, D4 | 55 - 96            |
| G851 1022 | External Tooth Washer, D4 | 89 - 180           |

| Part No.  | Description                             | Page and Index No. |
|-----------|-----------------------------------------|--------------------|
| G851 1022 | External Tooth Washer, D4               | 123 - 7            |
| G851 1022 | External Tooth Washer, D4               | 103 -116           |
| G851 1022 | External Tooth Washer, D4               | 103 - 97           |
| G851 1022 | External Tooth Washer, D4               | 73 - 25            |
| G851 1023 | M3X5 Pan Head Screw No.3 Ni             | 95 - 23            |
| G851 1025 | Screw,M3X20 Pan Hd.Phillips With SW & W | 77 - 51            |
| G851 1095 | Gate Rink(A)                            | 25 - 23            |
| G851 1095 | Gate Link (A)                           | 105 - 35           |
| G851 1099 | Rink A                                  | 25 - 24            |
| G851 1099 | Link (A)                                | 105 - 36           |
| G851 1101 | S Tension Pulley                        | 101 - 51           |
| G851 1101 | S Tension Pulley                        | 101 - 63           |
| G851 1101 | S Tension Pulley                        | 101 - 88           |
| G851 1104 | Stop Housing (2) M                      | 95 - 32            |
| G851 1148 | Jogger Motor Pulley                     | 101 - 42           |
| G851 1148 | Jogger Motor Pulley                     | 101 - 60           |
| G851 1148 | Jogger Motor Pulley                     | 101 - 83           |
| G851 1183 | Off-Set Roller Assy                     | 95 - 19            |
| G851 1192 | B.B Holder (S)                          | 41 - 129           |
| G851 1192 | B.B Holder (S)                          | 37 - 129           |
| G851 1192 | B.B Holder (S)                          | 121 -129           |
| G851 1197 | Jogger Pulley Flange                    | 101 - 89           |
| G851 1197 | Jogger Pulley Flange                    | 101 - 52           |
| G851 1197 | Jogger Pulley Flange                    | 101 - 64           |
| G851 1202 | Idler Roller Assy                       | 95 - 48            |
| G851 1205 | Paddle                                  | 95 - 22            |
| G851 5017 | Switching Regulator (RoHS)              | 107 -253           |
| G851 5019 | Push Switch (RoHS)                      | 87 - 83            |
| G851 5019 | Push Switch (RoHS)                      | 105 -250           |
| G851 5019 | Push Switch (RoHS)                      | 123 - 33           |
| G851 5019 | Push Switch (RoHS)                      | 85 - 12            |

| Part No. | Description | Page and Index No. |
|----------|-------------|--------------------|
|          |             |                    |