

**Reissued: 01-Feb-17**

|                          |                 |                |
|--------------------------|-----------------|----------------|
| Model: <b>Sargas-PJ1</b> | Date: 25-Feb-16 | No.: RY095002a |
|--------------------------|-----------------|----------------|

**RTB Reissue**

The items in ***bold italics*** have been corrected or added.

|  |   |   |   |
|--|---|---|---|
| Subject: Firmware Release Note: Scaler                 |   | Prepared by: T. Sakakibara  |   |
| From: VC Products Support Sec., Solution Support Dept. |   |   |   |
| Classification:  | <input type="checkbox"/> Troubleshooting<br><input type="checkbox"/> Mechanical<br><input type="checkbox"/> Paper path<br><input type="checkbox"/> Product Safety | <input type="checkbox"/> Part information<br><input type="checkbox"/> Electrical<br><input type="checkbox"/> Transmit/receive<br><input checked="" type="checkbox"/> Other (Firmware) | <input type="checkbox"/> Action required<br><input type="checkbox"/> Service manual revision<br><input type="checkbox"/> Retrofit information<br><input checked="" type="checkbox"/> Tier 2 |

This RTB has been issued to announce the firmware release information for the **Scaler**.

| Version             | Program No.             | Effective Date                         | Availability of RFU         |
|---------------------|-------------------------|--|-----------------------------|
| <b><i>01.95</i></b> | <b><i>Y0955510A</i></b> | <b><i>February 2017 production</i></b> | <b><i>Not available</i></b> |
| 01.80               | Y0955510                | 1st Mass production                    | Not available               |

**Note: Definition of Availability of RFU via @Remote**
**"Available":** The firmware can be updated via RFU or SD card.

**"Not available":** The firmware can only be updated via SD card.

| Version             | Modified Points or Symptom Corrected   |
|---------------------|--|
| <b><i>01.95</i></b> | <b><i>Specification Changes:<br/>Color HSG adjustment available. DDP:03.34(12), LAN:01.37, Scaler:01.95.</i></b> |
| 01.80               | 1st Mass production  |

**Reissued: 01-Feb-17**

|                          |                 |                |
|--------------------------|-----------------|----------------|
| Model: <b>Sargas-PJ1</b> | Date: 25-Feb-16 | No.: RY095003a |
|--------------------------|-----------------|----------------|

**RTB Reissue**

The items in ***bold italics*** have been corrected or added.

|  |   |   |   |
|--|---|---|---|
| Subject: Firmware Release Note: LAN                    |   | Prepared by: T. Sakakibara  |   |
| From: VC Products Support Sec., Solution Support Dept. |   |   |   |
| Classification:  | <input type="checkbox"/> Troubleshooting<br><input type="checkbox"/> Mechanical<br><input type="checkbox"/> Paper path<br><input type="checkbox"/> Product Safety | <input type="checkbox"/> Part information<br><input type="checkbox"/> Electrical<br><input type="checkbox"/> Transmit/receive<br><input checked="" type="checkbox"/> Other (Firmware) | <input type="checkbox"/> Action required<br><input type="checkbox"/> Service manual revision<br><input type="checkbox"/> Retrofit information<br><input checked="" type="checkbox"/> Tier 2 |

This RTB has been issued to announce the firmware release information for the **LAN**.

| Version             | Program No.             | Effective Date                         | Availability of RFU         |
|---------------------|-------------------------|--|-----------------------------|
| <b><i>01.37</i></b> | <b><i>Y0955511A</i></b> | <b><i>February 2017 production</i></b> | <b><i>Not available</i></b> |
| 01.18               | Y0955511                | 1st Mass production                    | Not available               |

**Note: Definition of Availability of RFU via @Remote**
**"Available":** The firmware can be updated via RFU or SD card.

**"Not available":** The firmware can only be updated via SD card.

| Version             | Modified Points or Symptom Corrected   |
|---------------------|--|
| <b><i>01.37</i></b> | <b><i>Specification Changes:<br/>Color HSG adjustment available. DDP:03.34(12), LAN:01.37, Scaler:01.95.</i></b> |
| 01.18               | 1st Mass production  |

|                          |                 |               |
|--------------------------|-----------------|---------------|
| Model: <b>Sargas-PJ1</b> | Date: 25-Feb-16 | No.: RY095004 |
|--------------------------|-----------------|---------------|

|  |  |  |  |
|--|--|--|--|
| Subject: Firmware Release Note: MCU                    |  | Prepared by: T. Sano                                 |  |
| From: VC Products Support Sec., Solution Support Dept. |  |  |  |
| Classification:  | <input type="checkbox"/> Troubleshooting | <input type="checkbox"/> Part information            | <input type="checkbox"/> Action required         |
|  | <input type="checkbox"/> Mechanical      | <input type="checkbox"/> Electrical                  | <input type="checkbox"/> Service manual revision |
|  | <input type="checkbox"/> Paper path      | <input type="checkbox"/> Transmit/receive            | <input type="checkbox"/> Retrofit information    |
|  | <input type="checkbox"/> Product Safety  | <input checked="" type="checkbox"/> Other (Firmware) | <input checked="" type="checkbox"/> Tier 2       |

This RTB has been issued to announce the firmware release information for the **MCU**.

| Version | Program No. | Effective Date      | Availability of RFU |
|---------|-------------|---------------------|---------------------|
| 00.14   | Y0955512    | 1st Mass production | Not available       |

**Note: Definition of Availability of RFU via @Remote**

**“Available”:** The firmware can be updated via RFU or SD card.

**“Not available”:** The firmware can only be updated via SD card.

| Version | Modified Points or Symptom Corrected |
|---------|--------------------------------------|
| 00.14   | 1st Mass production                  |

**Reissued: 01-Feb-17**

|                          |                 |                |
|--------------------------|-----------------|----------------|
| Model: <b>Sargas-PJ1</b> | Date: 25-Feb-16 | No.: RY095005a |
|--------------------------|-----------------|----------------|

**RTB Reissue**

The items in ***bold italics*** have been corrected or added.

|  |   |   |   |
|--|---|---|---|
| Subject: Firmware Release Note: DDP                    |   | Prepared by: T. Sakakibara  |   |
| From: VC Products Support Sec., Solution Support Dept. |   |   |   |
| Classification:  | <input type="checkbox"/> Troubleshooting<br><input type="checkbox"/> Mechanical<br><input type="checkbox"/> Paper path<br><input type="checkbox"/> Product Safety | <input type="checkbox"/> Part information<br><input type="checkbox"/> Electrical<br><input type="checkbox"/> Transmit/receive<br><input checked="" type="checkbox"/> Other (Firmware) | <input type="checkbox"/> Action required<br><input type="checkbox"/> Service manual revision<br><input type="checkbox"/> Retrofit information<br><input checked="" type="checkbox"/> Tier 2 |

This RTB has been issued to announce the firmware release information for the **DDP**.

| Version                 | Program No.             | Effective Date                         | Availability of RFU         |
|-------------------------|-------------------------|--|-----------------------------|
| <b><i>03.34(12)</i></b> | <b><i>Y0955513A</i></b> | <b><i>February 2017 production</i></b> | <b><i>Not available</i></b> |
| 03.33(12)               | Y0955513                | 1st Mass production                    | Not available               |

**Note: Definition of Availability of RFU via @Remote**
**"Available":** The firmware can be updated via RFU or SD card.

**"Not available":** The firmware can only be updated via SD card.

| Version                 | Modified Points or Symptom Corrected   |
|-------------------------|--|
| <b><i>03.34(12)</i></b> | <b><i>Specification Changes:<br/>Color HSG adjustment available. DDP:03.34(12), LAN:01.37, Scaler:01.95.</i></b> |
| 03.33(12)               | 1st Mass production  |