

Model: <b>Sirius-PJ2</b>	Date: 28-Oct-15	No.: RY076001
--------------------------	-----------------	---------------

Subject: Firmware Release Note: EDIDwriter		Prepared by: A. Iwaori	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **EDIDwriter**.

Version	Program No.	Effective Date	Availability of RFU
3.0.40	Y0765501	1st Mass production	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
3.0.40	Initial Release

Model: <b>Sirius-PJ2</b>	Date: 28-Oct-15	No.: RY076002
--------------------------	-----------------	---------------

Subject: Firmware Release Note: EDID Data		Prepared by: A. Iwaori	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **EDID Data**.

Version	Program No.	Effective Date	Availability of RFU
1.0.0	Y0765512	1st Mass production	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
1.0.0	Initial Release

Reissued: 23-Mar-17

Model: Sirius-PJ2	Date: 28-Oct-15	No.: RY076003a
-------------------	-----------------	----------------

## RTB Reissue

The items in ***bold italics*** have been corrected or added.

Subject: Firmware Release Note: model-specific product data		Prepared by: T. Sakakibara	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **model-specific product data**.

Version	Program No.	Effective Date	Availability of RFU
<b><i>V101005</i></b>	<b><i>Y0765514A</i></b>	-	<b><i>Not Available</i></b>
1.0.0	Y0765514	1st Mass production	Not Available

Note: Definition of Availability of RFU via @Remote

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
<b><i>V101005</i></b>	<p><b><i>Bug fixed:</i></b></p> <p><b><i>WU6181N: WU6181N_Data_V102006.bin Power ON timer bug &amp; Projection ghosting bug</i></b></p> <p><b><i>WX6181N: WX6181N_Data_V102006.bin Power ON timer bug &amp; Projection ghosting bug</i></b></p> <p><b><i>X6181N: X6181N_Data_V101005.bin Power ON timer bug</i></b></p> <p><b><i>Note:</i></b>  <b><i>Update this FW with Main V102004 (Y0765510) together.</i></b></p> <p><b><i>Timer bug:</i></b>  <b><i>Projector does not turn on when set power on timer over the day.</i></b>  <b><i>For example, set Power OFF [23:59], Power ON [8:00]. Projector will shut down at 23:59 today but won't turns on at 8:00 tomorrow.</i></b></p>
1.0.0	Initial Release

Model: <b>Sirius-PJ2</b>	Date: 28-Oct-15	No.: RY076004
--------------------------	-----------------	---------------

Subject: Firmware Release Note: model-specific VerUpField data		Prepared by: A. Iwaori	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **model-specific VerUpField data**.

Version	Program No.	Effective Date	Availability of RFU
1.0.0	Y0765516	1st Mass production	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
1.0.0	Initial Release

Model: <b>Sirius-PJ2</b>	Date: 28-Oct-15	No.: RY076005
--------------------------	-----------------	---------------

Subject: Firmware Release Note: PJUpgrader2		Prepared by: A. Iwaori	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **PJUpgrader2**.

Version	Program No.	Effective Date	Availability of RFU
1.08	Y0765503	1st Mass production	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
1.08	Initial Release

Model: <b>Sirius-PJ2</b>	Date: 28-Oct-15	No.: RY076006
--------------------------	-----------------	---------------

Subject: Firmware Release Note: PJUpgrader2vupf		Prepared by: A. Iwaori	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **PJUpgrader2vupf**.

Version	Program No.	Effective Date	Availability of RFU
1.06	Y0765505	1st Mass production	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
1.06	Initial Release

Model: <b>Sirius-PJ2</b>	Date: 28-Oct-15	No.: RY076007
--------------------------	-----------------	---------------

Subject: Firmware Release Note: Service adjusting software		Prepared by: A. Iwaori	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **Service adjusting software**.

Version	Program No.	Effective Date	Availability of RFU
1.0.0.0	Y0765508	1st Mass production	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
1.0.0.0	Initial Release

Model: <b>Sirius-PJ2</b>	Date: 28-Oct-15	No.: RY076008
--------------------------	-----------------	---------------

Subject: Firmware Release Note: SNWriter2		Prepared by: A. Iwaori	
From: VC Products Support Sect, Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting <input type="checkbox"/> Mechanical <input type="checkbox"/> Paper path <input type="checkbox"/> Product Safety	<input type="checkbox"/> Part information <input type="checkbox"/> Electrical <input type="checkbox"/> Transmit/receive <input checked="" type="checkbox"/> Other (Firmware)	<input type="checkbox"/> Action required <input type="checkbox"/> Service manual revision <input type="checkbox"/> Retrofit information <input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **SNWriter2**.

Version	Program No.	Effective Date	Availability of RFU
1.0.2.0	Y0765507	1st Mass production	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
1.0.2.0	Initial Release



Model: <b>Sirius-PJ2</b>	Date: 23-Mar-17	No.: RY076009
--------------------------	-----------------	---------------

Subject: Firmware Release Note: Main			Prepared by: T. Sakakibara
From: VC Products Support Sec., Solution Support Dept.			
Classification:	<input type="checkbox"/> Troubleshooting	<input type="checkbox"/> Part information	<input type="checkbox"/> Action required
	<input type="checkbox"/> Mechanical	<input type="checkbox"/> Electrical	<input type="checkbox"/> Service manual revision
	<input type="checkbox"/> Paper path	<input type="checkbox"/> Transmit/receive	<input type="checkbox"/> Retrofit information
	<input type="checkbox"/> Product Safety	<input checked="" type="checkbox"/> Other (Firmware)	<input checked="" type="checkbox"/> Tier 2

This RTB has been issued to announce the firmware release information for the **Main**.

Version	Program No.	Effective Date	Availability of RFU
V102004	Y0765510	1st release	Not Available

**Note: Definition of Availability of RFU via @Remote**

“Available”: The firmware can be updated via RFU or SD card.

“Not available”: The firmware can only be updated via SD card.

Version	Modified Points or Symptom Corrected
V102004	<p>Bug fixed:            Projector does not turn on when set power on timer over the day.            For example, set Power OFF [23:59], Power ON [8:00]. Projector will shut down at 23:59 today but won't turns on at 8:00 tomorrow.</p> <p>Note:            Update this FW with Model-specific product data V101005 (Y0765514A) together.</p>